

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

06 Out-of-band emissions34

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Conducted Output AV Power (dBm)</i>	<i>Antenna Gain (dBi)</i>	<i>EIRP (dBm)</i>	<i>Limt (dBm)</i>	<i>Verdict</i>
Band7	5	20775	1	#0	QPSK	21.09	-3.36	17.73	33.01	PASS
Band7	5	20775	1	#Mid	QPSK	21.26	-3.36	17.90	33.01	PASS
Band7	5	20775	1	#Max	QPSK	21.28	-3.36	17.92	33.01	PASS
Band7	5	20775	12	#0	QPSK	20.19	-3.36	16.83	33.01	PASS
Band7	5	20775	12	#Mid	QPSK	20.20	-3.36	16.84	33.01	PASS
Band7	5	20775	12	#Max	QPSK	20.24	-3.36	16.88	33.01	PASS
Band7	5	20775	25	#0	QPSK	20.23	-3.36	16.87	33.01	PASS
Band7	5	20775	1	#0	QAM16	20.68	-3.36	17.32	33.01	PASS
Band7	5	20775	1	#Mid	QAM16	20.70	-3.36	17.34	33.01	PASS
Band7	5	20775	1	#Max	QAM16	20.77	-3.36	17.41	33.01	PASS
Band7	5	20775	12	#0	QAM16	19.21	-3.36	15.85	33.01	PASS
Band7	5	20775	12	#Mid	QAM16	19.21	-3.36	15.85	33.01	PASS
Band7	5	20775	12	#Max	QAM16	19.23	-3.36	15.87	33.01	PASS
Band7	5	20775	25	#0	QAM16	19.17	-3.36	15.81	33.01	PASS
Band7	5	21100	1	#0	QPSK	21.40	-3.36	18.04	33.01	PASS
Band7	5	21100	1	#Mid	QPSK	21.39	-3.36	18.03	33.01	PASS
Band7	5	21100	1	#Max	QPSK	21.33	-3.36	17.97	33.01	PASS
Band7	5	21100	12	#0	QPSK	20.37	-3.36	17.01	33.01	PASS
Band7	5	21100	12	#Mid	QPSK	20.29	-3.36	16.93	33.01	PASS
Band7	5	21100	12	#Max	QPSK	20.27	-3.36	16.91	33.01	PASS
Band7	5	21100	25	#0	QPSK	20.34	-3.36	16.98	33.01	PASS
Band7	5	21100	1	#0	QAM16	20.69	-3.36	17.33	33.01	PASS
Band7	5	21100	1	#Mid	QAM16	20.68	-3.36	17.32	33.01	PASS
Band7	5	21100	1	#Max	QAM16	20.64	-3.36	17.28	33.01	PASS
Band7	5	21100	12	#0	QAM16	19.34	-3.36	15.98	33.01	PASS
Band7	5	21100	12	#Mid	QAM16	19.27	-3.36	15.91	33.01	PASS
Band7	5	21100	12	#Max	QAM16	19.26	-3.36	15.90	33.01	PASS
Band7	5	21100	25	#0	QAM16	19.32	-3.36	15.96	33.01	PASS
Band7	5	21425	1	#0	QPSK	21.70	-3.36	18.34	33.01	PASS
Band7	5	21425	1	#Mid	QPSK	21.77	-3.36	18.41	33.01	PASS
Band7	5	21425	1	#Max	QPSK	21.86	-3.36	18.50	33.01	PASS
Band7	5	21425	12	#0	QPSK	20.75	-3.36	17.39	33.01	PASS
Band7	5	21425	12	#Mid	QPSK	20.74	-3.36	17.38	33.01	PASS
Band7	5	21425	12	#Max	QPSK	20.79	-3.36	17.43	33.01	PASS
Band7	5	21425	25	#0	QPSK	20.77	-3.36	17.41	33.01	PASS
Band7	5	21425	1	#0	QAM16	21.02	-3.36	17.66	33.01	PASS
Band7	5	21425	1	#Mid	QAM16	21.07	-3.36	17.71	33.01	PASS

X6877 WSCT-ANAB-R&E260100001A

Band7	5	21425	1	#Max	QAM16	21.13	-3.36	17.77	33.01	PASS
Band7	5	21425	12	#0	QAM16	19.80	-3.36	16.44	33.01	PASS
Band7	5	21425	12	#Mid	QAM16	19.81	-3.36	16.45	33.01	PASS
Band7	5	21425	12	#Max	QAM16	19.84	-3.36	16.48	33.01	PASS
Band7	5	21425	25	#0	QAM16	19.74	-3.36	16.38	33.01	PASS
Band7	10	20800	1	#0	QPSK	21.20	-3.36	17.84	33.01	PASS
Band7	10	20800	1	#Mid	QPSK	21.23	-3.36	17.87	33.01	PASS
Band7	10	20800	1	#Max	QPSK	21.31	-3.36	17.95	33.01	PASS
Band7	10	20800	25	#0	QPSK	20.23	-3.36	16.87	33.01	PASS
Band7	10	20800	25	#Mid	QPSK	20.22	-3.36	16.86	33.01	PASS
Band7	10	20800	25	#Max	QPSK	20.29	-3.36	16.93	33.01	PASS
Band7	10	20800	50	#0	QPSK	20.24	-3.36	16.88	33.01	PASS
Band7	10	20800	1	#0	QAM16	20.62	-3.36	17.26	33.01	PASS
Band7	10	20800	1	#Mid	QAM16	20.61	-3.36	17.25	33.01	PASS
Band7	10	20800	1	#Max	QAM16	20.73	-3.36	17.37	33.01	PASS
Band7	10	20800	25	#0	QAM16	19.26	-3.36	15.90	33.01	PASS
Band7	10	20800	25	#Mid	QAM16	19.24	-3.36	15.88	33.01	PASS
Band7	10	20800	25	#Max	QAM16	19.31	-3.36	15.95	33.01	PASS
Band7	10	20800	50	#0	QAM16	19.22	-3.36	15.86	33.01	PASS
Band7	10	21100	1	#0	QPSK	21.38	-3.36	18.02	33.01	PASS
Band7	10	21100	1	#Mid	QPSK	21.29	-3.36	17.93	33.01	PASS
Band7	10	21100	1	#Max	QPSK	21.28	-3.36	17.92	33.01	PASS
Band7	10	21100	25	#0	QPSK	20.35	-3.36	16.99	33.01	PASS
Band7	10	21100	25	#Mid	QPSK	20.31	-3.36	16.95	33.01	PASS
Band7	10	21100	25	#Max	QPSK	20.30	-3.36	16.94	33.01	PASS
Band7	10	21100	50	#0	QPSK	20.30	-3.36	16.94	33.01	PASS
Band7	10	21100	1	#0	QAM16	20.56	-3.36	17.20	33.01	PASS
Band7	10	21100	1	#Mid	QAM16	20.48	-3.36	17.12	33.01	PASS
Band7	10	21100	1	#Max	QAM16	20.45	-3.36	17.09	33.01	PASS
Band7	10	21100	25	#0	QAM16	19.34	-3.36	15.98	33.01	PASS
Band7	10	21100	25	#Mid	QAM16	19.31	-3.36	15.95	33.01	PASS
Band7	10	21100	25	#Max	QAM16	19.27	-3.36	15.91	33.01	PASS
Band7	10	21100	50	#0	QAM16	19.30	-3.36	15.94	33.01	PASS
Band7	10	21400	1	#0	QPSK	21.60	-3.36	18.24	33.01	PASS
Band7	10	21400	1	#Mid	QPSK	21.66	-3.36	18.30	33.01	PASS
Band7	10	21400	1	#Max	QPSK	21.88	-3.36	18.52	33.01	PASS
Band7	10	21400	25	#0	QPSK	20.61	-3.36	17.25	33.01	PASS
Band7	10	21400	25	#Mid	QPSK	20.65	-3.36	17.29	33.01	PASS
Band7	10	21400	25	#Max	QPSK	20.74	-3.36	17.38	33.01	PASS
Band7	10	21400	50	#0	QPSK	20.65	-3.36	17.29	33.01	PASS
Band7	10	21400	1	#0	QAM16	20.49	-3.36	17.13	33.01	PASS
Band7	10	21400	1	#Mid	QAM16	20.54	-3.36	17.18	33.01	PASS
Band7	10	21400	1	#Max	QAM16	20.76	-3.36	17.40	33.01	PASS
Band7	10	21400	25	#0	QAM16	19.60	-3.36	16.24	33.01	PASS

X6877 WSCT-ANAB-R&E260100001A

Band7	10	21400	25	#Mid	QAM16	19.64	-3.36	16.28	33.01	PASS
Band7	10	21400	25	#Max	QAM16	19.72	-3.36	16.36	33.01	PASS
Band7	10	21400	50	#0	QAM16	19.62	-3.36	16.26	33.01	PASS
Band7	15	20825	1	#0	QPSK	21.13	-3.36	17.77	33.01	PASS
Band7	15	20825	1	#Mid	QPSK	21.25	-3.36	17.89	33.01	PASS
Band7	15	20825	1	#Max	QPSK	21.29	-3.36	17.93	33.01	PASS
Band7	15	20825	36	#0	QPSK	20.25	-3.36	16.89	33.01	PASS
Band7	15	20825	36	#Mid	QPSK	20.26	-3.36	16.90	33.01	PASS
Band7	15	20825	36	#Max	QPSK	20.29	-3.36	16.93	33.01	PASS
Band7	15	20825	75	#0	QPSK	20.26	-3.36	16.90	33.01	PASS
Band7	15	20825	1	#0	QAM16	20.41	-3.36	17.05	33.01	PASS
Band7	15	20825	1	#Mid	QAM16	20.45	-3.36	17.09	33.01	PASS
Band7	15	20825	1	#Max	QAM16	20.47	-3.36	17.11	33.01	PASS
Band7	15	20825	36	#0	QAM16	19.33	-3.36	15.97	33.01	PASS
Band7	15	20825	36	#Mid	QAM16	19.35	-3.36	15.99	33.01	PASS
Band7	15	20825	36	#Max	QAM16	19.36	-3.36	16.00	33.01	PASS
Band7	15	20825	75	#0	QAM16	19.23	-3.36	15.87	33.01	PASS
Band7	15	21100	1	#0	QPSK	21.39	-3.36	18.03	33.01	PASS
Band7	15	21100	1	#Mid	QPSK	21.40	-3.36	18.04	33.01	PASS
Band7	15	21100	1	#Max	QPSK	21.23	-3.36	17.87	33.01	PASS
Band7	15	21100	36	#0	QPSK	20.35	-3.36	16.99	33.01	PASS
Band7	15	21100	36	#Mid	QPSK	20.32	-3.36	16.96	33.01	PASS
Band7	15	21100	36	#Max	QPSK	20.25	-3.36	16.89	33.01	PASS
Band7	15	21100	75	#0	QPSK	20.29	-3.36	16.93	33.01	PASS
Band7	15	21100	1	#0	QAM16	20.48	-3.36	17.12	33.01	PASS
Band7	15	21100	1	#Mid	QAM16	20.44	-3.36	17.08	33.01	PASS
Band7	15	21100	1	#Max	QAM16	20.29	-3.36	16.93	33.01	PASS
Band7	15	21100	36	#0	QAM16	19.34	-3.36	15.98	33.01	PASS
Band7	15	21100	36	#Mid	QAM16	19.32	-3.36	15.96	33.01	PASS
Band7	15	21100	36	#Max	QAM16	19.24	-3.36	15.88	33.01	PASS
Band7	15	21100	75	#0	QAM16	19.31	-3.36	15.95	33.01	PASS
Band7	15	21375	1	#0	QPSK	21.30	-3.36	17.94	33.01	PASS
Band7	15	21375	1	#Mid	QPSK	21.56	-3.36	18.20	33.01	PASS
Band7	15	21375	1	#Max	QPSK	21.83	-3.36	18.47	33.01	PASS
Band7	15	21375	36	#0	QPSK	20.47	-3.36	17.11	33.01	PASS
Band7	15	21375	36	#Mid	QPSK	20.59	-3.36	17.23	33.01	PASS
Band7	15	21375	36	#Max	QPSK	20.70	-3.36	17.34	33.01	PASS
Band7	15	21375	75	#0	QPSK	20.56	-3.36	17.20	33.01	PASS
Band7	15	21375	1	#0	QAM16	20.74	-3.36	17.38	33.01	PASS
Band7	15	21375	1	#Mid	QAM16	20.95	-3.36	17.59	33.01	PASS
Band7	15	21375	1	#Max	QAM16	21.20	-3.36	17.84	33.01	PASS
Band7	15	21375	36	#0	QAM16	19.50	-3.36	16.14	33.01	PASS
Band7	15	21375	36	#Mid	QAM16	19.65	-3.36	16.29	33.01	PASS
Band7	15	21375	36	#Max	QAM16	19.75	-3.36	16.39	33.01	PASS

X6877 WSCT-ANAB-R&E260100001A

Band7	15	21375	75	#0	QAM16	19.56	-3.36	16.20	33.01	PASS
Band7	20	20850	1	#0	QPSK	21.15	-3.36	17.79	33.01	PASS
Band7	20	20850	1	#Mid	QPSK	21.24	-3.36	17.88	33.01	PASS
Band7	20	20850	1	#Max	QPSK	21.29	-3.36	17.93	33.01	PASS
Band7	20	20850	50	#0	QPSK	20.26	-3.36	16.90	33.01	PASS
Band7	20	20850	50	#Mid	QPSK	20.32	-3.36	16.96	33.01	PASS
Band7	20	20850	50	#Max	QPSK	20.32	-3.36	16.96	33.01	PASS
Band7	20	20850	100	#0	QPSK	20.26	-3.36	16.90	33.01	PASS
Band7	20	20850	1	#0	QAM16	20.55	-3.36	17.19	33.01	PASS
Band7	20	20850	1	#Mid	QAM16	20.62	-3.36	17.26	33.01	PASS
Band7	20	20850	1	#Max	QAM16	20.66	-3.36	17.30	33.01	PASS
Band7	20	20850	50	#0	QAM16	19.33	-3.36	15.97	33.01	PASS
Band7	20	20850	50	#Mid	QAM16	19.39	-3.36	16.03	33.01	PASS
Band7	20	20850	50	#Max	QAM16	19.37	-3.36	16.01	33.01	PASS
Band7	20	20850	100	#0	QAM16	19.29	-3.36	15.93	33.01	PASS
Band7	20	21100	1	#0	QPSK	21.26	-3.36	17.90	33.01	PASS
Band7	20	21100	1	#Mid	QPSK	21.38	-3.36	18.02	33.01	PASS
Band7	20	21100	1	#Max	QPSK	21.24	-3.36	17.88	33.01	PASS
Band7	20	21100	50	#0	QPSK	20.34	-3.36	16.98	33.01	PASS
Band7	20	21100	50	#Mid	QPSK	20.34	-3.36	16.98	33.01	PASS
Band7	20	21100	50	#Max	QPSK	20.26	-3.36	16.90	33.01	PASS
Band7	20	21100	100	#0	QPSK	20.29	-3.36	16.93	33.01	PASS
Band7	20	21100	1	#0	QAM16	20.55	-3.36	17.19	33.01	PASS
Band7	20	21100	1	#Mid	QAM16	20.57	-3.36	17.21	33.01	PASS
Band7	20	21100	1	#Max	QAM16	20.45	-3.36	17.09	33.01	PASS
Band7	20	21100	50	#0	QAM16	19.36	-3.36	16.00	33.01	PASS
Band7	20	21100	50	#Mid	QAM16	19.35	-3.36	15.99	33.01	PASS
Band7	20	21100	50	#Max	QAM16	19.28	-3.36	15.92	33.01	PASS
Band7	20	21100	100	#0	QAM16	19.29	-3.36	15.93	33.01	PASS
Band7	20	21350	1	#0	QPSK	21.21	-3.36	17.85	33.01	PASS
Band7	20	21350	1	#Mid	QPSK	21.50	-3.36	18.14	33.01	PASS
Band7	20	21350	1	#Max	QPSK	21.75	-3.36	18.39	33.01	PASS
Band7	20	21350	50	#0	QPSK	20.37	-3.36	17.01	33.01	PASS
Band7	20	21350	50	#Mid	QPSK	20.53	-3.36	17.17	33.01	PASS
Band7	20	21350	50	#Max	QPSK	20.65	-3.36	17.29	33.01	PASS
Band7	20	21350	100	#0	QPSK	20.48	-3.36	17.12	33.01	PASS
Band7	20	21350	1	#0	QAM16	20.54	-3.36	17.18	33.01	PASS
Band7	20	21350	1	#Mid	QAM16	20.83	-3.36	17.47	33.01	PASS
Band7	20	21350	1	#Max	QAM16	21.10	-3.36	17.74	33.01	PASS
Band7	20	21350	50	#0	QAM16	19.43	-3.36	16.07	33.01	PASS
Band7	20	21350	50	#Mid	QAM16	19.56	-3.36	16.20	33.01	PASS
Band7	20	21350	50	#Max	QAM16	19.70	-3.36	16.34	33.01	PASS
Band7	20	21350	100	#0	QAM16	19.49	-3.36	16.13	33.01	PASS

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band7	20	20850	100	#0	QPSK	3.89	0.00155	-2.5	2.5	PASS
Band7	20	20850	100	#0	QAM16	1.95	0.00078	-2.5	2.5	PASS
Band7	20	21100	100	#0	QPSK	-2.97	-0.00117	-2.5	2.5	PASS
Band7	20	21100	100	#0	QAM16	3.06	0.00121	-2.5	2.5	PASS
Band7	20	21350	100	#0	QPSK	4.42	0.00173	-2.5	2.5	PASS
Band7	20	21350	100	#0	QAM16	4.33	0.00169	-2.5	2.5	PASS

Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.



3 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band7	5	21100	1	#0	QPSK	4.40	13	PASS
Band7	5	21100	1	#0	QAM16	4.89	13	PASS
Band7	10	21100	1	#0	QPSK	4.33	13	PASS
Band7	10	21100	1	#0	QAM16	4.97	13	PASS
Band7	15	21100	1	#0	QPSK	4.12	13	PASS
Band7	15	21100	1	#0	QAM16	4.89	13	PASS
Band7	20	21100	1	#0	QPSK	4.31	13	PASS
Band7	20	21100	1	#0	QAM16	5.10	13	PASS

Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0



**Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0****Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0**




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0


**Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band7	5	20775	25	#0	QPSK	4.507	4.933	PASS
Band7	5	20775	25	#0	QAM16	4.509	4.938	PASS
Band7	5	21100	25	#0	QPSK	4.509	4.909	PASS
Band7	5	21100	25	#0	QAM16	4.509	4.936	PASS
Band7	5	21425	25	#0	QPSK	4.502	4.921	PASS
Band7	5	21425	25	#0	QAM16	4.514	4.937	PASS
Band7	10	20800	50	#0	QPSK	8.992	9.732	PASS
Band7	10	20800	50	#0	QAM16	8.991	9.720	PASS
Band7	10	21100	50	#0	QPSK	8.980	9.773	PASS
Band7	10	21100	50	#0	QAM16	8.977	9.686	PASS
Band7	10	21400	50	#0	QPSK	8.977	9.800	PASS
Band7	10	21400	50	#0	QAM16	8.971	9.725	PASS
Band7	15	20825	75	#0	QPSK	13.461	14.687	PASS
Band7	15	20825	75	#0	QAM16	13.472	14.562	PASS
Band7	15	21100	75	#0	QPSK	13.499	14.608	PASS
Band7	15	21100	75	#0	QAM16	13.448	14.548	PASS
Band7	15	21375	75	#0	QPSK	13.426	14.561	PASS
Band7	15	21375	75	#0	QAM16	13.485	14.561	PASS
Band7	20	20850	100	#0	QPSK	17.967	19.277	PASS
Band7	20	20850	100	#0	QAM16	17.935	19.318	PASS
Band7	20	21100	100	#0	QPSK	17.930	19.458	PASS
Band7	20	21100	100	#0	QAM16	17.990	19.362	PASS
Band7	20	21350	100	#0	QPSK	17.971	19.356	PASS
Band7	20	21350	100	#0	QAM16	17.984	19.211	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0





5 Band edge



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2498.99	-14.38	-10	PASS
Band7	5	20775	25	#0	QAM16	2499.00	-15.04	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.00	-14.65	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.04	-16.48	-10	PASS
Band7	10	20800	50	#0	QPSK	2489.79	-41.27	-25	PASS
Band7	10	20800	50	#0	QAM16	2489.52	-41.86	-25	PASS
Band7	10	21400	50	#0	QPSK	2580.45	-41.41	-25	PASS
Band7	10	21400	50	#0	QAM16	2580.06	-41.99	-25	PASS
Band7	15	20825	75	#0	QPSK	2483.79	-41.67	-25	PASS
Band7	15	20825	75	#0	QAM16	2483.61	-42.11	-25	PASS
Band7	15	21375	75	#0	QPSK	2585.29	-41.95	-25	PASS
Band7	15	21375	75	#0	QAM16	2585.31	-42.06	-25	PASS
Band7	20	20850	100	#0	QPSK	2479.20	-42.22	-25	PASS
Band7	20	20850	100	#0	QAM16	2479.85	-42.44	-25	PASS
Band7	20	21350	100	#0	QPSK	2590.06	-42.27	-25	PASS
Band7	20	21350	100	#0	QAM16	2592.70	-42.38	-25	PASS



Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0







Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0



**Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0**



**Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0****Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0**


**Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0**

**Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0****Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0**

**Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0**

**Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0****Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0**


**Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0**





06 Out-of-band emissions


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	25745.84	-33.26	-25	PASS
Band7	5	20775	25	#0	16QAM	26128.34	-33.30	-25	PASS
Band7	5	21425	25	#0	QPSK	26215.68	-32.97	-25	PASS
Band7	5	21425	25	#0	16QAM	26335.53	-32.88	-25	PASS
Band7	10	20800	50	#0	QPSK	26102.20	-32.86	-25	PASS
Band7	10	20800	50	#0	16QAM	26099.01	-32.58	-25	PASS
Band7	10	21400	50	#0	QPSK	26350.19	-32.99	-25	PASS
Band7	10	21400	50	#0	16QAM	26179.98	-33.51	-25	PASS
Band7	15	20825	75	#0	QPSK	26146.19	-33.26	-25	PASS
Band7	15	20825	75	#0	16QAM	26283.89	-32.94	-25	PASS
Band7	15	21375	75	#0	QPSK	26239.26	-33.01	-25	PASS
Band7	15	21375	75	#0	16QAM	26148.10	-32.86	-25	PASS
Band7	20	20850	100	#0	QPSK	25722.89	-33.40	-25	PASS
Band7	20	20850	100	#0	16QAM	26090.09	-33.96	-25	PASS
Band7	20	21350	100	#0	QPSK	26233.53	-33.17	-25	PASS
Band7	20	21350	100	#0	16QAM	26140.45	-33.30	-25	PASS

Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0


**Band7 16QAM BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 16QAM BW=15MHz Channel=21375 RB Size=75 Position=#0**




Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0

