

目录

1 Conducted output power for EN-DC2

2 Frequency stability for EN-DC4

3 Peak-to-Average Ratio for EN-DC.....6

4 Occupied bandwidth for EN-DC.....61

5 Band edge for EN-DC80

6 Out-of-band emissions for EN-DC90

1 Conducted output power for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
Band5	30	5	20425	1@0	QPSK	16.96			
n41	30	20	501204	1@0	DFT_BPSK	21.37			
Sum	30					22.71	19	26	PASS
Band5	30	5	20525	8@0	QPSK	18.13			
n41	30	20	518598	25@12	DFT_BPSK	21.39			
Sum	30					23.06	19	26	PASS
Band5	30	5	20525	8@0	QPSK	19.01			
n41	30	20	518598	25@12	DFT_QPSK	21.41			
Sum	30					23.38	19	26	PASS
Band5	30	5	20625	1@17	QPSK	16.88			
n41	30	20	535998	1@50	DFT_BPSK	21.29			
Sum	30					22.63	19	26	PASS
Band5	30	5	20625	8@17	QPSK	19.04			
n41	30	20	535998	25@12	DFT_BPSK	21.22			
Sum	30					23.27	19	26	PASS
Band5	30	5	20625	1@17	QPSK	18.06			
n41	30	20	535998	1@50	DFT_QPSK	21.18			
Sum	30					22.90	19	26	PASS
Band5	30	5	20625	8@17	QPSK	18.08			
n41	30	20	535998	25@12	DFT_QPSK	21.29			
Sum	30					22.98	19	26	PASS
Band5	30	10	20450	1@0	QPSK	18.04			
n41	30	100	509202	1@0	DFT_BPSK	21.32			
Sum	30					22.99	19	26	PASS
Band5	30	10	20525	12@0	QPSK	17.19			
n41	30	100	518598	135@67	DFT_BPSK	21.49			
Sum	30					22.86	19	26	PASS
Band5	30	10	20525	12@0	QPSK	19.07			
n41	30	100	518598	135@67	DFT_QPSK	21.33			
Sum	30					23.35	19	26	PASS
Band5	30	10	20600	1@38	QPSK	17.22			
n41	30	100	528000	1@272	DFT_BPSK	21.13			
Sum	30					22.61	19	26	PASS
Band5	30	10	20600	12@38	QPSK	17.08			
n41	30	100	528000	135@67	DFT_BPSK	21.34			
Sum	30					22.72	19	26	PASS
Band5	30	10	20600	1@38	QPSK	16.89			
n41	30	100	528000	1@272	DFT_QPSK	21.02			
Sum	30					22.43	19	26	PASS

Band5	30	10	20600	12@38	QPSK	19.00			
n41	30	100	528000	135@67	DFT_QPSK	21.35			
Sum	30					23.34	19	26	PASS

2 Frequency stability for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n41	30	20	501204	25@12	DFT_BPSK	-3.95	-0.00158	-2.5	2.5	PASS
n41	30	20	501204	1@1	DFT_BPSK	-7.31	-0.00292	-2.5	2.5	PASS
n41	30	20	501204	1@49	DFT_BPSK	-4.25	-0.00170	-2.5	2.5	PASS
n41	30	20	501204	25@12	DFT_QPSK	-3.58	-0.00143	-2.5	2.5	PASS
n41	30	20	501204	1@1	DFT_QPSK	-6.70	-0.00267	-2.5	2.5	PASS
n41	30	20	501204	1@49	DFT_QPSK	-1.70	-0.00068	-2.5	2.5	PASS
n41	30	20	518598	25@12	DFT_BPSK	-1.02	-0.00039	-2.5	2.5	PASS
n41	30	20	518598	1@1	DFT_BPSK	-1.75	-0.00067	-2.5	2.5	PASS
n41	30	20	518598	1@49	DFT_BPSK	-1.78	-0.00069	-2.5	2.5	PASS
n41	30	20	518598	25@12	DFT_QPSK	-1.09	-0.00042	-2.5	2.5	PASS
n41	30	20	518598	1@1	DFT_QPSK	-1.57	-0.00061	-2.5	2.5	PASS
n41	30	20	518598	1@49	DFT_QPSK	-1.46	-0.00056	-2.5	2.5	PASS
n41	30	20	535998	25@12	DFT_BPSK	1.72	0.00064	-2.5	2.5	PASS
n41	30	20	535998	1@1	DFT_BPSK	1.66	0.00062	-2.5	2.5	PASS
n41	30	20	535998	1@49	DFT_BPSK	-0.54	-0.00020	-2.5	2.5	PASS
n41	30	20	535998	25@12	DFT_QPSK	1.41	0.00053	-2.5	2.5	PASS
n41	30	20	535998	1@1	DFT_QPSK	-1.54	-0.00057	-2.5	2.5	PASS
n41	30	20	535998	1@49	DFT_QPSK	0.13	0.00005	-2.5	2.5	PASS
n41	30	50	504204	64@32	DFT_BPSK	1.16	0.00046	-2.5	2.5	PASS
n41	30	50	504204	1@1	DFT_BPSK	-1.36	-0.00054	-2.5	2.5	PASS
n41	30	50	504204	1@131	DFT_BPSK	-1.55	-0.00061	-2.5	2.5	PASS
n41	30	50	504204	64@32	DFT_QPSK	-0.43	-0.00017	-2.5	2.5	PASS
n41	30	50	504204	1@1	DFT_QPSK	-3.63	-0.00144	-2.5	2.5	PASS
n41	30	50	504204	1@131	DFT_QPSK	0.89	0.00035	-2.5	2.5	PASS
n41	30	50	518598	64@32	DFT_BPSK	-3.84	-0.00148	-2.5	2.5	PASS
n41	30	50	518598	1@1	DFT_BPSK	-1.65	-0.00064	-2.5	2.5	PASS
n41	30	50	518598	1@131	DFT_BPSK	-1.93	-0.00074	-2.5	2.5	PASS
n41	30	50	518598	64@32	DFT_QPSK	-2.50	-0.00096	-2.5	2.5	PASS
n41	30	50	518598	1@1	DFT_QPSK	-3.95	-0.00152	-2.5	2.5	PASS
n41	30	50	518598	1@131	DFT_QPSK	-2.68	-0.00103	-2.5	2.5	PASS
n41	30	50	532998	64@32	DFT_BPSK	-1.87	-0.00070	-2.5	2.5	PASS
n41	30	50	532998	1@1	DFT_BPSK	0.70	0.00026	-2.5	2.5	PASS
n41	30	50	532998	1@131	DFT_BPSK	0.72	0.00027	-2.5	2.5	PASS
n41	30	50	532998	64@32	DFT_QPSK	-0.85	-0.00032	-2.5	2.5	PASS
n41	30	50	532998	1@1	DFT_QPSK	-1.44	-0.00054	-2.5	2.5	PASS
n41	30	50	532998	1@131	DFT_QPSK	0.05	0.00002	-2.5	2.5	PASS
n41	30	100	509202	135@67	DFT_BPSK	-1.36	-0.00053	-2.5	2.5	PASS
n41	30	100	509202	1@1	DFT_BPSK	-1.13	-0.00044	-2.5	2.5	PASS
n41	30	100	509202	1@271	DFT_BPSK	0.09	0.00004	-2.5	2.5	PASS

n41	30	100	509202	135@67	DFT_QPSK	-0.60	-0.00024	-2.5	2.5	PASS
n41	30	100	509202	1@1	DFT_QPSK	-4.30	-0.00169	-2.5	2.5	PASS
n41	30	100	509202	1@271	DFT_QPSK	-2.30	-0.00090	-2.5	2.5	PASS
n41	30	100	518598	135@67	DFT_BPSK	-3.19	-0.00123	-2.5	2.5	PASS
n41	30	100	518598	1@1	DFT_BPSK	-0.96	-0.00037	-2.5	2.5	PASS
n41	30	100	518598	1@271	DFT_BPSK	-1.96	-0.00076	-2.5	2.5	PASS
n41	30	100	518598	135@67	DFT_QPSK	-2.76	-0.00106	-2.5	2.5	PASS
n41	30	100	518598	1@1	DFT_QPSK	-4.08	-0.00157	-2.5	2.5	PASS
n41	30	100	518598	1@271	DFT_QPSK	-3.94	-0.00152	-2.5	2.5	PASS
n41	30	100	528000	135@67	DFT_BPSK	0.47	0.00018	-2.5	2.5	PASS
n41	30	100	528000	1@1	DFT_BPSK	-1.51	-0.00057	-2.5	2.5	PASS
n41	30	100	528000	1@271	DFT_BPSK	-2.48	-0.00094	-2.5	2.5	PASS
n41	30	100	528000	135@67	DFT_QPSK	0.20	0.00008	-2.5	2.5	PASS
n41	30	100	528000	1@1	DFT_QPSK	-1.02	-0.00039	-2.5	2.5	PASS
n41	30	100	528000	1@271	DFT_QPSK	-2.08	-0.00079	-2.5	2.5	PASS


3 Peak-to-Average Ratio for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n41	30	20	501204	50@0	DFT_BPSK	4.72	13	PASS
n41	30	20	501204	50@0	DFT_QPSK	5.82	13	PASS
n41	30	20	501204	50@0	DFT_QAM16	6.58	13	PASS
n41	30	20	501204	50@0	DFT_QAM64	6.84	13	PASS
n41	30	20	501204	50@0	DFT_QAM256	6.60	13	PASS
n41	30	20	518598	50@0	DFT_BPSK	5.56	13	PASS
n41	30	20	518598	50@0	DFT_QPSK	5.99	13	PASS
n41	30	20	518598	50@0	DFT_QAM16	6.34	13	PASS
n41	30	20	518598	50@0	DFT_QAM64	6.64	13	PASS
n41	30	20	518598	50@0	DFT_QAM256	6.80	13	PASS
n41	30	20	535998	50@0	DFT_BPSK	4.49	13	PASS
n41	30	20	535998	50@0	DFT_QPSK	5.95	13	PASS
n41	30	20	535998	50@0	DFT_QAM16	6.70	13	PASS
n41	30	20	535998	50@0	DFT_QAM64	6.75	13	PASS
n41	30	20	535998	50@0	DFT_QAM256	6.92	13	PASS
n41	30	40	503202	100@0	DFT_BPSK	4.65	13	PASS
n41	30	40	503202	100@0	DFT_QPSK	5.71	13	PASS
n41	30	40	503202	100@0	DFT_QAM16	6.47	13	PASS
n41	30	40	503202	100@0	DFT_QAM64	6.67	13	PASS
n41	30	40	503202	100@0	DFT_QAM256	6.87	13	PASS
n41	30	40	518598	100@0	DFT_BPSK	5.62	13	PASS
n41	30	40	518598	100@0	DFT_QPSK	6.28	13	PASS
n41	30	40	518598	100@0	DFT_QAM16	6.60	13	PASS
n41	30	40	518598	100@0	DFT_QAM64	6.70	13	PASS
n41	30	40	518598	100@0	DFT_QAM256	6.83	13	PASS
n41	30	40	534000	100@0	DFT_BPSK	4.56	13	PASS
n41	30	40	534000	100@0	DFT_QPSK	5.89	13	PASS
n41	30	40	534000	100@0	DFT_QAM16	6.58	13	PASS
n41	30	40	534000	100@0	DFT_QAM64	6.71	13	PASS
n41	30	40	534000	100@0	DFT_QAM256	6.95	13	PASS
n41	30	50	504204	128@0	DFT_BPSK	4.86	13	PASS
n41	30	50	504204	128@0	DFT_QPSK	5.64	13	PASS
n41	30	50	504204	128@0	DFT_QAM16	6.48	13	PASS
n41	30	50	504204	128@0	DFT_QAM64	6.53	13	PASS
n41	30	50	504204	128@0	DFT_QAM256	6.82	13	PASS
n41	30	50	518598	128@0	DFT_BPSK	4.84	13	PASS
n41	30	50	518598	128@0	DFT_QPSK	5.86	13	PASS
n41	30	50	518598	128@0	DFT_QAM16	6.39	13	PASS
n41	30	50	518598	128@0	DFT_QAM64	6.63	13	PASS
n41	30	50	518598	128@0	DFT_QAM256	6.73	13	PASS


n41	30	50	532998	128@0	DFT_BPSK	4.84	13	PASS
n41	30	50	532998	128@0	DFT_QPSK	5.69	13	PASS
n41	30	50	532998	128@0	DFT_QAM16	6.46	13	PASS
n41	30	50	532998	128@0	DFT_QAM64	6.58	13	PASS
n41	30	50	532998	128@0	DFT_QAM256	6.74	13	PASS
n41	30	60	505200	162@0	DFT_BPSK	4.77	13	PASS
n41	30	60	505200	162@0	DFT_QPSK	5.67	13	PASS
n41	30	60	505200	162@0	DFT_QAM16	6.60	13	PASS
n41	30	60	505200	162@0	DFT_QAM64	6.65	13	PASS
n41	30	60	505200	162@0	DFT_QAM256	6.83	13	PASS
n41	30	60	518598	162@0	DFT_BPSK	4.92	13	PASS
n41	30	60	518598	162@0	DFT_QPSK	5.77	13	PASS
n41	30	60	518598	162@0	DFT_QAM16	6.46	13	PASS
n41	30	60	518598	162@0	DFT_QAM64	6.63	13	PASS
n41	30	60	518598	162@0	DFT_QAM256	6.87	13	PASS
n41	30	60	531996	162@0	DFT_BPSK	4.45	13	PASS
n41	30	60	531996	162@0	DFT_QPSK	5.78	13	PASS
n41	30	60	531996	162@0	DFT_QAM16	6.45	13	PASS
n41	30	60	531996	162@0	DFT_QAM64	6.63	13	PASS
n41	30	60	531996	162@0	DFT_QAM256	6.80	13	PASS
n41	30	80	507204	216@0	DFT_BPSK	4.81	13	PASS
n41	30	80	507204	216@0	DFT_QPSK	5.70	13	PASS
n41	30	80	507204	216@0	DFT_QAM16	6.42	13	PASS
n41	30	80	507204	216@0	DFT_QAM64	6.64	13	PASS
n41	30	80	507204	216@0	DFT_QAM256	6.78	13	PASS
n41	30	80	518598	216@0	DFT_BPSK	4.70	13	PASS
n41	30	80	518598	216@0	DFT_QPSK	5.74	13	PASS
n41	30	80	518598	216@0	DFT_QAM16	6.34	13	PASS
n41	30	80	518598	216@0	DFT_QAM64	6.58	13	PASS
n41	30	80	518598	216@0	DFT_QAM256	6.70	13	PASS
n41	30	80	529998	216@0	DFT_BPSK	4.53	13	PASS
n41	30	80	529998	216@0	DFT_QPSK	5.77	13	PASS
n41	30	80	529998	216@0	DFT_QAM16	6.48	13	PASS
n41	30	80	529998	216@0	DFT_QAM64	6.66	13	PASS
n41	30	80	529998	216@0	DFT_QAM256	6.74	13	PASS
n41	30	90	508200	240@0	DFT_BPSK	4.83	13	PASS
n41	30	90	508200	240@0	DFT_QPSK	5.65	13	PASS
n41	30	90	508200	240@0	DFT_QAM16	6.40	13	PASS
n41	30	90	508200	240@0	DFT_QAM64	6.60	13	PASS
n41	30	90	508200	240@0	DFT_QAM256	6.71	13	PASS
n41	30	90	518598	240@0	DFT_BPSK	5.04	13	PASS
n41	30	90	518598	240@0	DFT_QPSK	5.60	13	PASS
n41	30	90	518598	240@0	DFT_QAM16	6.37	13	PASS
n41	30	90	518598	240@0	DFT_QAM64	6.55	13	PASS

n41	30	90	518598	240@0	DFT_QAM256	6.75	13	PASS
n41	30	90	528996	240@0	DFT_BPSK	4.68	13	PASS
n41	30	90	528996	240@0	DFT_QPSK	5.76	13	PASS
n41	30	90	528996	240@0	DFT_QAM16	6.43	13	PASS
n41	30	90	528996	240@0	DFT_QAM64	6.60	13	PASS
n41	30	90	528996	240@0	DFT_QAM256	6.76	13	PASS
n41	30	100	509202	270@0	DFT_BPSK	4.76	13	PASS
n41	30	100	509202	270@0	DFT_QPSK	5.64	13	PASS
n41	30	100	509202	270@0	DFT_QAM16	6.44	13	PASS
n41	30	100	509202	270@0	DFT_QAM64	6.56	13	PASS
n41	30	100	509202	270@0	DFT_QAM256	6.80	13	PASS
n41	30	100	518598	270@0	DFT_BPSK	5.09	13	PASS
n41	30	100	518598	270@0	DFT_QPSK	5.65	13	PASS
n41	30	100	518598	270@0	DFT_QAM16	6.33	13	PASS
n41	30	100	518598	270@0	DFT_QAM64	6.50	13	PASS
n41	30	100	518598	270@0	DFT_QAM256	6.73	13	PASS
n41	30	100	528000	270@0	DFT_BPSK	5.00	13	PASS
n41	30	100	528000	270@0	DFT_QPSK	5.83	13	PASS
n41	30	100	528000	270@0	DFT_QAM16	6.44	13	PASS
n41	30	100	528000	270@0	DFT_QAM64	6.66	13	PASS
n41	30	100	528000	270@0	DFT_QAM256	6.74	13	PASS


n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=509202 RB=270@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598 RB=270@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=528000 RB=270@0




n41 SCS=30kHz DFT_BPSK BW=20MHz Channel=501204 RB=50@0




n41 SCS=30kHz DFT_BPSK BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_BPSK BW=20MHz Channel=535998 RB=50@0




n41 SCS=30kHz DFT_BPSK BW=40MHz Channel=503202 RB=100@0




n41 SCS=30kHz DFT_BPSK BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_BPSK BW=40MHz Channel=534000 RB=100@0




n41 SCS=30kHz DFT_BPSK BW=50MHz Channel=504204 RB=128@0




n41 SCS=30kHz DFT_BPSK BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_BPSK BW=50MHz Channel=532998 RB=128@0




n41 SCS=30kHz DFT_BPSK BW=60MHz Channel=505200 RB=162@0




n41 SCS=30kHz DFT_BPSK BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_BPSK BW=60MHz Channel=531996 RB=162@0




n41 SCS=30kHz DFT_BPSK BW=80MHz Channel=507204 RB=216@0




n41 SCS=30kHz DFT_BPSK BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_BPSK BW=80MHz Channel=529998 RB=216@0




n41 SCS=30kHz DFT_BPSK BW=90MHz Channel=508200 RB=240@0




n41 SCS=30kHz DFT_BPSK BW=90MHz Channel=518598 RB=240@0




n41 SCS=30kHz DFT_BPSK BW=90MHz Channel=528996 RB=240@0




n41 SCS=30kHz DFT_QAM16 BW=100MHz Channel=509202 RB=270@0




n41 SCS=30kHz DFT_QAM16 BW=100MHz Channel=518598 RB=270@0




n41 SCS=30kHz DFT_QAM16 BW=100MHz Channel=528000 RB=270@0




n41 SCS=30kHz DFT_QAM16 BW=20MHz Channel=501204 RB=50@0




n41 SCS=30kHz DFT_QAM16 BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_QAM16 BW=20MHz Channel=535998 RB=50@0




n41 SCS=30kHz DFT_QAM16 BW=40MHz Channel=503202 RB=100@0




n41 SCS=30kHz DFT_QAM16 BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_QAM16 BW=40MHz Channel=534000 RB=100@0




n41 SCS=30kHz DFT_QAM16 BW=50MHz Channel=504204 RB=128@0




n41 SCS=30kHz DFT_QAM16 BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_QAM16 BW=50MHz Channel=532998 RB=128@0




n41 SCS=30kHz DFT_QAM16 BW=60MHz Channel=505200 RB=162@0




n41 SCS=30kHz DFT_QAM16 BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_QAM16 BW=60MHz Channel=531996 RB=162@0




n41 SCS=30kHz DFT_QAM16 BW=80MHz Channel=507204 RB=216@0




n41 SCS=30kHz DFT_QAM16 BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_QAM16 BW=80MHz Channel=529998 RB=216@0




n41 SCS=30kHz DFT_QAM16 BW=90MHz Channel=508200 RB=240@0




n41 SCS=30kHz DFT_QAM16 BW=90MHz Channel=518598 RB=240@0




n41 SCS=30kHz DFT_QAM16 BW=90MHz Channel=528996 RB=240@0




n41 SCS=30kHz DFT_QAM256 BW=100MHz Channel=509202 RB=270@0




n41 SCS=30kHz DFT_QAM256 BW=100MHz Channel=518598 RB=270@0




n41 SCS=30kHz DFT_QAM256 BW=100MHz Channel=528000 RB=270@0




n41 SCS=30kHz DFT_QAM256 BW=20MHz Channel=501204 RB=50@0




n41 SCS=30kHz DFT_QAM256 BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_QAM256 BW=20MHz Channel=535998 RB=50@0




n41 SCS=30kHz DFT_QAM256 BW=40MHz Channel=503202 RB=100@0




n41 SCS=30kHz DFT_QAM256 BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_QAM256 BW=40MHz Channel=534000 RB=100@0




n41 SCS=30kHz DFT_QAM256 BW=50MHz Channel=504204 RB=128@0




n41 SCS=30kHz DFT_QAM256 BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_QAM256 BW=50MHz Channel=532998 RB=128@0




n41 SCS=30kHz DFT_QAM256 BW=60MHz Channel=505200 RB=162@0




n41 SCS=30kHz DFT_QAM256 BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_QAM256 BW=60MHz Channel=531996 RB=162@0




n41 SCS=30kHz DFT_QAM256 BW=80MHz Channel=507204 RB=216@0




n41 SCS=30kHz DFT_QAM256 BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_QAM256 BW=80MHz Channel=529998 RB=216@0




n41 SCS=30kHz DFT_QAM256 BW=90MHz Channel=508200 RB=240@0




n41 SCS=30kHz DFT_QAM256 BW=90MHz Channel=518598 RB=240@0




n41 SCS=30kHz DFT_QAM256 BW=90MHz Channel=528996 RB=240@0




n41 SCS=30kHz DFT_QAM64 BW=100MHz Channel=509202 RB=270@0




n41 SCS=30kHz DFT_QAM64 BW=100MHz Channel=518598 RB=270@0




n41 SCS=30kHz DFT_QAM64 BW=100MHz Channel=528000 RB=270@0




n41 SCS=30kHz DFT_QAM64 BW=20MHz Channel=501204 RB=50@0




n41 SCS=30kHz DFT_QAM64 BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_QAM64 BW=20MHz Channel=535998 RB=50@0




n41 SCS=30kHz DFT_QAM64 BW=40MHz Channel=503202 RB=100@0




n41 SCS=30kHz DFT_QAM64 BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_QAM64 BW=40MHz Channel=534000 RB=100@0




n41 SCS=30kHz DFT_QAM64 BW=50MHz Channel=504204 RB=128@0




n41 SCS=30kHz DFT_QAM64 BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_QAM64 BW=50MHz Channel=532998 RB=128@0




n41 SCS=30kHz DFT_QAM64 BW=60MHz Channel=505200 RB=162@0




n41 SCS=30kHz DFT_QAM64 BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_QAM64 BW=60MHz Channel=531996 RB=162@0




n41 SCS=30kHz DFT_QAM64 BW=80MHz Channel=507204 RB=216@0




n41 SCS=30kHz DFT_QAM64 BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_QAM64 BW=80MHz Channel=529998 RB=216@0




n41 SCS=30kHz DFT_QAM64 BW=90MHz Channel=508200 RB=240@0




n41 SCS=30kHz DFT_QAM64 BW=90MHz Channel=518598 RB=240@0




n41 SCS=30kHz DFT_QAM64 BW=90MHz Channel=528996 RB=240@0




n41 SCS=30kHz DFT_QPSK BW=100MHz Channel=509202 RB=270@0




n41 SCS=30kHz DFT_QPSK BW=100MHz Channel=518598 RB=270@0




n41 SCS=30kHz DFT_QPSK BW=100MHz Channel=528000 RB=270@0




n41 SCS=30kHz DFT_QPSK BW=20MHz Channel=501204 RB=50@0




n41 SCS=30kHz DFT_QPSK BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_QPSK BW=20MHz Channel=535998 RB=50@0




n41 SCS=30kHz DFT_QPSK BW=40MHz Channel=503202 RB=100@0




n41 SCS=30kHz DFT_QPSK BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_QPSK BW=40MHz Channel=534000 RB=100@0




n41 SCS=30kHz DFT_QPSK BW=50MHz Channel=504204 RB=128@0




n41 SCS=30kHz DFT_QPSK BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_QPSK BW=50MHz Channel=532998 RB=128@0




n41 SCS=30kHz DFT_QPSK BW=60MHz Channel=505200 RB=162@0




n41 SCS=30kHz DFT_QPSK BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_QPSK BW=60MHz Channel=531996 RB=162@0




n41 SCS=30kHz DFT_QPSK BW=80MHz Channel=507204 RB=216@0




n41 SCS=30kHz DFT_QPSK BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_QPSK BW=80MHz Channel=529998 RB=216@0




n41 SCS=30kHz DFT_QPSK BW=90MHz Channel=508200 RB=240@0



n41 SCS=30kHz DFT_QPSK BW=90MHz Channel=518598 RB=240@0



n41 SCS=30kHz DFT_QPSK BW=90MHz Channel=528996 RB=240@0



4 Occupied bandwidth for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n41	30	20	518598	50@0	DFT_BPSK	18.080	18.400	PASS
n41	30	20	518598	50@0	DFT_QPSK	18.170	18.270	PASS
n41	30	20	518598	50@0	DFT_QAM16	18.060	18.340	PASS
n41	30	20	518598	50@0	DFT_QAM64	18.040	18.380	PASS
n41	30	20	518598	50@0	DFT_QAM256	18.060	18.390	PASS
n41	30	40	518598	100@0	DFT_BPSK	37.560	36.460	PASS
n41	30	40	518598	100@0	DFT_QPSK	37.570	36.260	PASS
n41	30	40	518598	100@0	DFT_QAM16	37.550	36.380	PASS
n41	30	40	518598	100@0	DFT_QAM64	37.600	36.320	PASS
n41	30	40	518598	100@0	DFT_QAM256	37.500	36.310	PASS
n41	30	50	518598	128@0	DFT_BPSK	47.030	46.460	PASS
n41	30	50	518598	128@0	DFT_QPSK	47.070	46.380	PASS
n41	30	50	518598	128@0	DFT_QAM16	47.140	46.420	PASS
n41	30	50	518598	128@0	DFT_QAM64	46.950	46.430	PASS
n41	30	50	518598	128@0	DFT_QAM256	47.080	46.360	PASS
n41	30	60	518598	162@0	DFT_BPSK	57.780	58.760	PASS
n41	30	60	518598	162@0	DFT_QPSK	57.760	58.660	PASS
n41	30	60	518598	162@0	DFT_QAM16	57.760	58.600	PASS
n41	30	60	518598	162@0	DFT_QAM64	57.710	58.670	PASS
n41	30	60	518598	162@0	DFT_QAM256	57.780	58.850	PASS
n41	30	80	518598	216@0	DFT_BPSK	77.030	78.050	PASS
n41	30	80	518598	216@0	DFT_QPSK	77.020	78.270	PASS
n41	30	80	518598	216@0	DFT_QAM16	77.030	78.230	PASS
n41	30	80	518598	216@0	DFT_QAM64	76.950	78.080	PASS
n41	30	80	518598	216@0	DFT_QAM256	77.040	78.070	PASS
n41	30	90	518598	240@0	DFT_BPSK	86.690	86.780	PASS
n41	30	90	518598	240@0	DFT_QPSK	86.570	86.690	PASS
n41	30	90	518598	240@0	DFT_QAM16	86.570	86.750	PASS
n41	30	90	518598	240@0	DFT_QAM64	86.660	86.710	PASS
n41	30	90	518598	240@0	DFT_QAM256	86.580	86.820	PASS
n41	30	100	518598	270@0	DFT_BPSK	96.720	97.530	PASS
n41	30	100	518598	270@0	DFT_QPSK	96.580	97.620	PASS
n41	30	100	518598	270@0	DFT_QAM16	96.590	97.710	PASS
n41	30	100	518598	270@0	DFT_QAM64	96.460	97.600	PASS
n41	30	100	518598	270@0	DFT_QAM256	96.460	97.620	PASS

n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598 RB=270@0