

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band7	5	20775	1	#0	QPSK	22.33	-0.73	21.6	33.01	PASS
Band7	5	20775	1	#Mid	QPSK	22.32	-0.73	21.59	33.01	PASS
Band7	5	20775	1	#Max	QPSK	22.36	-0.73	21.63	33.01	PASS
Band7	5	20775	12	#0	QPSK	21.27	-0.73	20.54	33.01	PASS
Band7	5	20775	12	#Mid	QPSK	21.22	-0.73	20.49	33.01	PASS
Band7	5	20775	12	#Max	QPSK	21.26	-0.73	20.53	33.01	PASS
Band7	5	20775	25	#0	QPSK	21.30	-0.73	20.57	33.01	PASS
Band7	5	20775	1	#0	QAM16	21.82	-0.73	21.09	33.01	PASS
Band7	5	20775	1	#Mid	QAM16	21.80	-0.73	21.07	33.01	PASS
Band7	5	20775	1	#Max	QAM16	21.86	-0.73	21.13	33.01	PASS
Band7	5	20775	12	#0	QAM16	20.29	-0.73	19.56	33.01	PASS
Band7	5	20775	12	#Mid	QAM16	20.23	-0.73	19.5	33.01	PASS
Band7	5	20775	12	#Max	QAM16	20.26	-0.73	19.53	33.01	PASS
Band7	5	20775	25	#0	QAM16	20.23	-0.73	19.5	33.01	PASS
Band7	5	21100	1	#0	QPSK	22.99	-0.73	22.26	33.01	PASS
Band7	5	21100	1	#Mid	QPSK	23.04	-0.73	22.31	33.01	PASS
Band7	5	21100	1	#Max	QPSK	22.98	-0.73	22.25	33.01	PASS
Band7	5	21100	12	#0	QPSK	21.91	-0.73	21.18	33.01	PASS
Band7	5	21100	12	#Mid	QPSK	21.89	-0.73	21.16	33.01	PASS
Band7	5	21100	12	#Max	QPSK	21.91	-0.73	21.18	33.01	PASS
Band7	5	21100	25	#0	QPSK	21.96	-0.73	21.23	33.01	PASS
Band7	5	21100	1	#0	QAM16	22.34	-0.73	21.61	33.01	PASS
Band7	5	21100	1	#Mid	QAM16	22.37	-0.73	21.64	33.01	PASS
Band7	5	21100	1	#Max	QAM16	22.34	-0.73	21.61	33.01	PASS
Band7	5	21100	12	#0	QAM16	20.90	-0.73	20.17	33.01	PASS
Band7	5	21100	12	#Mid	QAM16	20.88	-0.73	20.15	33.01	PASS
Band7	5	21100	12	#Max	QAM16	20.89	-0.73	20.16	33.01	PASS
Band7	5	21100	25	#0	QAM16	20.94	-0.73	20.21	33.01	PASS
Band7	5	21425	1	#0	QPSK	22.17	-0.73	21.44	33.01	PASS
Band7	5	21425	1	#Mid	QPSK	22.09	-0.73	21.36	33.01	PASS
Band7	5	21425	1	#Max	QPSK	22.07	-0.73	21.34	33.01	PASS
Band7	5	21425	12	#0	QPSK	21.18	-0.73	20.45	33.01	PASS
Band7	5	21425	12	#Mid	QPSK	21.13	-0.73	20.4	33.01	PASS
Band7	5	21425	12	#Max	QPSK	21.12	-0.73	20.39	33.01	PASS
Band7	5	21425	25	#0	QPSK	21.15	-0.73	20.42	33.01	PASS
Band7	5	21425	1	#0	QAM16	21.53	-0.73	20.8	33.01	PASS
Band7	5	21425	1	#Mid	QAM16	20.51	-0.73	19.78	33.01	PASS

Band7	5	21425	1	#Max	QAM16	20.53	-0.73	19.8	33.01	PASS
Band7	5	21425	12	#0	QAM16	20.25	-0.73	19.52	33.01	PASS
Band7	5	21425	12	#Mid	QAM16	19.20	-0.73	18.47	33.01	PASS
Band7	5	21425	12	#Max	QAM16	19.23	-0.73	18.5	33.01	PASS
Band7	5	21425	25	#0	QAM16	19.18	-0.73	18.45	33.01	PASS
Band7	10	20800	1	#0	QPSK	22.33	-0.73	21.6	33.01	PASS
Band7	10	20800	1	#Mid	QPSK	22.31	-0.73	21.58	33.01	PASS
Band7	10	20800	1	#Max	QPSK	22.43	-0.73	21.7	33.01	PASS
Band7	10	20800	25	#0	QPSK	21.32	-0.73	20.59	33.01	PASS
Band7	10	20800	25	#Mid	QPSK	21.33	-0.73	20.6	33.01	PASS
Band7	10	20800	25	#Max	QPSK	21.40	-0.73	20.67	33.01	PASS
Band7	10	20800	50	#0	QPSK	21.38	-0.73	20.65	33.01	PASS
Band7	10	20800	1	#0	QAM16	21.76	-0.73	21.03	33.01	PASS
Band7	10	20800	1	#Mid	QAM16	21.76	-0.73	21.03	33.01	PASS
Band7	10	20800	1	#Max	QAM16	21.89	-0.73	21.16	33.01	PASS
Band7	10	20800	25	#0	QAM16	20.34	-0.73	19.61	33.01	PASS
Band7	10	20800	25	#Mid	QAM16	20.36	-0.73	19.63	33.01	PASS
Band7	10	20800	25	#Max	QAM16	20.36	-0.73	19.63	33.01	PASS
Band7	10	20800	50	#0	QAM16	20.34	-0.73	19.61	33.01	PASS
Band7	10	21100	1	#0	QPSK	22.93	-0.73	22.2	33.01	PASS
Band7	10	21100	1	#Mid	QPSK	22.97	-0.73	22.24	33.01	PASS
Band7	10	21100	1	#Max	QPSK	22.00	-0.73	21.27	33.01	PASS
Band7	10	21100	25	#0	QPSK	21.99	-0.73	21.26	33.01	PASS
Band7	10	21100	25	#Mid	QPSK	20.96	-0.73	20.23	33.01	PASS
Band7	10	21100	25	#Max	QPSK	20.99	-0.73	20.26	33.01	PASS
Band7	10	21100	50	#0	QPSK	20.08	-0.73	19.35	33.01	PASS
Band7	10	21100	1	#0	QAM16	20.10	-0.73	19.37	33.01	PASS
Band7	10	21100	1	#Mid	QAM16	20.16	-0.73	19.43	33.01	PASS
Band7	10	21100	1	#Max	QAM16	20.18	-0.73	19.45	33.01	PASS
Band7	10	21100	25	#0	QAM16	19.92	-0.73	19.19	33.01	PASS
Band7	10	21100	25	#Mid	QAM16	19.95	-0.73	19.22	33.01	PASS
Band7	10	21100	25	#Max	QAM16	19.97	-0.73	19.24	33.01	PASS
Band7	10	21100	50	#0	QAM16	19.96	-0.73	19.23	33.01	PASS
Band7	10	21400	1	#0	QPSK	19.42	-0.73	18.69	33.01	PASS
Band7	10	21400	1	#Mid	QPSK	19.32	-0.73	18.59	33.01	PASS
Band7	10	21400	1	#Max	QPSK	19.27	-0.73	18.54	33.01	PASS
Band7	10	21400	25	#0	QPSK	19.30	-0.73	18.57	33.01	PASS
Band7	10	21400	25	#Mid	QPSK	19.23	-0.73	18.5	33.01	PASS
Band7	10	21400	25	#Max	QPSK	19.20	-0.73	18.47	33.01	PASS
Band7	10	21400	50	#0	QPSK	19.29	-0.73	18.56	33.01	PASS
Band7	10	21400	1	#0	QAM16	19.27	-0.73	18.54	33.01	PASS
Band7	10	21400	1	#Mid	QAM16	19.14	-0.73	18.41	33.01	PASS
Band7	10	21400	1	#Max	QAM16	19.10	-0.73	18.37	33.01	PASS
Band7	10	21400	25	#0	QAM16	19.27	-0.73	18.54	33.01	PASS

Band7	10	21400	25	#Mid	QAM16	19.21	-0.73	18.48	33.01	PASS
Band7	10	21400	25	#Max	QAM16	19.18	-0.73	18.45	33.01	PASS
Band7	10	21400	50	#0	QAM16	19.24	-0.73	18.51	33.01	PASS
Band7	15	20825	1	#0	QPSK	19.27	-0.73	18.54	33.01	PASS
Band7	15	20825	1	#Mid	QPSK	19.34	-0.73	18.61	33.01	PASS
Band7	15	20825	1	#Max	QPSK	19.44	-0.73	18.71	33.01	PASS
Band7	15	20825	36	#0	QPSK	19.27	-0.73	18.54	33.01	PASS
Band7	15	20825	36	#Mid	QPSK	19.31	-0.73	18.58	33.01	PASS
Band7	15	20825	36	#Max	QPSK	19.40	-0.73	18.67	33.01	PASS
Band7	15	20825	75	#0	QPSK	19.34	-0.73	18.61	33.01	PASS
Band7	15	20825	1	#0	QAM16	19.73	-0.73	19	33.01	PASS
Band7	15	20825	1	#Mid	QAM16	19.76	-0.73	19.03	33.01	PASS
Band7	15	20825	1	#Max	QAM16	19.92	-0.73	19.19	33.01	PASS
Band7	15	20825	36	#0	QAM16	19.33	-0.73	18.6	33.01	PASS
Band7	15	20825	36	#Mid	QAM16	19.36	-0.73	18.63	33.01	PASS
Band7	15	20825	36	#Max	QAM16	19.45	-0.73	18.72	33.01	PASS
Band7	15	20825	75	#0	QAM16	19.35	-0.73	18.62	33.01	PASS
Band7	15	21100	1	#0	QPSK	19.84	-0.73	19.11	33.01	PASS
Band7	15	21100	1	#Mid	QPSK	19.99	-0.73	19.26	33.01	PASS
Band7	15	21100	1	#Max	QPSK	19.93	-0.73	19.2	33.01	PASS
Band7	15	21100	36	#0	QPSK	19.89	-0.73	19.16	33.01	PASS
Band7	15	21100	36	#Mid	QPSK	19.91	-0.73	19.18	33.01	PASS
Band7	15	21100	36	#Max	QPSK	19.95	-0.73	19.22	33.01	PASS
Band7	15	21100	75	#0	QPSK	19.89	-0.73	19.16	33.01	PASS
Band7	15	21100	1	#0	QAM16	20.06	-0.73	19.33	33.01	PASS
Band7	15	21100	1	#Mid	QAM16	20.20	-0.73	19.47	33.01	PASS
Band7	15	21100	1	#Max	QAM16	20.14	-0.73	19.41	33.01	PASS
Band7	15	21100	36	#0	QAM16	19.99	-0.73	19.26	33.01	PASS
Band7	15	21100	36	#Mid	QAM16	20.01	-0.73	19.28	33.01	PASS
Band7	15	21100	36	#Max	QAM16	20.03	-0.73	19.3	33.01	PASS
Band7	15	21100	75	#0	QAM16	19.94	-0.73	19.21	33.01	PASS
Band7	15	21375	1	#0	QPSK	19.63	-0.73	18.9	33.01	PASS
Band7	15	21375	1	#Mid	QPSK	19.37	-0.73	18.64	33.01	PASS
Band7	15	21375	1	#Max	QPSK	19.23	-0.73	18.5	33.01	PASS
Band7	15	21375	36	#0	QPSK	19.42	-0.73	18.69	33.01	PASS
Band7	15	21375	36	#Mid	QPSK	19.26	-0.73	18.53	33.01	PASS
Band7	15	21375	36	#Max	QPSK	19.20	-0.73	18.47	33.01	PASS
Band7	15	21375	75	#0	QPSK	19.35	-0.73	18.62	33.01	PASS
Band7	15	21375	1	#0	QAM16	19.69	-0.73	18.96	33.01	PASS
Band7	15	21375	1	#Mid	QAM16	19.39	-0.73	18.66	33.01	PASS
Band7	15	21375	1	#Max	QAM16	19.28	-0.73	18.55	33.01	PASS
Band7	15	21375	36	#0	QAM16	19.39	-0.73	18.66	33.01	PASS
Band7	15	21375	36	#Mid	QAM16	19.24	-0.73	18.51	33.01	PASS
Band7	15	21375	36	#Max	QAM16	19.19	-0.73	18.46	33.01	PASS

Band7	15	21375	75	#0	QAM16	19.37	-0.73	18.64	33.01	PASS
Band7	20	20850	1	#0	QPSK	19.29	-0.73	18.56	33.01	PASS
Band7	20	20850	1	#Mid	QPSK	19.40	-0.73	18.67	33.01	PASS
Band7	20	20850	1	#Max	QPSK	19.65	-0.73	18.92	33.01	PASS
Band7	20	20850	50	#0	QPSK	19.36	-0.73	18.63	33.01	PASS
Band7	20	20850	50	#Mid	QPSK	19.43	-0.73	18.7	33.01	PASS
Band7	20	20850	50	#Max	QPSK	19.53	-0.73	18.8	33.01	PASS
Band7	20	20850	100	#0	QPSK	19.40	-0.73	18.67	33.01	PASS
Band7	20	20850	1	#0	QAM16	19.67	-0.73	18.94	33.01	PASS
Band7	20	20850	1	#Mid	QAM16	19.74	-0.73	19.01	33.01	PASS
Band7	20	20850	1	#Max	QAM16	20.00	-0.73	19.27	33.01	PASS
Band7	20	20850	50	#0	QAM16	19.40	-0.73	18.67	33.01	PASS
Band7	20	20850	50	#Mid	QAM16	19.47	-0.73	18.74	33.01	PASS
Band7	20	20850	50	#Max	QAM16	19.57	-0.73	18.84	33.01	PASS
Band7	20	20850	100	#0	QAM16	19.40	-0.73	18.67	33.01	PASS
Band7	20	21100	1	#0	QPSK	19.88	-0.73	19.15	33.01	PASS
Band7	20	21100	1	#Mid	QPSK	20.05	-0.73	19.32	33.01	PASS
Band7	20	21100	1	#Max	QPSK	19.98	-0.73	19.25	33.01	PASS
Band7	20	21100	50	#0	QPSK	19.94	-0.73	19.21	33.01	PASS
Band7	20	21100	50	#Mid	QPSK	20.00	-0.73	19.27	33.01	PASS
Band7	20	21100	50	#Max	QPSK	19.98	-0.73	19.25	33.01	PASS
Band7	20	21100	100	#0	QPSK	19.92	-0.73	19.19	33.01	PASS
Band7	20	21100	1	#0	QAM16	20.09	-0.73	19.36	33.01	PASS
Band7	20	21100	1	#Mid	QAM16	20.26	-0.73	19.53	33.01	PASS
Band7	20	21100	1	#Max	QAM16	20.17	-0.73	19.44	33.01	PASS
Band7	20	21100	50	#0	QAM16	19.94	-0.73	19.21	33.01	PASS
Band7	20	21100	50	#Mid	QAM16	19.98	-0.73	19.25	33.01	PASS
Band7	20	21100	50	#Max	QAM16	19.96	-0.73	19.23	33.01	PASS
Band7	20	21100	100	#0	QAM16	19.91	-0.73	19.18	33.01	PASS
Band7	20	21350	1	#0	QPSK	19.79	-0.73	19.06	33.01	PASS
Band7	20	21350	1	#Mid	QPSK	19.41	-0.73	18.68	33.01	PASS
Band7	20	21350	1	#Max	QPSK	19.22	-0.73	18.49	33.01	PASS
Band7	20	21350	50	#0	QPSK	19.63	-0.73	18.9	33.01	PASS
Band7	20	21350	50	#Mid	QPSK	19.43	-0.73	18.7	33.01	PASS
Band7	20	21350	50	#Max	QPSK	19.32	-0.73	18.59	33.01	PASS
Band7	20	21350	100	#0	QPSK	19.45	-0.73	18.72	33.01	PASS
Band7	20	21350	1	#0	QAM16	20.09	-0.73	19.36	33.01	PASS
Band7	20	21350	1	#Mid	QAM16	19.64	-0.73	18.91	33.01	PASS
Band7	20	21350	1	#Max	QAM16	19.51	-0.73	18.78	33.01	PASS
Band7	20	21350	50	#0	QAM16	19.66	-0.73	18.93	33.01	PASS
Band7	20	21350	50	#Mid	QAM16	19.46	-0.73	18.73	33.01	PASS
Band7	20	21350	50	#Max	QAM16	19.34	-0.73	18.61	33.01	PASS
Band7	20	21350	100	#0	QAM16	19.48	-0.73	18.75	33.01	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band7	20	20850	100	#0	QPSK	2.46	0.001	-2.5	2.5	PASS
Band7	20	20850	100	#0	QAM16	-4.40	-0.002	-2.5	2.5	PASS
Band7	20	21100	100	#0	QPSK	-7.96	-0.003	-2.5	2.5	PASS
Band7	20	21100	100	#0	QAM16	-6.03	-0.002	-2.5	2.5	PASS
Band7	20	21350	100	#0	QPSK	-2.20	-0.001	-2.5	2.5	PASS
Band7	20	21350	100	#0	QAM16	7.12	0.003	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band7	5	21100	1	#0	QPSK	5.04	13	PASS
Band7	5	21100	1	#0	QAM16	5.47	13	PASS
Band7	10	21100	1	#0	QPSK	4.41	13	PASS
Band7	10	21100	1	#0	QAM16	5.18	13	PASS
Band7	15	21100	1	#0	QPSK	4.33	13	PASS
Band7	15	21100	1	#0	QAM16	5.07	13	PASS
Band7	20	21100	1	#0	QPSK	4.53	13	PASS
Band7	20	21100	1	#0	QAM16	5.28	13	PASS



Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0

**Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0****Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0**

**Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0**


**Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0**




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band7	5	20775	25	#0	QPSK	4.483	4.887	PASS
Band7	5	20775	25	#0	QAM16	4.507	4.923	PASS
Band7	5	21100	25	#0	QPSK	4.505	4.940	PASS
Band7	5	21100	25	#0	QAM16	4.512	4.945	PASS
Band7	5	21425	25	#0	QPSK	4.515	4.926	PASS
Band7	5	21425	25	#0	QAM16	4.513	4.941	PASS
Band7	10	20800	50	#0	QPSK	8.978	9.821	PASS
Band7	10	20800	50	#0	QAM16	8.972	9.732	PASS
Band7	10	21100	50	#0	QPSK	8.972	9.609	PASS
Band7	10	21100	50	#0	QAM16	9.003	9.657	PASS
Band7	10	21400	50	#0	QPSK	8.962	9.560	PASS
Band7	10	21400	50	#0	QAM16	8.986	9.644	PASS
Band7	15	20825	75	#0	QPSK	13.455	14.522	PASS
Band7	15	20825	75	#0	QAM16	13.485	14.540	PASS
Band7	15	21100	75	#0	QPSK	13.455	14.517	PASS
Band7	15	21100	75	#0	QAM16	13.431	14.469	PASS
Band7	15	21375	75	#0	QPSK	13.451	14.625	PASS
Band7	15	21375	75	#0	QAM16	13.428	14.371	PASS
Band7	20	20850	100	#0	QPSK	17.935	19.428	PASS
Band7	20	20850	100	#0	QAM16	17.930	18.995	PASS
Band7	20	21100	100	#0	QPSK	17.948	19.268	PASS
Band7	20	21100	100	#0	QAM16	18.002	19.240	PASS
Band7	20	21350	100	#0	QPSK	17.976	19.115	PASS
Band7	20	21350	100	#0	QAM16	17.914	19.208	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0





Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0






Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0

**Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0**



**Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0****Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0**







Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0






Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0

**Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0**


**Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0****Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0**

**Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0****Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0**

**Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0**




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2499.00	-15.33	-10	PASS
Band7	5	20775	25	#0	QAM16	2499.00	-15.49	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.00	-15.50	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.00	-16.44	-10	PASS
Band7	10	20800	50	#0	QPSK	2488.31	-36.92	-25	PASS
Band7	10	20800	50	#0	QAM16	2489.28	-37.50	-25	PASS
Band7	10	21400	50	#0	QPSK	2580.62	-35.66	-25	PASS
Band7	10	21400	50	#0	QAM16	2580.26	-36.30	-25	PASS
Band7	15	20825	75	#0	QPSK	2484.79	-37.50	-25	PASS
Band7	15	20825	75	#0	QAM16	2484.95	-39.01	-25	PASS
Band7	15	21375	75	#0	QPSK	2585.48	-37.10	-25	PASS
Band7	15	21375	75	#0	QAM16	2585.28	-38.25	-25	PASS
Band7	20	20850	100	#0	QPSK	2479.56	-38.42	-25	PASS
Band7	20	20850	100	#0	QAM16	2479.80	-39.42	-25	PASS
Band7	20	21350	100	#0	QPSK	2590.27	-37.40	-25	PASS
Band7	20	21350	100	#0	QAM16	2590.10	-38.32	-25	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




6 Out-of-band emissions


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	3815.20	-38.21	-25	PASS
Band7	5	20775	25	#0	QAM16	3957.18	-38.07	-25	PASS
Band7	5	21425	25	#0	QPSK	3693.93	-38.54	-25	PASS
Band7	5	21425	25	#0	QAM16	3783.70	-38.22	-25	PASS
Band7	10	20800	50	#0	QPSK	3722.05	-38.63	-25	PASS
Band7	10	20800	50	#0	QAM16	3807.55	-38.57	-25	PASS
Band7	10	21400	50	#0	QPSK	4784.50	-38.94	-25	PASS
Band7	10	21400	50	#0	QAM16	3700.90	-38.58	-25	PASS
Band7	15	20825	75	#0	QPSK	3951.78	-38.74	-25	PASS
Band7	15	20825	75	#0	QAM16	4129.08	-37.90	-25	PASS
Band7	15	21375	75	#0	QPSK	3751.08	-38.50	-25	PASS
Band7	15	21375	75	#0	QAM16	4746.70	-39.05	-25	PASS
Band7	20	20850	100	#0	QPSK	5088.03	-38.68	-25	PASS
Band7	20	20850	100	#0	QAM16	3831.63	-36.96	-25	PASS
Band7	20	21350	100	#0	QPSK	4659.40	-37.42	-25	PASS
Band7	20	21350	100	#0	QAM16	3864.48	-38.85	-25	PASS

NOTE: out of band emissions above 10G is considered as background noise, so it is not reflected in the report


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0

