

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band41	5	39675	1	#0	QPSK	22.80	-0.73	22.07	33.01	PASS
Band41	5	39675	1	#Mid	QPSK	22.74	-0.73	22.01	33.01	PASS
Band41	5	39675	1	#Max	QPSK	22.78	-0.73	22.05	33.01	PASS
Band41	5	39675	12	#0	QPSK	21.81	-0.73	21.08	33.01	PASS
Band41	5	39675	12	#Mid	QPSK	21.77	-0.73	21.04	33.01	PASS
Band41	5	39675	12	#Max	QPSK	21.79	-0.73	21.06	33.01	PASS
Band41	5	39675	25	#0	QPSK	21.84	-0.73	21.11	33.01	PASS
Band41	5	39675	1	#0	QAM16	22.11	-0.73	21.38	33.01	PASS
Band41	5	39675	1	#Mid	QAM16	22.12	-0.73	21.39	33.01	PASS
Band41	5	39675	1	#Max	QAM16	22.15	-0.73	21.42	33.01	PASS
Band41	5	39675	12	#0	QAM16	20.85	-0.73	20.12	33.01	PASS
Band41	5	39675	12	#Mid	QAM16	20.81	-0.73	20.08	33.01	PASS
Band41	5	39675	12	#Max	QAM16	20.83	-0.73	20.1	33.01	PASS
Band41	5	39675	25	#0	QAM16	20.80	-0.73	20.07	33.01	PASS
Band41	5	40620	1	#0	QPSK	22.98	-0.73	22.25	33.01	PASS
Band41	5	40620	1	#Mid	QPSK	23.02	-0.73	22.29	33.01	PASS
Band41	5	40620	1	#Max	QPSK	23.04	-0.73	22.31	33.01	PASS
Band41	5	40620	12	#0	QPSK	21.82	-0.73	21.09	33.01	PASS
Band41	5	40620	12	#Mid	QPSK	21.79	-0.73	21.06	33.01	PASS
Band41	5	40620	12	#Max	QPSK	21.82	-0.73	21.09	33.01	PASS
Band41	5	40620	25	#0	QPSK	21.87	-0.73	21.14	33.01	PASS
Band41	5	40620	1	#0	QAM16	22.47	-0.73	21.74	33.01	PASS
Band41	5	40620	1	#Mid	QAM16	22.46	-0.73	21.73	33.01	PASS
Band41	5	40620	1	#Max	QAM16	22.53	-0.73	21.8	33.01	PASS
Band41	5	40620	12	#0	QAM16	20.83	-0.73	20.1	33.01	PASS
Band41	5	40620	12	#Mid	QAM16	20.81	-0.73	20.08	33.01	PASS
Band41	5	40620	12	#Max	QAM16	20.83	-0.73	20.1	33.01	PASS
Band41	5	40620	25	#0	QAM16	20.83	-0.73	20.1	33.01	PASS
Band41	5	41565	1	#0	QPSK	22.66	-0.73	21.93	33.01	PASS
Band41	5	41565	1	#Mid	QPSK	22.68	-0.73	21.95	33.01	PASS
Band41	5	41565	1	#Max	QPSK	22.65	-0.73	21.92	33.01	PASS
Band41	5	41565	12	#0	QPSK	21.60	-0.73	20.87	33.01	PASS
Band41	5	41565	12	#Mid	QPSK	21.57	-0.73	20.84	33.01	PASS
Band41	5	41565	12	#Max	QPSK	21.60	-0.73	20.87	33.01	PASS
Band41	5	41565	25	#0	QPSK	21.62	-0.73	20.89	33.01	PASS
Band41	5	41565	1	#0	QAM16	22.00	-0.73	21.27	33.01	PASS
Band41	5	41565	1	#Mid	QAM16	21.99	-0.73	21.26	33.01	PASS

Band41	5	41565	1	#Max	QAM16	22.00	-0.73	21.27	33.01	PASS
Band41	5	41565	12	#0	QAM16	20.61	-0.73	19.88	33.01	PASS
Band41	5	41565	12	#Mid	QAM16	20.58	-0.73	19.85	33.01	PASS
Band41	5	41565	12	#Max	QAM16	20.60	-0.73	19.87	33.01	PASS
Band41	5	41565	25	#0	QAM16	20.63	-0.73	19.9	33.01	PASS
Band41	10	39700	1	#0	QPSK	22.86	-0.73	22.13	33.01	PASS
Band41	10	39700	1	#Mid	QPSK	22.91	-0.73	22.18	33.01	PASS
Band41	10	39700	1	#Max	QPSK	22.91	-0.73	22.18	33.01	PASS
Band41	10	39700	25	#0	QPSK	21.86	-0.73	21.13	33.01	PASS
Band41	10	39700	25	#Mid	QPSK	21.87	-0.73	21.14	33.01	PASS
Band41	10	39700	25	#Max	QPSK	21.91	-0.73	21.18	33.01	PASS
Band41	10	39700	50	#0	QPSK	21.87	-0.73	21.14	33.01	PASS
Band41	10	39700	1	#0	QAM16	22.41	-0.73	21.68	33.01	PASS
Band41	10	39700	1	#Mid	QAM16	22.38	-0.73	21.65	33.01	PASS
Band41	10	39700	1	#Max	QAM16	22.46	-0.73	21.73	33.01	PASS
Band41	10	39700	25	#0	QAM16	20.87	-0.73	20.14	33.01	PASS
Band41	10	39700	25	#Mid	QAM16	20.87	-0.73	20.14	33.01	PASS
Band41	10	39700	25	#Max	QAM16	20.91	-0.73	20.18	33.01	PASS
Band41	10	39700	50	#0	QAM16	20.87	-0.73	20.14	33.01	PASS
Band41	10	40620	1	#0	QPSK	22.84	-0.73	22.11	33.01	PASS
Band41	10	40620	1	#Mid	QPSK	22.92	-0.73	22.19	33.01	PASS
Band41	10	40620	1	#Max	QPSK	22.92	-0.73	22.19	33.01	PASS
Band41	10	40620	25	#0	QPSK	21.82	-0.73	21.09	33.01	PASS
Band41	10	40620	25	#Mid	QPSK	21.86	-0.73	21.13	33.01	PASS
Band41	10	40620	25	#Max	QPSK	21.85	-0.73	21.12	33.01	PASS
Band41	10	40620	50	#0	QPSK	21.85	-0.73	21.12	33.01	PASS
Band41	10	40620	1	#0	QAM16	22.00	-0.73	21.27	33.01	PASS
Band41	10	40620	1	#Mid	QAM16	22.06	-0.73	21.33	33.01	PASS
Band41	10	40620	1	#Max	QAM16	22.03	-0.73	21.3	33.01	PASS
Band41	10	40620	25	#0	QAM16	20.80	-0.73	20.07	33.01	PASS
Band41	10	40620	25	#Mid	QAM16	20.83	-0.73	20.1	33.01	PASS
Band41	10	40620	25	#Max	QAM16	20.83	-0.73	20.1	33.01	PASS
Band41	10	40620	50	#0	QAM16	20.85	-0.73	20.12	33.01	PASS
Band41	10	41540	1	#0	QPSK	22.77	-0.73	22.04	33.01	PASS
Band41	10	41540	1	#Mid	QPSK	22.70	-0.73	21.97	33.01	PASS
Band41	10	41540	1	#Max	QPSK	22.67	-0.73	21.94	33.01	PASS
Band41	10	41540	25	#0	QPSK	21.70	-0.73	20.97	33.01	PASS
Band41	10	41540	25	#Mid	QPSK	21.66	-0.73	20.93	33.01	PASS
Band41	10	41540	25	#Max	QPSK	21.64	-0.73	20.91	33.01	PASS
Band41	10	41540	50	#0	QPSK	21.70	-0.73	20.97	33.01	PASS
Band41	10	41540	1	#0	QAM16	21.79	-0.73	21.06	33.01	PASS
Band41	10	41540	1	#Mid	QAM16	21.69	-0.73	20.96	33.01	PASS
Band41	10	41540	1	#Max	QAM16	21.71	-0.73	20.98	33.01	PASS
Band41	10	41540	25	#0	QAM16	20.69	-0.73	19.96	33.01	PASS

Band41	10	41540	25	#Mid	QAM16	20.65	-0.73	19.92	33.01	PASS
Band41	10	41540	25	#Max	QAM16	20.63	-0.73	19.9	33.01	PASS
Band41	10	41540	50	#0	QAM16	20.65	-0.73	19.92	33.01	PASS
Band41	15	39725	1	#0	QPSK	22.88	-0.73	22.15	33.01	PASS
Band41	15	39725	1	#Mid	QPSK	22.91	-0.73	22.18	33.01	PASS
Band41	15	39725	1	#Max	QPSK	22.91	-0.73	22.18	33.01	PASS
Band41	15	39725	36	#0	QPSK	21.82	-0.73	21.09	33.01	PASS
Band41	15	39725	36	#Mid	QPSK	21.81	-0.73	21.08	33.01	PASS
Band41	15	39725	36	#Max	QPSK	21.87	-0.73	21.14	33.01	PASS
Band41	15	39725	75	#0	QPSK	21.90	-0.73	21.17	33.01	PASS
Band41	15	39725	1	#0	QAM16	22.44	-0.73	21.71	33.01	PASS
Band41	15	39725	1	#Mid	QAM16	22.46	-0.73	21.73	33.01	PASS
Band41	15	39725	1	#Max	QAM16	22.47	-0.73	21.74	33.01	PASS
Band41	15	39725	36	#0	QAM16	20.89	-0.73	20.16	33.01	PASS
Band41	15	39725	36	#Mid	QAM16	20.87	-0.73	20.14	33.01	PASS
Band41	15	39725	36	#Max	QAM16	20.91	-0.73	20.18	33.01	PASS
Band41	15	39725	75	#0	QAM16	20.90	-0.73	20.17	33.01	PASS
Band41	15	40620	1	#0	QPSK	22.84	-0.73	22.11	33.01	PASS
Band41	15	40620	1	#Mid	QPSK	22.96	-0.73	22.23	33.01	PASS
Band41	15	40620	1	#Max	QPSK	22.89	-0.73	22.16	33.01	PASS
Band41	15	40620	36	#0	QPSK	21.79	-0.73	21.06	33.01	PASS
Band41	15	40620	36	#Mid	QPSK	21.80	-0.73	21.07	33.01	PASS
Band41	15	40620	36	#Max	QPSK	21.83	-0.73	21.1	33.01	PASS
Band41	15	40620	75	#0	QPSK	21.82	-0.73	21.09	33.01	PASS
Band41	15	40620	1	#0	QAM16	22.08	-0.73	21.35	33.01	PASS
Band41	15	40620	1	#Mid	QAM16	22.18	-0.73	21.45	33.01	PASS
Band41	15	40620	1	#Max	QAM16	22.12	-0.73	21.39	33.01	PASS
Band41	15	40620	36	#0	QAM16	20.88	-0.73	20.15	33.01	PASS
Band41	15	40620	36	#Mid	QAM16	20.89	-0.73	20.16	33.01	PASS
Band41	15	40620	36	#Max	QAM16	20.90	-0.73	20.17	33.01	PASS
Band41	15	40620	75	#0	QAM16	20.84	-0.73	20.11	33.01	PASS
Band41	15	41515	1	#0	QPSK	22.88	-0.73	22.15	33.01	PASS
Band41	15	41515	1	#Mid	QPSK	22.82	-0.73	22.09	33.01	PASS
Band41	15	41515	1	#Max	QPSK	22.80	-0.73	22.07	33.01	PASS
Band41	15	41515	36	#0	QPSK	21.72	-0.73	20.99	33.01	PASS
Band41	15	41515	36	#Mid	QPSK	21.65	-0.73	20.92	33.01	PASS
Band41	15	41515	36	#Max	QPSK	21.65	-0.73	20.92	33.01	PASS
Band41	15	41515	75	#0	QPSK	21.70	-0.73	20.97	33.01	PASS
Band41	15	41515	1	#0	QAM16	21.96	-0.73	21.23	33.01	PASS
Band41	15	41515	1	#Mid	QAM16	21.98	-0.73	21.25	33.01	PASS
Band41	15	41515	1	#Max	QAM16	21.93	-0.73	21.2	33.01	PASS
Band41	15	41515	36	#0	QAM16	20.70	-0.73	19.97	33.01	PASS
Band41	15	41515	36	#Mid	QAM16	20.63	-0.73	19.9	33.01	PASS
Band41	15	41515	36	#Max	QAM16	20.64	-0.73	19.91	33.01	PASS

Band41	15	41515	75	#0	QAM16	20.77	-0.73	20.04	33.01	PASS
Band41	20	39750	1	#0	QPSK	22.83	-0.73	22.1	33.01	PASS
Band41	20	39750	1	#Mid	QPSK	22.93	-0.73	22.2	33.01	PASS
Band41	20	39750	1	#Max	QPSK	22.91	-0.73	22.18	33.01	PASS
Band41	20	39750	50	#0	QPSK	21.92	-0.73	21.19	33.01	PASS
Band41	20	39750	50	#Mid	QPSK	21.93	-0.73	21.2	33.01	PASS
Band41	20	39750	50	#Max	QPSK	21.97	-0.73	21.24	33.01	PASS
Band41	20	39750	100	#0	QPSK	21.94	-0.73	21.21	33.01	PASS
Band41	20	39750	1	#0	QAM16	22.23	-0.73	21.5	33.01	PASS
Band41	20	39750	1	#Mid	QAM16	22.26	-0.73	21.53	33.01	PASS
Band41	20	39750	1	#Max	QAM16	22.29	-0.73	21.56	33.01	PASS
Band41	20	39750	50	#0	QAM16	20.95	-0.73	20.22	33.01	PASS
Band41	20	39750	50	#Mid	QAM16	20.98	-0.73	20.25	33.01	PASS
Band41	20	39750	50	#Max	QAM16	21.00	-0.73	20.27	33.01	PASS
Band41	20	39750	100	#0	QAM16	20.97	-0.73	20.24	33.01	PASS
Band41	20	40620	1	#0	QPSK	22.95	-0.73	22.22	33.01	PASS
Band41	20	40620	1	#Mid	QPSK	22.98	-0.73	22.25	33.01	PASS
Band41	20	40620	1	#Max	QPSK	23.04	-0.73	22.31	33.01	PASS
Band41	20	40620	50	#0	QPSK	21.89	-0.73	21.16	33.01	PASS
Band41	20	40620	50	#Mid	QPSK	21.90	-0.73	21.17	33.01	PASS
Band41	20	40620	50	#Max	QPSK	21.92	-0.73	21.19	33.01	PASS
Band41	20	40620	100	#0	QPSK	21.89	-0.73	21.16	33.01	PASS
Band41	20	40620	1	#0	QAM16	22.12	-0.73	21.39	33.01	PASS
Band41	20	40620	1	#Mid	QAM16	22.12	-0.73	21.39	33.01	PASS
Band41	20	40620	1	#Max	QAM16	22.17	-0.73	21.44	33.01	PASS
Band41	20	40620	50	#0	QAM16	20.86	-0.73	20.13	33.01	PASS
Band41	20	40620	50	#Mid	QAM16	20.86	-0.73	20.13	33.01	PASS
Band41	20	40620	50	#Max	QAM16	20.88	-0.73	20.15	33.01	PASS
Band41	20	40620	100	#0	QAM16	20.87	-0.73	20.14	33.01	PASS
Band41	20	41490	1	#0	QPSK	22.86	-0.73	22.13	33.01	PASS
Band41	20	41490	1	#Mid	QPSK	22.81	-0.73	22.08	33.01	PASS
Band41	20	41490	1	#Max	QPSK	22.70	-0.73	21.97	33.01	PASS
Band41	20	41490	50	#0	QPSK	21.80	-0.73	21.07	33.01	PASS
Band41	20	41490	50	#Mid	QPSK	21.78	-0.73	21.05	33.01	PASS
Band41	20	41490	50	#Max	QPSK	21.72	-0.73	20.99	33.01	PASS
Band41	20	41490	100	#0	QPSK	21.76	-0.73	21.03	33.01	PASS
Band41	20	41490	1	#0	QAM16	22.19	-0.73	21.46	33.01	PASS
Band41	20	41490	1	#Mid	QAM16	22.15	-0.73	21.42	33.01	PASS
Band41	20	41490	1	#Max	QAM16	22.03	-0.73	21.3	33.01	PASS
Band41	20	41490	50	#0	QAM16	20.84	-0.73	20.11	33.01	PASS
Band41	20	41490	50	#Mid	QAM16	20.81	-0.73	20.08	33.01	PASS
Band41	20	41490	50	#Max	QAM16	20.77	-0.73	20.04	33.01	PASS
Band41	20	41490	100	#0	QAM16	20.77	-0.73	20.04	33.01	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band41	20	39750	100	#0	QPSK	-1.87	-0.001	-2.5	2.5	PASS
Band41	20	39750	100	#0	QAM16	-3.30	-0.001	-2.5	2.5	PASS
Band41	20	40620	100	#0	QPSK	-2.38	-0.001	-2.5	2.5	PASS
Band41	20	40620	100	#0	QAM16	-2.30	-0.001	-2.5	2.5	PASS
Band41	20	41490	100	#0	QPSK	-1.47	-0.001	-2.5	2.5	PASS
Band41	20	41490	100	#0	QAM16	-2.56	-0.001	-2.5	2.5	PASS

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	40620	1	#0	QPSK	8.29	13	PASS
Band41	5	40620	1	#0	QAM16	8.94	13	PASS
Band41	10	40620	1	#0	QPSK	8.64	13	PASS
Band41	10	40620	1	#0	QAM16	10.34	13	PASS
Band41	15	40620	1	#0	QPSK	8.08	13	PASS
Band41	15	40620	1	#0	QAM16	7.94	13	PASS
Band41	20	40620	1	#0	QPSK	8.77	13	PASS
Band41	20	40620	1	#0	QAM16	10.32	13	PASS

Band41 QAM16 BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=1 Position=#0

**Band41 QAM16 BW=20MHz Channel=40620 RB Size=1 Position=#0****Band41 QAM16 BW=5MHz Channel=40620 RB Size=1 Position=#0**

**Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0****Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0**


**Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0****Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band41	5	39675	25	#0	QPSK	4.526	5.362	PASS
Band41	5	39675	25	#0	QAM16	4.463	4.884	PASS
Band41	5	40620	25	#0	QPSK	4.519	4.846	PASS
Band41	5	40620	25	#0	QAM16	4.502	4.911	PASS
Band41	5	41565	25	#0	QPSK	4.517	4.882	PASS
Band41	5	41565	25	#0	QAM16	4.487	4.907	PASS
Band41	10	39700	50	#0	QPSK	9.020	10.078	PASS
Band41	10	39700	50	#0	QAM16	9.008	9.728	PASS
Band41	10	40620	50	#0	QPSK	9.005	9.564	PASS
Band41	10	40620	50	#0	QAM16	8.971	9.533	PASS
Band41	10	41540	50	#0	QPSK	8.974	9.646	PASS
Band41	10	41540	50	#0	QAM16	8.990	9.949	PASS
Band41	15	39725	75	#0	QPSK	13.499	15.242	PASS
Band41	15	39725	75	#0	QAM16	13.510	15.422	PASS
Band41	15	40620	75	#0	QPSK	13.436	14.816	PASS
Band41	15	40620	75	#0	QAM16	13.496	14.247	PASS
Band41	15	41515	75	#0	QPSK	13.449	17.170	PASS
Band41	15	41515	75	#0	QAM16	13.545	15.162	PASS
Band41	20	39750	100	#0	QPSK	17.983	19.451	PASS
Band41	20	39750	100	#0	QAM16	17.909	25.858	PASS
Band41	20	40620	100	#0	QPSK	17.924	21.302	PASS
Band41	20	40620	100	#0	QAM16	17.975	20.423	PASS
Band41	20	41490	100	#0	QPSK	17.935	28.434	PASS
Band41	20	41490	100	#0	QAM16	17.945	21.041	PASS


Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0





Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0



**Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0****Band41 QAM16 BW=5MHz Channel=40620 RB Size=25 Position=#0**




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0



**Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0****Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0**




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0



**Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0****Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0**




Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0

**Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0****Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0**




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	2494.92	-15.42	-13	PASS
Band41	5	39675	25	#0	QAM16	2495.00	-18.92	-13	PASS
Band41	5	41565	25	#0	QPSK	2696.26	-29.52	-25	PASS
Band41	5	41565	25	#0	QAM16	2691.00	-18.40	-10	PASS
Band41	10	39700	50	#0	QPSK	2485.16	-35.43	-25	PASS
Band41	10	39700	50	#0	QAM16	2484.89	-37.21	-25	PASS
Band41	10	41540	50	#0	QPSK	2700.45	-33.99	-25	PASS
Band41	10	41540	50	#0	QAM16	2701.10	-36.69	-25	PASS
Band41	15	39725	75	#0	QPSK	2480.88	-37.15	-25	PASS
Band41	15	39725	75	#0	QAM16	2480.55	-39.24	-25	PASS
Band41	15	41515	75	#0	QPSK	2705.08	-35.34	-25	PASS
Band41	15	41515	75	#0	QAM16	2705.84	-36.56	-25	PASS
Band41	20	39750	100	#0	QPSK	2493.29	-24.58	-13	PASS
Band41	20	39750	100	#0	QAM16	2475.21	-39.43	-25	PASS
Band41	20	41490	100	#0	QPSK	2710.63	-37.45	-25	PASS
Band41	20	41490	100	#0	QAM16	2710.86	-36.64	-25	PASS


Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0



Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0



Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




6 Out-of-band emissions


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	3700.90	-38.61	-25	PASS
Band41	5	39675	25	#0	QAM16	3777.63	-37.50	-25	PASS
Band41	5	41565	25	#0	QPSK	5375.35	-35.78	-25	PASS
Band41	5	41565	25	#0	QAM16	5372.43	-37.90	-25	PASS
Band41	10	39700	50	#0	QPSK	9880.08	-38.44	-25	PASS
Band41	10	39700	50	#0	QAM16	3926.80	-38.73	-25	PASS
Band41	10	41540	50	#0	QPSK	5367.70	-37.28	-25	PASS
Band41	10	41540	50	#0	QAM16	5059.90	-38.56	-25	PASS
Band41	15	39725	75	#0	QPSK	3782.58	-37.58	-25	PASS
Band41	15	39725	75	#0	QAM16	3941.65	-38.44	-25	PASS
Band41	15	41515	75	#0	QPSK	5029.75	-37.63	-25	PASS
Band41	15	41515	75	#0	QAM16	3789.78	-38.33	-25	PASS
Band41	20	39750	100	#0	QPSK	4739.28	-38.07	-25	PASS
Band41	20	39750	100	#0	QAM16	4910.73	-38.47	-25	PASS
Band41	20	41490	100	#0	QPSK	3815.88	-37.70	-25	PASS
Band41	20	41490	100	#0	QAM16	3799.00	-38.29	-25	PASS

NOTE: out of band emissions above 10G is considered as background noise, so it is not reflected in the report


Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0



Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0



Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0



Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0

