


Spurious Emission at Antenna Terminals

9.24 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.18	-13	53.18	Pass	401
0.15	30	0.01	RMS	0.16	-66.16	-13	53.16	Pass	2986
30	689	0.1	RMS	505.3	-59.65	-13	46.65	Pass	6591
689	726	0.1	RMS	714.53	17.92	60	42.08	Pass	401
726	1000	0.1	RMS	933.1	-58.77	-13	45.77	Pass	2741
1000	3000	1	RMS	2939	-43.36	-13	30.36	Pass	2001
3000	10000	1	RMS	8743	-59.43	-13	46.43	Pass	7001




**9.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.66	-13	52.66	Pass	401
0.15	30	0.01	RMS	0.27	-65.74	-13	52.74	Pass	2986
30	689	0.1	RMS	607.9	-59.68	-13	46.68	Pass	6591
689	726	0.1	RMS	702.043	0.2	60	59.8	Pass	401
726	1000	0.1	RMS	821.4	-58.62	-13	45.62	Pass	2741
1000	3000	1	RMS	2935	-43.35	-13	30.35	Pass	2001
3000	10000	1	RMS	8747	-59.38	-13	46.38	Pass	7001




**9.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.5	-13	52.5	Pass	401
0.15	30	0.01	RMS	0.17	-65.31	-13	52.31	Pass	2986
30	689	0.1	RMS	620.6	-59.48	-13	46.48	Pass	6591
689	726	0.1	RMS	701.488	18.27	60	41.73	Pass	401
726	1000	0.1	RMS	990.4	-58.68	-13	45.68	Pass	2741
1000	3000	1	RMS	2931	-43.37	-13	30.37	Pass	2001
3000	10000	1	RMS	8742	-59.39	-13	46.39	Pass	7001



**9.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.13	-13	53.13	Pass	401
0.15	30	0.01	RMS	0.15	-65.65	-13	52.65	Pass	2986
30	689	0.1	RMS	642.2	-59.61	-13	46.61	Pass	6591
689	726	0.1	RMS	715.548	17.56	60	42.44	Pass	401
726	1000	0.1	RMS	841.3	-58.65	-13	45.65	Pass	2741
1000	3000	1	RMS	2937	-43.35	-13	30.35	Pass	2001
3000	10000	1	RMS	8750	-59.4	-13	46.4	Pass	7001




10. n66 15kHz

10.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.47	-13	52.47	Pass	401
0.15	30	0.01	RMS	0.15	-65.53	-13	52.53	Pass	2986
30	1000	0.1	RMS	946.565	-58.8	-13	45.8	Pass	9701
1000	1700	1	RMS	1700	-43.43	-13	30.43	Pass	701
1700	1790	1	RMS	1711.025	14.52	60	45.48	Pass	401
1790	3000	1	RMS	2942	-43.29	-13	30.29	Pass	1211
3000	7000	1	RMS	6978	-59.9	-13	46.9	Pass	4001
7000	20000	1	RMS	19370	-47.18	-13	34.18	Pass	13002




10.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.01	-13	53.01	Pass	401
0.15	30	0.01	RMS	0.16	-65.71	-13	52.71	Pass	2986
30	1000	0.1	RMS	927.252	-58.71	-13	45.71	Pass	9701
1000	1700	1	RMS	1700	-47.38	-13	34.38	Pass	701
1700	1790	1	RMS	1710.125	20.62	60	39.38	Pass	401
1790	3000	1	RMS	2938	-43.27	-13	30.27	Pass	1211
3000	7000	1	RMS	6971	-59.86	-13	46.86	Pass	4001
7000	20000	1	RMS	19367	-47.13	-13	34.13	Pass	13002




10.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.76	-13	51.76	Pass	401
0.15	30	0.01	RMS	0.15	-65.35	-13	52.35	Pass	2986
30	1000	0.1	RMS	949.366	-58.91	-13	45.91	Pass	9701
1000	1700	1	RMS	1699	-47.5	-13	34.5	Pass	701
1700	1790	1	RMS	1714.625	20.67	60	39.33	Pass	401
1790	3000	1	RMS	2937	-43.25	-13	30.25	Pass	1211
3000	7000	1	RMS	6973	-59.94	-13	46.94	Pass	4001
7000	20000	1	RMS	19389	-47.24	-13	34.24	Pass	13002




**10.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.01	-13	52.01	Pass	401
0.15	30	0.01	RMS	0.15	-66.07	-13	53.07	Pass	2986
30	1000	0.1	RMS	976.284	-58.86	-13	45.86	Pass	9701
1000	1700	1	RMS	1671	-47.52	-13	34.52	Pass	701
1700	1790	1	RMS	1745.675	14.6	60	45.4	Pass	401
1790	3000	1	RMS	2938	-43.26	-13	30.26	Pass	1211
3000	7000	1	RMS	6976	-59.95	-13	46.95	Pass	4001
7000	20000	1	RMS	19307	-47.17	-13	34.17	Pass	13002




**10.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.45	-13	52.45	Pass	401
0.15	30	0.01	RMS	0.19	-65.96	-13	52.96	Pass	2986
30	1000	0.1	RMS	972.081	-58.81	-13	45.81	Pass	9701
1000	1700	1	RMS	1670	-47.54	-13	34.54	Pass	701
1700	1790	1	RMS	1742.75	20.72	60	39.28	Pass	401
1790	3000	1	RMS	2945	-43.28	-13	30.28	Pass	1211
3000	7000	1	RMS	6979	-59.97	-13	46.97	Pass	4001
7000	20000	1	RMS	19305	-47.27	-13	34.27	Pass	13002




10.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.2	-13	52.2	Pass	401
0.15	30	0.01	RMS	0.16	-65.7	-13	52.7	Pass	2986
30	1000	0.1	RMS	840.4	-58.88	-13	45.88	Pass	9701
1000	1700	1	RMS	1671	-47.46	-13	34.46	Pass	701
1700	1790	1	RMS	1747.025	20.81	60	39.19	Pass	401
1790	3000	1	RMS	2937	-43.26	-13	30.26	Pass	1211
3000	7000	1	RMS	6974	-59.93	-13	46.93	Pass	4001
7000	20000	1	RMS	19427	-47.24	-13	34.24	Pass	13002




**10.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.59	-13	53.59	Pass	401
0.15	30	0.01	RMS	0.2	-65.46	-13	52.46	Pass	2986
30	1000	0.1	RMS	936.758	-58.83	-13	45.83	Pass	9701
1000	1700	1	RMS	1671	-47.53	-13	34.53	Pass	701
1700	1790	1	RMS	1776.05	14.71	60	45.29	Pass	401
1790	3000	1	RMS	1790	-41.91	-13	28.91	Pass	1211
3000	7000	1	RMS	6978	-59.97	-13	46.97	Pass	4001
7000	20000	1	RMS	19423	-47.27	-13	34.27	Pass	13002




**10.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.89	-13	52.89	Pass	401
0.15	30	0.01	RMS	0.16	-65.74	-13	52.74	Pass	2986
30	1000	0.1	RMS	969.08	-58.84	-13	45.84	Pass	9701
1000	1700	1	RMS	1671	-47.56	-13	34.56	Pass	701
1700	1790	1	RMS	1775.15	20.65	60	39.35	Pass	401
1790	3000	1	RMS	2939	-43.33	-13	30.33	Pass	1211
3000	7000	1	RMS	6973	-59.95	-13	46.95	Pass	4001
7000	20000	1	RMS	19312	-47.24	-13	34.24	Pass	13002




10.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.22	-13	52.22	Pass	401
0.15	30	0.01	RMS	0.15	-65.76	-13	52.76	Pass	2986
30	1000	0.1	RMS	893.529	-58.79	-13	45.79	Pass	9701
1000	1700	1	RMS	1670	-47.53	-13	34.53	Pass	701
1700	1790	1	RMS	1779.425	20.58	60	39.42	Pass	401
1790	3000	1	RMS	2946	-43.32	-13	30.32	Pass	1211
3000	7000	1	RMS	6978	-59.99	-13	46.99	Pass	4001
7000	20000	1	RMS	19450	-47.21	-13	34.21	Pass	13002




**10.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.09	-13	53.09	Pass	401
0.15	30	0.01	RMS	0.18	-65.85	-13	52.85	Pass	2986
30	1000	0.1	RMS	835.2	-58.89	-13	45.89	Pass	9701
1000	1700	1	RMS	1700	-35.79	-13	22.79	Pass	701
1700	1790	1	RMS	1728.35	8.81	60	51.19	Pass	401
1790	3000	1	RMS	2958	-43.3	-13	30.3	Pass	1211
3000	7000	1	RMS	6970	-59.9	-13	46.9	Pass	4001
7000	20000	1	RMS	19327	-47.21	-13	34.21	Pass	13002




**10.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.68	-13	51.68	Pass	401
0.15	30	0.01	RMS	0.15	-64.81	-13	51.81	Pass	2986
30	1000	0.1	RMS	877.519	-58.81	-13	45.81	Pass	9701
1000	1700	1	RMS	1700	-46.33	-13	33.33	Pass	701
1700	1790	1	RMS	1710.35	20.78	60	39.22	Pass	401
1790	3000	1	RMS	2931	-43.32	-13	30.32	Pass	1211
3000	7000	1	RMS	6973	-59.95	-13	46.95	Pass	4001
7000	20000	1	RMS	19399	-47.23	-13	34.23	Pass	13002




**10.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.49	-13	53.49	Pass	401
0.15	30	0.01	RMS	0.17	-65.03	-13	52.03	Pass	2986
30	1000	0.1	RMS	839.3	-58.79	-13	45.79	Pass	9701
1000	1700	1	RMS	1700	-42.38	-13	29.38	Pass	701
1700	1790	1	RMS	1729.25	20.73	60	39.27	Pass	401
1790	3000	1	RMS	2946	-43.23	-13	30.23	Pass	1211
3000	7000	1	RMS	6968	-59.94	-13	46.94	Pass	4001
7000	20000	1	RMS	19343	-47.23	-13	34.23	Pass	13002




**10.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.29	-13	53.29	Pass	401
0.15	30	0.01	RMS	0.15	-65.07	-13	52.07	Pass	2986
30	1000	0.1	RMS	884.323	-58.82	-13	45.82	Pass	9701
1000	1700	1	RMS	1700	-43.44	-13	30.44	Pass	701
1700	1790	1	RMS	1753.1	8.48	60	51.52	Pass	401
1790	3000	1	RMS	2936	-43.26	-13	30.26	Pass	1211
3000	7000	1	RMS	6981	-59.97	-13	46.97	Pass	4001
7000	20000	1	RMS	19356	-47.23	-13	34.23	Pass	13002




**10.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.45	-13	53.45	Pass	401
0.15	30	0.01	RMS	0.16	-65.66	-13	52.66	Pass	2986
30	1000	0.1	RMS	989.593	-58.81	-13	45.81	Pass	9701
1000	1700	1	RMS	1670	-47.57	-13	34.57	Pass	701
1700	1790	1	RMS	1735.325	20.67	60	39.33	Pass	401
1790	3000	1	RMS	2941	-43.29	-13	30.29	Pass	1211
3000	7000	1	RMS	6971	-59.95	-13	46.95	Pass	4001
7000	20000	1	RMS	19395	-47.24	-13	34.24	Pass	13002




**10.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.09	-13	53.09	Pass	401
0.15	30	0.01	RMS	0.15	-65.75	-13	52.75	Pass	2986
30	1000	0.1	RMS	862.009	-58.85	-13	45.85	Pass	9701
1000	1700	1	RMS	1669	-47.55	-13	34.55	Pass	701
1700	1790	1	RMS	1754.225	20.81	60	39.19	Pass	401
1790	3000	1	RMS	2939	-43.26	-13	30.26	Pass	1211
3000	7000	1	RMS	6979	-59.93	-13	46.93	Pass	4001
7000	20000	1	RMS	19419	-47.26	-13	34.26	Pass	13002




**10.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.95	-13	52.95	Pass	401
0.15	30	0.01	RMS	0.15	-65.36	-13	52.36	Pass	2986
30	1000	0.1	RMS	973.783	-58.85	-13	45.85	Pass	9701
1000	1700	1	RMS	1700	-47.43	-13	34.43	Pass	701
1700	1790	1	RMS	1778.075	8.44	60	51.56	Pass	401
1790	3000	1	RMS	1790	-35.41	-13	22.41	Pass	1211
3000	7000	1	RMS	6969	-59.91	-13	46.91	Pass	4001
7000	20000	1	RMS	19298	-47.25	-13	34.25	Pass	13002




**10.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.78	-13	51.78	Pass	401
0.15	30	0.01	RMS	0.15	-65.14	-13	52.14	Pass	2986
30	1000	0.1	RMS	963.576	-58.71	-13	45.71	Pass	9701
1000	1700	1	RMS	1672	-47.51	-13	34.51	Pass	701
1700	1790	1	RMS	1760.525	20.85	60	39.15	Pass	401
1790	3000	1	RMS	1790	-42.96	-13	29.96	Pass	1211
3000	7000	1	RMS	6971	-59.91	-13	46.91	Pass	4001
7000	20000	1	RMS	19338	-47.19	-13	34.19	Pass	13002




**10.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.98	-13	52.98	Pass	401
0.15	30	0.01	RMS	0.22	-65.87	-13	52.87	Pass	2986
30	1000	0.1	RMS	892.229	-58.84	-13	45.84	Pass	9701
1000	1700	1	RMS	1671	-47.52	-13	34.52	Pass	701
1700	1790	1	RMS	1779.425	20.74	60	39.26	Pass	401
1790	3000	1	RMS	2937	-43.25	-13	30.25	Pass	1211
3000	7000	1	RMS	6979	-59.91	-13	46.91	Pass	4001
7000	20000	1	RMS	19282	-47.2	-13	34.2	Pass	13002




**10.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.25	-13	55.25	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-13	55.47	Pass	2986
30	1000	0.1	RMS	859.307	-61.85	-13	48.85	Pass	9701
1000	1700	1	RMS	1700	-35.62	-13	22.62	Pass	701
1700	1790	1	RMS	1742.975	6.14	60	53.86	Pass	401
1790	3000	1	RMS	1790	-39.34	-13	26.34	Pass	1211
3000	7000	1	RMS	6969	-62.85	-13	49.85	Pass	4001
7000	20000	1	RMS	19309	-50.09	-13	37.09	Pass	13002




**10.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.31	-13	54.31	Pass	401
0.15	30	0.01	RMS	0.19	-69.21	-13	56.21	Pass	2986
30	1000	0.1	RMS	956.471	-61.8	-13	48.8	Pass	9701
1000	1700	1	RMS	1700	-48.16	-13	35.16	Pass	701
1700	1790	1	RMS	1710.575	21.09	60	38.91	Pass	401
1790	3000	1	RMS	2943	-46.25	-13	33.25	Pass	1211
3000	7000	1	RMS	6971	-62.88	-13	49.88	Pass	4001
7000	20000	1	RMS	19346	-50.25	-13	37.25	Pass	13002




**10.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.23	-13	56.23	Pass	401
0.15	30	0.01	RMS	0.16	-68.64	-13	55.64	Pass	2986
30	1000	0.1	RMS	973.983	-61.76	-13	48.76	Pass	9701
1000	1700	1	RMS	1700	-48.84	-13	35.84	Pass	701
1700	1790	1	RMS	1749.275	20.98	60	39.02	Pass	401
1790	3000	1	RMS	2937	-46.27	-13	33.27	Pass	1211
3000	7000	1	RMS	6997	-62.89	-13	49.89	Pass	4001
7000	20000	1	RMS	19324	-50.22	-13	37.22	Pass	13002




**10.22 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.34	-13	55.34	Pass	401
0.15	30	0.01	RMS	0.16	-68.95	-13	55.95	Pass	2986
30	1000	0.1	RMS	927.952	-61.8	-13	48.8	Pass	9701
1000	1700	1	RMS	1700	-36.95	-13	23.95	Pass	701
1700	1790	1	RMS	1741.85	5.81	60	54.19	Pass	401
1790	3000	1	RMS	1790	-40.87	-13	27.87	Pass	1211
3000	7000	1	RMS	6968	-62.89	-13	49.89	Pass	4001
7000	20000	1	RMS	19306	-50.16	-13	37.16	Pass	13002




**10.23 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.14	-13	56.14	Pass	401
0.15	30	0.01	RMS	0.16	-67.81	-13	54.81	Pass	2986
30	1000	0.1	RMS	919.246	-61.81	-13	48.81	Pass	9701
1000	1700	1	RMS	1700	-49.92	-13	36.92	Pass	701
1700	1790	1	RMS	1725.65	20.74	60	39.26	Pass	401
1790	3000	1	RMS	2948	-46.23	-13	33.23	Pass	1211
3000	7000	1	RMS	6971	-62.9	-13	49.9	Pass	4001
7000	20000	1	RMS	19318	-50.2	-13	37.2	Pass	13002




**10.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.09	-13	56.09	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-13	54.88	Pass	2986
30	1000	0.1	RMS	861.208	-61.75	-13	48.75	Pass	9701
1000	1700	1	RMS	1700	-49.59	-13	36.59	Pass	701
1700	1790	1	RMS	1764.125	20.61	60	39.39	Pass	401
1790	3000	1	RMS	2936	-46.28	-13	33.28	Pass	1211
3000	7000	1	RMS	6974	-62.93	-13	49.93	Pass	4001
7000	20000	1	RMS	19311	-50.21	-13	37.21	Pass	13002




**10.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.55	-13	55.55	Pass	401
0.15	30	0.01	RMS	0.18	-68.82	-13	55.82	Pass	2986
30	1000	0.1	RMS	849.1	-61.67	-13	48.67	Pass	9701
1000	1700	1	RMS	1700	-38.93	-13	25.93	Pass	701
1700	1790	1	RMS	1741.625	6.34	60	53.66	Pass	401
1790	3000	1	RMS	1790	-37.34	-13	24.34	Pass	1211
3000	7000	1	RMS	6980	-62.86	-13	49.86	Pass	4001
7000	20000	1	RMS	19370	-50.21	-13	37.21	Pass	13002



**10.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.67	-13	55.67	Pass	401
0.15	30	0.01	RMS	0.19	-68.68	-13	55.68	Pass	2986
30	1000	0.1	RMS	842	-61.7	-13	48.7	Pass	9701
1000	1700	1	RMS	1700	-50.48	-13	37.48	Pass	701
1700	1790	1	RMS	1740.5	20.89	60	39.11	Pass	401
1790	3000	1	RMS	2930	-46.25	-13	33.25	Pass	1211
3000	7000	1	RMS	6963	-62.84	-13	49.84	Pass	4001
7000	20000	1	RMS	19305	-50.14	-13	37.14	Pass	13002



**10.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.46	-13	54.46	Pass	401
0.15	30	0.01	RMS	0.15	-69.09	-13	56.09	Pass	2986
30	1000	0.1	RMS	860.007	-61.83	-13	48.83	Pass	9701
1000	1700	1	RMS	1700	-50.21	-13	37.21	Pass	701
1700	1790	1	RMS	1779.2	20.59	60	39.41	Pass	401
1790	3000	1	RMS	2930	-46.31	-13	33.31	Pass	1211
3000	7000	1	RMS	6978	-62.92	-13	49.92	Pass	4001
7000	20000	1	RMS	19332	-50.2	-13	37.2	Pass	13002

