Spurious Emission at Antenna Terminals

5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62	-25	37	Pass	401
0.15	30	0.01	RMS	0.15	-61.66	-25	36.66	Pass	2986
30	1000	0.1	RMS	982.588	-54.46	-25	29.46	Pass	9701
1000	2486	1	RMS	2486	-40.77	-25	15.77	Pass	1487
2486	2700	1	RMS	2496.7	23.12	60	36.88	Pass	401
2700	3000	1	RMS	2900.25	-39.3	-25	14.3	Pass	401
3000	12000	1	RMS	9988	-52.15	-25	27.15	Pass	9002
12000	26500	1	RMS	25502	-43.19	-25	18.19	Pass	14502



5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.37	-25	36.37	Pass	401
0.15	30	0.01	RMS	0.15	-61.29	-25	36.29	Pass	2986
30	1000	0.1	RMS	947.765	-54.36	-25	29.36	Pass	9701
1000	2486	1	RMS	2483	-41.57	-25	16.57	Pass	1487
2486	2700	1	RMS	2586.045	24.33	60	35.67	Pass	401
2700	3000	1	RMS	2903.25	-39.35	-25	14.35	Pass	401
3000	12000	1	RMS	10345	-50.03	-25	25.03	Pass	9002
12000	26500	1	RMS	25502	-43.31	-25	18.31	Pass	14502



5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-61.63	-25	36.63	Pass	401
0.15	30	0.01	RMS	0.16	-60.4	-25	35.4	Pass	2986
30	1000	0.1	RMS	863.209	-54.52	-25	29.52	Pass	9701
1000	2486	1	RMS	2483	-41.58	-25	16.58	Pass	1487
2486	2700	1	RMS	2586.045	23.64	60	36.36	Pass	401
2700	3000	1	RMS	2900.25	-39.33	-25	14.33	Pass	401
3000	12000	1	RMS	5173	-48.28	-25	23.28	Pass	9002
12000	26500	1	RMS	25503	-43.25	-25	18.25	Pass	14502



5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.78	-25	36.78	Pass	401
0.15	30	0.01	RMS	0.16	-61.86	-25	36.86	Pass	2986
30	1000	0.1	RMS	863.61	-54.44	-25	29.44	Pass	9701
1000	2486	1	RMS	2486	-41.53	-25	16.53	Pass	1487
2486	2700	1	RMS	2675.39	24.64	60	35.36	Pass	401
2700	3000	1	RMS	2899.5	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	5352	-47.95	-25	22.95	Pass	9002
12000	26500	1	RMS	25519	-43.13	-25	18.13	Pass	14502



5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.19	-25	36.19	Pass	401
0.15	30	0.01	RMS	0.15	-61.22	-25	36.22	Pass	2986
30	1000	0.1	RMS	976.284	-54.42	-25	29.42	Pass	9701
1000	2486	1	RMS	2475	-41.59	-25	16.59	Pass	1487
2486	2700	1	RMS	2675.39	23.06	60	36.94	Pass	401
2700	3000	1	RMS	2702.25	-39.17	-25	14.17	Pass	401
3000	12000	1	RMS	5351	-49.12	-25	24.12	Pass	9002
12000	26500	1	RMS	25496	-43.28	-25	18.28	Pass	14502



5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.35	-25	36.35	Pass	401
0.15	30	0.01	RMS	0.15	-60.32	-25	35.32	Pass	2986
30	1000	0.1	RMS	953.069	-54.43	-25	29.43	Pass	9701
1000	2486	1	RMS	2486	-40.44	-25	15.44	Pass	1487
2486	2700	1	RMS	2496.7	23.71	60	36.29	Pass	401
2700	3000	1	RMS	2902.5	-39.33	-25	14.33	Pass	401
3000	12000	1	RMS	11950	-53.06	-25	28.06	Pass	9002
12000	26500	1	RMS	25502	-43.32	-25	18.32	Pass	14502



5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.28	-25	36.28	Pass	401
0.15	30	0.01	RMS	0.15	-60.98	-25	35.98	Pass	2986
30	1000	0.1	RMS	848.2	-54.3	-25	29.3	Pass	9701
1000	2486	1	RMS	2485	-40.89	-25	15.89	Pass	1487
2486	2700	1	RMS	2496.7	22.74	60	37.26	Pass	401
2700	3000	1	RMS	2899.5	-39.31	-25	14.31	Pass	401
3000	12000	1	RMS	9988	-50.83	-25	25.83	Pass	9002
12000	26500	1	RMS	25507	-43.19	-25	18.19	Pass	14502



5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.52	-25	36.52	Pass	401
0.15	30	0.01	RMS	0.15	-60.49	-25	35.49	Pass	2986
30	1000	0.1	RMS	956.471	-54.47	-25	29.47	Pass	9701
1000	2486	1	RMS	2481	-41.55	-25	16.55	Pass	1487
2486	2700	1	RMS	2583.905	23.46	60	36.54	Pass	401
2700	3000	1	RMS	2904.75	-39.31	-25	14.31	Pass	401
3000	12000	1	RMS	10336	-49.57	-25	24.57	Pass	9002
12000	26500	1	RMS	25510	-43.26	-25	18.26	Pass	14502



5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.4	-25	35.4	Pass	401
0.15	30	0.01	RMS	0.18	-60.67	-25	35.67	Pass	2986
30	1000	0.1	RMS	996.898	-54.46	-25	29.46	Pass	9701
1000	2486	1	RMS	2484	-41.56	-25	16.56	Pass	1487
2486	2700	1	RMS	2583.905	23.29	60	36.71	Pass	401
2700	3000	1	RMS	2900.25	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	5168	-48.95	-25	23.95	Pass	9002
12000	26500	1	RMS	25515	-43.32	-25	18.32	Pass	14502



5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-61.36	-25	36.36	Pass	401
0.15	30	0.01	RMS	0.16	-60.44	-25	35.44	Pass	2986
30	1000	0.1	RMS	985.691	-54.47	-25	29.47	Pass	9701
1000	2486	1	RMS	2485	-41.5	-25	16.5	Pass	1487
2486	2700	1	RMS	2670.575	23.95	60	36.05	Pass	401
2700	3000	1	RMS	2700	-37.96	-25	12.96	Pass	401
3000	12000	1	RMS	10684	-48.12	-25	23.12	Pass	9002
12000	26500	1	RMS	25501	-43.29	-25	18.29	Pass	14502



5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.05	-25	36.05	Pass	401
0.15	30	0.01	RMS	0.15	-60.65	-25	35.65	Pass	2986
30	1000	0.1	RMS	936.158	-54.5	-25	29.5	Pass	9701
1000	2486	1	RMS	2485	-41.54	-25	16.54	Pass	1487
2486	2700	1	RMS	2670.575	22.9	60	37.1	Pass	401
2700	3000	1	RMS	2700	-38.94	-25	13.94	Pass	401
3000	12000	1	RMS	5342	-47.72	-25	22.72	Pass	9002
12000	26500	1	RMS	25508	-43.29	-25	18.29	Pass	14502



6. LTE_Band42 3450-3550

6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.27	-13	48.27	Pass	401
0.15	30	0.01	RMS	0.21	-60.78	-13	47.78	Pass	2986
30	1000	0.1	RMS	908.539	-54.51	-13	41.51	Pass	9701
1000	3000	1	RMS	2907	-39.25	-13	26.25	Pass	2001
3000	3430	1	RMS	3289	-36.25	-13	23.25	Pass	431
3430	3570	1	RMS	3450.3	25.01	60	34.99	Pass	401
3570	6500	1	RMS	3796	-44.05	-13	31.05	Pass	2931
6500	26500	1	RMS	6901	-46.39	-13	33.39	Pass	20003



6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.12	-13	48.12	Pass	401
0.15	30	0.01	RMS	0.2	-61.57	-13	48.57	Pass	2986
30	1000	0.1	RMS	964.376	-54.46	-13	41.46	Pass	9701
1000	3000	1	RMS	2897	-39.25	-13	26.25	Pass	2001
3000	3430	1	RMS	3288	-36.25	-13	23.25	Pass	431
3430	3570	1	RMS	3449.95	24.23	60	35.77	Pass	401
3570	6500	1	RMS	3773	-43.99	-13	30.99	Pass	2931
6500	26500	1	RMS	25507	-53.82	-13	40.82	Pass	20003



6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.56	-13	48.56	Pass	401
0.15	30	0.01	RMS	0.15	-61.37	-13	48.37	Pass	2986
30	1000	0.1	RMS	991.594	-54.56	-13	41.56	Pass	9701
1000	3000	1	RMS	2908	-39.29	-13	26.29	Pass	2001
3000	3430	1	RMS	3293	-36.24	-13	23.24	Pass	431
3430	3570	1	RMS	3497.55	24.67	60	35.33	Pass	401
3570	6500	1	RMS	3789	-44	-13	31	Pass	2931
6500	26500	1	RMS	6996	-44.89	-13	31.89	Pass	20003



6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:42590, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.56	-13	48.56	Pass	401
0.15	30	0.01	RMS	0.18	-60.95	-13	47.95	Pass	2986
30	1000	0.1	RMS	976.484	-54.46	-13	41.46	Pass	9701
1000	3000	1	RMS	2896	-39.19	-13	26.19	Pass	2001
3000	3430	1	RMS	3287	-36.25	-13	23.25	Pass	431
3430	3570	1	RMS	3497.55	24.52	60	35.48	Pass	401
3570	6500	1	RMS	3797	-43.99	-13	30.99	Pass	2931
6500	26500	1	RMS	6996	-45.17	-13	32.17	Pass	20003



6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.79	-13	48.79	Pass	401
0.15	30	0.01	RMS	0.17	-61.21	-13	48.21	Pass	2986
30	1000	0.1	RMS	887.325	-54.46	-13	41.46	Pass	9701
1000	3000	1	RMS	2903	-39.25	-13	26.25	Pass	2001
3000	3430	1	RMS	3284	-36.26	-13	23.26	Pass	431
3430	3570	1	RMS	3545.15	26.12	60	33.88	Pass	401
3570	6500	1	RMS	3783	-43.96	-13	30.96	Pass	2931
6500	26500	1	RMS	7091	-43.59	-13	30.59	Pass	20003



6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.1	-13	48.1	Pass	401
0.15	30	0.01	RMS	0.15	-61.48	-13	48.48	Pass	2986
30	1000	0.1	RMS	818.3	-54.53	-13	41.53	Pass	9701
1000	3000	1	RMS	2902	-39.2	-13	26.2	Pass	2001
3000	3430	1	RMS	3284	-36.26	-13	23.26	Pass	431
3430	3570	1	RMS	3545.15	25.14	60	34.86	Pass	401
3570	6500	1	RMS	3794	-44.02	-13	31.02	Pass	2931
6500	26500	1	RMS	7091	-45.2	-13	32.2	Pass	20003



6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.95	-13	47.95	Pass	401
0.15	30	0.01	RMS	0.15	-61.42	-13	48.42	Pass	2986
30	1000	0.1	RMS	967.078	-54.18	-13	41.18	Pass	9701
1000	3000	1	RMS	2898	-39.17	-13	26.17	Pass	2001
3000	3430	1	RMS	3289	-36.25	-13	23.25	Pass	431
3430	3570	1	RMS	3450.3	24.66	60	35.34	Pass	401
3570	6500	1	RMS	3794	-43.97	-13	30.97	Pass	2931
6500	26500	1	RMS	6902	-49.18	-13	36.18	Pass	20003



6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.92	-13	48.92	Pass	401
0.15	30	0.01	RMS	0.2	-61.58	-13	48.58	Pass	2986
30	1000	0.1	RMS	850.201	-54.52	-13	41.52	Pass	9701
1000	3000	1	RMS	2922	-39.25	-13	26.25	Pass	2001
3000	3430	1	RMS	3281	-36.26	-13	23.26	Pass	431
3430	3570	1	RMS	3450.3	24.71	60	35.29	Pass	401
3570	6500	1	RMS	3799	-44.07	-13	31.07	Pass	2931
6500	26500	1	RMS	25883	-53.95	-13	40.95	Pass	20003



6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.81	-13	48.81	Pass	401
0.15	30	0.01	RMS	0.15	-61.54	-13	48.54	Pass	2986
30	1000	0.1	RMS	944.163	-54.4	-13	41.4	Pass	9701
1000	3000	1	RMS	2901	-39.18	-13	26.18	Pass	2001
3000	3430	1	RMS	3286	-36.26	-13	23.26	Pass	431
3430	3570	1	RMS	3495.45	25.3	60	34.7	Pass	401
3570	6500	1	RMS	3776	-43.96	-13	30.96	Pass	2931
6500	26500	1	RMS	6991	-44.05	-13	31.05	Pass	20003



6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:42590, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.58	-13	48.58	Pass	401
0.15	30	0.01	RMS	0.16	-61.17	-13	48.17	Pass	2986
30	1000	0.1	RMS	913.243	-54.43	-13	41.43	Pass	9701
1000	3000	1	RMS	2914	-39.22	-13	26.22	Pass	2001
3000	3430	1	RMS	3290	-36.23	-13	23.23	Pass	431
3430	3570	1	RMS	3495.1	23.72	60	36.28	Pass	401
3570	6500	1	RMS	3771	-44.01	-13	31.01	Pass	2931
6500	26500	1	RMS	25498	-53.89	-13	40.89	Pass	20003



6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.76	-13	47.76	Pass	401
0.15	30	0.01	RMS	0.16	-61.4	-13	48.4	Pass	2986
30	1000	0.1	RMS	935.057	-54.3	-13	41.3	Pass	9701
1000	3000	1	RMS	2905	-39.18	-13	26.18	Pass	2001
3000	3430	1	RMS	3289	-36.23	-13	23.23	Pass	431
3430	3570	1	RMS	3540.25	26.16	60	33.84	Pass	401
3570	6500	1	RMS	3773	-43.94	-13	30.94	Pass	2931
6500	26500	1	RMS	7082	-48.89	-13	35.89	Pass	20003



6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.21	-13	48.21	Pass	401
0.15	30	0.01	RMS	0.17	-61.83	-13	48.83	Pass	2986
30	1000	0.1	RMS	870.914	-54.48	-13	41.48	Pass	9701
1000	3000	1	RMS	2900	-39.22	-13	26.22	Pass	2001
3000	3430	1	RMS	3291	-36.26	-13	23.26	Pass	431
3430	3570	1	RMS	3540.25	25.41	60	34.59	Pass	401
3570	6500	1	RMS	3794	-43.92	-13	30.92	Pass	2931
6500	26500	1	RMS	25501	-53.98	-13	40.98	Pass	20003



6.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.75	-13	48.75	Pass	401
0.15	30	0.01	RMS	0.16	-61.35	-13	48.35	Pass	2986
30	1000	0.1	RMS	869.614	-54.3	-13	41.3	Pass	9701
1000	3000	1	RMS	2899	-39.16	-13	26.16	Pass	2001
3000	3430	1	RMS	3287	-36.23	-13	23.23	Pass	431
3430	3570	1	RMS	3450.65	25.5	60	34.5	Pass	401
3570	6500	1	RMS	3769	-43.98	-13	30.98	Pass	2931
6500	26500	1	RMS	6901	-47.95	-13	34.95	Pass	20003



6.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.94	-13	47.94	Pass	401
0.15	30	0.01	RMS	0.18	-61.53	-13	48.53	Pass	2986
30	1000	0.1	RMS	906.838	-54.43	-13	41.43	Pass	9701
1000	3000	1	RMS	2899	-39.29	-13	26.29	Pass	2001
3000	3430	1	RMS	3286	-36.23	-13	23.23	Pass	431
3430	3570	1	RMS	3450.65	24.45	60	35.55	Pass	401
3570	6500	1	RMS	3778	-44.08	-13	31.08	Pass	2931
6500	26500	1	RMS	6902	-45.52	-13	32.52	Pass	20003



6.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.14	-13	49.14	Pass	401
0.15	30	0.01	RMS	0.17	-61.4	-13	48.4	Pass	2986
30	1000	0.1	RMS	960.974	-54.39	-13	41.39	Pass	9701
1000	3000	1	RMS	2900	-39.23	-13	26.23	Pass	2001
3000	3430	1	RMS	3285	-36.24	-13	23.24	Pass	431
3430	3570	1	RMS	3493.35	25.15	60	34.85	Pass	401
3570	6500	1	RMS	3783	-43.93	-13	30.93	Pass	2931
6500	26500	1	RMS	25894	-53.92	-13	40.92	Pass	20003



6.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:42590, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.56	-13	47.56	Pass	401
0.15	30	0.01	RMS	0.16	-61.3	-13	48.3	Pass	2986
30	1000	0.1	RMS	870.514	-54.47	-13	41.47	Pass	9701
1000	3000	1	RMS	2897	-39.22	-13	26.22	Pass	2001
3000	3430	1	RMS	3301	-36.22	-13	23.22	Pass	431
3430	3570	1	RMS	3493.35	24.53	60	35.47	Pass	401
3570	6500	1	RMS	3765	-44.01	-13	31.01	Pass	2931
6500	26500	1	RMS	6986	-47.85	-13	34.85	Pass	20003



6.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.89	-13	48.89	Pass	401
0.15	30	0.01	RMS	0.15	-61.27	-13	48.27	Pass	2986
30	1000	0.1	RMS	847.7	-54.27	-13	41.27	Pass	9701
1000	3000	1	RMS	2903	-39.19	-13	26.19	Pass	2001
3000	3430	1	RMS	3283	-36.24	-13	23.24	Pass	431
3430	3570	1	RMS	3535.7	26.42	60	33.58	Pass	401
3570	6500	1	RMS	3792	-44	-13	31	Pass	2931
6500	26500	1	RMS	7071	-47.55	-13	34.55	Pass	20003



6.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.92	-13	47.92	Pass	401
0.15	30	0.01	RMS	0.24	-61.25	-13	48.25	Pass	2986
30	1000	0.1	RMS	912.542	-54.39	-13	41.39	Pass	9701
1000	3000	1	RMS	2905	-39.15	-13	26.15	Pass	2001
3000	3430	1	RMS	3285	-36.23	-13	23.23	Pass	431
3430	3570	1	RMS	3535.7	24.6	60	35.4	Pass	401
3570	6500	1	RMS	3760	-44	-13	31	Pass	2931
6500	26500	1	RMS	7072	-45.62	-13	32.62	Pass	20003



6.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.72	-13	48.72	Pass	401
0.15	30	0.01	RMS	0.19	-60.94	-13	47.94	Pass	2986
30	1000	0.1	RMS	979.286	-54.36	-13	41.36	Pass	9701
1000	3000	1	RMS	2905	-39.21	-13	26.21	Pass	2001
3000	3430	1	RMS	3285	-36.24	-13	23.24	Pass	431
3430	3570	1	RMS	3451	24.35	60	35.65	Pass	401
3570	6500	1	RMS	3774	-44.05	-13	31.05	Pass	2931
6500	26500	1	RMS	6902	-50.71	-13	37.71	Pass	20003



6.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.65	-13	48.65	Pass	401
0.15	30	0.01	RMS	0.17	-61.54	-13	48.54	Pass	2986
30	1000	0.1	RMS	872.516	-54.47	-13	41.47	Pass	9701
1000	3000	1	RMS	2899	-39.22	-13	26.22	Pass	2001
3000	3430	1	RMS	3283	-36.23	-13	23.23	Pass	431
3430	3570	1	RMS	3450.65	23.85	60	36.15	Pass	401
3570	6500	1	RMS	3770	-43.97	-13	30.97	Pass	2931
6500	26500	1	RMS	6902	-48.63	-13	35.63	Pass	20003



6.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.91	-13	47.91	Pass	401
0.15	30	0.01	RMS	0.15	-60.8	-13	47.8	Pass	2986
30	1000	0.1	RMS	858.706	-54.4	-13	41.4	Pass	9701
1000	3000	1	RMS	2903	-39.27	-13	26.27	Pass	2001
3000	3430	1	RMS	3284	-36.24	-13	23.24	Pass	431
3430	3570	1	RMS	3491.25	24.3	60	35.7	Pass	401
3570	6500	1	RMS	3797	-44.03	-13	31.03	Pass	2931
6500	26500	1	RMS	6983	-48.2	-13	35.2	Pass	20003



6.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.79	-13	47.79	Pass	401
0.15	30	0.01	RMS	0.15	-61.51	-13	48.51	Pass	2986
30	1000	0.1	RMS	894.23	-54.47	-13	41.47	Pass	9701
1000	3000	1	RMS	2901	-39.2	-13	26.2	Pass	2001
3000	3430	1	RMS	3287	-36.23	-13	23.23	Pass	431
3430	3570	1	RMS	3491.25	23.71	60	36.29	Pass	401
3570	6500	1	RMS	3795	-43.98	-13	30.98	Pass	2931
6500	26500	1	RMS	25905	-53.97	-13	40.97	Pass	20003



6.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-62.04	-13	49.04	Pass	401
0.15	30	0.01	RMS	0.15	-61.4	-13	48.4	Pass	2986
30	1000	0.1	RMS	835.4	-54.42	-13	41.42	Pass	9701
1000	3000	1	RMS	2898	-39.27	-13	26.27	Pass	2001
3000	3430	1	RMS	3300	-36.25	-13	23.25	Pass	431
3430	3570	1	RMS	3531.15	25.39	60	34.61	Pass	401
3570	6500	1	RMS	3768	-44.05	-13	31.05	Pass	2931
6500	26500	1	RMS	7062	-46.36	-13	33.36	Pass	20003



6.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-59.91	-13	46.91	Pass	401
0.15	30	0.01	RMS	0.15	-60.84	-13	47.84	Pass	2986
30	1000	0.1	RMS	930.154	-54.51	-13	41.51	Pass	9701
1000	3000	1	RMS	2915	-39.23	-13	26.23	Pass	2001
3000	3430	1	RMS	3288	-36.24	-13	23.24	Pass	431
3430	3570	1	RMS	3530.8	25.07	60	34.93	Pass	401
3570	6500	1	RMS	3768	-43.97	-13	30.97	Pass	2931
6500	26500	1	RMS	7062	-44.9	-13	31.9	Pass	20003



7. LTE_Band66

7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.45	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	928.353	-62.85	-13	49.85	Pass	9701
1000	1700	1	RMS	1700	-50.97	-13	37.97	Pass	701
1700	1790	1	RMS	1710.125	20.17	60	39.83	Pass	401
1790	3000	1	RMS	3000	-47.28	-13	34.28	Pass	1211
3000	12000	1	RMS	11897	-36.07	-13	23.07	Pass	9002
12000	20000	1	RMS	19334	-27.89	-13	14.89	Pass	8001



7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.12	-13	58.12	Pass	401
0.15	30	0.01	RMS	0.18	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	978.686	-62.93	-13	49.93	Pass	9701
1000	1700	1	RMS	1700	-50.98	-13	37.98	Pass	701
1700	1790	1	RMS	1710.125	19.25	60	40.75	Pass	401
1790	3000	1	RMS	2991	-47.28	-13	34.28	Pass	1211
3000	12000	1	RMS	11996	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	19338	-27.91	-13	14.91	Pass	8001



7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.16	-70.87	-13	57.87	Pass	2986
30	1000	0.1	RMS	972.582	-62.87	-13	49.87	Pass	9701
1000	1700	1	RMS	1680	-51.05	-13	38.05	Pass	701
1700	1790	1	RMS	1744.325	20.42	60	39.58	Pass	401
1790	3000	1	RMS	2969	-47.31	-13	34.31	Pass	1211
3000	12000	1	RMS	11898	-36.1	-13	23.1	Pass	9002
12000	20000	1	RMS	19293	-27.85	-13	14.85	Pass	8001



7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	57.8	Pass	2986
30	1000	0.1	RMS	997.999	-62.86	-13	49.86	Pass	9701
1000	1700	1	RMS	1689	-51.04	-13	38.04	Pass	701
1700	1790	1	RMS	1744.55	19.35	60	40.65	Pass	401
1790	3000	1	RMS	2990	-47.28	-13	34.28	Pass	1211
3000	12000	1	RMS	11996	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	19399	-27.91	-13	14.91	Pass	8001



7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	1000	-62.89	-13	49.89	Pass	9701
1000	1700	1	RMS	1682	-51.04	-13	38.04	Pass	701
1700	1790	1	RMS	1778.75	20.36	60	39.64	Pass	401
1790	3000	1	RMS	2995	-47.35	-13	34.35	Pass	1211
3000	12000	1	RMS	11998	-36.16	-13	23.16	Pass	9002
12000	20000	1	RMS	19472	-27.93	-13	14.93	Pass	8001



7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.31	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	897.332	-62.84	-13	49.84	Pass	9701
1000	1700	1	RMS	1684	-51.07	-13	38.07	Pass	701
1700	1790	1	RMS	1778.75	19.44	60	40.56	Pass	401
1790	3000	1	RMS	2991	-47.32	-13	34.32	Pass	1211
3000	12000	1	RMS	11889	-36.17	-13	23.17	Pass	9002
12000	20000	1	RMS	19338	-27.9	-13	14.9	Pass	8001



7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	946.765	-62.87	-13	49.87	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	37.93	Pass	701
1700	1790	1	RMS	1710.125	20.25	60	39.75	Pass	401
1790	3000	1	RMS	2995	-47.34	-13	34.34	Pass	1211
3000	12000	1	RMS	11994	-36.1	-13	23.1	Pass	9002
12000	20000	1	RMS	19407	-27.93	-13	14.93	Pass	8001



7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.35	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	959.573	-62.71	-13	49.71	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	37.93	Pass	701
1700	1790	1	RMS	1710.125	19.31	60	40.69	Pass	401
1790	3000	1	RMS	2993	-47.29	-13	34.29	Pass	1211
3000	12000	1	RMS	11995	-36.1	-13	23.1	Pass	9002
12000	20000	1	RMS	19363	-27.86	-13	14.86	Pass	8001



7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.9	-13	57.9	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-13	57.74	Pass	2986
30	1000	0.1	RMS	941.561	-62.84	-13	49.84	Pass	9701
1000	1700	1	RMS	1681	-51.05	-13	38.05	Pass	701
1700	1790	1	RMS	1743.65	20.36	60	39.64	Pass	401
1790	3000	1	RMS	2997	-47.29	-13	34.29	Pass	1211
3000	12000	1	RMS	11999	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19368	-27.92	-13	14.92	Pass	8001



7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	57.94	Pass	2986
30	1000	0.1	RMS	985.59	-62.69	-13	49.69	Pass	9701
1000	1700	1	RMS	1686	-51	-13	38	Pass	701
1700	1790	1	RMS	1743.65	19.47	60	40.53	Pass	401
1790	3000	1	RMS	2998	-47.3	-13	34.3	Pass	1211
3000	12000	1	RMS	11997	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19292	-27.9	-13	14.9	Pass	8001



7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	0.19	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	941.761	-62.73	-13	49.73	Pass	9701
1000	1700	1	RMS	1689	-51.06	-13	38.06	Pass	701
1700	1790	1	RMS	1777.175	20.42	60	39.58	Pass	401
1790	3000	1	RMS	2980	-47.31	-13	34.31	Pass	1211
3000	12000	1	RMS	11905	-36.07	-13	23.07	Pass	9002
12000	20000	1	RMS	19400	-27.89	-13	14.89	Pass	8001



7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.16	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	965.877	-62.81	-13	49.81	Pass	9701
1000	1700	1	RMS	1677	-51.07	-13	38.07	Pass	701
1700	1790	1	RMS	1777.175	19.45	60	40.55	Pass	401
1790	3000	1	RMS	3000	-47.32	-13	34.32	Pass	1211
3000	12000	1	RMS	11996	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	19387	-27.93	-13	14.93	Pass	8001



7.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.22	-71.03	-13	58.03	Pass	2986
30	1000	0.1	RMS	945.964	-62.81	-13	49.81	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	37.91	Pass	701
1700	1790	1	RMS	1710.35	20.13	60	39.87	Pass	401
1790	3000	1	RMS	2992	-47.27	-13	34.27	Pass	1211
3000	12000	1	RMS	11999	-36.07	-13	23.07	Pass	9002
12000	20000	1	RMS	19338	-27.89	-13	14.89	Pass	8001



7.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	983.489	-62.89	-13	49.89	Pass	9701
1000	1700	1	RMS	1700	-51.01	-13	38.01	Pass	701
1700	1790	1	RMS	1710.125	19.22	60	40.78	Pass	401
1790	3000	1	RMS	2996	-47.3	-13	34.3	Pass	1211
3000	12000	1	RMS	11993	-36.08	-13	23.08	Pass	9002
12000	20000	1	RMS	17839	-27.91	-13	14.91	Pass	8001



7.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.16	-70.59	-13	57.59	Pass	2986
30	1000	0.1	RMS	941.361	-62.87	-13	49.87	Pass	9701
1000	1700	1	RMS	1686	-51.09	-13	38.09	Pass	701
1700	1790	1	RMS	1742.75	20.28	60	39.72	Pass	401
1790	3000	1	RMS	2969	-47.31	-13	34.31	Pass	1211
3000	12000	1	RMS	11990	-36.17	-13	23.17	Pass	9002
12000	20000	1	RMS	17821	-27.9	-13	14.9	Pass	8001



7.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	996.998	-62.84	-13	49.84	Pass	9701
1000	1700	1	RMS	1680	-51.06	-13	38.06	Pass	701
1700	1790	1	RMS	1742.75	19.53	60	40.47	Pass	401
1790	3000	1	RMS	3000	-47.28	-13	34.28	Pass	1211
3000	12000	1	RMS	11998	-36.17	-13	23.17	Pass	9002
12000	20000	1	RMS	19468	-27.9	-13	14.9	Pass	8001



7.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	928.753	-62.84	-13	49.84	Pass	9701
1000	1700	1	RMS	1681	-50.98	-13	37.98	Pass	701
1700	1790	1	RMS	1775.15	20.44	60	39.56	Pass	401
1790	3000	1	RMS	3000	-47.29	-13	34.29	Pass	1211
3000	12000	1	RMS	11902	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19375	-27.83	-13	14.83	Pass	8001



7.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.31	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	976.084	-62.91	-13	49.91	Pass	9701
1000	1700	1	RMS	1683	-51.06	-13	38.06	Pass	701
1700	1790	1	RMS	1775.15	19.59	60	40.41	Pass	401
1790	3000	1	RMS	3000	-47.27	-13	34.27	Pass	1211
3000	12000	1	RMS	11994	-36.16	-13	23.16	Pass	9002
12000	20000	1	RMS	19297	-27.89	-13	14.89	Pass	8001



7.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.83	-13	57.83	Pass	401
0.15	30	0.01	RMS	0.24	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	984.89	-62.78	-13	49.78	Pass	9701
1000	1700	1	RMS	1700	-49.82	-13	36.82	Pass	701
1700	1790	1	RMS	1710.575	20.14	60	39.86	Pass	401
1790	3000	1	RMS	2995	-47.29	-13	34.29	Pass	1211
3000	12000	1	RMS	12000	-36.15	-13	23.15	Pass	9002
12000	20000	1	RMS	19378	-27.9	-13	14.9	Pass	8001



7.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.18	-71.02	-13	58.02	Pass	2986
30	1000	0.1	RMS	937.058	-62.73	-13	49.73	Pass	9701
1000	1700	1	RMS	1700	-49.8	-13	36.8	Pass	701
1700	1790	1	RMS	1710.575	19.32	60	40.68	Pass	401
1790	3000	1	RMS	2995	-47.31	-13	34.31	Pass	1211
3000	12000	1	RMS	11999	-36.15	-13	23.15	Pass	9002
12000	20000	1	RMS	19383	-27.9	-13	14.9	Pass	8001



7.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	940.661	-62.88	-13	49.88	Pass	9701
1000	1700	1	RMS	1677	-51.06	-13	38.06	Pass	701
1700	1790	1	RMS	1740.5	20.4	60	39.6	Pass	401
1790	3000	1	RMS	2985	-47.32	-13	34.32	Pass	1211
3000	12000	1	RMS	12000	-36.2	-13	23.2	Pass	9002
12000	20000	1	RMS	19380	-27.86	-13	14.86	Pass	8001



7.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	875.417	-62.78	-13	49.78	Pass	9701
1000	1700	1	RMS	1676	-51.07	-13	38.07	Pass	701
1700	1790	1	RMS	1740.5	19.51	60	40.49	Pass	401
1790	3000	1	RMS	2995	-47.3	-13	34.3	Pass	1211
3000	12000	1	RMS	11995	-36.07	-13	23.07	Pass	9002
12000	20000	1	RMS	19404	-27.94	-13	14.94	Pass	8001



7.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	996.798	-62.73	-13	49.73	Pass	9701
1000	1700	1	RMS	1695	-51.03	-13	38.03	Pass	701
1700	1790	1	RMS	1770.425	20.35	60	39.65	Pass	401
1790	3000	1	RMS	2996	-47.29	-13	34.29	Pass	1211
3000	12000	1	RMS	11994	-36.15	-13	23.15	Pass	9002
12000	20000	1	RMS	19400	-27.9	-13	14.9	Pass	8001



7.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.7	-13	57.7	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	57.67	Pass	2986
30	1000	0.1	RMS	930.654	-62.95	-13	49.95	Pass	9701
1000	1700	1	RMS	1689	-51.08	-13	38.08	Pass	701
1700	1790	1	RMS	1770.425	19.52	60	40.48	Pass	401
1790	3000	1	RMS	2995	-47.3	-13	34.3	Pass	1211
3000	12000	1	RMS	11996	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	19406	-27.86	-13	14.86	Pass	8001



7.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.35	-13	57.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	962.675	-62.92	-13	49.92	Pass	9701
1000	1700	1	RMS	1700	-49.15	-13	36.15	Pass	701
1700	1790	1	RMS	1710.8	20.23	60	39.77	Pass	401
1790	3000	1	RMS	3000	-47.31	-13	34.31	Pass	1211
3000	12000	1	RMS	12000	-36.15	-13	23.15	Pass	9002
12000	20000	1	RMS	17853	-27.91	-13	14.91	Pass	8001

7.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.64	-13	57.64	Pass	401
0.15	30	0.01	RMS	0.18	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	945.964	-62.76	-13	49.76	Pass	9701
1000	1700	1	RMS	1700	-49.24	-13	36.24	Pass	701
1700	1790	1	RMS	1710.8	19.36	60	40.64	Pass	401
1790	3000	1	RMS	2996	-47.28	-13	34.28	Pass	1211
3000	12000	1	RMS	11998	-36.11	-13	23.11	Pass	9002
12000	20000	1	RMS	19364	-27.91	-13	14.91	Pass	8001



7.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.68	-13	57.68	Pass	401
0.15	30	0.01	RMS	0.17	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	846.2	-62.86	-13	49.86	Pass	9701
1000	1700	1	RMS	1692	-51.08	-13	38.08	Pass	701
1700	1790	1	RMS	1738.25	20.35	60	39.65	Pass	401
1790	3000	1	RMS	2990	-47.3	-13	34.3	Pass	1211
3000	12000	1	RMS	11898	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19405	-27.9	-13	14.9	Pass	8001



7.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.17	-70.87	-13	57.87	Pass	2986
30	1000	0.1	RMS	946.965	-62.86	-13	49.86	Pass	9701
1000	1700	1	RMS	1683	-51.06	-13	38.06	Pass	701
1700	1790	1	RMS	1738.25	19.56	60	40.44	Pass	401
1790	3000	1	RMS	2988	-47.29	-13	34.29	Pass	1211
3000	12000	1	RMS	11887	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	19289	-27.86	-13	14.86	Pass	8001



7.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.17	-70.79	-13	57.79	Pass	2986
30	1000	0.1	RMS	905.137	-62.93	-13	49.93	Pass	9701
1000	1700	1	RMS	1682	-51.06	-13	38.06	Pass	701
1700	1790	1	RMS	1765.7	20.43	60	39.57	Pass	401
1790	3000	1	RMS	2997	-47.32	-13	34.32	Pass	1211
3000	12000	1	RMS	11901	-36.11	-13	23.11	Pass	9002
12000	20000	1	RMS	19327	-27.95	-13	14.95	Pass	8001



7.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.81	-13	57.81	Pass	401
0.15	30	0.01	RMS	0.19	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	998.399	-62.83	-13	49.83	Pass	9701
1000	1700	1	RMS	1683	-51.06	-13	38.06	Pass	701
1700	1790	1	RMS	1765.7	19.55	60	40.45	Pass	401
1790	3000	1	RMS	2971	-47.29	-13	34.29	Pass	1211
3000	12000	1	RMS	12000	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	17844	-27.86	-13	14.86	Pass	8001



7.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	57.84	Pass	2986
30	1000	0.1	RMS	925.351	-62.91	-13	49.91	Pass	9701
1000	1700	1	RMS	1700	-48.85	-13	35.85	Pass	701
1700	1790	1	RMS	1711.025	20.23	60	39.77	Pass	401
1790	3000	1	RMS	2980	-47.31	-13	34.31	Pass	1211
3000	12000	1	RMS	12000	-36.15	-13	23.15	Pass	9002
12000	20000	1	RMS	19312	-27.92	-13	14.92	Pass	8001



7.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	915.544	-62.92	-13	49.92	Pass	9701
1000	1700	1	RMS	1700	-49.03	-13	36.03	Pass	701
1700	1790	1	RMS	1711.025	19.42	60	40.58	Pass	401
1790	3000	1	RMS	2998	-47.28	-13	34.28	Pass	1211
3000	12000	1	RMS	12000	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	19353	-27.95	-13	14.95	Pass	8001



7.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.54	-13	56.54	Pass	401
0.15	30	0.01	RMS	0.22	-70.46	-13	57.46	Pass	2986
30	1000	0.1	RMS	996.798	-62.84	-13	49.84	Pass	9701
1000	1700	1	RMS	1685	-51.03	-13	38.03	Pass	701
1700	1790	1	RMS	1736	20.34	60	39.66	Pass	401
1790	3000	1	RMS	2965	-47.31	-13	34.31	Pass	1211
3000	12000	1	RMS	11992	-36.1	-13	23.1	Pass	9002
12000	20000	1	RMS	19391	-27.87	-13	14.87	Pass	8001



7.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.36	-13	57.36	Pass	401
0.15	30	0.01	RMS	0.17	-70.97	-13	57.97	Pass	2986
30	1000	0.1	RMS	945.164	-62.76	-13	49.76	Pass	9701
1000	1700	1	RMS	1680	-51.03	-13	38.03	Pass	701
1700	1790	1	RMS	1736	19.38	60	40.62	Pass	401
1790	3000	1	RMS	2970	-47.3	-13	34.3	Pass	1211
3000	12000	1	RMS	11896	-36.16	-13	23.16	Pass	9002
12000	20000	1	RMS	19354	-27.83	-13	14.83	Pass	8001



7.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.18	-70.92	-13	57.92	Pass	2986
30	1000	0.1	RMS	988.793	-62.87	-13	49.87	Pass	9701
1000	1700	1	RMS	1696	-51.09	-13	38.09	Pass	701
1700	1790	1	RMS	1760.975	20.41	60	39.59	Pass	401
1790	3000	1	RMS	1790	-44.3	-13	31.3	Pass	1211
3000	12000	1	RMS	12000	-36.16	-13	23.16	Pass	9002
12000	20000	1	RMS	19298	-27.88	-13	14.88	Pass	8001