


Spurious Emission at Antenna Terminals

4.17 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.76	-13	50.76	Pass	401
0.15	30	0.01	RMS	0.15	-62.88	-13	49.88	Pass	2986
30	1000	0.1	RMS	843.3	-56.21	-13	43.21	Pass	9701
1000	3000	1	RMS	2946	-42.93	-13	29.93	Pass	2001
3000	3440	1	RMS	3165	-43.56	-13	30.56	Pass	441
3440	3560	1	RMS	3501.2	20.46	60	39.54	Pass	401
3560	7000	1	RMS	3560	-46.73	-13	33.73	Pass	3441
7000	26500	1	RMS	25473	-43.34	-13	30.34	Pass	19503




**4.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.38	-13	50.38	Pass	401
0.15	30	0.01	RMS	0.41	-64.57	-13	51.57	Pass	2986
30	1000	0.1	RMS	868.013	-55.97	-13	42.97	Pass	9701
1000	3000	1	RMS	2964	-43.04	-13	30.04	Pass	2001
3000	3440	1	RMS	3156	-43.6	-13	30.6	Pass	441
3440	3560	1	RMS	3548.6	20.26	60	39.74	Pass	401
3560	7000	1	RMS	3572	-46.56	-13	33.56	Pass	3441
7000	26500	1	RMS	7097	-42.73	-13	29.73	Pass	19503




**4.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.38	-13	52.38	Pass	401
0.15	30	0.01	RMS	0.16	-63.07	-13	50.07	Pass	2986
30	1000	0.1	RMS	881.421	-56.17	-13	43.17	Pass	9701
1000	3000	1	RMS	2925	-43.07	-13	30.07	Pass	2001
3000	3440	1	RMS	3440	-38.44	-13	25.44	Pass	441
3440	3560	1	RMS	3461.3	1.68	60	58.32	Pass	401
3560	7000	1	RMS	3600	-41.52	-13	28.52	Pass	3441
7000	26500	1	RMS	25498	-43.04	-13	30.04	Pass	19503




4.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.46	-13	52.46	Pass	401
0.15	30	0.01	RMS	0.43	-63.35	-13	50.35	Pass	2986
30	1000	0.1	RMS	847.8	-56.29	-13	43.29	Pass	9701
1000	3000	1	RMS	2955	-43	-13	30	Pass	2001
3000	3440	1	RMS	3402	-43.3	-13	30.3	Pass	441
3440	3560	1	RMS	3451.1	20.03	60	39.97	Pass	401
3560	7000	1	RMS	3568	-47	-13	34	Pass	3441
7000	26500	1	RMS	25903	-43	-13	30	Pass	19503



4.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.8	-13	52.8	Pass	401
0.15	30	0.01	RMS	0.29	-63.87	-13	50.87	Pass	2986
30	1000	0.1	RMS	992.495	-56.22	-13	43.22	Pass	9701
1000	3000	1	RMS	2925	-42.71	-13	29.71	Pass	2001
3000	3440	1	RMS	3432	-41.85	-13	28.85	Pass	441
3440	3560	1	RMS	3548.9	20.64	60	39.36	Pass	401
3560	7000	1	RMS	3598	-45.59	-13	32.59	Pass	3441
7000	26500	1	RMS	25478	-43.23	-13	30.23	Pass	19503



5. n77 30kHz(3700-3980)


5.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.33	-13	51.33	Pass	401
0.15	30	0.01	RMS	0.33	-64.08	-13	51.08	Pass	2986
30	1000	0.1	RMS	864.11	-56.55	-13	43.55	Pass	9701
1000	3000	1	RMS	2932	-42.94	-13	29.94	Pass	2001
3000	3690	1	RMS	3690	-42.58	-13	29.58	Pass	691
3690	3990	1	RMS	3707.25	12.93	60	47.07	Pass	401
3990	7000	1	RMS	6978	-59.63	-13	46.63	Pass	3011
7000	26500	1	RMS	25515	-43.51	-13	30.51	Pass	19503




5.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.21	-64.02	-13	51.02	Pass	2986
30	1000	0.1	RMS	862.109	-56.28	-13	43.28	Pass	9701
1000	3000	1	RMS	2932	-43.04	-13	30.04	Pass	2001
3000	3690	1	RMS	3160	-43.56	-13	30.56	Pass	691
3690	3990	1	RMS	3700.5	19.86	60	40.14	Pass	401
3990	7000	1	RMS	6976	-59.58	-13	46.58	Pass	3011
7000	26500	1	RMS	25460	-43.4	-13	30.4	Pass	19503




5.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.47	-13	51.47	Pass	401
0.15	30	0.01	RMS	0.28	-64.21	-13	51.21	Pass	2986
30	1000	0.1	RMS	407.9	-56.27	-13	43.27	Pass	9701
1000	3000	1	RMS	2957	-42.94	-13	29.94	Pass	2001
3000	3690	1	RMS	3159	-43.53	-13	30.53	Pass	691
3690	3990	1	RMS	3708.75	19.66	60	40.34	Pass	401
3990	7000	1	RMS	7000	-59.63	-13	46.63	Pass	3011
7000	26500	1	RMS	25490	-43.15	-13	30.15	Pass	19503




5.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.47	-13	50.47	Pass	401
0.15	30	0.01	RMS	0.21	-64.84	-13	51.84	Pass	2986
30	1000	0.1	RMS	916.445	-55.99	-13	42.99	Pass	9701
1000	3000	1	RMS	2973	-43.15	-13	30.15	Pass	2001
3000	3690	1	RMS	3160	-43.58	-13	30.58	Pass	691
3690	3990	1	RMS	3843	11.7	60	48.3	Pass	401
3990	7000	1	RMS	6968	-59.75	-13	46.75	Pass	3011
7000	26500	1	RMS	26497	-43.28	-13	30.28	Pass	19503




5.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.27	-13	51.27	Pass	401
0.15	30	0.01	RMS	0.89	-64.25	-13	51.25	Pass	2986
30	1000	0.1	RMS	795	-56.59	-13	43.59	Pass	9701
1000	3000	1	RMS	2959	-42.99	-13	29.99	Pass	2001
3000	3690	1	RMS	3159	-43.59	-13	30.59	Pass	691
3690	3990	1	RMS	3835.5	18.48	60	41.52	Pass	401
3990	7000	1	RMS	6970	-59.6	-13	46.6	Pass	3011
7000	26500	1	RMS	25877	-43.21	-13	30.21	Pass	19503




5.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.47	-13	50.47	Pass	401
0.15	30	0.01	RMS	0.36	-63.69	-13	50.69	Pass	2986
30	1000	0.1	RMS	660	-56.21	-13	43.21	Pass	9701
1000	3000	1	RMS	2944	-43.13	-13	30.13	Pass	2001
3000	3690	1	RMS	3159	-43.5	-13	30.5	Pass	691
3690	3990	1	RMS	3843.75	18.55	60	41.45	Pass	401
3990	7000	1	RMS	6978	-59.35	-13	46.35	Pass	3011
7000	26500	1	RMS	25918	-43.21	-13	30.21	Pass	19503




5.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.44	-13	50.44	Pass	401
0.15	30	0.01	RMS	0.25	-64.07	-13	51.07	Pass	2986
30	1000	0.1	RMS	842.9	-55.88	-13	42.88	Pass	9701
1000	3000	1	RMS	2931	-43.09	-13	30.09	Pass	2001
3000	3690	1	RMS	3161	-43.47	-13	30.47	Pass	691
3690	3990	1	RMS	3972.75	11.76	60	48.24	Pass	401
3990	7000	1	RMS	3990	-38.28	-13	25.28	Pass	3011
7000	26500	1	RMS	25796	-43.3	-13	30.3	Pass	19503




5.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.97	-13	51.97	Pass	401
0.15	30	0.01	RMS	0.15	-63.7	-13	50.7	Pass	2986
30	1000	0.1	RMS	971.981	-55.49	-13	42.49	Pass	9701
1000	3000	1	RMS	2943	-43.16	-13	30.16	Pass	2001
3000	3690	1	RMS	3160	-43.6	-13	30.6	Pass	691
3690	3990	1	RMS	3970.5	18.8	60	41.2	Pass	401
3990	7000	1	RMS	3990	-55.01	-13	42.01	Pass	3011
7000	26500	1	RMS	25503	-43.52	-13	30.52	Pass	19503




5.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.88	-13	52.88	Pass	401
0.15	30	0.01	RMS	0.37	-63.46	-13	50.46	Pass	2986
30	1000	0.1	RMS	866.411	-56.54	-13	43.54	Pass	9701
1000	3000	1	RMS	2943	-43.03	-13	30.03	Pass	2001
3000	3690	1	RMS	3158	-43.61	-13	30.61	Pass	691
3690	3990	1	RMS	3978.75	18.62	60	41.38	Pass	401
3990	7000	1	RMS	3990	-54.85	-13	41.85	Pass	3011
7000	26500	1	RMS	25494	-43.25	-13	30.25	Pass	19503




**5.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.68	-13	51.68	Pass	401
0.15	30	0.01	RMS	0.32	-63.75	-13	50.75	Pass	2986
30	1000	0.1	RMS	493.6	-56.03	-13	43.03	Pass	9701
1000	3000	1	RMS	2943	-43.06	-13	30.06	Pass	2001
3000	3690	1	RMS	3682	-40.4	-13	27.4	Pass	691
3690	3990	1	RMS	3705.75	5.51	60	54.49	Pass	401
3990	7000	1	RMS	6973	-59.78	-13	46.78	Pass	3011
7000	26500	1	RMS	25480	-43.3	-13	30.3	Pass	19503




**5.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.62	-13	51.62	Pass	401
0.15	30	0.01	RMS	0.26	-63.71	-13	50.71	Pass	2986
30	1000	0.1	RMS	834.5	-56.32	-13	43.32	Pass	9701
1000	3000	1	RMS	2954	-43	-13	30	Pass	2001
3000	3690	1	RMS	3677	-42.99	-13	29.99	Pass	691
3690	3990	1	RMS	3701.25	20.67	60	39.33	Pass	401
3990	7000	1	RMS	6995	-59.63	-13	46.63	Pass	3011
7000	26500	1	RMS	25560	-43.05	-13	30.05	Pass	19503




5.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.35	-13	52.35	Pass	401
0.15	30	0.01	RMS	0.29	-62.92	-13	49.92	Pass	2986
30	1000	0.1	RMS	944.763	-56.3	-13	43.3	Pass	9701
1000	3000	1	RMS	2935	-43.01	-13	30.01	Pass	2001
3000	3690	1	RMS	3690	-42.37	-13	29.37	Pass	691
3690	3990	1	RMS	3748.5	19.55	60	40.45	Pass	401
3990	7000	1	RMS	6963	-59.76	-13	46.76	Pass	3011
7000	26500	1	RMS	25498	-42.91	-13	29.91	Pass	19503




5.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.78	-13	51.78	Pass	401
0.15	30	0.01	RMS	0.17	-65.19	-13	52.19	Pass	2986
30	1000	0.1	RMS	990.294	-56.27	-13	43.27	Pass	9701
1000	3000	1	RMS	2938	-42.84	-13	29.84	Pass	2001
3000	3690	1	RMS	3160	-43.51	-13	30.51	Pass	691
3690	3990	1	RMS	3862.5	5.1	60	54.9	Pass	401
3990	7000	1	RMS	3990	-58.28	-13	45.28	Pass	3011
7000	26500	1	RMS	25447	-43.13	-13	30.13	Pass	19503




**5.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.85	-13	50.85	Pass	401
0.15	30	0.01	RMS	0.38	-62.81	-13	49.81	Pass	2986
30	1000	0.1	RMS	916.044	-56.04	-13	43.04	Pass	9701
1000	3000	1	RMS	2939	-43.09	-13	30.09	Pass	2001
3000	3690	1	RMS	3159	-43.51	-13	30.51	Pass	691
3690	3990	1	RMS	3816	19.1	60	40.9	Pass	401
3990	7000	1	RMS	6975	-59.62	-13	46.62	Pass	3011
7000	26500	1	RMS	25813	-43	-13	30	Pass	19503




**5.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.79	-13	51.79	Pass	401
0.15	30	0.01	RMS	1.08	-64.79	-13	51.79	Pass	2986
30	1000	0.1	RMS	549.2	-56.46	-13	43.46	Pass	9701
1000	3000	1	RMS	2934	-43.11	-13	30.11	Pass	2001
3000	3690	1	RMS	3161	-43.59	-13	30.59	Pass	691
3690	3990	1	RMS	3864	19.98	60	40.02	Pass	401
3990	7000	1	RMS	6995	-59.58	-13	46.58	Pass	3011
7000	26500	1	RMS	25545	-43.44	-13	30.44	Pass	19503




**5.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.43	-13	51.43	Pass	401
0.15	30	0.01	RMS	0.35	-63.88	-13	50.88	Pass	2986
30	1000	0.1	RMS	624.7	-55.99	-13	42.99	Pass	9701
1000	3000	1	RMS	2934	-42.95	-13	29.95	Pass	2001
3000	3690	1	RMS	3159	-43.52	-13	30.52	Pass	691
3690	3990	1	RMS	3935.25	4.93	60	55.07	Pass	401
3990	7000	1	RMS	3995	-37.13	-13	24.13	Pass	3011
7000	26500	1	RMS	25810	-43.48	-13	30.48	Pass	19503




**5.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.44	-13	50.44	Pass	401
0.15	30	0.01	RMS	0.44	-64.15	-13	51.15	Pass	2986
30	1000	0.1	RMS	875.618	-56.06	-13	43.06	Pass	9701
1000	3000	1	RMS	2939	-42.97	-13	29.97	Pass	2001
3000	3690	1	RMS	3160	-43.6	-13	30.6	Pass	691
3690	3990	1	RMS	3931.5	19.52	60	40.48	Pass	401
3990	7000	1	RMS	3990	-47.8	-13	34.8	Pass	3011
7000	26500	1	RMS	26491	-43.35	-13	30.35	Pass	19503




**5.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.95	-13	50.95	Pass	401
0.15	30	0.01	RMS	0.17	-62.57	-13	49.57	Pass	2986
30	1000	0.1	RMS	919.347	-56.19	-13	43.19	Pass	9701
1000	3000	1	RMS	2961	-42.96	-13	29.96	Pass	2001
3000	3690	1	RMS	3160	-43.53	-13	30.53	Pass	691
3690	3990	1	RMS	3978.75	19.91	60	40.09	Pass	401
3990	7000	1	RMS	4003	-45.92	-13	32.92	Pass	3011
7000	26500	1	RMS	25496	-43.48	-13	30.48	Pass	19503




**5.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.08	-13	51.08	Pass	401
0.15	30	0.01	RMS	0.17	-64.07	-13	51.07	Pass	2986
30	1000	0.1	RMS	1000	-55.88	-13	42.88	Pass	9701
1000	3000	1	RMS	2938	-43.08	-13	30.08	Pass	2001
3000	3690	1	RMS	3689	-40.82	-13	27.82	Pass	691
3690	3990	1	RMS	3703.5	2.35	60	57.65	Pass	401
3990	7000	1	RMS	3993	-56.69	-13	43.69	Pass	3011
7000	26500	1	RMS	25479	-43.06	-13	30.06	Pass	19503




**5.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.91	-13	50.91	Pass	401
0.15	30	0.01	RMS	0.2	-63.99	-13	50.99	Pass	2986
30	1000	0.1	RMS	895.731	-56.23	-13	43.23	Pass	9701
1000	3000	1	RMS	2945	-42.92	-13	29.92	Pass	2001
3000	3690	1	RMS	3652	-43.18	-13	30.18	Pass	691
3690	3990	1	RMS	3701.25	20.17	60	39.83	Pass	401
3990	7000	1	RMS	4325	-55.58	-13	42.58	Pass	3011
7000	26500	1	RMS	25499	-43.17	-13	30.17	Pass	19503




**5.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.61	-13	52.61	Pass	401
0.15	30	0.01	RMS	1	-64.41	-13	51.41	Pass	2986
30	1000	0.1	RMS	861.408	-56.39	-13	43.39	Pass	9701
1000	3000	1	RMS	2936	-43.05	-13	30.05	Pass	2001
3000	3690	1	RMS	3175	-40.6	-13	27.6	Pass	691
3690	3990	1	RMS	3798.75	19.34	60	40.66	Pass	401
3990	7000	1	RMS	4423	-57.01	-13	44.01	Pass	3011
7000	26500	1	RMS	25526	-43.22	-13	30.22	Pass	19503




5.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-65.73	-13	52.73	Pass	401
0.15	30	0.01	RMS	0.19	-62.29	-13	49.29	Pass	2986
30	1000	0.1	RMS	732.8	-56.5	-13	43.5	Pass	9701
1000	3000	1	RMS	2939	-43	-13	30	Pass	2001
3000	3690	1	RMS	3687	-42.89	-13	29.89	Pass	691
3690	3990	1	RMS	3884.25	2.39	60	57.61	Pass	401
3990	7000	1	RMS	3990	-47.08	-13	34.08	Pass	3011
7000	26500	1	RMS	25492	-42.92	-13	29.92	Pass	19503




5.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.91	-13	51.91	Pass	401
0.15	30	0.01	RMS	0.15	-64.42	-13	51.42	Pass	2986
30	1000	0.1	RMS	960.874	-56.58	-13	43.58	Pass	9701
1000	3000	1	RMS	2965	-43.12	-13	30.12	Pass	2001
3000	3690	1	RMS	3167	-43.15	-13	30.15	Pass	691
3690	3990	1	RMS	3791.25	18.95	60	41.05	Pass	401
3990	7000	1	RMS	4415	-57	-13	44	Pass	3011
7000	26500	1	RMS	25877	-43.11	-13	30.11	Pass	19503




**5.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64	-13	51	Pass	401
0.15	30	0.01	RMS	0.52	-64.26	-13	51.26	Pass	2986
30	1000	0.1	RMS	741.1	-56.39	-13	43.39	Pass	9701
1000	3000	1	RMS	2939	-43.08	-13	30.08	Pass	2001
3000	3690	1	RMS	3265	-37.12	-13	24.12	Pass	691
3690	3990	1	RMS	3888.75	20.71	60	39.29	Pass	401
3990	7000	1	RMS	4513	-55.95	-13	42.95	Pass	3011
7000	26500	1	RMS	25904	-43.27	-13	30.27	Pass	19503




**5.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.82	-13	51.82	Pass	401
0.15	30	0.01	RMS	0.6	-63.62	-13	50.62	Pass	2986
30	1000	0.1	RMS	889.527	-56.16	-13	43.16	Pass	9701
1000	3000	1	RMS	2945	-43.05	-13	30.05	Pass	2001
3000	3690	1	RMS	3159	-43.57	-13	30.57	Pass	691
3690	3990	1	RMS	3891	2.52	60	57.48	Pass	401
3990	7000	1	RMS	4021	-39.09	-13	26.09	Pass	3011
7000	26500	1	RMS	25877	-43.5	-13	30.5	Pass	19503




**5.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.5	-13	53.5	Pass	401
0.15	30	0.01	RMS	0.18	-62.88	-13	49.88	Pass	2986
30	1000	0.1	RMS	491.3	-55.54	-13	42.54	Pass	9701
1000	3000	1	RMS	2934	-43.01	-13	30.01	Pass	2001
3000	3690	1	RMS	3257	-39.91	-13	26.91	Pass	691
3690	3990	1	RMS	3881.25	20.52	60	39.48	Pass	401
3990	7000	1	RMS	3998	-46.36	-13	33.36	Pass	3011
7000	26500	1	RMS	25874	-43.58	-13	30.58	Pass	19503



**5.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.1	-13	50.1	Pass	401
0.15	30	0.01	RMS	0.24	-63.89	-13	50.89	Pass	2986
30	1000	0.1	RMS	986.891	-56.24	-13	43.24	Pass	9701
1000	3000	1	RMS	2938	-43.05	-13	30.05	Pass	2001
3000	3690	1	RMS	3355	-38.47	-13	25.47	Pass	691
3690	3990	1	RMS	3978.75	19.54	60	40.46	Pass	401
3990	7000	1	RMS	4028	-44.65	-13	31.65	Pass	3011
7000	26500	1	RMS	25866	-43.49	-13	30.49	Pass	19503



6. n78 30kHz(3700-3800)


6.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.36	-13	51.36	Pass	401
0.15	30	0.01	RMS	0.19	-63.62	-13	50.62	Pass	2986
30	1000	0.1	RMS	884.123	-56.25	-13	43.25	Pass	9701
1000	3000	1	RMS	2929	-43	-13	30	Pass	2001
3000	3690	1	RMS	3690	-42.62	-13	29.62	Pass	691
3690	3810	1	RMS	3707.4	13.04	60	46.96	Pass	401
3810	7000	1	RMS	6982	-59.7	-13	46.7	Pass	3191
7000	26500	1	RMS	25899	-43.39	-13	30.39	Pass	19503




6.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.21	-13	52.21	Pass	401
0.15	30	0.01	RMS	0.42	-64	-13	51	Pass	2986
30	1000	0.1	RMS	777.7	-55.49	-13	42.49	Pass	9701
1000	3000	1	RMS	2965	-43.03	-13	30.03	Pass	2001
3000	3690	1	RMS	3163	-43.56	-13	30.56	Pass	691
3690	3810	1	RMS	3700.8	21.45	60	38.55	Pass	401
3810	7000	1	RMS	6968	-59.66	-13	46.66	Pass	3191
7000	26500	1	RMS	25517	-43.45	-13	30.45	Pass	19503




6.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.87	-13	52.87	Pass	401
0.15	30	0.01	RMS	0.25	-63.4	-13	50.4	Pass	2986
30	1000	0.1	RMS	921.248	-56.23	-13	43.23	Pass	9701
1000	3000	1	RMS	2931	-42.95	-13	29.95	Pass	2001
3000	3690	1	RMS	3158	-43.67	-13	30.67	Pass	691
3690	3810	1	RMS	3709.2	21.34	60	38.66	Pass	401
3810	7000	1	RMS	6967	-59.67	-13	46.67	Pass	3191
7000	26500	1	RMS	25494	-43.45	-13	30.45	Pass	19503




6.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.49	-13	51.49	Pass	401
0.15	30	0.01	RMS	0.45	-64.41	-13	51.41	Pass	2986
30	1000	0.1	RMS	882.522	-55.87	-13	42.87	Pass	9701
1000	3000	1	RMS	2961	-43.18	-13	30.18	Pass	2001
3000	3690	1	RMS	3165	-43.6	-13	30.6	Pass	691
3690	3810	1	RMS	3747	12.09	60	47.91	Pass	401
3810	7000	1	RMS	6980	-59.74	-13	46.74	Pass	3191
7000	26500	1	RMS	25466	-42.72	-13	29.72	Pass	19503




6.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.18	-13	52.18	Pass	401
0.15	30	0.01	RMS	0.35	-64.39	-13	51.39	Pass	2986
30	1000	0.1	RMS	804.5	-56.4	-13	43.4	Pass	9701
1000	3000	1	RMS	2942	-42.93	-13	29.93	Pass	2001
3000	3690	1	RMS	3161	-43.54	-13	30.54	Pass	691
3690	3810	1	RMS	3745.8	20.57	60	39.43	Pass	401
3810	7000	1	RMS	6976	-59.71	-13	46.71	Pass	3191
7000	26500	1	RMS	25491	-43.34	-13	30.34	Pass	19503




6.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.43	-13	53.43	Pass	401
0.15	30	0.01	RMS	0.5	-63.78	-13	50.78	Pass	2986
30	1000	0.1	RMS	993.896	-56.39	-13	43.39	Pass	9701
1000	3000	1	RMS	2955	-43.03	-13	30.03	Pass	2001
3000	3690	1	RMS	3163	-43.62	-13	30.62	Pass	691
3690	3810	1	RMS	3754.2	20.48	60	39.52	Pass	401
3810	7000	1	RMS	6974	-59.71	-13	46.71	Pass	3191
7000	26500	1	RMS	25502	-43.44	-13	30.44	Pass	19503




6.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.06	-13	51.06	Pass	401
0.15	30	0.01	RMS	0.43	-63.84	-13	50.84	Pass	2986
30	1000	0.1	RMS	707.3	-56.45	-13	43.45	Pass	9701
1000	3000	1	RMS	2940	-43.06	-13	30.06	Pass	2001
3000	3690	1	RMS	3167	-43.6	-13	30.6	Pass	691
3690	3810	1	RMS	3798.3	11.75	60	48.25	Pass	401
3810	7000	1	RMS	3810	-45.12	-13	32.12	Pass	3191
7000	26500	1	RMS	25873	-43.08	-13	30.08	Pass	19503




6.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.04	-13	51.04	Pass	401
0.15	30	0.01	RMS	0.61	-64.39	-13	51.39	Pass	2986
30	1000	0.1	RMS	930.754	-55.36	-13	42.36	Pass	9701
1000	3000	1	RMS	2934	-42.99	-13	29.99	Pass	2001
3000	3690	1	RMS	3161	-43.51	-13	30.51	Pass	691
3690	3810	1	RMS	3790.8	20.01	60	39.99	Pass	401
3810	7000	1	RMS	3810	-55.84	-13	42.84	Pass	3191
7000	26500	1	RMS	25542	-43.07	-13	30.07	Pass	19503




6.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.59	-13	49.59	Pass	401
0.15	30	0.01	RMS	0.7	-64.92	-13	51.92	Pass	2986
30	1000	0.1	RMS	910.541	-56.22	-13	43.22	Pass	9701
1000	3000	1	RMS	2932	-43.01	-13	30.01	Pass	2001
3000	3690	1	RMS	3160	-43.52	-13	30.52	Pass	691
3690	3810	1	RMS	3799.2	20.17	60	39.83	Pass	401
3810	7000	1	RMS	3810	-54.24	-13	41.24	Pass	3191
7000	26500	1	RMS	25512	-43.15	-13	30.15	Pass	19503




**6.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.58	-13	51.58	Pass	401
0.15	30	0.01	RMS	0.21	-64.79	-13	51.79	Pass	2986
30	1000	0.1	RMS	837.7	-56.43	-13	43.43	Pass	9701
1000	3000	1	RMS	2949	-43.03	-13	30.03	Pass	2001
3000	3690	1	RMS	3690	-40.02	-13	27.02	Pass	691
3690	3810	1	RMS	3704.4	5.53	60	54.47	Pass	401
3810	7000	1	RMS	3810	-55.27	-13	42.27	Pass	3191
7000	26500	1	RMS	25512	-43.57	-13	30.57	Pass	19503




**6.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.63	-13	51.63	Pass	401
0.15	30	0.01	RMS	1.11	-64.35	-13	51.35	Pass	2986
30	1000	0.1	RMS	831.8	-55.76	-13	42.76	Pass	9701
1000	3000	1	RMS	2931	-43.05	-13	30.05	Pass	2001
3000	3690	1	RMS	3677	-42.78	-13	29.78	Pass	691
3690	3810	1	RMS	3701.1	20.99	60	39.01	Pass	401
3810	7000	1	RMS	6969	-59.58	-13	46.58	Pass	3191
7000	26500	1	RMS	25551	-43.37	-13	30.37	Pass	19503




6.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.88	-13	51.88	Pass	401
0.15	30	0.01	RMS	0.19	-62.83	-13	49.83	Pass	2986
30	1000	0.1	RMS	948.966	-56.3	-13	43.3	Pass	9701
1000	3000	1	RMS	2936	-43.08	-13	30.08	Pass	2001
3000	3690	1	RMS	3690	-42.37	-13	29.37	Pass	691
3690	3810	1	RMS	3748.8	20.42	60	39.58	Pass	401
3810	7000	1	RMS	6982	-59.6	-13	46.6	Pass	3191
7000	26500	1	RMS	25476	-43.02	-13	30.02	Pass	19503




6.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.85	-13	51.85	Pass	401
0.15	30	0.01	RMS	1.47	-64.69	-13	51.69	Pass	2986
30	1000	0.1	RMS	861.508	-56.03	-13	43.03	Pass	9701
1000	3000	1	RMS	2945	-42.94	-13	29.94	Pass	2001
3000	3690	1	RMS	3690	-42.33	-13	29.33	Pass	691
3690	3810	1	RMS	3726.9	6.1	60	53.9	Pass	401
3810	7000	1	RMS	3810	-45.14	-13	32.14	Pass	3191
7000	26500	1	RMS	25418	-43.46	-13	30.46	Pass	19503




**6.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.53	-13	51.53	Pass	401
0.15	30	0.01	RMS	0.22	-64.11	-13	51.11	Pass	2986
30	1000	0.1	RMS	999.4	-56.4	-13	43.4	Pass	9701
1000	3000	1	RMS	2952	-43.05	-13	30.05	Pass	2001
3000	3690	1	RMS	3162	-43.48	-13	30.48	Pass	691
3690	3810	1	RMS	3726.3	20.86	60	39.14	Pass	401
3810	7000	1	RMS	3810	-58.52	-13	45.52	Pass	3191
7000	26500	1	RMS	25477	-43.25	-13	30.25	Pass	19503




**6.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.64	-13	51.64	Pass	401
0.15	30	0.01	RMS	0.16	-62.11	-13	49.11	Pass	2986
30	1000	0.1	RMS	980.687	-56.32	-13	43.32	Pass	9701
1000	3000	1	RMS	2952	-43.07	-13	30.07	Pass	2001
3000	3690	1	RMS	3167	-43.51	-13	30.51	Pass	691
3690	3810	1	RMS	3773.7	19.96	60	40.04	Pass	401
3810	7000	1	RMS	3810	-58.29	-13	45.29	Pass	3191
7000	26500	1	RMS	25449	-43.12	-13	30.12	Pass	19503




6.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.93	-13	51.93	Pass	401
0.15	30	0.01	RMS	0.17	-63.48	-13	50.48	Pass	2986
30	1000	0.1	RMS	889.227	-56.04	-13	43.04	Pass	9701
1000	3000	1	RMS	2945	-42.96	-13	29.96	Pass	2001
3000	3690	1	RMS	3165	-43.47	-13	30.47	Pass	691
3690	3810	1	RMS	3755.7	4.64	60	55.36	Pass	401
3810	7000	1	RMS	3818	-42.08	-13	29.08	Pass	3191
7000	26500	1	RMS	25904	-43.27	-13	30.27	Pass	19503




**6.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.69	-13	50.69	Pass	401
0.15	30	0.01	RMS	0.31	-64.52	-13	51.52	Pass	2986
30	1000	0.1	RMS	913.343	-56.06	-13	43.06	Pass	9701
1000	3000	1	RMS	2949	-43.15	-13	30.15	Pass	2001
3000	3690	1	RMS	3162	-43.54	-13	30.54	Pass	691
3690	3810	1	RMS	3751.2	20.35	60	39.65	Pass	401
3810	7000	1	RMS	3810	-48.61	-13	35.61	Pass	3191
7000	26500	1	RMS	25879	-43.29	-13	30.29	Pass	19503




**6.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.69	-13	50.69	Pass	401
0.15	30	0.01	RMS	1.65	-64.34	-13	51.34	Pass	2986
30	1000	0.1	RMS	982.989	-56.54	-13	43.54	Pass	9701
1000	3000	1	RMS	2937	-43.03	-13	30.03	Pass	2001
3000	3690	1	RMS	3165	-43.61	-13	30.61	Pass	691
3690	3810	1	RMS	3798.6	19.94	60	40.06	Pass	401
3810	7000	1	RMS	3823	-46.65	-13	33.65	Pass	3191
7000	26500	1	RMS	25904	-43.16	-13	30.16	Pass	19503




**6.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.15	-13	51.15	Pass	401
0.15	30	0.01	RMS	1.96	-64.17	-13	51.17	Pass	2986
30	1000	0.1	RMS	995.497	-56.11	-13	43.11	Pass	9701
1000	3000	1	RMS	2944	-43.08	-13	30.08	Pass	2001
3000	3690	1	RMS	3688	-40.47	-13	27.47	Pass	691
3690	3810	1	RMS	3703.5	2.91	60	57.09	Pass	401
3810	7000	1	RMS	3842	-43.05	-13	30.05	Pass	3191
7000	26500	1	RMS	25484	-43.33	-13	30.33	Pass	19503




**6.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.04	-13	51.04	Pass	401
0.15	30	0.01	RMS	0.21	-64.34	-13	51.34	Pass	2986
30	1000	0.1	RMS	933.856	-56.18	-13	43.18	Pass	9701
1000	3000	1	RMS	2942	-43.03	-13	30.03	Pass	2001
3000	3690	1	RMS	3652	-43.3	-13	30.3	Pass	691
3690	3810	1	RMS	3701.1	21.05	60	38.95	Pass	401
3810	7000	1	RMS	3818	-47.75	-13	34.75	Pass	3191
7000	26500	1	RMS	25829	-43.46	-13	30.46	Pass	19503



6.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.08	-13	50.08	Pass	401
0.15	30	0.01	RMS	0.18	-63.12	-13	50.12	Pass	2986
30	1000	0.1	RMS	799.1	-56.14	-13	43.14	Pass	9701
1000	3000	1	RMS	2959	-43.13	-13	30.13	Pass	2001
3000	3690	1	RMS	3175	-40.44	-13	27.44	Pass	691
3690	3810	1	RMS	3798.9	20.13	60	39.87	Pass	401
3810	7000	1	RMS	3848	-45.04	-13	32.04	Pass	3191
7000	26500	1	RMS	25492	-43.08	-13	30.08	Pass	19503



7. n5


7.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.53	-13	52.53	Pass	401
0.15	30	0.01	RMS	0.15	-66.27	-13	53.27	Pass	2986
30	814	0.1	RMS	814	-56.91	-13	43.91	Pass	7841
814	859	0.1	RMS	824.9	5.13	60	54.87	Pass	451
859	1000	0.1	RMS	977.1	-58.72	-13	45.72	Pass	1411
1000	3000	1	RMS	2934	-43.25	-13	30.25	Pass	2001
3000	10000	1	RMS	8733	-59.29	-13	46.29	Pass	7001




7.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.54	-13	52.54	Pass	401
0.15	30	0.01	RMS	0.15	-65.81	-13	52.81	Pass	2986
30	814	0.1	RMS	813.4	-59.1	-13	46.1	Pass	7841
814	859	0.1	RMS	824.3	18.22	60	41.78	Pass	451
859	1000	0.1	RMS	987.6	-58.79	-13	45.79	Pass	1411
1000	3000	1	RMS	2935	-43.24	-13	30.24	Pass	2001
3000	10000	1	RMS	8746	-59.22	-13	46.22	Pass	7001




7.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.2	-13	53.2	Pass	401
0.15	30	0.01	RMS	0.16	-65.79	-13	52.79	Pass	2986
30	814	0.1	RMS	803.4	-59.13	-13	46.13	Pass	7841
814	859	0.1	RMS	828.6	17.73	60	42.27	Pass	451
859	1000	0.1	RMS	975.9	-58.81	-13	45.81	Pass	1411
1000	3000	1	RMS	2932	-43.25	-13	30.25	Pass	2001
3000	10000	1	RMS	8746	-59.3	-13	46.3	Pass	7001




7.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.8	-13	52.8	Pass	401
0.15	30	0.01	RMS	0.17	-64.85	-13	51.85	Pass	2986
30	814	0.1	RMS	807.4	-59.12	-13	46.12	Pass	7841
814	859	0.1	RMS	835.1	5.26	60	54.74	Pass	451
859	1000	0.1	RMS	975.3	-58.76	-13	45.76	Pass	1411
1000	3000	1	RMS	2939	-43.24	-13	30.24	Pass	2001
3000	10000	1	RMS	8744	-59.27	-13	46.27	Pass	7001




7.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.43	-13	52.43	Pass	401
0.15	30	0.01	RMS	0.2	-65.5	-13	52.5	Pass	2986
30	814	0.1	RMS	804.7	-59.07	-13	46.07	Pass	7841
814	859	0.1	RMS	834.3	18.31	60	41.69	Pass	451
859	1000	0.1	RMS	973.2	-58.8	-13	45.8	Pass	1411
1000	3000	1	RMS	2937	-43.26	-13	30.26	Pass	2001
3000	10000	1	RMS	8740	-59.28	-13	46.28	Pass	7001




7.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.81	-13	52.81	Pass	401
0.15	30	0.01	RMS	0.17	-65.72	-13	52.72	Pass	2986
30	814	0.1	RMS	814	-59.07	-13	46.07	Pass	7841
814	859	0.1	RMS	838.7	17.95	60	42.05	Pass	451
859	1000	0.1	RMS	940.4	-58.83	-13	45.83	Pass	1411
1000	3000	1	RMS	2949	-43.25	-13	30.25	Pass	2001
3000	10000	1	RMS	8741	-59.29	-13	46.29	Pass	7001




7.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.23	-13	53.23	Pass	401
0.15	30	0.01	RMS	0.15	-65.59	-13	52.59	Pass	2986
30	814	0.1	RMS	812.7	-59.08	-13	46.08	Pass	7841
814	859	0.1	RMS	844.8	5.5	60	54.5	Pass	451
859	1000	0.1	RMS	859	-56.27	-13	43.27	Pass	1411
1000	3000	1	RMS	2942	-43.25	-13	30.25	Pass	2001
3000	10000	1	RMS	8748	-59.26	-13	46.26	Pass	7001




7.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.65	-13	52.65	Pass	401
0.15	30	0.01	RMS	0.18	-65.21	-13	52.21	Pass	2986
30	814	0.1	RMS	809.8	-59.09	-13	46.09	Pass	7841
814	859	0.1	RMS	844.3	18.31	60	41.69	Pass	451
859	1000	0.1	RMS	904.4	-58.86	-13	45.86	Pass	1411
1000	3000	1	RMS	2942	-43.27	-13	30.27	Pass	2001
3000	10000	1	RMS	8746	-59.23	-13	46.23	Pass	7001




7.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.16	-64.77	-13	51.77	Pass	2986
30	814	0.1	RMS	782.4	-59.06	-13	46.06	Pass	7841
814	859	0.1	RMS	848.6	17.66	60	42.34	Pass	451
859	1000	0.1	RMS	970.6	-58.57	-13	45.57	Pass	1411
1000	3000	1	RMS	2949	-43.31	-13	30.31	Pass	2001
3000	10000	1	RMS	8740	-59.29	-13	46.29	Pass	7001




**7.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.42	-13	52.42	Pass	401
0.15	30	0.01	RMS	0.15	-65.72	-13	52.72	Pass	2986
30	814	0.1	RMS	813.9	-53.21	-13	40.21	Pass	7841
814	859	0.1	RMS	838.4	0.44	60	59.56	Pass	451
859	1000	0.1	RMS	859.3	-56.2	-13	43.2	Pass	1411
1000	3000	1	RMS	2941	-43.3	-13	30.3	Pass	2001
3000	10000	1	RMS	8747	-59.24	-13	46.24	Pass	7001




**7.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.78	-13	52.78	Pass	401
0.15	30	0.01	RMS	0.17	-66.15	-13	53.15	Pass	2986
30	814	0.1	RMS	813.7	-58.88	-13	45.88	Pass	7841
814	859	0.1	RMS	824.5	18.34	60	41.66	Pass	451
859	1000	0.1	RMS	872.6	-58.79	-13	45.79	Pass	1411
1000	3000	1	RMS	2940	-43.29	-13	30.29	Pass	2001
3000	10000	1	RMS	8741	-59.27	-13	46.27	Pass	7001




**7.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.52	-13	52.52	Pass	401
0.15	30	0.01	RMS	0.15	-65.61	-13	52.61	Pass	2986
30	814	0.1	RMS	814	-59	-13	46	Pass	7841
814	859	0.1	RMS	838.5	18.72	60	41.28	Pass	451
859	1000	0.1	RMS	869.1	-58.84	-13	45.84	Pass	1411
1000	3000	1	RMS	2931	-43.3	-13	30.3	Pass	2001
3000	10000	1	RMS	8737	-59.33	-13	46.33	Pass	7001




**7.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.04	-13	53.04	Pass	401
0.15	30	0.01	RMS	0.17	-65.88	-13	52.88	Pass	2986
30	814	0.1	RMS	814	-55.08	-13	42.08	Pass	7841
814	859	0.1	RMS	836.2	0.36	60	59.64	Pass	451
859	1000	0.1	RMS	859.1	-54.32	-13	41.32	Pass	1411
1000	3000	1	RMS	2931	-43.27	-13	30.27	Pass	2001
3000	10000	1	RMS	8746	-59.31	-13	46.31	Pass	7001




7.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.82	-13	52.82	Pass	401
0.15	30	0.01	RMS	0.16	-64.9	-13	51.9	Pass	2986
30	814	0.1	RMS	807.6	-58.94	-13	45.94	Pass	7841
814	859	0.1	RMS	829.5	18.36	60	41.64	Pass	451
859	1000	0.1	RMS	925.6	-58.76	-13	45.76	Pass	1411
1000	3000	1	RMS	2942	-43.28	-13	30.28	Pass	2001
3000	10000	1	RMS	8746	-59.32	-13	46.32	Pass	7001




**7.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.36	-13	52.36	Pass	401
0.15	30	0.01	RMS	0.15	-65.09	-13	52.09	Pass	2986
30	814	0.1	RMS	772.7	-59.15	-13	46.15	Pass	7841
814	859	0.1	RMS	843.5	18.51	60	41.49	Pass	451
859	1000	0.1	RMS	875.7	-58.87	-13	45.87	Pass	1411
1000	3000	1	RMS	2940	-43.26	-13	30.26	Pass	2001
3000	10000	1	RMS	8744	-59.26	-13	46.26	Pass	7001



**7.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.29	-13	52.29	Pass	401
0.15	30	0.01	RMS	0.17	-65.25	-13	52.25	Pass	2986
30	814	0.1	RMS	814	-54.78	-13	41.78	Pass	7841
814	859	0.1	RMS	835	0.5	60	59.5	Pass	451
859	1000	0.1	RMS	859.1	-50.68	-13	37.68	Pass	1411
1000	3000	1	RMS	2943	-43.27	-13	30.27	Pass	2001
3000	10000	1	RMS	8742	-59.31	-13	46.31	Pass	7001



**7.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.82	-13	52.82	Pass	401
0.15	30	0.01	RMS	0.15	-64.36	-13	51.36	Pass	2986
30	814	0.1	RMS	812.3	-59.15	-13	46.15	Pass	7841
814	859	0.1	RMS	834.5	18.46	60	41.54	Pass	451
859	1000	0.1	RMS	988.4	-58.84	-13	45.84	Pass	1411
1000	3000	1	RMS	2940	-43.26	-13	30.26	Pass	2001
3000	10000	1	RMS	8744	-59.21	-13	46.21	Pass	7001

