


Spurious Emission at Antenna Terminals

7.18 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.53	-13	52.53	Pass	401
0.15	30	0.01	RMS	0.15	-65.44	-13	52.44	Pass	2986
30	814	0.1	RMS	769.4	-59.14	-13	46.14	Pass	7841
814	859	0.1	RMS	848.5	18.4	60	41.6	Pass	451
859	1000	0.1	RMS	859	-58.81	-13	45.81	Pass	1411
1000	3000	1	RMS	2941	-43.25	-13	30.25	Pass	2001
3000	10000	1	RMS	8744	-59.27	-13	46.27	Pass	7001




**7.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.55	-13	52.55	Pass	401
0.15	30	0.01	RMS	0.15	-65.54	-13	52.54	Pass	2986
30	814	0.1	RMS	814	-51.6	-13	38.6	Pass	7841
814	859	0.1	RMS	833.3	-0.83	60	60.83	Pass	451
859	1000	0.1	RMS	859.1	-53.64	-13	40.64	Pass	1411
1000	3000	1	RMS	2948	-43.22	-13	30.22	Pass	2001
3000	10000	1	RMS	8746	-59.22	-13	46.22	Pass	7001




**7.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.28	-13	52.28	Pass	401
0.15	30	0.01	RMS	0.17	-65.06	-13	52.06	Pass	2986
30	814	0.1	RMS	814	-58.56	-13	45.56	Pass	7841
814	859	0.1	RMS	824.5	18.17	60	41.83	Pass	451
859	1000	0.1	RMS	878.7	-58.87	-13	45.87	Pass	1411
1000	3000	1	RMS	2940	-43.2	-13	30.2	Pass	2001
3000	10000	1	RMS	8739	-59.32	-13	46.32	Pass	7001




**7.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.9	-13	51.9	Pass	401
0.15	30	0.01	RMS	0.18	-65.39	-13	52.39	Pass	2986
30	814	0.1	RMS	814	-57.63	-13	44.63	Pass	7841
814	859	0.1	RMS	843.4	18.07	60	41.93	Pass	451
859	1000	0.1	RMS	976.1	-58.85	-13	45.85	Pass	1411
1000	3000	1	RMS	2944	-43.27	-13	30.27	Pass	2001
3000	10000	1	RMS	8737	-59.3	-13	46.3	Pass	7001




**7.22 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.28	-13	53.28	Pass	401
0.15	30	0.01	RMS	0.15	-65.12	-13	52.12	Pass	2986
30	814	0.1	RMS	814	-52.54	-13	39.54	Pass	7841
814	859	0.1	RMS	835.7	-0.84	60	60.84	Pass	451
859	1000	0.1	RMS	859.2	-51.78	-13	38.78	Pass	1411
1000	3000	1	RMS	2938	-43.27	-13	30.27	Pass	2001
3000	10000	1	RMS	8747	-59.3	-13	46.3	Pass	7001




7.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.03	-13	53.03	Pass	401
0.15	30	0.01	RMS	0.15	-65.32	-13	52.32	Pass	2986
30	814	0.1	RMS	811.5	-59.13	-13	46.13	Pass	7841
814	859	0.1	RMS	827	18.05	60	41.95	Pass	451
859	1000	0.1	RMS	859.2	-58.85	-13	45.85	Pass	1411
1000	3000	1	RMS	2936	-43.21	-13	30.21	Pass	2001
3000	10000	1	RMS	8742	-59.26	-13	46.26	Pass	7001




**7.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.28	-13	53.28	Pass	401
0.15	30	0.01	RMS	0.15	-65.44	-13	52.44	Pass	2986
30	814	0.1	RMS	813.6	-58.91	-13	45.91	Pass	7841
814	859	0.1	RMS	845.9	18.13	60	41.87	Pass	451
859	1000	0.1	RMS	944.2	-58.8	-13	45.8	Pass	1411
1000	3000	1	RMS	2933	-43.28	-13	30.28	Pass	2001
3000	10000	1	RMS	8748	-59.26	-13	46.26	Pass	7001




**7.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.02	-13	53.02	Pass	401
0.15	30	0.01	RMS	0.15	-64.97	-13	51.97	Pass	2986
30	814	0.1	RMS	814	-51.92	-13	38.92	Pass	7841
814	859	0.1	RMS	830	-0.79	60	60.79	Pass	451
859	1000	0.1	RMS	859	-50.46	-13	37.46	Pass	1411
1000	3000	1	RMS	2934	-43.24	-13	30.24	Pass	2001
3000	10000	1	RMS	8745	-59.3	-13	46.3	Pass	7001




**7.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.67	-13	52.67	Pass	401
0.15	30	0.01	RMS	0.15	-64.73	-13	51.73	Pass	2986
30	814	0.1	RMS	809.7	-59.07	-13	46.07	Pass	7841
814	859	0.1	RMS	829.5	18.07	60	41.93	Pass	451
859	1000	0.1	RMS	859	-58.48	-13	45.48	Pass	1411
1000	3000	1	RMS	2936	-43.29	-13	30.29	Pass	2001
3000	10000	1	RMS	8732	-59.3	-13	46.3	Pass	7001



**7.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.66	-13	52.66	Pass	401
0.15	30	0.01	RMS	0.16	-65.9	-13	52.9	Pass	2986
30	814	0.1	RMS	813.7	-58.86	-13	45.86	Pass	7841
814	859	0.1	RMS	848.4	17.99	60	42.01	Pass	451
859	1000	0.1	RMS	859	-58.77	-13	45.77	Pass	1411
1000	3000	1	RMS	2945	-43.29	-13	30.29	Pass	2001
3000	10000	1	RMS	8746	-59.35	-13	46.35	Pass	7001



8. n7


8.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.2	-25	41.2	Pass	401
0.15	30	0.01	RMS	0.17	-65.04	-25	40.04	Pass	2986
30	1000	0.1	RMS	969.18	-58.77	-25	33.77	Pass	9701
1000	2495	1	RMS	2495	-35.59	-25	10.59	Pass	1496
2495	2575	1	RMS	2501	14.88	60	45.12	Pass	401
2575	3000	1	RMS	2937	-43.29	-25	18.29	Pass	426
3000	7000	1	RMS	6977	-59.94	-25	34.94	Pass	4001
7000	26000	1	RMS	25490	-44.13	-25	19.13	Pass	19003




8.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.29	-25	41.29	Pass	401
0.15	30	0.01	RMS	0.18	-65.63	-25	40.63	Pass	2986
30	1000	0.1	RMS	848.1	-58.73	-25	33.73	Pass	9701
1000	2495	1	RMS	2495	-42.18	-25	17.18	Pass	1496
2495	2575	1	RMS	2500.2	20.95	60	39.05	Pass	401
2575	3000	1	RMS	2937	-43.27	-25	18.27	Pass	426
3000	7000	1	RMS	6972	-59.89	-25	34.89	Pass	4001
7000	26000	1	RMS	25499	-44.19	-25	19.19	Pass	19003




8.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.77	-25	40.77	Pass	401
0.15	30	0.01	RMS	0.15	-65.25	-25	40.25	Pass	2986
30	1000	0.1	RMS	972.682	-58.86	-25	33.86	Pass	9701
1000	2495	1	RMS	2495	-42.11	-25	17.11	Pass	1496
2495	2575	1	RMS	2504.6	21.02	60	38.98	Pass	401
2575	3000	1	RMS	2933	-43.27	-25	18.27	Pass	426
3000	7000	1	RMS	6972	-59.85	-25	34.85	Pass	4001
7000	26000	1	RMS	25504	-44.17	-25	19.17	Pass	19003




8.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.57	-25	40.57	Pass	401
0.15	30	0.01	RMS	0.18	-64.67	-25	39.67	Pass	2986
30	1000	0.1	RMS	991.795	-58.86	-25	33.86	Pass	9701
1000	2495	1	RMS	2489	-45.63	-25	20.63	Pass	1496
2495	2575	1	RMS	2533.6	14.9	60	45.1	Pass	401
2575	3000	1	RMS	2934	-43.25	-25	18.25	Pass	426
3000	7000	1	RMS	6980	-59.9	-25	34.9	Pass	4001
7000	26000	1	RMS	25508	-44.15	-25	19.15	Pass	19003




8.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.93	-25	40.93	Pass	401
0.15	30	0.01	RMS	0.16	-65.65	-25	40.65	Pass	2986
30	1000	0.1	RMS	984.89	-58.69	-25	33.69	Pass	9701
1000	2495	1	RMS	2495	-45.68	-25	20.68	Pass	1496
2495	2575	1	RMS	2532.8	20.96	60	39.04	Pass	401
2575	3000	1	RMS	2943	-43.25	-25	18.25	Pass	426
3000	7000	1	RMS	6977	-59.78	-25	34.78	Pass	4001
7000	26000	1	RMS	25501	-44.16	-25	19.16	Pass	19003




8.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.96	-25	39.96	Pass	401
0.15	30	0.01	RMS	0.19	-65.27	-25	40.27	Pass	2986
30	1000	0.1	RMS	850.001	-58.84	-25	33.84	Pass	9701
1000	2495	1	RMS	2493	-45.75	-25	20.75	Pass	1496
2495	2575	1	RMS	2537	18.15	60	41.85	Pass	401
2575	3000	1	RMS	2935	-43.24	-25	18.24	Pass	426
3000	7000	1	RMS	6978	-59.89	-25	34.89	Pass	4001
7000	26000	1	RMS	25500	-44.18	-25	19.18	Pass	19003




8.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.04	-25	41.04	Pass	401
0.15	30	0.01	RMS	0.16	-65.5	-25	40.5	Pass	2986
30	1000	0.1	RMS	969.98	-58.77	-25	33.77	Pass	9701
1000	2495	1	RMS	2492	-45.72	-25	20.72	Pass	1496
2495	2575	1	RMS	2566	12.07	60	47.93	Pass	401
2575	3000	1	RMS	2575	-40.13	-25	15.13	Pass	426
3000	7000	1	RMS	6974	-59.88	-25	34.88	Pass	4001
7000	26000	1	RMS	25506	-44.22	-25	19.22	Pass	19003




8.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.57	-25	40.57	Pass	401
0.15	30	0.01	RMS	0.2	-66.36	-25	41.36	Pass	2986
30	1000	0.1	RMS	973.382	-58.85	-25	33.85	Pass	9701
1000	2495	1	RMS	2487	-45.68	-25	20.68	Pass	1496
2495	2575	1	RMS	2565.2	18.11	60	41.89	Pass	401
2575	3000	1	RMS	2938	-43.26	-25	18.26	Pass	426
3000	7000	1	RMS	6975	-59.95	-25	34.95	Pass	4001
7000	26000	1	RMS	25509	-44.2	-25	19.2	Pass	19003




8.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.18	-25	41.18	Pass	401
0.15	30	0.01	RMS	0.18	-66.16	-25	41.16	Pass	2986
30	1000	0.1	RMS	855.104	-58.85	-25	33.85	Pass	9701
1000	2495	1	RMS	2491	-45.71	-25	20.71	Pass	1496
2495	2575	1	RMS	2569.6	18.12	60	41.88	Pass	401
2575	3000	1	RMS	2936	-43.29	-25	18.29	Pass	426
3000	7000	1	RMS	6974	-59.93	-25	34.93	Pass	4001
7000	26000	1	RMS	25539	-44.17	-25	19.17	Pass	19003




8.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.87	-25	40.87	Pass	401
0.15	30	0.01	RMS	0.32	-65.64	-25	40.64	Pass	2986
30	1000	0.1	RMS	842.4	-58.8	-25	33.8	Pass	9701
1000	2485	1	RMS	2485	-44.27	-25	19.27	Pass	1486
2485	2585	1	RMS	2513.25	7.16	60	52.84	Pass	401
2585	3000	1	RMS	2930	-43.26	-25	18.26	Pass	416
3000	7000	1	RMS	6979	-59.92	-25	34.92	Pass	4001
7000	26000	1	RMS	25505	-44.12	-25	19.12	Pass	19003




8.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.18	-25	41.18	Pass	401
0.15	30	0.01	RMS	0.18	-65.78	-25	40.78	Pass	2986
30	1000	0.1	RMS	843.3	-58.85	-25	33.85	Pass	9701
1000	2485	1	RMS	2485	-45.69	-25	20.69	Pass	1486
2485	2585	1	RMS	2500.25	17.97	60	42.03	Pass	401
2585	3000	1	RMS	2940	-43.31	-25	18.31	Pass	416
3000	7000	1	RMS	6970	-59.89	-25	34.89	Pass	4001
7000	26000	1	RMS	25503	-44.16	-25	19.16	Pass	19003




8.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.2	-25	41.2	Pass	401
0.15	30	0.01	RMS	0.15	-65.37	-25	40.37	Pass	2986
30	1000	0.1	RMS	923.149	-58.73	-25	33.73	Pass	9701
1000	2485	1	RMS	2485	-45.64	-25	20.64	Pass	1486
2485	2585	1	RMS	2514.5	17.9	60	42.1	Pass	401
2585	3000	1	RMS	2932	-43.31	-25	18.31	Pass	416
3000	7000	1	RMS	6973	-59.96	-25	34.96	Pass	4001
7000	26000	1	RMS	25492	-44.2	-25	19.2	Pass	19003




8.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.19	-25	41.19	Pass	401
0.15	30	0.01	RMS	0.19	-65.71	-25	40.71	Pass	2986
30	1000	0.1	RMS	989.393	-58.87	-25	33.87	Pass	9701
1000	2485	1	RMS	2484	-45.81	-25	20.81	Pass	1486
2485	2585	1	RMS	2530.75	6.96	60	53.04	Pass	401
2585	3000	1	RMS	2935	-43.28	-25	18.28	Pass	416
3000	7000	1	RMS	6975	-59.94	-25	34.94	Pass	4001
7000	26000	1	RMS	25497	-44.16	-25	19.16	Pass	19003




8.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.45	-25	40.45	Pass	401
0.15	30	0.01	RMS	0.15	-65.95	-25	40.95	Pass	2986
30	1000	0.1	RMS	897.632	-58.87	-25	33.87	Pass	9701
1000	2485	1	RMS	2484	-45.9	-25	20.9	Pass	1486
2485	2585	1	RMS	2527.75	18.02	60	41.98	Pass	401
2585	3000	1	RMS	2937	-43.27	-25	18.27	Pass	416
3000	7000	1	RMS	6974	-59.79	-25	34.79	Pass	4001
7000	26000	1	RMS	25501	-44.23	-25	19.23	Pass	19003




8.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.15	-25	41.15	Pass	401
0.15	30	0.01	RMS	0.15	-65.45	-25	40.45	Pass	2986
30	1000	0.1	RMS	969.08	-58.8	-25	33.8	Pass	9701
1000	2485	1	RMS	2483	-45.85	-25	20.85	Pass	1486
2485	2585	1	RMS	2542	18.01	60	41.99	Pass	401
2585	3000	1	RMS	2937	-43.26	-25	18.26	Pass	416
3000	7000	1	RMS	6976	-59.97	-25	34.97	Pass	4001
7000	26000	1	RMS	25505	-44.25	-25	19.25	Pass	19003




8.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.39	-25	41.39	Pass	401
0.15	30	0.01	RMS	0.15	-65.85	-25	40.85	Pass	2986
30	1000	0.1	RMS	843.4	-58.77	-25	33.77	Pass	9701
1000	2485	1	RMS	2485	-45.89	-25	20.89	Pass	1486
2485	2585	1	RMS	2556.25	7.06	60	52.94	Pass	401
2585	3000	1	RMS	2938	-43.28	-25	18.28	Pass	416
3000	7000	1	RMS	6979	-59.92	-25	34.92	Pass	4001
7000	26000	1	RMS	25506	-44.18	-25	19.18	Pass	19003




8.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.31	-25	41.31	Pass	401
0.15	30	0.01	RMS	0.15	-64.76	-25	39.76	Pass	2986
30	1000	0.1	RMS	933.156	-58.69	-25	33.69	Pass	9701
1000	2485	1	RMS	2484	-45.8	-25	20.8	Pass	1486
2485	2585	1	RMS	2555.25	18.11	60	41.89	Pass	401
2585	3000	1	RMS	2939	-43.28	-25	18.28	Pass	416
3000	7000	1	RMS	6979	-59.92	-25	34.92	Pass	4001
7000	26000	1	RMS	25489	-44.19	-25	19.19	Pass	19003




8.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.23	-25	40.23	Pass	401
0.15	30	0.01	RMS	0.15	-65.89	-25	40.89	Pass	2986
30	1000	0.1	RMS	992.095	-58.59	-25	33.59	Pass	9701
1000	2485	1	RMS	2474	-45.84	-25	20.84	Pass	1486
2485	2585	1	RMS	2569.5	18.05	60	41.95	Pass	401
2585	3000	1	RMS	2946	-43.27	-25	18.27	Pass	416
3000	7000	1	RMS	6972	-59.92	-25	34.92	Pass	4001
7000	26000	1	RMS	25504	-44.13	-25	19.13	Pass	19003




8.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.28	-25	40.28	Pass	401
0.15	30	0.01	RMS	0.17	-64.96	-25	39.96	Pass	2986
30	1000	0.1	RMS	855.604	-58.82	-25	33.82	Pass	9701
1000	2480	1	RMS	2480	-45.01	-25	20.01	Pass	1481
2480	2590	1	RMS	2518.225	5.96	60	54.04	Pass	401
2590	3000	1	RMS	2933	-43.24	-25	18.24	Pass	411
3000	7000	1	RMS	6979	-59.87	-25	34.87	Pass	4001
7000	26000	1	RMS	25500	-44.14	-25	19.14	Pass	19003




8.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.6	-25	40.6	Pass	401
0.15	30	0.01	RMS	0.15	-66.15	-25	41.15	Pass	2986
30	1000	0.1	RMS	862.209	-58.75	-25	33.75	Pass	9701




**8.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**




**8.22 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**




**8.23 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**



**8.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**




**8.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:512000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**




8.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.16	-25	41.16	Pass	401
0.15	30	0.01	RMS	0.15	-65.33	-25	40.33	Pass	2986
30	1000	0.1	RMS	901.935	-58.66	-25	33.66	Pass	9701
1000	2480	1	RMS	2480	-45.9	-25	20.9	Pass	1481
2480	2590	1	RMS	2550.4	21.17	60	38.83	Pass	401
2590	3000	1	RMS	2930	-43.28	-25	18.28	Pass	411
3000	7000	1	RMS	6971	-59.86	-25	34.86	Pass	4001
7000	26000	1	RMS	25504	-44.13	-25	19.13	Pass	19003



8.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.82	-25	39.82	Pass	401
0.15	30	0.01	RMS	0.15	-65.59	-25	40.59	Pass	2986
30	1000	0.1	RMS	980.387	-58.69	-25	33.69	Pass	9701
1000	2480	1	RMS	2479	-45.86	-25	20.86	Pass	1481
2480	2590	1	RMS	2569.375	21.16	60	38.84	Pass	401
2590	3000	1	RMS	2939	-43.26	-25	18.26	Pass	411
3000	7000	1	RMS	5139	-59.39	-25	34.39	Pass	4001
7000	26000	1	RMS	25500	-44.19	-25	19.19	Pass	19003



9. n12 15kHz


9.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.13	-13	52.13	Pass	401
0.15	30	0.01	RMS	0.15	-65.78	-13	52.78	Pass	2986
30	689	0.1	RMS	513.2	-59.65	-13	46.65	Pass	6591
689	726	0.1	RMS	699.915	5.28	60	54.72	Pass	401
726	1000	0.1	RMS	864.4	-58.68	-13	45.68	Pass	2741
1000	3000	1	RMS	2938	-43.33	-13	30.33	Pass	2001
3000	10000	1	RMS	8746	-59.4	-13	46.4	Pass	7001




9.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.99	-13	52.99	Pass	401
0.15	30	0.01	RMS	0.19	-65.79	-13	52.79	Pass	2986
30	689	0.1	RMS	499	-59.44	-13	46.44	Pass	6591
689	726	0.1	RMS	699.36	18.19	60	41.81	Pass	401
726	1000	0.1	RMS	852.9	-58.62	-13	45.62	Pass	2741
1000	3000	1	RMS	2934	-43.36	-13	30.36	Pass	2001
3000	10000	1	RMS	8736	-59.34	-13	46.34	Pass	7001




9.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.2	-13	53.2	Pass	401
0.15	30	0.01	RMS	0.15	-65.2	-13	52.2	Pass	2986
30	689	0.1	RMS	492.3	-59.53	-13	46.53	Pass	6591
689	726	0.1	RMS	703.615	18.04	60	41.96	Pass	401
726	1000	0.1	RMS	946.9	-58.67	-13	45.67	Pass	2741
1000	3000	1	RMS	2941	-43.37	-13	30.37	Pass	2001
3000	10000	1	RMS	8743	-59.38	-13	46.38	Pass	7001




9.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.24	-13	53.24	Pass	401
0.15	30	0.01	RMS	0.16	-65.67	-13	52.67	Pass	2986
30	689	0.1	RMS	594.3	-59.66	-13	46.66	Pass	6591
689	726	0.1	RMS	705.928	4.85	60	55.15	Pass	401
726	1000	0.1	RMS	881.8	-58.53	-13	45.53	Pass	2741
1000	3000	1	RMS	2930	-43.34	-13	30.34	Pass	2001
3000	10000	1	RMS	8745	-59.36	-13	46.36	Pass	7001




9.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.98	-13	52.98	Pass	401
0.15	30	0.01	RMS	0.19	-65.94	-13	52.94	Pass	2986
30	689	0.1	RMS	483	-59.64	-13	46.64	Pass	6591
689	726	0.1	RMS	705.373	17.8	60	42.2	Pass	401
726	1000	0.1	RMS	987	-58.66	-13	45.66	Pass	2741
1000	3000	1	RMS	2940	-43.36	-13	30.36	Pass	2001
3000	10000	1	RMS	8745	-59.35	-13	46.35	Pass	7001




9.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.22	-13	53.22	Pass	401
0.15	30	0.01	RMS	0.15	-65.22	-13	52.22	Pass	2986
30	689	0.1	RMS	495.2	-59.53	-13	46.53	Pass	6591
689	726	0.1	RMS	709.628	18.03	60	41.97	Pass	401
726	1000	0.1	RMS	845.1	-58.7	-13	45.7	Pass	2741
1000	3000	1	RMS	2944	-43.36	-13	30.36	Pass	2001
3000	10000	1	RMS	8736	-59.37	-13	46.37	Pass	7001




9.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.78	-13	51.78	Pass	401
0.15	30	0.01	RMS	0.21	-65.98	-13	52.98	Pass	2986
30	689	0.1	RMS	613.3	-59.59	-13	46.59	Pass	6591
689	726	0.1	RMS	711.848	5.28	60	54.72	Pass	401
726	1000	0.1	RMS	880.7	-58.69	-13	45.69	Pass	2741
1000	3000	1	RMS	2933	-43.37	-13	30.37	Pass	2001
3000	10000	1	RMS	8736	-59.39	-13	46.39	Pass	7001




9.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.21	-13	52.21	Pass	401
0.15	30	0.01	RMS	0.15	-65.63	-13	52.63	Pass	2986
30	689	0.1	RMS	650.9	-59.71	-13	46.71	Pass	6591
689	726	0.1	RMS	711.293	17.72	60	42.28	Pass	401
726	1000	0.1	RMS	978	-58.67	-13	45.67	Pass	2741
1000	3000	1	RMS	2936	-43.37	-13	30.37	Pass	2001
3000	10000	1	RMS	8742	-59.43	-13	46.43	Pass	7001




9.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.83	-13	52.83	Pass	401
0.15	30	0.01	RMS	0.18	-65.89	-13	52.89	Pass	2986
30	689	0.1	RMS	485.5	-59.71	-13	46.71	Pass	6591
689	726	0.1	RMS	715.64	17.88	60	42.12	Pass	401
726	1000	0.1	RMS	975.4	-58.7	-13	45.7	Pass	2741
1000	3000	1	RMS	2945	-43.36	-13	30.36	Pass	2001
3000	10000	1	RMS	8747	-59.37	-13	46.37	Pass	7001




**9.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.94	-13	51.94	Pass	401
0.15	30	0.01	RMS	0.15	-65.33	-13	52.33	Pass	2986
30	689	0.1	RMS	609.2	-59.64	-13	46.64	Pass	6591
689	726	0.1	RMS	700.193	1.97	60	58.03	Pass	401
726	1000	0.1	RMS	878.5	-58.72	-13	45.72	Pass	2741
1000	3000	1	RMS	2942	-43.38	-13	30.38	Pass	2001
3000	10000	1	RMS	8748	-59.36	-13	46.36	Pass	7001




**9.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.81	-13	52.81	Pass	401
0.15	30	0.01	RMS	0.21	-65.58	-13	52.58	Pass	2986
30	689	0.1	RMS	484.5	-59.74	-13	46.74	Pass	6591
689	726	0.1	RMS	699.36	17.92	60	42.08	Pass	401
726	1000	0.1	RMS	890.7	-58.66	-13	45.66	Pass	2741
1000	3000	1	RMS	2940	-43.37	-13	30.37	Pass	2001
3000	10000	1	RMS	8750	-59.31	-13	46.31	Pass	7001




**9.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.91	-13	53.91	Pass	401
0.15	30	0.01	RMS	0.22	-66.13	-13	53.13	Pass	2986
30	689	0.1	RMS	602.7	-59.7	-13	46.7	Pass	6591
689	726	0.1	RMS	708.61	18.07	60	41.93	Pass	401
726	1000	0.1	RMS	902.5	-58.76	-13	45.76	Pass	2741
1000	3000	1	RMS	2941	-43.4	-13	30.4	Pass	2001
3000	10000	1	RMS	8740	-59.41	-13	46.41	Pass	7001




**9.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.2	-13	52.2	Pass	401
0.15	30	0.01	RMS	0.15	-66.1	-13	53.1	Pass	2986
30	689	0.1	RMS	500.7	-59.66	-13	46.66	Pass	6591
689	726	0.1	RMS	702.968	1.72	60	58.28	Pass	401
726	1000	0.1	RMS	856.3	-58.67	-13	45.67	Pass	2741
1000	3000	1	RMS	2939	-43.42	-13	30.42	Pass	2001
3000	10000	1	RMS	8746	-59.36	-13	46.36	Pass	7001




9.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.86	-13	52.86	Pass	401
0.15	30	0.01	RMS	0.22	-65.4	-13	52.4	Pass	2986
30	689	0.1	RMS	609.7	-59.61	-13	46.61	Pass	6591
689	726	0.1	RMS	702.875	18.11	60	41.89	Pass	401
726	1000	0.1	RMS	878.1	-58.66	-13	45.66	Pass	2741
1000	3000	1	RMS	2933	-43.36	-13	30.36	Pass	2001
3000	10000	1	RMS	8743	-59.35	-13	46.35	Pass	7001




**9.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.43	-13	52.43	Pass	401
0.15	30	0.01	RMS	0.18	-66	-13	53	Pass	2986
30	689	0.1	RMS	502.1	-59.66	-13	46.66	Pass	6591
689	726	0.1	RMS	712.125	17.47	60	42.53	Pass	401
726	1000	0.1	RMS	882.4	-58.77	-13	45.77	Pass	2741
1000	3000	1	RMS	2933	-43.38	-13	30.38	Pass	2001
3000	10000	1	RMS	8747	-59.41	-13	46.41	Pass	7001




**9.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.46	-13	52.46	Pass	401
0.15	30	0.01	RMS	0.15	-65.33	-13	52.33	Pass	2986
30	689	0.1	RMS	612.9	-59.62	-13	46.62	Pass	6591
689	726	0.1	RMS	708.425	1.75	60	58.25	Pass	401
726	1000	0.1	RMS	935.4	-58.77	-13	45.77	Pass	2741
1000	3000	1	RMS	2937	-43.39	-13	30.39	Pass	2001
3000	10000	1	RMS	8735	-59.37	-13	46.37	Pass	7001




**9.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.46	-13	52.46	Pass	401
0.15	30	0.01	RMS	0.18	-66.2	-13	53.2	Pass	2986
30	689	0.1	RMS	611.6	-59.72	-13	46.72	Pass	6591
689	726	0.1	RMS	706.39	18.27	60	41.73	Pass	401
726	1000	0.1	RMS	948.5	-58.77	-13	45.77	Pass	2741
1000	3000	1	RMS	2942	-43.41	-13	30.41	Pass	2001
3000	10000	1	RMS	8743	-59.35	-13	46.35	Pass	7001




**9.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.36	-13	53.36	Pass	401
0.15	30	0.01	RMS	0.17	-65.9	-13	52.9	Pass	2986
30	689	0.1	RMS	608.6	-59.65	-13	46.65	Pass	6591
689	726	0.1	RMS	715.548	17.62	60	42.38	Pass	401
726	1000	0.1	RMS	739.5	-58.69	-13	45.69	Pass	2741
1000	3000	1	RMS	2933	-43.4	-13	30.4	Pass	2001
3000	10000	1	RMS	8746	-59.42	-13	46.42	Pass	7001




**9.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.83	-13	52.83	Pass	401
0.15	30	0.01	RMS	0.15	-65.6	-13	52.6	Pass	2986
30	689	0.1	RMS	617.1	-59.7	-13	46.7	Pass	6591
689	726	0.1	RMS	699.915	0.28	60	59.72	Pass	401
726	1000	0.1	RMS	845.8	-58.65	-13	45.65	Pass	2741
1000	3000	1	RMS	2940	-43.43	-13	30.43	Pass	2001
3000	10000	1	RMS	8746	-59.33	-13	46.33	Pass	7001




**9.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.73	-13	52.73	Pass	401
0.15	30	0.01	RMS	0.15	-66.2	-13	53.2	Pass	2986
30	689	0.1	RMS	489.5	-59.57	-13	46.57	Pass	6591
689	726	0.1	RMS	699.453	18.33	60	41.67	Pass	401
726	1000	0.1	RMS	887	-58.71	-13	45.71	Pass	2741
1000	3000	1	RMS	2933	-43.4	-13	30.4	Pass	2001
3000	10000	1	RMS	8745	-59.4	-13	46.4	Pass	7001




**9.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.08	-13	53.08	Pass	401
0.15	30	0.01	RMS	0.23	-66.17	-13	53.17	Pass	2986
30	689	0.1	RMS	610.9	-59.73	-13	46.73	Pass	6591
689	726	0.1	RMS	713.513	17.99	60	42.01	Pass	401
726	1000	0.1	RMS	871.2	-58.58	-13	45.58	Pass	2741
1000	3000	1	RMS	2942	-43.39	-13	30.39	Pass	2001
3000	10000	1	RMS	8747	-59.41	-13	46.41	Pass	7001



9.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.06	-13	53.06	Pass	401
0.15	30	0.01	RMS	0.15	-64.7	-13	51.7	Pass	2986
30	689	0.1	RMS	495.1	-59.62	-13	46.62	Pass	6591
689	726	0.1	RMS	702.69	0.17	60	59.83	Pass	401
726	1000	0.1	RMS	847.9	-58.83	-13	45.83	Pass	2741
1000	3000	1	RMS	2930	-43.41	-13	30.41	Pass	2001
3000	10000	1	RMS	8746	-59.44	-13	46.44	Pass	7001



9.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.83	-13	52.83	Pass	401
0.15	30	0.01	RMS	0.16	-65.92	-13	52.92	Pass	2986
30	689	0.1	RMS	612.1	-59.63	-13	46.63	Pass	6591
689	726	0.1	RMS	700.47	18.41	60	41.59	Pass	401
726	1000	0.1	RMS	980.9	-58.61	-13	45.61	Pass	2741
1000	3000	1	RMS	2933	-43.38	-13	30.38	Pass	2001
3000	10000	1	RMS	8742	-59.43	-13	46.43	Pass	7001

