


Band Edge


2.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2687.55	11.75	40	28.25	Pass	401
2690	2691	0.2	RMS	2690.005	-37.92	-10	27.92	Pass	401
2691	2695	1	RMS	2691	-32.94	-10	22.94	Pass	401
2695	2700	1	RMS	2695.088	-36.69	-13	23.69	Pass	401
2700	2705	1	RMS	2700	-41.08	-25	16.08	Pass	401




2.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2490.129	-44.21	-25	19.21	Pass	401
2490.5	2495	1	RMS	2495	-36.38	-13	23.38	Pass	401
2495	2496	0.051	RMS	2496	-38.76	-13	25.76	Pass	401
2496	2546	1	RMS	2497.25	20.78	40	19.22	Pass	401




2.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2489.139	-39.28	-25	14.28	Pass	401
2490.5	2495	1	RMS	2494.685	-36.13	-13	23.13	Pass	401
2495	2496	1	RMS	2496	-18.84	-13	5.84	Pass*	401
2496	2546	1	RMS	2502	4.85	40	35.15	Pass	401




2.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2688.75	20.67	40	19.33	Pass	401
2690	2691	0.051	RMS	2690.005	-40.05	-10	30.05	Pass	401
2691	2695	1	RMS	2691	-36.42	-10	26.42	Pass	401
2695	2740	1	RMS	2712.438	-43.44	-13	30.44	Pass	401
2740	2745	1	RMS	2744.525	-44.93	-25	19.93	Pass	401




2.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2687.375	4.79	40	35.21	Pass	401
2690	2691	1	RMS	2690	-19.69	-10	9.69	Pass	401
2691	2695	1	RMS	2692.9	-36.5	-10	26.5	Pass	401
2695	2740	1	RMS	2709.4	-38.1	-13	25.1	Pass	401
2740	2745	1	RMS	2740.263	-44.56	-25	19.56	Pass	401




2.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-43.45	-25	18.45	Pass	401
2490.5	2495	1	RMS	2495	-29.92	-13	16.92	Pass	401
2495	2496	0.051	RMS	2496	-31.7	-13	18.7	Pass	401
2496	2596	1	RMS	2497	22.56	40	17.44	Pass	401




2.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-35.61	-25	10.61	Pass	401
2490.5	2495	1	RMS	2492.705	-34.75	-13	21.75	Pass	401
2495	2495.5	1	RMS	2495.499	-29.99	-13	16.99	Pass	401
2496	2596	1	RMS	2573.5	4.14	40	35.86	Pass	401



2.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.65	40	17.35	Pass	401
2690	2691	0.051	RMS	2690.003	-33.71	-10	23.71	Pass	401
2691	2695	1	RMS	2691	-31.18	-10	21.18	Pass	401
2695	2790	1	RMS	2695	-42.88	-13	29.88	Pass	401
2790	2795	1	RMS	2792.413	-44.61	-25	19.61	Pass	401



2.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2600.5	4.06	40	35.94	Pass	401
2690	2691	1	RMS	2690.273	-36.55	-10	26.55	Pass	401
2691	2695	1	RMS	2693.35	-36.94	-10	26.94	Pass	401
2695	2790	1	RMS	2695.95	-37.86	-13	24.86	Pass	401
2790	2795	1	RMS	2794.9	-44.67	-25	19.67	Pass	401



3. n77 30kHz(3450-3550)


3.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-42.29	-13	29.29	Pass	401
3445	3449	0.62	RMS	3449	-39.35	-13	26.35	Pass	401
3449	3450	0.2	RMS	3450	-27.7	-13	14.7	Pass	401
3450	3460	1	RMS	3450.85	20.28	40	19.72	Pass	401




3.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-35.16	-13	22.16	Pass	401
3445	3449	0.62	RMS	3448.94	-33.69	-13	20.69	Pass	401
3449	3450	0.2	RMS	3450	-34.97	-13	21.97	Pass	401
3450	3460	1	RMS	3457.925	11.98	40	28.02	Pass	401




3.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.075	20.61	40	19.39	Pass	401
3550	3551	0.2	RMS	3550	-28.47	-13	15.47	Pass	401
3551	3555	0.62	RMS	3551.01	-38.5	-13	25.5	Pass	401
3555	3565	1	RMS	3555.35	-41.66	-13	28.66	Pass	401




3.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3547.95	12.17	40	27.83	Pass	401
3550	3551	0.2	RMS	3550	-37.14	-13	24.14	Pass	401
3551	3555	0.62	RMS	3551.13	-35.83	-13	22.83	Pass	401
3555	3565	1	RMS	3555.125	-36.88	-13	23.88	Pass	401




3.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3427.5	-42.71	-13	29.71	Pass	401
3445	3449	0.62	RMS	3449	-40.64	-13	27.64	Pass	401
3449	3450	0.2	RMS	3450	-32.29	-13	19.29	Pass	401
3450	3500	1	RMS	3451.25	20.18	40	19.82	Pass	401




3.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3408.5	-37.36	-13	24.36	Pass	401
3445	3449	0.62	RMS	3448.61	-38.51	-13	25.51	Pass	401
3449	3450	0.2	RMS	3449.99	-42.18	-13	29.18	Pass	401
3450	3500	1	RMS	3455.5	4.62	40	35.38	Pass	401




3.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	20.59	40	19.41	Pass	401
3550	3551	0.2	RMS	3550.005	-31.59	-13	18.59	Pass	401
3551	3555	0.62	RMS	3551	-39.62	-13	26.62	Pass	401
3555	3605	1	RMS	3572.5	-41.57	-13	28.57	Pass	401




3.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3547.25	4.7	40	35.3	Pass	401
3550	3551	0.2	RMS	3550.063	-42.94	-13	29.94	Pass	401
3551	3555	0.62	RMS	3551.38	-38.29	-13	25.29	Pass	401
3555	3605	1	RMS	3567.75	-37.5	-13	24.5	Pass	401




3.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-42.7	-13	29.7	Pass	401
3445	3449	0.62	RMS	3449	-37.67	-13	24.67	Pass	401
3449	3450	0.051	RMS	3449.998	-32.35	-13	19.35	Pass	401
3450	3550	1	RMS	3451	20.01	40	19.99	Pass	401




3.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-38.08	-13	25.08	Pass	401
3445	3449	0.62	RMS	3448.61	-39.32	-13	26.32	Pass	401
3449	3450	0.2	RMS	3449.925	-43.01	-13	30.01	Pass	401
3450	3550	1	RMS	3458	1.49	40	38.51	Pass	401




3.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.49	40	19.51	Pass	401
3550	3551	0.2	RMS	3550	-28.41	-13	15.41	Pass	401
3551	3555	0.62	RMS	3551.01	-38.21	-13	25.21	Pass	401
3555	3655	1	RMS	3597.75	-41.57	-13	28.57	Pass	401



3.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3550	3551	0.2	RMS	3550.695	-45.02	-13	32.02	Pass	401
3551	3555	0.62	RMS	3551.53	-40.92	-13	27.92	Pass	401
3555	3655	1	RMS	3620.25	-38.33	-13	25.33	Pass	401



4. n78 30kHz(3450-3550)


4.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.825	-41.92	-13	28.92	Pass	401
3445	3449	0.62	RMS	3448.99	-39.27	-13	26.27	Pass	401
3449	3450	0.2	RMS	3450	-27.71	-13	14.71	Pass	401
3450	3460	1	RMS	3450.825	20.36	40	19.64	Pass	401




4.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.8	-34.31	-13	21.31	Pass	401
3445	3449	0.62	RMS	3448.97	-31.92	-13	18.92	Pass	401
3449	3450	0.2	RMS	3449.868	-34.19	-13	21.19	Pass	401
3450	3460	1	RMS	3457.675	12.08	40	27.92	Pass	401




4.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.075	20.63	40	19.37	Pass	401
3550	3551	0.2	RMS	3550	-28.37	-13	15.37	Pass	401
3551	3555	0.62	RMS	3551	-38.33	-13	25.33	Pass	401
3555	3565	1	RMS	3555.05	-41.79	-13	28.79	Pass	401




4.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3547.925	12.15	40	27.85	Pass	401
3550	3551	0.2	RMS	3550	-36.35	-13	23.35	Pass	401
3551	3555	0.62	RMS	3551.11	-35.02	-13	22.02	Pass	401
3555	3565	1	RMS	3555.2	-36.19	-13	23.19	Pass	401




4.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.95	-41.89	-13	28.89	Pass	401
3445	3449	0.62	RMS	3448.98	-41.14	-13	28.14	Pass	401
3449	3450	0.051	RMS	3449.99	-43.53	-13	30.53	Pass	401
3450	3470	1	RMS	3451	20.26	40	19.74	Pass	401




4.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.15	-32.69	-13	19.69	Pass	401
3445	3449	0.62	RMS	3448.86	-32.11	-13	19.11	Pass	401
3449	3450	0.2	RMS	3449.393	-36.38	-13	23.38	Pass	401
3450	3470	1	RMS	3467.8	8.81	40	31.19	Pass	401




4.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3548.95	20.67	40	19.33	Pass	401
3550	3551	0.051	RMS	3550.008	-43.71	-13	30.71	Pass	401
3551	3555	0.62	RMS	3551	-41.21	-13	28.21	Pass	401
3555	3575	1	RMS	3558.05	-41.52	-13	28.52	Pass	401




4.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3548	8.97	40	31.03	Pass	401
3550	3551	0.2	RMS	3550.028	-38.48	-13	25.48	Pass	401
3551	3555	0.62	RMS	3551	-35.96	-13	22.96	Pass	401
3555	3575	1	RMS	3561.9	-35.46	-13	22.46	Pass	401




4.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3427.375	-42.26	-13	29.26	Pass	401
3445	3449	0.62	RMS	3449	-40.43	-13	27.43	Pass	401
3449	3450	0.2	RMS	3450	-31.97	-13	18.97	Pass	401
3450	3500	1	RMS	3451.25	20.17	40	19.83	Pass	401




4.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3444.5	-36.6	-13	23.6	Pass	401
3445	3449	0.62	RMS	3448.67	-36.48	-13	23.48	Pass	401
3449	3450	0.2	RMS	3449.985	-40.2	-13	27.2	Pass	401
3450	3500	1	RMS	3497.625	4.8	40	35.2	Pass	401




4.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	20.66	40	19.34	Pass	401
3550	3551	0.2	RMS	3550	-31.54	-13	18.54	Pass	401
3551	3555	0.62	RMS	3551.02	-39.4	-13	26.4	Pass	401
3555	3605	1	RMS	3572.5	-41.33	-13	28.33	Pass	401




4.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3547.625	4.82	40	35.18	Pass	401
3550	3551	0.2	RMS	3550.025	-42.4	-13	29.4	Pass	401
3551	3555	0.62	RMS	3551.33	-38.37	-13	25.37	Pass	401
3555	3605	1	RMS	3572.75	-37.9	-13	24.9	Pass	401




4.13 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-42.57	-13	29.57	Pass	401
3445	3449	0.62	RMS	3449	-37.45	-13	24.45	Pass	401
3449	3450	0.051	RMS	3449.998	-32.17	-13	19.17	Pass	401
3450	3550	1	RMS	3451	20.13	40	19.87	Pass	401




4.14 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-37.27	-13	24.27	Pass	401
3445	3449	0.62	RMS	3446.93	-38.52	-13	25.52	Pass	401
3449	3450	0.2	RMS	3449.893	-41.25	-13	28.25	Pass	401
3450	3550	1	RMS	3509.25	1.64	40	38.36	Pass	401




4.15 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.71	40	19.29	Pass	401
3550	3551	0.2	RMS	3550	-28.36	-13	15.36	Pass	401
3551	3555	0.62	RMS	3551	-38.01	-13	25.01	Pass	401
3555	3655	1	RMS	3597.75	-40.79	-13	27.79	Pass	401



4.16 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3550	3551	0.2	RMS	3550.025	-44.74	-13	31.74	Pass	401
3551	3555	0.62	RMS	3551.29	-40.65	-13	27.65	Pass	401
3555	3655	1	RMS	3596.25	-38.8	-13	25.8	Pass	401



5. n77 30kHz(3700-3980)


5.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-40.82	-13	27.82	Pass	401
3695	3699	0.62	RMS	3699	-37.84	-13	24.84	Pass	401
3699	3700	0.051	RMS	3700	-33.96	-13	20.96	Pass	401
3700	3710	1	RMS	3700.85	21.43	40	18.57	Pass	401




5.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.9	-36.43	-13	23.43	Pass	401
3695	3699	0.62	RMS	3697.9	-35.25	-13	22.25	Pass	401
3699	3700	0.39	RMS	3700	-29.87	-13	16.87	Pass	401
3700	3710	1	RMS	3702.025	12.94	40	27.06	Pass	401




5.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.15	20.34	40	19.66	Pass	401
3980	3981	0.051	RMS	3980	-36.89	-13	23.89	Pass	401
3981	3985	0.62	RMS	3981	-38.29	-13	25.29	Pass	401
3985	3995	1	RMS	3985.225	-41.88	-13	28.88	Pass	401



5.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3971.775	11.84	40	28.16	Pass	401
3980	3981	0.39	RMS	3980.008	-28.86	-13	15.86	Pass	401
3981	3985	0.62	RMS	3981.05	-30.42	-13	17.42	Pass	401
3985	3995	1	RMS	3985.1	-31.32	-13	18.32	Pass	401



5.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




5.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




5.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.75	20.44	40	19.56	Pass	401
3980	3981	0.39	RMS	3980	-27.16	-13	14.16	Pass	401
3981	3985	0.62	RMS	3981.01	-39.36	-13	26.36	Pass	401
3985	4035	1	RMS	4002.375	-39.88	-13	26.88	Pass	401




5.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3935.625	5.05	40	34.95	Pass	401
3980	3981	0.39	RMS	3980.05	-37.25	-13	24.25	Pass	401
3981	3985	0.62	RMS	3981.65	-36.28	-13	23.28	Pass	401
3985	4035	1	RMS	3989.875	-34.74	-13	21.74	Pass	401




5.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-41.54	-13	28.54	Pass	401
3695	3699	0.62	RMS	3698.96	-37.26	-13	24.26	Pass	401
3699	3700	0.051	RMS	3699.998	-32.39	-13	19.39	Pass	401
3700	3800	1	RMS	3701	21.25	40	18.75	Pass	401




5.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-38.46	-13	25.46	Pass	401
3695	3699	0.62	RMS	3697.13	-38.79	-13	25.79	Pass	401
3699	3700	0.39	RMS	3699.998	-39.28	-13	26.28	Pass	401
3700	3800	1	RMS	3704	2.66	40	37.34	Pass	401




5.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	20.37	40	19.63	Pass	401
3980	3981	0.051	RMS	3980	-34.61	-13	21.61	Pass	401
3981	3985	0.62	RMS	3981	-37.46	-13	24.46	Pass	401
3985	4085	1	RMS	4028	-39.91	-13	26.91	Pass	401



5.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3891.25	2.61	40	37.39	Pass	401
3980	3981	0.39	RMS	3980.02	-38.82	-13	25.82	Pass	401
3981	3985	0.62	RMS	3982.4	-37.99	-13	24.99	Pass	401
3985	4085	1	RMS	4021.5	-36.28	-13	23.28	Pass	401



6. n78 30kHz(3700-3800)


6.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.875	-40.98	-13	27.98	Pass	401
3695	3699	0.62	RMS	3698.97	-38.03	-13	25.03	Pass	401
3699	3700	0.051	RMS	3700	-34.13	-13	21.13	Pass	401
3700	3710	1	RMS	3700.85	21.46	40	18.54	Pass	401




6.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.575	-36.6	-13	23.6	Pass	401
3695	3699	0.62	RMS	3699	-35.08	-13	22.08	Pass	401
3699	3700	0.39	RMS	3699.998	-29.62	-13	16.62	Pass	401
3700	3710	1	RMS	3701.75	12.98	40	27.02	Pass	401




6.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3799.125	20.23	40	19.77	Pass	401
3800	3801	0.051	RMS	3800	-36.44	-13	23.44	Pass	401
3801	3805	0.62	RMS	3801	-38.3	-13	25.3	Pass	401
3805	3815	1	RMS	3805.1	-41.89	-13	28.89	Pass	401




6.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3798.15	11.73	40	28.27	Pass	401
3800	3801	0.39	RMS	3800	-31.08	-13	18.08	Pass	401
3801	3805	0.62	RMS	3801.04	-34.65	-13	21.65	Pass	401
3805	3815	1	RMS	3805	-36.04	-13	23.04	Pass	401




6.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3677.375	-40.85	-13	27.85	Pass	401
3695	3699	0.62	RMS	3699	-39.3	-13	26.3	Pass	401
3699	3700	0.39	RMS	3699.988	-25.44	-13	12.44	Pass	401
3700	3750	1	RMS	3701.25	21.3	40	18.7	Pass	401




6.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3682.75	-37.57	-13	24.57	Pass	401
3695	3699	0.62	RMS	3698.88	-37.69	-13	24.69	Pass	401
3699	3700	0.39	RMS	3699.905	-38.24	-13	25.24	Pass	401
3700	3750	1	RMS	3705.375	5.85	40	34.15	Pass	401




6.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	20.11	40	19.89	Pass	401
3800	3801	0.39	RMS	3800.008	-26.7	-13	13.7	Pass	401
3801	3805	0.62	RMS	3801	-39.6	-13	26.6	Pass	401
3805	3855	1	RMS	3822.375	-41.16	-13	28.16	Pass	401




6.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3755.375	5.07	40	34.93	Pass	401
3800	3801	0.39	RMS	3800.003	-39.73	-13	26.73	Pass	401
3801	3805	0.62	RMS	3801.39	-39.03	-13	26.03	Pass	401
3805	3855	1	RMS	3817.125	-39.08	-13	26.08	Pass	401




6.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-41.57	-13	28.57	Pass	401
3695	3699	0.62	RMS	3699	-36.9	-13	23.9	Pass	401
3699	3700	0.051	RMS	3699.998	-32.36	-13	19.36	Pass	401
3700	3800	1	RMS	3701	21.23	40	18.77	Pass	401




6.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.5	-36.95	-13	23.95	Pass	401
3695	3699	0.62	RMS	3697.73	-37.92	-13	24.92	Pass	401
3699	3700	0.39	RMS	3699.72	-38.29	-13	25.29	Pass	401
3700	3800	1	RMS	3703.5	3.1	40	36.9	Pass	401




6.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	20.16	40	19.84	Pass	401
3800	3801	0.051	RMS	3800	-34.7	-13	21.7	Pass	401
3801	3805	0.62	RMS	3801	-38.26	-13	25.26	Pass	401
3805	3905	1	RMS	3848	-40.95	-13	27.95	Pass	401



6.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3800	3801	0.39	RMS	3800	-41.05	-13	28.05	Pass	401
3801	3805	0.62	RMS	3802.64	-40.97	-13	27.97	Pass	401
3805	3905	1	RMS	3848.5	-38.85	-13	25.85	Pass	401



7. n5


7.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.978	-45.58	-13	32.58	Pass	401
823	824	0.02	RMS	823.998	-25.75	-13	12.75	Pass	401
824	829	0.1	RMS	824.325	18.7	30	11.3	Pass	401




7.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	821.448	-38.12	-13	25.12	Pass	401
823	824	0.051	RMS	824	-34.16	-13	21.16	Pass	401
824	829	0.1	RMS	824.863	5.19	30	24.81	Pass	401



7.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	18.55	30	11.45	Pass	401
849	850	0.02	RMS	849	-26.99	-13	13.99	Pass	401
850	859	0.1	RMS	850.113	-46.42	-13	33.42	Pass	401



7.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.825	5.48	30	24.52	Pass	401
849	850	0.051	RMS	849	-33.92	-13	20.92	Pass	401
850	859	0.1	RMS	850.99	-35.21	-13	22.21	Pass	401

