

Band Edge

GSM and WCDMA Mode Test Verdict

Test Band	Test Channel	Verdict
GSM 850	LCH	Pass
	HCH	Pass
GSM 1900	LCH	Pass
	HCH	Pass
GPRS 850	LCH	Pass
	HCH	Pass
GPRS 1900	LCH	Pass
	HCH	Pass
EGPRS 850	LCH	Pass
	HCH	Pass
EGPRS 1900	LCH	Pass
	HCH	Pass
WCDMA Band 2	LCH	Pass
	HCH	Pass
WCDMA Band 4	LCH	Pass
	HCH	Pass
WCDMA Band 5	LCH	Pass
	HCH	Pass

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 2	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 4	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
		HCH	16-QAM	RB1#High	Pass
				RB1#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 5	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 7	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 12	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 13	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
		LCH	16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
		HCH	16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
		LCH	16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
		HCH	16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 17	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 38	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 41	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 42 (3450-3550)	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 66	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

CA Mode Test Verdict

Test Channel	Modulation	PCC RB		SCC RB		Verdict
		Size	Offset	Size	Offset	
CA_7C						
15MHz+15MHz						
Low	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
High	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
20MHz+20MHz						
Low	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
High	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass

Test Channel	Modulation	PCC RB		SCC RB		Verdict
		Size	Offset	Size	Offset	
CA_38C						
15MHz+15MHz						
Low	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
High	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
20MHz+20MHz						
Low	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
High	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass

Test Channel	Modulation	PCC RB		SCC RB		Verdict
		Size	Offset	Size	Offset	
CA_41C						
20MHz+5MHz						
Low	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
High	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
20MHz+20MHz						
Low	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
High	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass

Test Channel	Modulation	PCC RB		SCC RB		Verdict
		Size	Offset	Size	Offset	
CA_66C						
20MHz+5MHz						
Low	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
High	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
20MHz+20MHz						
Low	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
High	QPSK	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass
	16-QAM	1	Low	1	Low	Pass
		1	Low	1	High	Pass
		Full	Low	Full	Low	Pass

NR Mode Test Verdict

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n5	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	15	LCH	QPSK	1	0	Pass
				79	0	Pass
		HCH	QPSK	1	78	Pass
				79	0	Pass
	20	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n7	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	15	LCH	QPSK	1	0	Pass
				79	0	Pass
		HCH	QPSK	1	78	Pass
				79	0	Pass
	20	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n12	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	10	LCH	QPSK	1	0	Pass
				52	0	Pass
		HCH	QPSK	1	51	Pass
				52	0	Pass
	15	LCH	QPSK	1	0	Pass
				79	0	Pass
		HCH	QPSK	1	78	Pass
				79	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n38	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	15	LCH	QPSK	1	0	Pass
				38	0	Pass
		HCH	QPSK	1	37	Pass
				38	0	Pass
	20	LCH	QPSK	1	0	Pass
				51	0	Pass
		HCH	QPSK	1	50	Pass
				51	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n41	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	50	LCH	QPSK	1	0	Pass
				133	0	Pass
		HCH	QPSK	1	132	Pass
				133	0	Pass
	100	LCH	QPSK	1	0	Pass
				270	0	Pass
		HCH	QPSK	1	272	Pass
				270	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n66	5	LCH	QPSK	1	0	Pass
				25	0	Pass
		HCH	QPSK	1	24	Pass
				25	0	Pass
	20	LCH	QPSK	1	0	Pass
				106	0	Pass
		HCH	QPSK	1	105	Pass
				106	0	Pass
	40	LCH	QPSK	1	0	Pass
				216	0	Pass
		HCH	QPSK	1	215	Pass
				216	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n77(3450-3550MHz)	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	50	LCH	QPSK	1	0	Pass
				133	0	Pass
		HCH	QPSK	1	132	Pass
				133	0	Pass
	100	LCH	QPSK	1	0	Pass
				273	0	Pass
		HCH	QPSK	1	272	Pass
				273	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n77(3700-3980MHz)	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	50	LCH	QPSK	1	0	Pass
				133	0	Pass
		HCH	QPSK	1	132	Pass
				133	0	Pass
	100	LCH	QPSK	1	0	Pass
				273	0	Pass
		HCH	QPSK	1	272	Pass
				273	0	Pass


Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n78(3450-3550MHz)	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	50	LCH	QPSK	1	0	Pass
				133	0	Pass
		HCH	QPSK	1	132	Pass
				133	0	Pass
	100	LCH	QPSK	1	0	Pass
				273	0	Pass
		HCH	QPSK	1	272	Pass
				273	0	Pass

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n78(3700-3800MHz)	10	LCH	QPSK	1	0	Pass
				24	0	Pass
		HCH	QPSK	1	23	Pass
				24	0	Pass
	50	LCH	QPSK	1	0	Pass
				133	0	Pass
		HCH	QPSK	1	132	Pass
				133	0	Pass
	100	LCH	QPSK	1	0	Pass
				273	0	Pass
		HCH	QPSK	1	272	Pass
				273	0	Pass

1. GSM_PCS


1.1. GSM Band Edge_Part22-24(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-34.99	-13	21.99	Pass	5
1849	1850	0.003	RMS	1849.995	-19.67	-13	6.67	Pass	401
1850	1851	0.01	RMS	1850.275	20.38	35	14.62	Pass	401



1.2. GSM Band Edge_Part22-24(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.87	20.11	35	14.89	Pass	401
1910	1911	0.003	RMS	1910.035	-21.61	-13	8.61	Pass	401
1911	1915	1	RMS	1911	-34.84	-13	21.84	Pass	5



2. GSM_GSM850


2.1. GSM Band Edge_Part22-24(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.88	-46.47	-13	33.47	Pass	401
823	824	0.003	RMS	823.995	-16.35	-13	3.35	Pass	401
824	824.5	0.01	RMS	824.266	23.45	35	11.55	Pass	401



2.2. GSM Band Edge_Part22-24(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.866	23.84	35	11.16	Pass	401
849	850	0.003	RMS	849.023	-19.06	-13	6.06	Pass	401
850	855	0.1	RMS	850	-46.18	-13	33.18	Pass	401



1. GPRS_PCS


1.1. GPRS Band Edge_Part22-24(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-34.97	-13	21.97	Pass	5
1849	1850	0.003	RMS	1849.98	-21.89	-13	8.89	Pass	401
1850	1851	0.01	RMS	1850.228	18.43	35	16.57	Pass	401



1.2. GPRS Band Edge_Part22-24(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.778	18.77	35	16.23	Pass	401
1910	1911	0.003	RMS	1910.03	-22.89	-13	9.89	Pass	401
1911	1915	1	RMS	1911	-34.9	-13	21.9	Pass	5



2. GPRS_GSM850


2.1. GPRS Band Edge_Part22-24(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.918	-46.49	-13	33.49	Pass	401
823	824	0.003	RMS	823.99	-18.86	-13	5.86	Pass	401
824	824.5	0.01	RMS	824.18	22.61	35	12.39	Pass	401



2.2. GPRS Band Edge_Part22-24(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.78	22.92	35	12.08	Pass	401
849	850	0.003	RMS	849.013	-19.23	-13	6.23	Pass	401
850	855	0.1	RMS	850	-46.05	-13	33.05	Pass	401



1. EGPRS_PCS


1.1. EGPRS Band Edge_Part22-24(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-34.31	-13	21.31	Pass	5
1849	1850	0.003	RMS	1849.985	-27.54	-13	14.54	Pass	401
1850	1851	0.01	RMS	1850.21	14.87	35	20.13	Pass	401



1.2. EGPRS Band Edge_Part22-24(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.835	14.42	35	20.58	Pass	401
1910	1911	0.003	RMS	1910.003	-27.65	-13	14.65	Pass	401
1911	1915	1	RMS	1911	-33.98	-13	20.98	Pass	5



2. EGPRS_GSM850


2.1. EGPRS Band Edge_Part22-24(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.993	-44.77	-13	31.77	Pass	401
823	824	0.003	RMS	823.995	-25.73	-13	12.73	Pass	401
824	824.5	0.01	RMS	824.201	16.2	35	18.8	Pass	401



2.2. EGPRS Band Edge_Part22-24(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.818	16.43	35	18.57	Pass	401
849	850	0.003	RMS	849.013	-25.29	-13	12.29	Pass	401
850	855	0.1	RMS	850.013	-44.74	-13	31.74	Pass	401



1. WCDMA_Band2


1.1. WCDMA Band Edge_Part22-24-27(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-17.91	-13	4.91	Pass	401
1849	1850	0.051	RMS	1849.88	-29.78	-13	16.78	Pass	401
1850	1855	0.1	RMS	1850.925	7.04	35	27.96	Pass	401



1.2. WCDMA Band Edge_Part22-24-27(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.1	7.24	35	27.76	Pass	401
1910	1911	0.051	RMS	1910	-28.61	-13	15.61	Pass	401
1911	1915	1	RMS	1911	-19.05	-13	6.05	Pass	401



2. WCDMA_Band4

2.1. WCDMA Band Edge_Part22-24-27(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1705	1709	1	RMS	1708	-30.74	-13	17.74	Pass	5
1709	1710	0.051	RMS	1709.87	-28.91	-13	15.91	Pass	401
1710	1715	0.1	RMS	1711.5	6.81	35	28.19	Pass	401



2.2. WCDMA Band Edge_Part22-24-27(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.725	7.11	35	27.89	Pass	401
1755	1756	0.051	RMS	1755	-29.63	-13	16.63	Pass	401
1756	1760	1	RMS	1757	-31.63	-13	18.63	Pass	5



3. WCDMA_Band5


3.1. WCDMA Band Edge_Part22-24-27(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
823	824	0.051	RMS	823.88	-26.96	-13	13.96	Pass	401
824	829	0.1	RMS	825.488	6.99	35	28.01	Pass	401



3.2. WCDMA Band Edge_Part22-24-27(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.738	7.37	35	27.63	Pass	401
849	850	0.051	RMS	849.103	-28.21	-13	15.21	Pass	401
850	855	0.1	RMS	850.288	-36.04	-13	23.04	Pass	401



1. LTE_Band5


1.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.33	-13	38.33	Pass	401
823	824	0.02	RMS	824	-23.9	-13	10.9	Pass	401
824	826	0.1	RMS	824.245	17.29	30	12.71	Pass	401




1.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.1	-13	23.1	Pass	401
823	824	0.02	RMS	824	-30.96	-13	17.96	Pass	401
824	826	0.1	RMS	824.415	8.71	30	21.29	Pass	401




1.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)




1.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.64	-13	25.64	Pass	401
823	824	0.02	RMS	824	-32.09	-13	19.09	Pass	401
824	826	0.1	RMS	824.615	7.64	30	22.36	Pass	401




1.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)




1.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.89	8.96	30	21.04	Pass	401
849	850	0.02	RMS	849	-30.27	-13	17.27	Pass	401
850	860	0.1	RMS	850	-33.91	-13	20.91	Pass	401



1.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)




1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)




1.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.47	-13	35.47	Pass	401
823	824	0.002	RMS	823.986	-32.69	-13	19.69	Pass	501
824	827	0.1	RMS	824.24	17.35	30	12.65	Pass	401




1.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-38.84	-13	25.84	Pass	401
823	824	0.03	RMS	824	-34.25	-13	21.25	Pass	401
824	827	0.1	RMS	826.693	4.99	30	25.01	Pass	401




1.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.39	-13	35.39	Pass	401
823	824	0.03	RMS	824	-22.54	-13	9.54	Pass	35
824	827	0.1	RMS	824.233	16.35	30	13.65	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.72	-39.7	-13	26.7	Pass	401
823	824	0.03	RMS	824	-36.14	-13	23.14	Pass	401
824	827	0.1	RMS	826.423	4.02	30	25.98	Pass	401




1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	17.46	30	12.54	Pass	401
849	850	0.002	RMS	849.01	-30.18	-13	17.18	Pass	501
850	860	0.1	RMS	850	-49.15	-13	36.15	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.27	5.26	30	24.74	Pass	401
849	850	0.03	RMS	849	-34.06	-13	21.06	Pass	401
850	860	0.1	RMS	850.05	-35.36	-13	22.36	Pass	401




1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.775	16.52	30	13.48	Pass	401
849	850	0.002	RMS	849	-33.19	-13	20.19	Pass	501
850	860	0.1	RMS	850.825	-49.29	-13	36.29	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.428	4.3	30	25.7	Pass	401
849	850	0.03	RMS	849	-34.95	-13	21.95	Pass	401
850	860	0.1	RMS	850.1	-37.14	-13	24.14	Pass	401




1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.22	-48.7	-13	35.7	Pass	401
823	824	0.051	RMS	823.998	-21.72	-13	8.72	Pass	401
824	829	0.1	RMS	824.338	17.24	30	12.76	Pass	401




1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.24	-40.87	-13	27.87	Pass	401
823	824	0.051	RMS	824	-34.46	-13	21.46	Pass	401
824	829	0.1	RMS	825.675	2.78	30	27.22	Pass	401




1.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.24	-50.28	-13	37.28	Pass	401
823	824	0.051	RMS	824	-22.31	-13	9.31	Pass	401
824	829	0.1	RMS	824.35	16.34	30	13.66	Pass	401




1.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.98	-44.32	-13	31.32	Pass	401
823	824	0.051	RMS	824	-35.44	-13	22.44	Pass	401
824	829	0.1	RMS	825.675	1.74	30	28.26	Pass	401




1.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	17.55	30	12.45	Pass	401
849	850	0.051	RMS	849	-21.59	-13	8.59	Pass	401
850	860	0.1	RMS	850.725	-47.7	-13	34.7	Pass	401




1.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.525	3.12	30	26.88	Pass	401
849	850	0.051	RMS	849.005	-32.46	-13	19.46	Pass	401
850	860	0.1	RMS	850.025	-34.97	-13	21.97	Pass	401




1.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	16.58	30	13.42	Pass	401
849	850	0.051	RMS	849	-21.14	-13	8.14	Pass	401
850	860	0.1	RMS	850.725	-48.7	-13	35.7	Pass	401




1.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.638	2.25	30	27.75	Pass	401
849	850	0.051	RMS	849.003	-34.62	-13	21.62	Pass	401
850	860	0.1	RMS	850.1	-38.8	-13	25.8	Pass	401




1.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.54	-50.21	-13	37.21	Pass	401
823	824	0.1	RMS	824	-24.96	-13	11.96	Pass	401
824	834	0.1	RMS	824.6	17.34	30	12.66	Pass	401




1.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-43.89	-13	30.89	Pass	401
823	824	0.1	RMS	823.998	-37.66	-13	24.66	Pass	401
824	834	0.1	RMS	828.25	-0.18	30	30.18	Pass	401




1.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.56	-50.75	-13	37.75	Pass	401
823	824	0.1	RMS	824	-25.82	-13	12.82	Pass	401
824	834	0.1	RMS	824.6	16.44	30	13.56	Pass	401




1.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-46.49	-13	33.49	Pass	401
823	824	0.1	RMS	824	-39.79	-13	26.79	Pass	401
824	834	0.1	RMS	830.6	-1.26	30	31.26	Pass	401




1.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	17.49	30	12.51	Pass	401
849	850	0.1	RMS	849.003	-24.02	-13	11.02	Pass	401
850	860	0.1	RMS	850.45	-47.52	-13	34.52	Pass	401




1.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	841.15	0.06	30	29.94	Pass	401
849	850	0.1	RMS	849.003	-35.86	-13	22.86	Pass	401
850	860	0.1	RMS	850	-39.08	-13	26.08	Pass	401




1.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	16.49	30	13.51	Pass	401
849	850	0.1	RMS	849.003	-25.35	-13	12.35	Pass	401
850	860	0.1	RMS	850.4	-49.39	-13	36.39	Pass	401



1.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	840.725	-0.91	30	30.91	Pass	401
849	850	0.1	RMS	849.008	-38.33	-13	25.33	Pass	401
850	860	0.1	RMS	850.075	-42.4	-13	29.4	Pass	401



2. LTE_Band12


2.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.37	-13	13.37	Pass	401
698.9	699	0.03	RMS	698.999	-21.91	-13	8.91	Pass	401
699	701	0.1	RMS	699.255	16.21	30	13.79	Pass	401




2.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.77	-13	17.77	Pass	401
698.9	699	0.03	RMS	699	-31.73	-13	18.73	Pass	401
699	701	0.1	RMS	699.28	7.75	30	22.25	Pass	401




2.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.21	-13	16.21	Pass	401
698.9	699	0.03	RMS	699	-24.86	-13	11.86	Pass	401
699	701	0.1	RMS	699.255	14.73	30	15.27	Pass	401




2.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.09	-13	20.09	Pass	401
698.9	699	0.03	RMS	699	-32.74	-13	19.74	Pass	401
699	701	0.1	RMS	700.11	6.84	30	23.16	Pass	401




2.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.75	15.86	30	14.14	Pass	401
716	716.1	0.03	RMS	716	-21.62	-13	8.62	Pass	5
716.1	725	0.1	RMS	716.1	-26.1	-13	13.1	Pass	401




2.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	714.905	7.84	30	22.16	Pass	401
716	716.1	0.03	RMS	716.001	-30.79	-13	17.79	Pass	401
716.1	725	0.1	RMS	716.1	-29.73	-13	16.73	Pass	401




2.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.74	14.74	30	15.26	Pass	401
716	716.1	0.03	RMS	716	-23.98	-13	10.98	Pass	401
716.1	725	0.1	RMS	716.1	-27.56	-13	14.56	Pass	401




2.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	714.96	6.84	30	23.16	Pass	401
716	716.1	0.03	RMS	716.003	-32.52	-13	19.52	Pass	401
716.1	725	0.1	RMS	716.1	-31.81	-13	18.81	Pass	401




2.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.47	-13	12.47	Pass	401
698.9	698.985	0.03	RMS	698.985	-23.13	-13	10.13	Pass	401
699	702	0.1	RMS	699.24	15.97	30	14.03	Pass	401




2.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-36.97	-13	23.97	Pass	401
698.9	699	0.03	RMS	699	-35.19	-13	22.19	Pass	401
699	702	0.1	RMS	701.685	4	30	26	Pass	401




2.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.6	-13	14.6	Pass	401
698.9	699	0.03	RMS	699	-23.74	-13	10.74	Pass	401
699	702	0.1	RMS	699.248	14.89	30	15.11	Pass	401




2.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-38.06	-13	25.06	Pass	401
698.9	699	0.03	RMS	699	-36.92	-13	23.92	Pass	401
699	702	0.1	RMS	701.415	3	30	27	Pass	401




2.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.768	15.72	30	14.28	Pass	401
716.015	716.1	0.03	RMS	716.015	-22.29	-13	9.29	Pass	4
716.1	725	0.1	RMS	716.1	-25.28	-13	12.28	Pass	401




2.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	713.255	4.07	30	25.93	Pass	401
716	716.1	0.03	RMS	716.001	-36.83	-13	23.83	Pass	401
716.1	725	0.1	RMS	716.768	-36.86	-13	23.86	Pass	401




2.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	14.78	30	15.22	Pass	401
716.015	716.1	0.03	RMS	716.015	-24.86	-13	11.86	Pass	401
716.1	725	0.1	RMS	716.1	-26.69	-13	13.69	Pass	401



2.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	713.495	3.04	30	26.96	Pass	401
716	716.1	0.03	RMS	716	-37.16	-13	24.16	Pass	401
716.1	725	0.1	RMS	716.1	-37.73	-13	24.73	Pass	401



2.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.29	-13	13.29	Pass	401
698.9	699	0.03	RMS	699	-25.44	-13	12.44	Pass	401
699	704	0.1	RMS	699.338	15.77	30	14.23	Pass	401

