


Band Edge


1.20. LTE-A Band Edge_Part22-24-27(Subtest:8, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	8.33	30	21.67	Pass	401
2570	2571	1	RMS	2570	-27.48	-10	17.48	Pass	2
2571	2575	1	RMS	2571	-45.95	-10	35.95	Pass	5
2575	2610	1	RMS	2575	-51.08	-13	38.08	Pass	401
2610	2615	1	RMS	2614.4	-52.29	-25	27.29	Pass	401




1.21. LTE-A Band Edge_Part22-24-27(Subtest:9, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	0.1	RMS	2532.2	-4.33	30	34.33	Pass	401
2570	2571	1	RMS	2570	-17.08	-10	7.08	Pass	401
2571	2575	1	RMS	2571	-35.93	-10	25.93	Pass	5
2575	2610	1	RMS	2575.438	-37.54	-13	24.54	Pass	401
2610	2615	1	RMS	2614.8	-52.29	-25	27.29	Pass	401




1.22. LTE-A Band Edge_Part22-24-27(Subtest:10, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	12.18	30	17.82	Pass	401
2570	2571	1	RMS	2570	-22.98	-10	12.98	Pass	2
2571	2575	1	RMS	2571	-42.16	-10	32.16	Pass	5
2575	2610	1	RMS	2588.65	-31.95	-13	18.95	Pass	401
2610	2615	1	RMS	2614.475	-52.29	-25	27.29	Pass	401




1.23. LTE-A Band Edge_Part22-24-27(Subtest:11, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	8.23	30	21.77	Pass	401
2570	2571	1	RMS	2570	-27.38	-10	17.38	Pass	2
2571	2575	1	RMS	2571	-45.78	-10	35.78	Pass	5
2575	2610	1	RMS	2575	-50.94	-13	37.94	Pass	401
2610	2615	1	RMS	2614.575	-52.3	-25	27.3	Pass	401



1.24. LTE-A Band Edge_Part22-24-27(Subtest:12, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	0.1	RMS	2533.5	-5.4	30	35.4	Pass	401
2570	2571	1	RMS	2570	-35.85	-10	25.85	Pass	2
2571	2575	1	RMS	2571	-39.47	-10	29.47	Pass	5
2575	2610	1	RMS	2575.35	-41.32	-13	28.32	Pass	401
2610	2615	1	RMS	2614.45	-52.3	-25	27.3	Pass	401



2. CA_66C


2.1. LTE-A Band Edge_Part22-24-27(Subtest:1, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1692.61	-39.7	-13	26.7	Pass	401
1709	1710	0.3	RMS	1710	-35.15	-13	22.15	Pass	401
1710	1735	0.1	RMS	1729.563	8.83	30	21.17	Pass	401




2.2. LTE-A Band Edge_Part22-24-27(Subtest:2, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-42.18	-13	29.18	Pass	401
1709	1710	0.3	RMS	1710	-35.2	-13	22.2	Pass	401
1710	1735	0.1	RMS	1733.875	9.12	30	20.88	Pass	401




2.3. LTE-A Band Edge_Part22-24-27(Subtest:3, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1708.89	-37.68	-13	24.68	Pass	401
1709	1710	0.3	RMS	1709.988	-40.53	-13	27.53	Pass	401
1710	1735	0.1	RMS	1732.875	2.1	30	27.9	Pass	401




2.4. LTE-A Band Edge_Part22-24-27(Subtest:4, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1692.61	-39.51	-13	26.51	Pass	401
1709	1710	0.3	RMS	1709.998	-34.56	-13	21.56	Pass	401
1710	1735	0.1	RMS	1729.563	8.52	30	21.48	Pass	401




2.5. LTE-A Band Edge_Part22-24-27(Subtest:5, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-41.56	-13	28.56	Pass	401
1709	1710	0.3	RMS	1709.995	-34.49	-13	21.49	Pass	401
1710	1735	0.1	RMS	1733.875	8.8	30	21.2	Pass	401




2.6. LTE-A Band Edge_Part22-24-27(Subtest:6, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-38.97	-13	25.97	Pass	401
1709	1710	0.3	RMS	1710	-42.02	-13	29.02	Pass	401
1710	1735	0.1	RMS	1732.875	1.12	30	28.88	Pass	401




2.7. LTE-A Band Edge_Part22-24-27(Subtest:7, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1773.938	12.65	30	17.35	Pass	401
1780	1781	0.3	RMS	1780	-47.15	-13	34.15	Pass	5
1781	1825	1	RMS	1783.75	-29.79	-13	16.79	Pass	401




2.8. LTE-A Band Edge_Part22-24-27(Subtest:8, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1756.063	8.73	30	21.27	Pass	401
1780	1781	0.3	RMS	1780	-50.98	-13	37.98	Pass	5
1781	1825	1	RMS	1801.57	-42.41	-13	29.41	Pass	401




2.9. LTE-A Band Edge_Part22-24-27(Subtest:9, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1777.75	1.8	30	28.2	Pass	401
1780	1781	0.3	RMS	1780	-38.8	-13	25.8	Pass	5
1781	1825	1	RMS	1796.51	-33.81	-13	20.81	Pass	401




2.10. LTE-A Band Edge_Part22-24-27(Subtest:10, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1773.938	12.58	30	17.42	Pass	401
1780	1781	0.3	RMS	1780	-46.37	-13	33.37	Pass	5
1781	1825	1	RMS	1783.75	-29.41	-13	16.41	Pass	401




2.11. LTE-A Band Edge_Part22-24-27(Subtest:11, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1756.125	8.67	30	21.33	Pass	401
1780	1781	0.3	RMS	1780	-50.19	-13	37.19	Pass	5
1781	1825	1	RMS	1801.57	-41.86	-13	28.86	Pass	401




2.12. LTE-A Band Edge_Part22-24-27(Subtest:12, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1775.25	0.78	30	29.22	Pass	401
1780	1781	0.3	RMS	1780	-40.43	-13	27.43	Pass	5
1781	1825	1	RMS	1781	-36.18	-13	23.18	Pass	401




2.13. LTE-A Band Edge_Part22-24-27(Subtest:1, Channel:132072|132270, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1691.29	-34.14	-13	21.14	Pass	401
1709	1710	0.51	RMS	1709.998	-27.47	-13	14.47	Pass	401
1710	1750	0.1	RMS	1730.9	12.83	30	17.17	Pass	401




2.14. LTE-A Band Edge_Part22-24-27(Subtest:2, Channel:132072|132270, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-42.2	-13	29.2	Pass	401
1709	1710	0.51	RMS	1710	-31.5	-13	18.5	Pass	401
1710	1750	0.1	RMS	1748.7	9.08	30	20.92	Pass	401




2.15. LTE-A Band Edge_Part22-24-27(Subtest:3, Channel:132072|132270, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-36.27	-13	23.27	Pass	401
1709	1710	0.51	RMS	1710	-36.68	-13	23.68	Pass	401
1710	1750	0.1	RMS	1748.5	-3.59	30	33.59	Pass	401




2.16. LTE-A Band Edge_Part22-24-27(Subtest:4, Channel:132072|132270, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1691.18	-33.93	-13	20.93	Pass	401
1709	1710	0.51	RMS	1709.998	-26.86	-13	13.86	Pass	401
1710	1750	0.1	RMS	1730.9	12.71	30	17.29	Pass	401




2.17. LTE-A Band Edge_Part22-24-27(Subtest:5, Channel:132072|132270, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-41.86	-13	28.86	Pass	401
1709	1710	0.51	RMS	1709.998	-31.07	-13	18.07	Pass	401
1710	1750	0.1	RMS	1748.7	9.02	30	20.98	Pass	401




2.18. LTE-A Band Edge_Part22-24-27(Subtest:6, Channel:132072|132270, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1708.78	-38.18	-13	25.18	Pass	401
1709	1710	0.51	RMS	1709.97	-38.59	-13	25.59	Pass	401
1710	1750	0.1	RMS	1747.9	-4.59	30	34.59	Pass	401




2.19. LTE-A Band Edge_Part22-24-27(Subtest:7, Channel:132374|132572, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1759.1	12.88	30	17.12	Pass	401
1780	1781	0.5	RMS	1780	-28.85	-13	15.85	Pass	3
1781	1825	1	RMS	1798.71	-33.18	-13	20.18	Pass	401




2.20. LTE-A Band Edge_Part22-24-27(Subtest:8, Channel:132374|132572, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1741.3	8.92	30	21.08	Pass	401
1780	1781	0.5	RMS	1780	-32.74	-13	19.74	Pass	3
1781	1825	1	RMS	1781	-43.39	-13	30.39	Pass	401




2.21. LTE-A Band Edge_Part22-24-27(Subtest:9, Channel:132374|132572, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1742.2	-3.98	30	33.98	Pass	401
1780	1781	0.5	RMS	1780	-37.34	-13	24.34	Pass	3
1781	1825	1	RMS	1781	-35.09	-13	22.09	Pass	401




2.22. LTE-A Band Edge_Part22-24-27(Subtest:10, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1759.1	12.91	30	17.09	Pass	401
1780	1781	0.5	RMS	1780	-28.62	-13	15.62	Pass	3
1781	1825	1	RMS	1798.71	-32.46	-13	19.46	Pass	401




2.23. LTE-A Band Edge_Part22-24-27(Subtest:11, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1741.3	8.91	30	21.09	Pass	401
1780	1781	0.5	RMS	1780	-32.52	-13	19.52	Pass	3
1781	1825	1	RMS	1781	-43.06	-13	30.06	Pass	401



2.24. LTE-A Band Edge_Part22-24-27(Subtest:12, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1741.8	-4.98	30	34.98	Pass	401
1780	1781	0.5	RMS	1780	-38.99	-13	25.99	Pass	3
1781	1825	1	RMS	1782.43	-37.41	-13	24.41	Pass	401



3. CA_38C


3.1. LTE-A Band Edge_Part22-24-27(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2535.013	-44.38	-25	19.38	Pass	401
2540	2565	1	RMS	2555.75	-25.8	-13	12.8	Pass	401
2565	2569	1	RMS	2569	-31.03	-10	21.03	Pass	401
2569	2570	1	RMS	2570	-16.6	-10	6.6	Pass	2
2570	2600	0.1	RMS	2585.825	12.76	30	17.24	Pass	401




3.2. LTE-A Band Edge_Part22-24-27(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2540	2565	1	RMS	2542.5	-37.77	-13	24.77	Pass	401
2565	2569	1	RMS	2568.99	-34.95	-10	24.95	Pass	401
2569	2570	1	RMS	2570	-20.37	-10	10.37	Pass	2
2570	2600	0.1	RMS	2570.825	9.27	30	20.73	Pass	401




3.3. LTE-A Band Edge_Part22-24-27(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2539.925	-40.16	-25	15.16	Pass	401
2540	2565	1	RMS	2564.563	-34.14	-13	21.14	Pass	401
2565	2569	1	RMS	2568.32	-34.08	-10	24.08	Pass	401
2569	2570	1	RMS	2570	-29.51	-10	19.51	Pass	2
2570	2600	0.1	RMS	2589.275	-2.62	30	32.62	Pass	401




3.4. LTE-A Band Edge_Part22-24-27(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2540	-43.57	-25	18.57	Pass	401
2540	2565	1	RMS	2555.813	-25.49	-13	12.49	Pass	401
2565	2569	1	RMS	2569	-31.3	-10	21.3	Pass	401
2569	2570	1	RMS	2570	-17.24	-10	7.24	Pass	2
2570	2600	0.1	RMS	2585.825	13.23	30	16.77	Pass	401




3.5. LTE-A Band Edge_Part22-24-27(Subtest:5, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2535.013	-46.42	-25	21.42	Pass	401
2540	2565	1	RMS	2542.5	-36.35	-13	23.35	Pass	401
2565	2569	1	RMS	2569	-35.79	-10	25.79	Pass	401
2569	2570	1	RMS	2570	-21.01	-10	11.01	Pass	2
2570	2600	0.1	RMS	2570.825	9.04	30	20.96	Pass	401




3.6. LTE-A Band Edge_Part22-24-27(Subtest:6, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2539.563	-42.8	-25	17.8	Pass	401
2540	2565	1	RMS	2565	-37.36	-13	24.36	Pass	401
2565	2569	1	RMS	2568.52	-35.43	-10	25.43	Pass	401
2569	2570	1	RMS	2570	-29.97	-10	19.97	Pass	2
2570	2600	0.1	RMS	2586.05	-3.33	30	33.33	Pass	401




3.7. LTE-A Band Edge_Part22-24-27(Subtest:7, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.9	8.32	30	21.68	Pass	401
2620	2621	1	RMS	2620	-20.94	-10	10.94	Pass	2
2621	2625	1	RMS	2621.01	-35.55	-10	25.55	Pass	401
2625	2650	1	RMS	2647.5	-37.84	-13	24.84	Pass	401
2650	2655	1	RMS	2654.975	-46.71	-25	21.71	Pass	401




3.8. LTE-A Band Edge_Part22-24-27(Subtest:8, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.175	12.92	30	17.08	Pass	401
2620	2621	1	RMS	2620	-16.74	-10	6.74	Pass	2
2621	2625	1	RMS	2621	-31.16	-10	21.16	Pass	401
2625	2650	1	RMS	2634.125	-24.22	-13	11.22	Pass	401
2650	2655	1	RMS	2650	-44.28	-25	19.28	Pass	401




3.9. LTE-A Band Edge_Part22-24-27(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2602.6	-2.37	30	32.37	Pass	401
2620	2621	1	RMS	2620	-29.14	-10	19.14	Pass	2
2621	2625	1	RMS	2621.05	-33.42	-10	23.42	Pass	401
2625	2650	1	RMS	2625.25	-34.93	-13	21.93	Pass	401
2650	2655	1	RMS	2650.025	-39.79	-25	14.79	Pass	401




3.10. LTE-A Band Edge_Part22-24-27(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.825	8.28	30	21.72	Pass	401
2620	2621	1	RMS	2620	-21.16	-10	11.16	Pass	2
2621	2625	1	RMS	2621	-35.83	-10	25.83	Pass	401
2625	2650	1	RMS	2647.375	-37.25	-13	24.25	Pass	401
2650	2655	1	RMS	2655	-46.61	-25	21.61	Pass	401




3.11. LTE-A Band Edge_Part22-24-27(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.175	12.28	30	17.72	Pass	401
2620	2621	1	RMS	2620	-17.07	-10	7.07	Pass	2
2621	2625	1	RMS	2621	-31.57	-10	21.57	Pass	401
2625	2650	1	RMS	2634.188	-24.72	-13	11.72	Pass	401
2650	2655	1	RMS	2650	-44.25	-25	19.25	Pass	401




3.12. LTE-A Band Edge_Part22-24-27(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2607.625	-3.7	30	33.7	Pass	401
2620	2621	1	RMS	2620	-29.16	-10	19.16	Pass	2
2621	2625	1	RMS	2621.01	-36.94	-10	26.94	Pass	401
2625	2650	1	RMS	2625	-38.48	-13	25.48	Pass	401
2650	2655	1	RMS	2650.875	-42.56	-25	17.56	Pass	401




3.13. LTE-A Band Edge_Part22-24-27(Subtest:1, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.963	-48.28	-25	23.28	Pass	401
2530	2565	1	RMS	2551.263	-25.49	-13	12.49	Pass	401
2565	2569	1	RMS	2569	-33.65	-10	23.65	Pass	401
2569	2570	1	RMS	2570	-21.22	-10	11.22	Pass	2
2570	2610	0.1	RMS	2590.9	12.39	30	17.61	Pass	401




3.14. LTE-A Band Edge_Part22-24-27(Subtest:2, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2565	1	RMS	2533.413	-38.23	-13	25.23	Pass	401
2565	2569	1	RMS	2569	-37.66	-10	27.66	Pass	401
2569	2570	1	RMS	2570	-25.03	-10	15.03	Pass	2
2570	2610	0.1	RMS	2571.1	8.44	30	21.56	Pass	401




3.15. LTE-A Band Edge_Part22-24-27(Subtest:3, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.875	-39.67	-25	14.67	Pass	401
2530	2565	1	RMS	2560.975	-36.56	-13	23.56	Pass	401
2565	2569	1	RMS	2568.37	-35.42	-10	25.42	Pass	401
2569	2570	1	RMS	2570	-33.32	-10	23.32	Pass	2
2570	2610	0.1	RMS	2584.9	-3.26	30	33.26	Pass	401




3.16. LTE-A Band Edge_Part22-24-27(Subtest:4, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.975	-48.34	-25	23.34	Pass	401
2530	2565	1	RMS	2551.263	-25.44	-13	12.44	Pass	401
2565	2569	1	RMS	2568.98	-32.98	-10	22.98	Pass	401
2569	2570	1	RMS	2570	-21.11	-10	11.11	Pass	2
2570	2610	0.1	RMS	2571.1	12.66	30	17.34	Pass	401




3.17. LTE-A Band Edge_Part22-24-27(Subtest:5, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.938	-48.46	-25	23.46	Pass	401
2530	2565	1	RMS	2533.325	-37.01	-13	24.01	Pass	401
2565	2569	1	RMS	2569	-36.87	-10	26.87	Pass	401
2569	2570	1	RMS	2570	-24.96	-10	14.96	Pass	2
2570	2610	0.1	RMS	2571.1	9.49	30	20.51	Pass	401




3.18. LTE-A Band Edge_Part22-24-27(Subtest:6, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.713	-42.55	-25	17.55	Pass	401
2530	2565	1	RMS	2563.075	-38.95	-13	25.95	Pass	401
2565	2569	1	RMS	2568.98	-36.52	-10	26.52	Pass	401
2569	2570	1	RMS	2570	-33.93	-10	23.93	Pass	2
2570	2610	0.1	RMS	2579.2	-4.71	30	34.71	Pass	401




3.19. LTE-A Band Edge_Part22-24-27(Subtest:7, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	8.7	30	21.3	Pass	401
2620	2621	1	RMS	2620	-26.29	-10	16.29	Pass	2
2621	2625	1	RMS	2621.01	-38.24	-10	28.24	Pass	401
2625	2660	1	RMS	2656.588	-38.31	-13	25.31	Pass	401
2660	2665	1	RMS	2660.113	-48.29	-25	23.29	Pass	401




3.20. LTE-A Band Edge_Part22-24-27(Subtest:8, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	12.1	30	17.9	Pass	401
2620	2621	1	RMS	2620	-21.78	-10	11.78	Pass	2
2621	2625	1	RMS	2621.01	-34.51	-10	24.51	Pass	401
2625	2660	1	RMS	2639	-25.99	-13	12.99	Pass	36
2660	2665	1	RMS	2660	-48.09	-25	23.09	Pass	401




3.21. LTE-A Band Edge_Part22-24-27(Subtest:9, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2594.9	-3.63	30	33.63	Pass	401
2620	2621	1	RMS	2620	-33.64	-10	23.64	Pass	2
2621	2625	1	RMS	2621.28	-35.49	-10	25.49	Pass	401
2625	2660	1	RMS	2650.725	-37.63	-13	24.63	Pass	401
2660	2665	1	RMS	2660.088	-38.31	-25	13.31	Pass	401




3.22. LTE-A Band Edge_Part22-24-27(Subtest:10, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	8.57	30	21.43	Pass	401
2620	2621	1	RMS	2620	-26.33	-10	16.33	Pass	2
2621	2625	1	RMS	2621	-39.52	-10	29.52	Pass	401
2625	2660	1	RMS	2656.5	-37.09	-13	24.09	Pass	401
2660	2665	1	RMS	2660.688	-48.28	-25	23.28	Pass	401




3.23. LTE-A Band Edge_Part22-24-27(Subtest:11, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	12.96	30	17.04	Pass	401
2620	2621	1	RMS	2620	-22.29	-10	12.29	Pass	2
2621	2625	1	RMS	2621.01	-35.32	-10	25.32	Pass	401
2625	2660	1	RMS	2638.563	-24.52	-13	11.52	Pass	401
2660	2665	1	RMS	2660	-48.17	-25	23.17	Pass	401



3.24. LTE-A Band Edge_Part22-24-27(Subtest:12, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2584.9	-4.82	30	34.82	Pass	401
2620	2621	1	RMS	2620	-34.54	-10	24.54	Pass	2
2621	2625	1	RMS	2621.01	-38.1	-10	28.1	Pass	401
2625	2660	1	RMS	2625.088	-39.79	-13	26.79	Pass	401
2660	2665	1	RMS	2660.138	-41.69	-25	16.69	Pass	401



4. CA_41C_full


4.1. LTE-A Band Edge_Part22-24-27(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2478.618	-34.65	-25	9.65	Pass	401
2490.5	2496	1	RMS	2496	-23.43	-13	10.43	Pass	7
2491	2495	1	RMS	2495	-36.68	-10	26.68	Pass	5
2495	2496	0.01	RMS	2495.98	-46.66	-10	36.66	Pass	401
2496	2521	0.1	RMS	2515.563	10.86	30	19.14	Pass	401




4.2. LTE-A Band Edge_Part22-24-27(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2474.269	-38.37	-25	13.37	Pass	401
2490.5	2496	1	RMS	2496	-23.51	-13	10.51	Pass	7
2491	2495	1	RMS	2495	-36.67	-10	26.67	Pass	5
2495	2496	0.01	RMS	2495.993	-46.79	-10	36.79	Pass	401
2496	2521	0.1	RMS	2519.875	11.19	30	18.81	Pass	401




4.3. LTE-A Band Edge_Part22-24-27(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2490.071	-35.64	-25	10.64	Pass	401
2490.5	2496	1	RMS	2495.986	-14.04	-13	1.04	Pass*	401
2491	2495	1	RMS	2495	-33.9	-10	23.9	Pass	5
2495	2496	0.51	RMS	2495.998	-33.31	-10	23.31	Pass	401
2496	2521	0.1	RMS	2517.688	4.59	30	25.41	Pass	401




4.4. LTE-A Band Edge_Part22-24-27(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2478.618	-33.59	-25	8.59	Pass	401
2490.5	2496	1	RMS	2496	-23.23	-13	10.23	Pass	7
2491	2495	1	RMS	2495	-36.09	-10	26.09	Pass	5
2495	2496	0.01	RMS	2495.995	-46	-10	36	Pass	401
2496	2521	0.1	RMS	2515.563	10.9	30	19.1	Pass	401




4.5. LTE-A Band Edge_Part22-24-27(Subtest:5, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2474.269	-37.6	-25	12.6	Pass	401
2490.5	2496	1	RMS	2496	-23.25	-13	10.25	Pass	7
2491	2495	1	RMS	2495	-36.12	-10	26.12	Pass	5
2495	2496	0.01	RMS	2495.993	-45.9	-10	35.9	Pass	401
2496	2521	0.1	RMS	2519.875	11.22	30	18.78	Pass	401




4.6. LTE-A Band Edge_Part22-24-27(Subtest:6, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2490.316	-37.65	-25	12.65	Pass	401
2490.5	2496	1	RMS	2496	-14.7	-13	1.7	Pass*	401
2491	2495	1	RMS	2495	-35.79	-10	25.79	Pass	5
2495	2496	0.51	RMS	2495.983	-34.02	-10	24.02	Pass	401
2496	2521	0.1	RMS	2518.875	3.87	30	26.13	Pass	401




4.7. LTE-A Band Edge_Part22-24-27(Subtest:7, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	14.36	30	15.64	Pass	401
2690	2691	0.01	RMS	2690.048	-50.26	-10	40.26	Pass	401
2691	2695	1	RMS	2694	-23.54	-10	13.54	Pass	5
2695	2715	1	RMS	2698.8	-33.99	-13	20.99	Pass	401
2715	2720	1	RMS	2718.363	-47.67	-25	22.67	Pass	401




4.8. LTE-A Band Edge_Part22-24-27(Subtest:8, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	10.82	30	19.18	Pass	401
2690	2691	0.01	RMS	2690	-54.62	-10	44.62	Pass	401
2691	2695	1	RMS	2691	-40.33	-10	30.33	Pass	5
2695	2715	1	RMS	2711.55	-33.03	-13	20.03	Pass	401
2715	2720	1	RMS	2718.575	-47.77	-25	22.77	Pass	401




4.9. LTE-A Band Edge_Part22-24-27(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2687.75	4.6	30	25.4	Pass	401
2690	2691	0.5	RMS	2690	-33.65	-10	23.65	Pass	3
2691	2695	1	RMS	2691	-32.36	-10	22.36	Pass	5
2695	2715	1	RMS	2697.7	-31.35	-13	18.35	Pass	401
2715	2720	1	RMS	2715	-34.33	-25	9.33	Pass	401



4.10. LTE-A Band Edge_Part22-24-27(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	14.23	30	15.77	Pass	401
2690	2691	0.01	RMS	2690.023	-53.29	-10	43.29	Pass	401
2691	2695	1	RMS	2694	-25.89	-10	15.89	Pass	5
2695	2715	1	RMS	2698.65	-34.42	-13	21.42	Pass	401
2715	2720	1	RMS	2718.538	-47.66	-25	22.66	Pass	401



4.11. LTE-A Band Edge_Part22-24-27(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	10.62	30	19.38	Pass	401
2690	2691	0.01	RMS	2690.015	-56.2	-10	46.2	Pass	401
2691	2695	1	RMS	2691	-41.67	-10	31.67	Pass	5
2695	2715	1	RMS	2711.5	-32	-13	19	Pass	401
2715	2720	1	RMS	2719.75	-47.76	-25	22.76	Pass	401

