


Band Edge


4.12. LTE-A Band Edge_Part22-24-27(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2687.25	3.34	30	26.66	Pass	401
2690	2691	0.5	RMS	2690	-35.81	-10	25.81	Pass	3
2691	2695	1	RMS	2691	-34.97	-10	24.97	Pass	5
2695	2715	1	RMS	2696.45	-35.24	-13	22.24	Pass	401
2715	2720	1	RMS	2715	-37.46	-25	12.46	Pass	401




4.13. LTE-A Band Edge_Part22-24-27(Subtest:1, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2477.169	-28.25	-25	3.25	Pass	401
2490.5	2496	1	RMS	2496	-21.5	-13	8.5	Pass	7
2491	2495	1	RMS	2495	-35.06	-10	25.06	Pass	5
2495	2496	0.01	RMS	2495.998	-44.24	-10	34.24	Pass	401
2496	2536	0.1	RMS	2516.9	14.68	30	15.32	Pass	401




4.14. LTE-A Band Edge_Part22-24-27(Subtest:2, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2490.5	-45.31	-25	20.31	Pass	401
2490.5	2496	1	RMS	2496	-24.96	-13	11.96	Pass	7
2491	2495	1	RMS	2495	-38.32	-10	28.32	Pass	5
2495	2496	0.01	RMS	2495.998	-47.71	-10	37.71	Pass	401
2496	2536	0.1	RMS	2534.7	11.12	30	18.88	Pass	401




4.15. LTE-A Band Edge_Part22-24-27(Subtest:3, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2484.773	-35.22	-25	10.22	Pass	401
2490.5	2496	1	RMS	2496	-30.7	-13	17.7	Pass	7
2491	2495	1	RMS	2495	-33.86	-10	23.86	Pass	5
2495	2496	0.82	RMS	2495.998	-21.43	-10	11.43	Pass	401
2496	2536	0.1	RMS	2534.2	-0.67	30	30.67	Pass	401




4.16. LTE-A Band Edge_Part22-24-27(Subtest:4, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2477.268	-28.21	-25	3.21	Pass	401
2490.5	2496	1	RMS	2496	-21.12	-13	8.12	Pass	7
2491	2495	1	RMS	2495	-35.82	-10	25.82	Pass	5
2495	2496	0.01	RMS	2495.998	-44.14	-10	34.14	Pass	401
2496	2536	0.1	RMS	2516.9	14.27	30	15.73	Pass	401




4.17. LTE-A Band Edge_Part22-24-27(Subtest:5, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2490.401	-45.73	-25	20.73	Pass	401
2490.5	2496	1	RMS	2496	-24.74	-13	11.74	Pass	7
2491	2495	1	RMS	2495	-39.17	-10	29.17	Pass	5
2495	2496	0.01	RMS	2495.998	-47.62	-10	37.62	Pass	401
2496	2536	0.1	RMS	2534.7	11.58	30	18.42	Pass	401




4.18. LTE-A Band Edge_Part22-24-27(Subtest:6, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2489.71	-36.83	-25	11.83	Pass	401
2490.5	2496	1	RMS	2496	-14.87	-13	1.87	Pass*	401
2491	2495	1	RMS	2495	-36.7	-10	26.7	Pass	5
2495	2496	0.82	RMS	2495.998	-22.23	-10	12.23	Pass	401
2496	2536	0.1	RMS	2532.7	-2.09	30	32.09	Pass	401




4.19. LTE-A Band Edge_Part22-24-27(Subtest:7, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	14.34	30	15.66	Pass	401
2690	2691	0.01	RMS	2690.005	-43.14	-10	33.14	Pass	401
2691	2695	1	RMS	2691	-33.75	-10	23.75	Pass	5
2695	2730	1	RMS	2708.65	-23.76	-13	10.76	Pass	401
2730	2735	1	RMS	2730	-47.3	-25	22.3	Pass	401




4.20. LTE-A Band Edge_Part22-24-27(Subtest:8, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	10.76	30	19.24	Pass	401
2690	2691	0.01	RMS	2690.005	-46.68	-10	36.68	Pass	401
2691	2695	1	RMS	2691	-35.42	-10	25.42	Pass	5
2695	2730	1	RMS	2726.413	-33.55	-13	20.55	Pass	401
2730	2735	1	RMS	2732.2	-47.69	-25	22.69	Pass	401




4.21. LTE-A Band Edge_Part22-24-27(Subtest:9, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2652.1	-1.35	30	31.35	Pass	401
2690	2691	0.82	RMS	2690	-21.05	-10	11.05	Pass	401
2691	2695	1	RMS	2691	-34.58	-10	24.58	Pass	5
2695	2730	1	RMS	2697.975	-33.45	-13	20.45	Pass	401
2730	2735	1	RMS	2730	-38.62	-25	13.62	Pass	401




4.22. LTE-A Band Edge_Part22-24-27(Subtest:10, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	14.86	30	15.14	Pass	401
2690	2691	0.01	RMS	2690.005	-42.4	-10	32.4	Pass	401
2691	2695	1	RMS	2691	-36.04	-10	26.04	Pass	5
2695	2730	1	RMS	2708.738	-23.34	-13	10.34	Pass	401
2730	2735	1	RMS	2730.013	-47.43	-25	22.43	Pass	401




4.23. LTE-A Band Edge_Part22-24-27(Subtest:11, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	11.33	30	18.67	Pass	401
2690	2691	0.01	RMS	2690.005	-46.55	-10	36.55	Pass	401
2691	2695	1	RMS	2691	-39.14	-10	29.14	Pass	5
2695	2730	1	RMS	2726.413	-31.7	-13	18.7	Pass	401
2730	2735	1	RMS	2731.925	-47.68	-25	22.68	Pass	401



4.24. LTE-A Band Edge_Part22-24-27(Subtest:12, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2653.1	-1.89	30	31.89	Pass	401
2690	2691	0.82	RMS	2690.003	-22.95	-10	12.95	Pass	401
2691	2695	1	RMS	2691	-36.38	-10	26.38	Pass	5
2695	2730	1	RMS	2696.313	-37.39	-13	24.39	Pass	401
2730	2735	1	RMS	2730.275	-41.94	-25	16.94	Pass	401



1. n7


1.13. Band Edge for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.459	-51.75	-25	26.75	Pass	401
2490.5	2496	1	RMS	2495.876	-43.81	-13	30.81	Pass	401
2496	2499	1	RMS	2499	-37.51	-10	27.51	Pass	4
2499	2500	0.051	RMS	2500	-22.73	-10	12.73	Pass	401
2500	2505	1	RMS	2500.338	18.47	30	11.53	Pass	401




1.14. Band Edge for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.486	-49.09	-25	24.09	Pass	401
2490.5	2496	1	RMS	2495.986	-35.35	-13	22.35	Pass	401
2496	2498.5	1	RMS	2497.438	-32.57	-10	22.57	Pass	401
2499	2500	0.1	RMS	2499.998	-33.01	-10	23.01	Pass	401
2500	2505	1	RMS	2501.225	12.4	30	17.6	Pass	401




1.15. Band Edge for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2569.638	18.71	30	11.29	Pass	401
2570	2571	0.051	RMS	2570	-26.49	-10	16.49	Pass	401
2571.5	2575	1	RMS	2571.5	-32.83	-10	22.83	Pass	401
2575	2576	1	RMS	2575.03	-46.68	-13	33.68	Pass	401
2576	2580	1	RMS	2576.02	-48.35	-25	23.35	Pass	401




1.16. Band Edge for SA_Part22-24-27(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2566.225	12.72	30	17.28	Pass	401
2570	2571	0.1	RMS	2570	-33.6	-10	23.6	Pass	401
2571	2575	1	RMS	2571	-19.09	-10	9.09	Pass	401
2575	2576	1	RMS	2575.013	-36.5	-13	23.5	Pass	401
2576	2580	1	RMS	2576.02	-38.57	-25	13.57	Pass	401




1.17. Band Edge for SA_Part22-24-27(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490.5	1	RMS	2490.5	-50.23	-25	25.23	Pass	401
2490.5	2496	1	RMS	2496	-42.27	-13	29.27	Pass	401
2496	2498.5	1	RMS	2498.5	-39.98	-10	29.98	Pass	401
2499	2500	0.051	RMS	2500	-32.77	-10	22.77	Pass	401
2500	2515	1	RMS	2500.45	18.58	30	11.42	Pass	401




1.18. Band Edge for SA_Part22-24-27(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490.5	1	RMS	2490.448	-39.43	-25	14.43	Pass	401
2490.5	2496	1	RMS	2495.78	-35.33	-13	22.33	Pass	401
2496	2499	1	RMS	2499	-28.32	-10	18.32	Pass	401
2499	2500	0.3	RMS	2500	-27.17	-10	17.17	Pass	401
2500	2515	1	RMS	2504.875	7.4	30	22.6	Pass	401




1.19. Band Edge for SA_Part22-24-27(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2569.475	18.8	30	11.2	Pass	401
2570	2571	0.051	RMS	2570	-36.43	-10	26.43	Pass	401
2571.5	2575	1	RMS	2572.165	-39.9	-10	29.9	Pass	401
2575	2585	1	RMS	2575.65	-43.93	-13	30.93	Pass	401
2585	2590	1	RMS	2585.9	-51.97	-25	26.97	Pass	401




1.20. Band Edge for SA_Part22-24-27(Subtest:4, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2562.725	7.7	30	22.3	Pass	401
2570	2571	0.3	RMS	2570	-29.08	-10	19.08	Pass	401
2571	2575	1	RMS	2571	-29.07	-10	19.07	Pass	401
2575	2585	1	RMS	2575.375	-37.1	-13	24.1	Pass	401
2585	2590	1	RMS	2585.05	-41.78	-25	16.78	Pass	401




1.21. Band Edge for SA_Part22-24-27(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490.5	1	RMS	2490.5	-48.77	-25	23.77	Pass	401
2490.5	2496	1	RMS	2495.986	-46.38	-13	33.38	Pass	401
2496	2498.5	1	RMS	2498.3	-36.27	-10	26.27	Pass	401
2499	2500	0.051	RMS	2499.995	-32.96	-10	22.96	Pass	401
2500	2520	1	RMS	2500.5	18.57	30	11.43	Pass	401




1.22. Band Edge for SA_Part22-24-27(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490.5	1	RMS	2490.5	-38.77	-25	13.77	Pass	401
2490.5	2496	1	RMS	2495.794	-36.44	-13	23.44	Pass	401
2496	2499	1	RMS	2499	-31.77	-10	21.77	Pass	401
2499	2500	0.39	RMS	2500	-23.53	-10	13.53	Pass	401
2500	2520	1	RMS	2509.25	6.21	30	23.79	Pass	401




1.23. Band Edge for SA_Part22-24-27(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	18.82	30	11.18	Pass	401
2570	2571	0.051	RMS	2570	-37.24	-10	27.24	Pass	401
2571.5	2575	1	RMS	2571.771	-39.73	-10	29.73	Pass	401
2575	2590	1	RMS	2578.75	-48.35	-13	35.35	Pass	401
2590	2595	1	RMS	2590.25	-52	-25	27	Pass	401



1.24. Band Edge for SA_Part22-24-27(Subtest:4, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2563.3	6.46	30	23.54	Pass	401
2570	2571	0.39	RMS	2570	-25.12	-10	15.12	Pass	401
2571	2575	1	RMS	2571	-32.48	-10	22.48	Pass	401
2575	2590	1	RMS	2580.025	-36.75	-13	23.75	Pass	401
2590	2595	1	RMS	2590.313	-42.4	-25	17.4	Pass	401



2. n5

2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.145	-47.53	-13	34.53	Pass	401
823	824	0.02	RMS	824	-27.1	-13	14.1	Pass	401
824	829	0.1	RMS	824.338	17.37	30	12.63	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	821.448	-40.5	-13	27.5	Pass	401
823	824	0.051	RMS	824	-36.1	-13	23.1	Pass	401
824	829	0.1	RMS	824.875	3.9	30	26.1	Pass	401



2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	17.33	30	12.67	Pass	401
849	850	0.02	RMS	849	-28.41	-13	15.41	Pass	401
850	859	0.1	RMS	850.765	-47.47	-13	34.47	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.863	4.25	30	25.75	Pass	401
849	850	0.051	RMS	849	-33.49	-13	20.49	Pass	401
850	859	0.1	RMS	850.968	-34.57	-13	21.57	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	818.25	-46.54	-13	33.54	Pass	401
823	824	0.02	RMS	823.998	-37.06	-13	24.06	Pass	401
824	839	0.1	RMS	824.45	17.43	30	12.57	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.62	-44.18	-13	31.18	Pass	401
823	824	0.15	RMS	824	-38.75	-13	25.75	Pass	401
824	839	0.1	RMS	838.438	-1.07	30	31.07	Pass	401




2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	17.39	30	12.61	Pass	401
849	850	0.02	RMS	849.003	-39.62	-13	26.62	Pass	401
850	869	0.1	RMS	854.75	-47.05	-13	34.05	Pass	401




2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	839.213	-0.94	30	30.94	Pass	401
849	850	0.15	RMS	849.005	-38.17	-13	25.17	Pass	401
850	869	0.1	RMS	850.095	-43.01	-13	30.01	Pass	401




2.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.52	-50.64	-13	37.64	Pass	401
823	824	0.02	RMS	824	-37.56	-13	24.56	Pass	401
824	844	0.1	RMS	824.55	17.46	30	12.54	Pass	401




2.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-44.28	-13	31.28	Pass	401
823	824	0.2	RMS	824	-38.75	-13	25.75	Pass	401
824	844	0.1	RMS	833.7	-2.29	30	32.29	Pass	401




2.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	17.39	30	12.61	Pass	401
849	850	0.02	RMS	849.035	-38.18	-13	25.18	Pass	401
850	874	0.1	RMS	850.96	-46.2	-13	33.2	Pass	401



2.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	838.2	-2.24	30	32.24	Pass	401
849	850	0.2	RMS	849	-37.97	-13	24.97	Pass	401
850	874	0.1	RMS	850	-43.27	-13	30.27	Pass	401



3. n66


3.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-30.25	-13	17.25	Pass	401
1709	1710	0.051	RMS	1710	-21.68	-13	8.68	Pass	401
1710	1715	1	RMS	1710.325	19.21	30	10.79	Pass	401




3.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1707.416	-30.4	-13	17.4	Pass	401
1709	1710	0.051	RMS	1710	-35.32	-13	22.32	Pass	401
1710	1715	1	RMS	1713.35	13.05	30	16.95	Pass	401




3.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.625	19.22	30	10.78	Pass	401
1780	1781	0.051	RMS	1780.003	-23.53	-13	10.53	Pass	401
1781.5	1790	1	RMS	1781.5	-32.72	-13	19.72	Pass	401




3.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.175	13.05	30	16.95	Pass	401
1780	1781	0.051	RMS	1780	-36.13	-13	23.13	Pass	401
1781.5	1790	1	RMS	1782.286	-30.4	-13	17.4	Pass	401




3.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1707.501	-39.67	-13	26.67	Pass	401
1709	1710	0.2	RMS	1710	-23.5	-13	10.5	Pass	401
1710	1730	1	RMS	1710.55	19.36	30	10.64	Pass	401




3.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.148	-37.41	-13	24.41	Pass	401
1709	1710	0.2	RMS	1709.998	-40.66	-13	27.66	Pass	401
1710	1730	1	RMS	1723.45	6.93	30	23.07	Pass	401




3.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	19.34	30	10.66	Pass	401
1780	1781	0.2	RMS	1780	-24.36	-13	11.36	Pass	401
1781.5	1805	1	RMS	1782.088	-37.97	-13	24.97	Pass	401




3.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1761.5	6.84	30	23.16	Pass	401
1780	1781	0.2	RMS	1780	-39.54	-13	26.54	Pass	401
1781.5	1805	1	RMS	1781.5	-35.34	-13	22.34	Pass	401




3.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.5	-41.62	-13	28.62	Pass	401
1709	1709.8	0.39	RMS	1709.798	-25.14	-13	12.14	Pass	401
1710	1750	1	RMS	1710.6	19.36	30	10.64	Pass	401




3.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-35.93	-13	22.93	Pass	401
1709	1710	0.39	RMS	1710	-34.09	-13	21.09	Pass	401
1710	1750	1	RMS	1748	4.2	30	25.8	Pass	401




3.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1779.3	19.4	30	10.6	Pass	401
1780.2	1781	0.39	RMS	1780.216	-25.88	-13	12.88	Pass	401
1781	1825	1	RMS	1781	-40.34	-13	27.34	Pass	45



3.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1742.9	4.05	30	25.95	Pass	401
1780	1781	0.39	RMS	1780	-34.16	-13	21.16	Pass	401
1781	1825	1	RMS	1781	-36.78	-13	23.78	Pass	401



4. n38_PC3


4.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2560	-50.08	-25	25.08	Pass	401
2560	2565	1	RMS	2564.85	-45.65	-13	32.65	Pass	401
2565	2569	1	RMS	2569	-27.02	-10	17.02	Pass	401
2569	2570	0.051	RMS	2570	-33.09	-10	23.09	Pass	401
2570	2580	1	RMS	2570.85	19.59	30	10.41	Pass	401




4.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2560	-38.67	-25	13.67	Pass	401
2560	2565	1	RMS	2564.963	-34.93	-13	21.93	Pass	401
2565	2569	1	RMS	2568.99	-31.35	-10	21.35	Pass	401
2569	2570	0.2	RMS	2569.993	-35.38	-10	25.38	Pass	401
2570	2580	1	RMS	2571.975	10.46	30	19.54	Pass	401




4.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2619.125	19.49	30	10.51	Pass	401
2620	2621	0.051	RMS	2620.003	-37.67	-10	27.67	Pass	401
2621	2625	1	RMS	2621	-29.08	-10	19.08	Pass	401
2625	2630	1	RMS	2625.138	-46.35	-13	33.35	Pass	401
2630	2635	1	RMS	2630	-50.45	-25	25.45	Pass	401




4.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2617.75	10.51	30	19.49	Pass	401
2620	2621	0.2	RMS	2620	-34.25	-10	24.25	Pass	401
2621	2625	1	RMS	2621	-30.02	-10	20.02	Pass	401
2625	2630	1	RMS	2625.1	-32.24	-13	19.24	Pass	401
2630	2635	1	RMS	2630.038	-35.57	-25	10.57	Pass	401




4.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:515500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2555	1	RMS	2554.888	-51.05	-25	26.05	Pass	401
2555	2565	1	RMS	2564.5	-43.97	-13	30.97	Pass	401
2565	2569	1	RMS	2569	-26.22	-10	16.22	Pass	401
2569	2570	0.051	RMS	2570	-33.26	-10	23.26	Pass	401
2570	2585	1	RMS	2570.788	19.48	30	10.52	Pass	401




4.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:515500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2555	1	RMS	2554.975	-40.59	-25	15.59	Pass	401
2555	2565	1	RMS	2564.725	-34.65	-13	21.65	Pass	401
2565	2569	1	RMS	2569	-32.07	-10	22.07	Pass	401
2569	2570	0.3	RMS	2569.998	-34.47	-10	24.47	Pass	401
2570	2585	1	RMS	2572.738	8.54	30	21.46	Pass	401




4.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:522500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	1	RMS	2619.138	19.48	30	10.52	Pass	401
2620	2621	0.051	RMS	2620.003	-36.2	-10	26.2	Pass	401
2621	2625	1	RMS	2621	-28.2	-10	18.2	Pass	401
2625	2635	1	RMS	2625.575	-43.65	-13	30.65	Pass	401
2635	2640	1	RMS	2635.338	-51.18	-25	26.18	Pass	401




4.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:522500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	1	RMS	2608.038	8.57	30	21.43	Pass	401
2620	2621	0.3	RMS	2620.005	-34.27	-10	24.27	Pass	401
2621	2625	1	RMS	2621	-32.54	-10	22.54	Pass	401
2625	2635	1	RMS	2628.9	-33.77	-13	20.77	Pass	401
2635	2640	1	RMS	2635.038	-35.78	-25	10.78	Pass	401




4.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-51.78	-25	26.78	Pass	401
2550	2565	1	RMS	2564.925	-45.97	-13	32.97	Pass	401
2565	2569	1	RMS	2569	-34.55	-10	24.55	Pass	401
2569	2570	0.051	RMS	2570	-39.83	-10	29.83	Pass	401
2570	2590	1	RMS	2570.95	19.44	30	10.56	Pass	401




4.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-38.76	-25	13.76	Pass	401
2550	2565	1	RMS	2563.988	-36.35	-13	23.35	Pass	401
2565	2569	1	RMS	2568.97	-31.72	-10	21.72	Pass	401
2569	2570	0.39	RMS	2570	-34.98	-10	24.98	Pass	401
2570	2590	1	RMS	2572.15	7.3	30	22.7	Pass	401




4.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2618.95	19.44	30	10.56	Pass	401
2620	2621	0.051	RMS	2620.003	-43.8	-10	33.8	Pass	401
2621	2625	1	RMS	2621	-36.22	-10	26.22	Pass	401
2625	2640	1	RMS	2627.925	-45.38	-13	32.38	Pass	401
2640	2645	1	RMS	2640.35	-51.71	-25	26.71	Pass	401



4.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2603.2	7.33	30	22.67	Pass	401
2620	2621	0.39	RMS	2620.048	-35.01	-10	25.01	Pass	401
2621	2625	1	RMS	2621.03	-32.48	-10	22.48	Pass	401
2625	2640	1	RMS	2633.1	-31.73	-13	18.73	Pass	401
2640	2645	1	RMS	2640	-34.54	-25	9.54	Pass	401



5. n12


5.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-27.94	-13	14.94	Pass	401
698.9	699	0.03	RMS	699	-24.85	-13	11.85	Pass	401
699	704	0.1	RMS	699.338	17.47	30	12.53	Pass	401




5.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-34.46	-13	21.46	Pass	401
698.9	699	0.03	RMS	698.997	-37.08	-13	24.08	Pass	401
699	704	0.1	RMS	699.9	3.94	30	26.06	Pass	401



5.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	17.4	30	12.6	Pass	401
716	716.1	0.03	RMS	716.002	-25.92	-13	12.92	Pass	401
716.1	726	0.1	RMS	716.1	-28.99	-13	15.99	Pass	401




5.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	711.863	4.26	30	25.74	Pass	401
716	716.1	0.03	RMS	716.006	-36.99	-13	23.99	Pass	401
716.1	726	0.1	RMS	716.1	-34.79	-13	21.79	Pass	401



5.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-34.85	-13	21.85	Pass	401
698.9	699	0.03	RMS	698.994	-30.41	-13	17.41	Pass	401
699	709	0.1	RMS	699.4	17.52	30	12.48	Pass	401



5.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.826	-40.01	-13	27.01	Pass	401
698.9	699	0.03	RMS	698.998	-43.76	-13	30.76	Pass	401
699	709	0.1	RMS	707.975	0.66	30	29.34	Pass	401

