


Band Edge


5.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.888	-41.39	-25	16.39	Pass	401
2560	2565	1	RMS	2562.85	-37.09	-13	24.09	Pass	401
2565	2569	1	RMS	2569	-29.03	-10	19.03	Pass	5
2569	2570	0.2	RMS	2569.998	-18.96	-10	8.96	Pass	401
2570	2580	0.1	RMS	2570.6	21.86	30	8.14	Pass	401




5.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-39.9	-25	14.9	Pass	401
2560	2565	1	RMS	2563.825	-34.48	-13	21.48	Pass	401
2565	2569	1	RMS	2569	-33.84	-10	23.84	Pass	5
2569	2570	0.2	RMS	2570	-33.3	-10	23.3	Pass	401
2570	2580	0.1	RMS	2574.25	4.58	30	25.42	Pass	401




5.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-42.4	-25	17.4	Pass	401
2560	2565	1	RMS	2562.738	-37.86	-13	24.86	Pass	401
2565	2569	1	RMS	2569	-31.12	-10	21.12	Pass	5
2569	2570	0.2	RMS	2569.998	-18.98	-10	8.98	Pass	401
2570	2580	0.1	RMS	2570.575	20.6	30	9.4	Pass	401




5.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-39.41	-25	14.41	Pass	401
2560	2565	1	RMS	2564.913	-34.53	-13	21.53	Pass	401
2565	2569	1	RMS	2565	-17.65	-10	7.65	Pass	5
2569	2570	0.2	RMS	2570	-33.71	-10	23.71	Pass	401
2570	2580	0.1	RMS	2573.8	3.56	30	26.44	Pass	401




5.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	22.15	30	7.85	Pass	401
2620	2621	0.1	RMS	2620.003	-24.12	-10	14.12	Pass	401
2621	2625	1	RMS	2621	-30.04	-10	20.04	Pass	5
2625	2630	1	RMS	2626.988	-37.4	-13	24.4	Pass	401
2630	2645	1	RMS	2630	-41.4	-25	16.4	Pass	401




5.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.85	4.65	30	25.35	Pass	401
2620	2621	0.2	RMS	2620.003	-31.96	-10	21.96	Pass	401
2621	2625	1	RMS	2622	-28.73	-10	18.73	Pass	5
2625	2630	1	RMS	2625	-32.71	-13	19.71	Pass	401
2630	2645	1	RMS	2630.038	-39.56	-25	14.56	Pass	401




5.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	21.21	30	8.79	Pass	401
2620	2621	0.2	RMS	2620	-19.94	-10	9.94	Pass	401
2621	2625	1	RMS	2621	-30.56	-10	20.56	Pass	5
2625	2630	1	RMS	2627.238	-38.17	-13	25.17	Pass	401
2630	2645	1	RMS	2630	-42.09	-25	17.09	Pass	401




5.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2615.375	3.32	30	26.68	Pass	401
2620	2621	0.2	RMS	2620.013	-32.42	-10	22.42	Pass	401
2621	2625	1	RMS	2621	-29.5	-10	19.5	Pass	5
2625	2630	1	RMS	2625.025	-34.21	-13	21.21	Pass	401
2630	2645	1	RMS	2630.113	-39.5	-25	14.5	Pass	401




5.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.975	-45.04	-25	20.04	Pass	401
2555	2565	1	RMS	2564.275	-31.77	-13	18.77	Pass	401
2565	2569	1	RMS	2569	-31.1	-10	21.1	Pass	5
2569	2570	0.3	RMS	2570	-21.11	-10	11.11	Pass	401
2570	2585	0.1	RMS	2570.863	21.83	30	8.17	Pass	401




5.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.725	-40.42	-25	15.42	Pass	401
2555	2565	1	RMS	2564.875	-35.66	-13	22.66	Pass	401
2565	2569	1	RMS	2568	-33.89	-10	23.89	Pass	5
2569	2570	0.3	RMS	2569.995	-34.91	-10	24.91	Pass	401
2570	2585	0.1	RMS	2577.313	2.5	30	27.5	Pass	401




5.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.925	-45.31	-25	20.31	Pass	401
2555	2565	1	RMS	2564.275	-33.77	-13	20.77	Pass	401
2565	2569	1	RMS	2569	-32.33	-10	22.33	Pass	5
2569	2570	0.3	RMS	2569.993	-21.69	-10	11.69	Pass	401
2570	2585	0.1	RMS	2570.863	20.26	30	9.74	Pass	401




5.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.95	-40.83	-25	15.83	Pass	401
2555	2565	1	RMS	2564.975	-34.3	-13	21.3	Pass	401
2565	2569	1	RMS	2568	-32.47	-10	22.47	Pass	5
2569	2570	0.3	RMS	2569.983	-35.36	-10	25.36	Pass	401
2570	2585	0.1	RMS	2583.238	1.39	30	28.61	Pass	401




5.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	21.77	30	8.23	Pass	401
2620	2621	0.3	RMS	2620	-21.66	-10	11.66	Pass	401
2621	2625	1	RMS	2621	-31.38	-10	21.38	Pass	5
2625	2635	1	RMS	2625.825	-32.6	-13	19.6	Pass	401
2635	2645	1	RMS	2635.075	-44.39	-25	19.39	Pass	401




5.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2611.975	2.37	30	27.63	Pass	401
2620	2621	0.3	RMS	2620.008	-31.77	-10	21.77	Pass	401
2621	2625	1	RMS	2621	-29.04	-10	19.04	Pass	5
2625	2635	1	RMS	2625.025	-31.08	-13	18.08	Pass	401
2635	2645	1	RMS	2635.15	-40.34	-25	15.34	Pass	401




5.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	21.07	30	8.93	Pass	401
2620	2621	0.3	RMS	2620.003	-21.97	-10	11.97	Pass	401
2621	2625	1	RMS	2621	-31.79	-10	21.79	Pass	5
2625	2635	1	RMS	2625.825	-33.48	-13	20.48	Pass	401
2635	2645	1	RMS	2635.075	-44.58	-25	19.58	Pass	401




5.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.363	1.48	30	28.52	Pass	401
2620	2621	0.3	RMS	2620	-32.48	-10	22.48	Pass	401
2621	2625	1	RMS	2621	-29.91	-10	19.91	Pass	5
2625	2635	1	RMS	2625	-32.04	-13	19.04	Pass	401
2635	2645	1	RMS	2635.1	-40.52	-25	15.52	Pass	401




5.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.875	-45.43	-25	20.43	Pass	401
2550	2565	1	RMS	2562	-33.48	-13	20.48	Pass	401
2565	2569	1	RMS	2569	-31.25	-10	21.25	Pass	5
2569	2570	0.51	RMS	2569.998	-19.97	-10	9.97	Pass	401
2570	2590	0.1	RMS	2571.05	21.53	30	8.47	Pass	401




5.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.1	-41.53	-25	16.53	Pass	401
2550	2565	1	RMS	2564.738	-34.48	-13	21.48	Pass	401
2565	2569	1	RMS	2569	-34.36	-10	24.36	Pass	5
2569	2570	0.51	RMS	2569.993	-33.51	-10	23.51	Pass	401
2570	2590	0.1	RMS	2584.95	1.75	30	28.25	Pass	401




5.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.9	-46	-25	21	Pass	401
2550	2565	1	RMS	2562.113	-35	-13	22	Pass	401
2565	2569	1	RMS	2569	-31.79	-10	21.79	Pass	5
2569	2570	0.51	RMS	2570	-19.22	-10	9.22	Pass	401
2570	2590	0.1	RMS	2571.05	20.72	30	9.28	Pass	401




5.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-41.84	-25	16.84	Pass	401
2550	2565	1	RMS	2564.888	-33.78	-13	20.78	Pass	401
2565	2569	1	RMS	2569	-32.87	-10	22.87	Pass	5
2569	2570	0.51	RMS	2569.998	-33.37	-10	23.37	Pass	401
2570	2590	0.1	RMS	2583.55	0.37	30	29.63	Pass	401




5.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	21.04	30	8.96	Pass	401
2620	2621	0.51	RMS	2620.003	-20.51	-10	10.51	Pass	401
2621	2625	1	RMS	2621	-33.6	-10	23.6	Pass	5
2625	2640	1	RMS	2627.888	-34.32	-13	21.32	Pass	401
2640	2645	1	RMS	2640.113	-46.05	-25	21.05	Pass	401




5.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.3	1.26	30	28.74	Pass	401
2620	2621	0.51	RMS	2620.005	-31.34	-10	21.34	Pass	401
2621	2625	1	RMS	2621	-30.78	-10	20.78	Pass	5
2625	2640	1	RMS	2625.075	-32.29	-13	19.29	Pass	401
2640	2645	1	RMS	2640.963	-41.38	-25	16.38	Pass	401



5.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	20.43	30	9.57	Pass	401
2620	2621	0.51	RMS	2620.003	-20.39	-10	10.39	Pass	401
2621	2625	1	RMS	2621	-33.14	-10	23.14	Pass	5
2625	2640	1	RMS	2627.85	-35.23	-13	22.23	Pass	401
2640	2645	1	RMS	2640.1	-46.06	-25	21.06	Pass	401



5.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2612.85	0.89	30	29.11	Pass	401
2620	2621	0.51	RMS	2620	-32.94	-10	22.94	Pass	401
2621	2625	1	RMS	2621	-32.28	-10	22.28	Pass	5
2625	2640	1	RMS	2625.038	-33.77	-13	20.77	Pass	401
2640	2645	1	RMS	2640	-41.36	-25	16.36	Pass	401



6. LTE_Band41 120M


6.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490	1	RMS	2487.435	-48.48	-25	23.48	Pass	401
2490	2491	1	RMS	2490.31	-48.5	-13	35.5	Pass	401
2491	2495	1	RMS	2493	-49.12	-10	39.12	Pass	5
2495	2496	0.1	RMS	2495.8	-58.64	-10	48.64	Pass	401
2496	2501	0.1	RMS	2496.838	-58.56	30	88.56	Pass	401




6.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490	1	RMS	2488.385	-48.49	-25	23.49	Pass	401
2490	2491	1	RMS	2490.363	-48.5	-13	35.5	Pass	401
2491	2495	1	RMS	2493	-49.15	-10	39.15	Pass	5
2495	2496	0.1	RMS	2495.42	-58.63	-10	48.63	Pass	401
2496	2501	0.1	RMS	2500.175	-58.52	30	88.52	Pass	401




6.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490	1	RMS	2479.835	-48.41	-25	23.41	Pass	401
2490	2491	1	RMS	2490.538	-48.52	-13	35.52	Pass	401
2491	2495	1	RMS	2494	-49.14	-10	39.14	Pass	5
2495	2496	0.1	RMS	2495.73	-58.68	-10	48.68	Pass	401
2496	2501	0.1	RMS	2496.338	-58.55	30	88.55	Pass	401




6.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490	1	RMS	2479.883	-48.23	-25	23.23	Pass	401
2490	2491	1	RMS	2490.938	-48.53	-13	35.53	Pass	401
2491	2495	1	RMS	2493	-49.16	-10	39.16	Pass	5
2495	2496	0.1	RMS	2495.003	-58.64	-10	48.64	Pass	401
2496	2501	0.1	RMS	2498.863	-58.6	30	88.6	Pass	401




6.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2685.088	-58.07	30	88.07	Pass	401
2690	2691	0.1	RMS	2690.1	-58.48	-10	48.48	Pass	11
2691	2695	1	RMS	2693	-48.72	-10	38.72	Pass	5
2695	2696	1	RMS	2695.765	-48.06	-13	35.06	Pass	401
2696	2715	1	RMS	2714.003	-47.88	-25	22.88	Pass	401




6.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.075	-58.16	30	88.16	Pass	401
2690	2691	0.1	RMS	2690.385	-58.31	-10	48.31	Pass	401
2691	2695	1	RMS	2693	-48.81	-10	38.81	Pass	5
2695	2696	1	RMS	2696	-48.77	-13	35.77	Pass	2
2696	2715	1	RMS	2715	-48.52	-25	23.52	Pass	20




6.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.35	-58.11	30	88.11	Pass	401
2690	2691	0.1	RMS	2690.8	-58.58	-10	48.58	Pass	11
2691	2695	1	RMS	2693	-48.75	-10	38.75	Pass	5
2695	2696	1	RMS	2695.925	-48.06	-13	35.06	Pass	401
2696	2715	1	RMS	2714.145	-47.89	-25	22.89	Pass	401




6.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2685.35	-58.16	30	88.16	Pass	401
2690	2691	0.1	RMS	2690.05	-58.28	-10	48.28	Pass	401
2691	2695	1	RMS	2693	-48.8	-10	38.8	Pass	5
2695	2696	1	RMS	2696	-48.79	-13	35.79	Pass	2
2696	2715	1	RMS	2712	-48.52	-25	23.52	Pass	20




6.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2486	1	RMS	2480.075	-48.37	-25	23.37	Pass	401
2486	2491	1	RMS	2490.063	-48.46	-13	35.46	Pass	401
2491	2495	1	RMS	2495	-49.17	-10	39.17	Pass	5
2495	2496	0.2	RMS	2495.118	-55.7	-10	45.7	Pass	401
2496	2506	0.1	RMS	2503.7	-58.48	30	88.48	Pass	401




6.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2486	1	RMS	2480.113	-48.44	-25	23.44	Pass	401
2486	2491	1	RMS	2486.825	-48.47	-13	35.47	Pass	401
2491	2495	1	RMS	2492	-49.15	-10	39.15	Pass	5
2495	2496	0.2	RMS	2495.665	-55.68	-10	45.68	Pass	401
2496	2506	0.1	RMS	2501.275	-58.54	30	88.54	Pass	401




6.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2486	1	RMS	2480.075	-48.38	-25	23.38	Pass	401
2486	2491	1	RMS	2490.213	-48.45	-13	35.45	Pass	401
2491	2495	1	RMS	2495	-49.15	-10	39.15	Pass	5
2495	2496	0.2	RMS	2495.368	-55.71	-10	45.71	Pass	401
2496	2506	0.1	RMS	2501.2	-58.57	30	88.57	Pass	401




6.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2486	1	RMS	2479.738	-48.46	-25	23.46	Pass	401
2486	2491	1	RMS	2490.85	-48.48	-13	35.48	Pass	401
2491	2495	1	RMS	2492	-49.13	-10	39.13	Pass	5
2495	2496	0.2	RMS	2495.523	-55.71	-10	45.71	Pass	401
2496	2506	0.1	RMS	2502.45	-58.57	30	88.57	Pass	401




6.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2681.05	-58.29	30	88.29	Pass	401
2690	2691	0.2	RMS	2690.938	-55.33	-10	45.33	Pass	401
2691	2695	1	RMS	2693	-48.74	-10	38.74	Pass	5
2695	2700	1	RMS	2699.588	-48.11	-13	35.11	Pass	401
2700	2715	1	RMS	2714.925	-47.89	-25	22.89	Pass	401




6.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2680	-58.13	30	88.13	Pass	401
2690	2691	0.2	RMS	2690.688	-55.28	-10	45.28	Pass	401
2691	2695	1	RMS	2693	-48.7	-10	38.7	Pass	5
2695	2700	1	RMS	2698.925	-48.06	-13	35.06	Pass	401
2700	2715	1	RMS	2714.288	-47.89	-25	22.89	Pass	401




6.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.5	-58.37	30	88.37	Pass	401
2690	2691	0.2	RMS	2690.975	-55.36	-10	45.36	Pass	401
2691	2695	1	RMS	2691	-36.21	-10	26.21	Pass	5
2695	2700	1	RMS	2699.45	-48.12	-13	35.12	Pass	401
2700	2715	1	RMS	2714.175	-47.91	-25	22.91	Pass	401




6.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2680.625	-58.24	30	88.24	Pass	401
2690	2691	0.2	RMS	2690.123	-55.28	-10	45.28	Pass	401
2691	2695	1	RMS	2693	-48.76	-10	38.76	Pass	5
2695	2700	1	RMS	2699.6	-48.08	-13	35.08	Pass	401
2700	2715	1	RMS	2714.925	-47.88	-25	22.88	Pass	401




6.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2481	1	RMS	2479.7	-48.51	-25	23.51	Pass	401
2481	2491	1	RMS	2489.225	-48.46	-13	35.46	Pass	401
2491	2495	1	RMS	2493	-49.14	-10	39.14	Pass	5
2495	2496	0.3	RMS	2495.92	-53.98	-10	43.98	Pass	401
2496	2511	0.1	RMS	2502.825	-58.55	30	88.55	Pass	401




6.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2481	1	RMS	2480.225	-48.51	-25	23.51	Pass	401
2481	2491	1	RMS	2489.475	-48.47	-13	35.47	Pass	401
2491	2495	1	RMS	2494	-49.11	-10	39.11	Pass	5
2495	2496	0.3	RMS	2495.388	-53.97	-10	43.97	Pass	401
2496	2511	0.1	RMS	2510.588	-58.58	30	88.58	Pass	401




6.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2481	1	RMS	2479.875	-48.54	-25	23.54	Pass	401
2481	2491	1	RMS	2491	-48.46	-13	35.46	Pass	401
2491	2495	1	RMS	2493	-49.14	-10	39.14	Pass	5
2495	2496	0.3	RMS	2495.038	-54	-10	44	Pass	401
2496	2511	0.1	RMS	2501.963	-58.54	30	88.54	Pass	401




6.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2481	1	RMS	2480.425	-48.53	-25	23.53	Pass	401
2481	2491	1	RMS	2489.6	-48.47	-13	35.47	Pass	401
2491	2495	1	RMS	2492	-49.15	-10	39.15	Pass	5
2495	2496	0.3	RMS	2495.678	-54	-10	44	Pass	401
2496	2511	0.1	RMS	2498.175	-58.55	30	88.55	Pass	401




6.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.85	-54.35	30	84.35	Pass	401
2690	2691	0.3	RMS	2690.935	-53.6	-10	43.6	Pass	401
2691	2695	1	RMS	2695	-48.76	-10	38.76	Pass	5
2695	2705	1	RMS	2703.525	-48.04	-13	35.04	Pass	401
2705	2715	1	RMS	2714.75	-47.87	-25	22.87	Pass	401




6.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2675.9	-51.8	30	81.8	Pass	401
2690	2691	0.3	RMS	2690.155	-53.11	-10	43.11	Pass	401
2691	2695	1	RMS	2692	-48.52	-10	38.52	Pass	5
2695	2705	1	RMS	2701.9	-47.93	-13	34.93	Pass	401
2705	2715	1	RMS	2714.75	-47.86	-25	22.86	Pass	401




6.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2677.213	-55.01	30	85.01	Pass	401
2690	2691	0.3	RMS	2690.045	-53.62	-10	43.62	Pass	401
2691	2695	1	RMS	2694	-48.76	-10	38.76	Pass	5
2695	2705	1	RMS	2704.225	-48.02	-13	35.02	Pass	401
2705	2715	1	RMS	2714.85	-47.9	-25	22.9	Pass	401




6.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2675.038	-53.73	30	83.73	Pass	401
2690	2691	0.3	RMS	2690.285	-53.35	-10	43.35	Pass	401
2691	2695	1	RMS	2695	-48.6	-10	38.6	Pass	5
2695	2705	1	RMS	2703.725	-48	-13	35	Pass	401
2705	2715	1	RMS	2714.5	-47.85	-25	22.85	Pass	401




6.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2476	1	RMS	2474.075	-48.59	-25	23.59	Pass	401
2476	2491	1	RMS	2487.138	-48.46	-13	35.46	Pass	401
2491	2495	1	RMS	2495	-49.17	-10	39.17	Pass	5
2495	2496	0.51	RMS	2495.918	-51.64	-10	41.64	Pass	401
2496	2516	0.1	RMS	2514.85	-57.97	30	87.97	Pass	401




6.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2476	1	RMS	2475.863	-48.58	-25	23.58	Pass	401
2476	2491	1	RMS	2487.963	-48.45	-13	35.45	Pass	401
2491	2495	1	RMS	2494	-49.15	-10	39.15	Pass	5
2495	2496	0.51	RMS	2495.173	-51.64	-10	41.64	Pass	401
2496	2516	0.1	RMS	2515.9	-56.42	30	86.42	Pass	401




6.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2476	1	RMS	2475.988	-48.58	-25	23.58	Pass	401
2476	2491	1	RMS	2490.138	-48.47	-13	35.47	Pass	401
2491	2495	1	RMS	2495	-49.09	-10	39.09	Pass	5
2495	2496	0.51	RMS	2495.503	-51.61	-10	41.61	Pass	401
2496	2516	0.1	RMS	2514.8	-58.13	30	88.13	Pass	401




6.28. LTE Band Edge_Part22-24-27(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2510	2529	1	RMS	2528.953	-39.44	-25	14.44	Pass	401
2529	2530	1	RMS	2530	-36.46	-13	23.46	Pass	401
2530	2534	1	RMS	2534	-29.64	-10	19.64	Pass	5
2534	2535	0.1	RMS	2534.998	-15.37	-10	5.37	Pass*	401
2535	2540	0.1	RMS	2535.338	21.57	30	8.43	Pass	401




6.29. LTE Band Edge_Part22-24-27(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2510	2529	1	RMS	2529	-34.77	-25	9.77	Pass	401
2529	2530	1	RMS	2529.985	-33.33	-13	20.33	Pass	401
2530	2534	1	RMS	2534	-28.22	-10	18.22	Pass	5
2534	2535	0.1	RMS	2534.998	-28.83	-10	18.83	Pass	401
2535	2540	0.1	RMS	2536.688	7.3	30	22.7	Pass	401




6.30. LTE Band Edge_Part22-24-27(Subtest:3, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2510	2529	1	RMS	2528.668	-40.09	-25	15.09	Pass	401
2529	2530	1	RMS	2529.973	-36.73	-13	23.73	Pass	401
2530	2534	1	RMS	2534	-30.23	-10	20.23	Pass	5
2534	2535	0.1	RMS	2535	-16.78	-10	6.78	Pass	401
2535	2540	0.1	RMS	2535.338	20.67	30	9.33	Pass	401




6.31. LTE Band Edge_Part22-24-27(Subtest:4, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2510	2529	1	RMS	2529	-35.94	-25	10.94	Pass	401
2529	2530	1	RMS	2529.96	-33.71	-13	20.71	Pass	401
2530	2534	1	RMS	2534	-28.3	-10	18.3	Pass	5
2534	2535	0.1	RMS	2534.995	-30.51	-10	20.51	Pass	401
2535	2540	0.1	RMS	2538.313	6.13	30	23.87	Pass	401




6.32. LTE Band Edge_Part22-24-27(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.675	21.55	30	8.45	Pass	401
2655	2656	0.1	RMS	2655.003	-15.76	-10	5.76	Pass*	401
2656	2660	1	RMS	2656	-28.92	-10	18.92	Pass	5
2660	2661	1	RMS	2660.023	-35.56	-13	22.56	Pass	401
2661	2680	1	RMS	2661	-38.59	-25	13.59	Pass	401




6.33. LTE Band Edge_Part22-24-27(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2652.538	7.78	30	22.22	Pass	401
2655	2656	0.1	RMS	2655.003	-29.87	-10	19.87	Pass	401
2656	2660	1	RMS	2656	-27.99	-10	17.99	Pass	5
2660	2661	1	RMS	2660	-36.14	-13	23.14	Pass	2
2661	2680	1	RMS	2661	-37.55	-25	12.55	Pass	20




6.34. LTE Band Edge_Part22-24-27(Subtest:7, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.663	20.88	30	9.12	Pass	401
2655	2656	0.1	RMS	2655	-17.31	-10	7.31	Pass	11
2656	2660	1	RMS	2656	-28.77	-10	18.77	Pass	5
2660	2661	1	RMS	2660.033	-33.94	-13	20.94	Pass	401
2661	2680	1	RMS	2661.143	-37.02	-25	12.02	Pass	401




6.35. LTE Band Edge_Part22-24-27(Subtest:8, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2653.988	6.4	30	23.6	Pass	401
2655	2656	0.1	RMS	2655.003	-30.91	-10	20.91	Pass	401
2656	2660	1	RMS	2656	-28.02	-10	18.02	Pass	5
2660	2661	1	RMS	2660	-36.76	-13	23.76	Pass	2
2661	2680	1	RMS	2661	-38.75	-25	13.75	Pass	20




6.36. LTE Band Edge_Part22-24-27(Subtest:9, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2510	2525	1	RMS	2525	-43.04	-25	18.04	Pass	401
2525	2530	1	RMS	2529.938	-37.68	-13	24.68	Pass	401
2530	2534	1	RMS	2534	-29.24	-10	19.24	Pass	5
2534	2535	0.2	RMS	2535	-19.66	-10	9.66	Pass	401
2535	2545	0.1	RMS	2535.6	21.91	30	8.09	Pass	401




6.37. LTE Band Edge_Part22-24-27(Subtest:10, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2510	2525	1	RMS	2525	-39.52	-25	14.52	Pass	401
2525	2530	1	RMS	2528.813	-32.58	-13	19.58	Pass	401
2530	2534	1	RMS	2534	-31.89	-10	21.89	Pass	5
2534	2535	0.2	RMS	2534.993	-34.08	-10	24.08	Pass	401
2535	2545	0.1	RMS	2539.25	3.9	30	26.1	Pass	401




6.38. LTE Band Edge_Part22-24-27(Subtest:11, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2510	2525	1	RMS	2524.925	-43.96	-25	18.96	Pass	401
2525	2530	1	RMS	2529.813	-38.99	-13	25.99	Pass	401
2530	2534	1	RMS	2534	-30.82	-10	20.82	Pass	5
2534	2535	0.2	RMS	2534.998	-19.53	-10	9.53	Pass	401
2535	2545	0.1	RMS	2535.6	20.54	30	9.46	Pass	401




6.39. LTE Band Edge_Part22-24-27(Subtest:12, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2510	2525	1	RMS	2525	-38.89	-25	13.89	Pass	401
2525	2530	1	RMS	2530	-33.98	-13	20.98	Pass	401
2530	2534	1	RMS	2534	-30.94	-10	20.94	Pass	5
2534	2535	0.2	RMS	2534.998	-34.66	-10	24.66	Pass	401
2535	2545	0.1	RMS	2542	3.16	30	26.84	Pass	401



6.40. LTE Band Edge_Part22-24-27(Subtest:13, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.4	22.11	30	7.89	Pass	401
2655	2656	0.2	RMS	2655.003	-19.11	-10	9.11	Pass	401
2656	2660	1	RMS	2656	-30.2	-10	20.2	Pass	5
2660	2665	1	RMS	2661.975	-37.79	-13	24.79	Pass	401
2665	2680	1	RMS	2665	-42.26	-25	17.26	Pass	401



6.41. LTE Band Edge_Part22-24-27(Subtest:14, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2655	0.1	RMS	2648.825	4.64	30	25.36	Pass	401
2655	2656	0.2	RMS	2655.003	-32.36	-10	22.36	Pass	401
2656	2660	1	RMS	2656	-29.18	-10	19.18	Pass	5
2660	2665	1	RMS	2660.025	-32.91	-13	19.91	Pass	401
2665	2680	1	RMS	2665	-39.51	-25	14.51	Pass	401

