

TABLE OF CONTENTS

1 Conducted output power 2

2 Frequency stability 6

3 Peak-to-Average Ratio 7

4 Occupied bandwidth 12

5 Band edge 25

6 Out-of-band emissions 34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
Band38	5	37775	1	#0	QPSK	22.69	-0.15	22.54	33.01	PASS
Band38	5	37775	1	#Mid	QPSK	22.7	-0.15	22.55	33.01	PASS
Band38	5	37775	1	#Max	QPSK	22.66	-0.15	22.51	33.01	PASS
Band38	5	37775	12	#0	QPSK	21.66	-0.15	21.51	33.01	PASS
Band38	5	37775	12	#Mid	QPSK	21.67	-0.15	21.52	33.01	PASS
Band38	5	37775	12	#Max	QPSK	21.66	-0.15	21.51	33.01	PASS
Band38	5	37775	25	#0	QPSK	21.67	-0.15	21.52	33.01	PASS
Band38	5	37775	1	#0	QAM16	22.03	-0.15	21.88	33.01	PASS
Band38	5	37775	1	#Mid	QAM16	21.96	-0.15	21.81	33.01	PASS
Band38	5	37775	1	#Max	QAM16	22.02	-0.15	21.87	33.01	PASS
Band38	5	37775	12	#0	QAM16	20.65	-0.15	20.50	33.01	PASS
Band38	5	37775	12	#Mid	QAM16	20.65	-0.15	20.50	33.01	PASS
Band38	5	37775	12	#Max	QAM16	20.67	-0.15	20.52	33.01	PASS
Band38	5	37775	25	#0	QAM16	20.73	-0.15	20.58	33.01	PASS
Band38	5	38000	1	#0	QPSK	22.71	-0.15	22.56	33.01	PASS
Band38	5	38000	1	#Mid	QPSK	22.67	-0.15	22.52	33.01	PASS
Band38	5	38000	1	#Max	QPSK	22.63	-0.15	22.48	33.01	PASS
Band38	5	38000	12	#0	QPSK	21.67	-0.15	21.52	33.01	PASS
Band38	5	38000	12	#Mid	QPSK	21.67	-0.15	21.52	33.01	PASS
Band38	5	38000	12	#Max	QPSK	21.63	-0.15	21.48	33.01	PASS
Band38	5	38000	25	#0	QPSK	21.7	-0.15	21.55	33.01	PASS
Band38	5	38000	1	#0	QAM16	22.04	-0.15	21.89	33.01	PASS
Band38	5	38000	1	#Mid	QAM16	22	-0.15	21.85	33.01	PASS
Band38	5	38000	1	#Max	QAM16	22.01	-0.15	21.86	33.01	PASS
Band38	5	38000	12	#0	QAM16	20.71	-0.15	20.56	33.01	PASS
Band38	5	38000	12	#Mid	QAM16	20.7	-0.15	20.55	33.01	PASS
Band38	5	38000	12	#Max	QAM16	20.68	-0.15	20.53	33.01	PASS
Band38	5	38000	25	#0	QAM16	20.71	-0.15	20.56	33.01	PASS
Band38	5	38225	1	#0	QPSK	22.71	-0.15	22.56	33.01	PASS
Band38	5	38225	1	#Mid	QPSK	22.66	-0.15	22.51	33.01	PASS
Band38	5	38225	1	#Max	QPSK	22.72	-0.15	22.57	33.01	PASS
Band38	5	38225	12	#0	QPSK	21.6	-0.15	21.45	33.01	PASS
Band38	5	38225	12	#Mid	QPSK	21.58	-0.15	21.43	33.01	PASS
Band38	5	38225	12	#Max	QPSK	21.55	-0.15	21.40	33.01	PASS
Band38	5	38225	25	#0	QPSK	21.61	-0.15	21.46	33.01	PASS
Band38	5	38225	1	#0	QAM16	22.18	-0.15	22.03	33.01	PASS
Band38	5	38225	1	#Mid	QAM16	22.14	-0.15	21.99	33.01	PASS

Band38	5	38225	1	#Max	QAM16	22.17	-0.15	22.02	33.01	PASS
Band38	5	38225	12	#0	QAM16	20.61	-0.15	20.46	33.01	PASS
Band38	5	38225	12	#Mid	QAM16	20.59	-0.15	20.44	33.01	PASS
Band38	5	38225	12	#Max	QAM16	20.57	-0.15	20.42	33.01	PASS
Band38	5	38225	25	#0	QAM16	20.53	-0.15	20.38	33.01	PASS
Band38	10	37800	1	#0	QPSK	22.71	-0.15	22.56	33.01	PASS
Band38	10	37800	1	#Mid	QPSK	22.69	-0.15	22.54	33.01	PASS
Band38	10	37800	1	#Max	QPSK	22.68	-0.15	22.53	33.01	PASS
Band38	10	37800	25	#0	QPSK	21.72	-0.15	21.57	33.01	PASS
Band38	10	37800	25	#Mid	QPSK	21.69	-0.15	21.54	33.01	PASS
Band38	10	37800	25	#Max	QPSK	21.71	-0.15	21.56	33.01	PASS
Band38	10	37800	50	#0	QPSK	21.74	-0.15	21.59	33.01	PASS
Band38	10	37800	1	#0	QAM16	22.26	-0.15	22.11	33.01	PASS
Band38	10	37800	1	#Mid	QAM16	22.09	-0.15	21.94	33.01	PASS
Band38	10	37800	1	#Max	QAM16	22.21	-0.15	22.06	33.01	PASS
Band38	10	37800	25	#0	QAM16	20.73	-0.15	20.58	33.01	PASS
Band38	10	37800	25	#Mid	QAM16	20.7	-0.15	20.55	33.01	PASS
Band38	10	37800	25	#Max	QAM16	20.7	-0.15	20.55	33.01	PASS
Band38	10	37800	50	#0	QAM16	20.72	-0.15	20.57	33.01	PASS
Band38	10	38000	1	#0	QPSK	22.74	-0.15	22.59	33.01	PASS
Band38	10	38000	1	#Mid	QPSK	22.62	-0.15	22.47	33.01	PASS
Band38	10	38000	1	#Max	QPSK	22.69	-0.15	22.54	33.01	PASS
Band38	10	38000	25	#0	QPSK	21.68	-0.15	21.53	33.01	PASS
Band38	10	38000	25	#Mid	QPSK	21.65	-0.15	21.50	33.01	PASS
Band38	10	38000	25	#Max	QPSK	21.66	-0.15	21.51	33.01	PASS
Band38	10	38000	50	#0	QPSK	21.69	-0.15	21.54	33.01	PASS
Band38	10	38000	1	#0	QAM16	21.8	-0.15	21.65	33.01	PASS
Band38	10	38000	1	#Mid	QAM16	21.86	-0.15	21.71	33.01	PASS
Band38	10	38000	1	#Max	QAM16	21.86	-0.15	21.71	33.01	PASS
Band38	10	38000	25	#0	QAM16	20.66	-0.15	20.51	33.01	PASS
Band38	10	38000	25	#Mid	QAM16	20.67	-0.15	20.52	33.01	PASS
Band38	10	38000	25	#Max	QAM16	20.66	-0.15	20.51	33.01	PASS
Band38	10	38000	50	#0	QAM16	20.74	-0.15	20.59	33.01	PASS
Band38	10	38200	1	#0	QPSK	22.59	-0.15	22.44	33.01	PASS
Band38	10	38200	1	#Mid	QPSK	22.57	-0.15	22.42	33.01	PASS
Band38	10	38200	1	#Max	QPSK	22.57	-0.15	22.42	33.01	PASS
Band38	10	38200	25	#0	QPSK	21.56	-0.15	21.41	33.01	PASS
Band38	10	38200	25	#Mid	QPSK	21.57	-0.15	21.42	33.01	PASS
Band38	10	38200	25	#Max	QPSK	21.58	-0.15	21.43	33.01	PASS
Band38	10	38200	50	#0	QPSK	21.57	-0.15	21.42	33.01	PASS
Band38	10	38200	1	#0	QAM16	21.67	-0.15	21.52	33.01	PASS
Band38	10	38200	1	#Mid	QAM16	21.6	-0.15	21.45	33.01	PASS
Band38	10	38200	1	#Max	QAM16	21.6	-0.15	21.45	33.01	PASS
Band38	10	38200	25	#0	QAM16	20.58	-0.15	20.43	33.01	PASS

Band38	10	38200	25	#Mid	QAM16	20.54	-0.15	20.39	33.01	PASS
Band38	10	38200	25	#Max	QAM16	20.56	-0.15	20.41	33.01	PASS
Band38	10	38200	50	#0	QAM16	20.55	-0.15	20.40	33.01	PASS
Band38	15	37825	1	#0	QPSK	22.72	-0.15	22.57	33.01	PASS
Band38	15	37825	1	#Mid	QPSK	22.78	-0.15	22.63	33.01	PASS
Band38	15	37825	1	#Max	QPSK	22.75	-0.15	22.60	33.01	PASS
Band38	15	37825	36	#0	QPSK	21.64	-0.15	21.49	33.01	PASS
Band38	15	37825	36	#Mid	QPSK	21.63	-0.15	21.48	33.01	PASS
Band38	15	37825	36	#Max	QPSK	21.6	-0.15	21.45	33.01	PASS
Band38	15	37825	75	#0	QPSK	21.66	-0.15	21.51	33.01	PASS
Band38	15	37825	1	#0	QAM16	21.89	-0.15	21.74	33.01	PASS
Band38	15	37825	1	#Mid	QAM16	21.88	-0.15	21.73	33.01	PASS
Band38	15	37825	1	#Max	QAM16	21.81	-0.15	21.66	33.01	PASS
Band38	15	37825	36	#0	QAM16	20.66	-0.15	20.51	33.01	PASS
Band38	15	37825	36	#Mid	QAM16	20.63	-0.15	20.48	33.01	PASS
Band38	15	37825	36	#Max	QAM16	20.6	-0.15	20.45	33.01	PASS
Band38	15	37825	75	#0	QAM16	20.67	-0.15	20.52	33.01	PASS
Band38	15	38000	1	#0	QPSK	22.59	-0.15	22.44	33.01	PASS
Band38	15	38000	1	#Mid	QPSK	22.68	-0.15	22.53	33.01	PASS
Band38	15	38000	1	#Max	QPSK	22.59	-0.15	22.44	33.01	PASS
Band38	15	38000	36	#0	QPSK	21.63	-0.15	21.48	33.01	PASS
Band38	15	38000	36	#Mid	QPSK	21.63	-0.15	21.48	33.01	PASS
Band38	15	38000	36	#Max	QPSK	21.61	-0.15	21.46	33.01	PASS
Band38	15	38000	75	#0	QPSK	21.63	-0.15	21.48	33.01	PASS
Band38	15	38000	1	#0	QAM16	22.11	-0.15	21.96	33.01	PASS
Band38	15	38000	1	#Mid	QAM16	22.2	-0.15	22.05	33.01	PASS
Band38	15	38000	1	#Max	QAM16	22.11	-0.15	21.96	33.01	PASS
Band38	15	38000	36	#0	QAM16	20.69	-0.15	20.54	33.01	PASS
Band38	15	38000	36	#Mid	QAM16	20.67	-0.15	20.52	33.01	PASS
Band38	15	38000	36	#Max	QAM16	20.65	-0.15	20.50	33.01	PASS
Band38	15	38000	75	#0	QAM16	20.62	-0.15	20.47	33.01	PASS
Band38	15	38175	1	#0	QPSK	22.62	-0.15	22.47	33.01	PASS
Band38	15	38175	1	#Mid	QPSK	22.54	-0.15	22.39	33.01	PASS
Band38	15	38175	1	#Max	QPSK	22.51	-0.15	22.36	33.01	PASS
Band38	15	38175	36	#0	QPSK	21.53	-0.15	21.38	33.01	PASS
Band38	15	38175	36	#Mid	QPSK	21.5	-0.15	21.35	33.01	PASS
Band38	15	38175	36	#Max	QPSK	21.5	-0.15	21.35	33.01	PASS
Band38	15	38175	75	#0	QPSK	21.53	-0.15	21.38	33.01	PASS
Band38	15	38175	1	#0	QAM16	21.74	-0.15	21.59	33.01	PASS
Band38	15	38175	1	#Mid	QAM16	21.7	-0.15	21.55	33.01	PASS
Band38	15	38175	1	#Max	QAM16	21.68	-0.15	21.53	33.01	PASS
Band38	15	38175	36	#0	QAM16	20.59	-0.15	20.44	33.01	PASS
Band38	15	38175	36	#Mid	QAM16	20.57	-0.15	20.42	33.01	PASS
Band38	15	38175	36	#Max	QAM16	20.58	-0.15	20.43	33.01	PASS

Band38	15	38175	75	#0	QAM16	20.47	-0.15	20.32	33.01	PASS
Band38	20	37850	1	#0	QPSK	22.62	-0.15	22.47	33.01	PASS
Band38	20	37850	1	#Mid	QPSK	22.66	-0.15	22.51	33.01	PASS
Band38	20	37850	1	#Max	QPSK	22.61	-0.15	22.46	33.01	PASS
Band38	20	37850	50	#0	QPSK	21.7	-0.15	21.55	33.01	PASS
Band38	20	37850	50	#Mid	QPSK	21.66	-0.15	21.51	33.01	PASS
Band38	20	37850	50	#Max	QPSK	21.64	-0.15	21.49	33.01	PASS
Band38	20	37850	100	#0	QPSK	21.66	-0.15	21.51	33.01	PASS
Band38	20	37850	1	#0	QAM16	21.97	-0.15	21.82	33.01	PASS
Band38	20	37850	1	#Mid	QAM16	21.92	-0.15	21.77	33.01	PASS
Band38	20	37850	1	#Max	QAM16	21.99	-0.15	21.84	33.01	PASS
Band38	20	37850	50	#0	QAM16	20.76	-0.15	20.61	33.01	PASS
Band38	20	37850	50	#Mid	QAM16	20.72	-0.15	20.57	33.01	PASS
Band38	20	37850	50	#Max	QAM16	20.7	-0.15	20.55	33.01	PASS
Band38	20	37850	100	#0	QAM16	20.67	-0.15	20.52	33.01	PASS
Band38	20	38000	1	#0	QPSK	22.63	-0.15	22.48	33.01	PASS
Band38	20	38000	1	#Mid	QPSK	22.69	-0.15	22.54	33.01	PASS
Band38	20	38000	1	#Max	QPSK	22.65	-0.15	22.50	33.01	PASS
Band38	20	38000	50	#0	QPSK	21.63	-0.15	21.48	33.01	PASS
Band38	20	38000	50	#Mid	QPSK	21.65	-0.15	21.50	33.01	PASS
Band38	20	38000	50	#Max	QPSK	21.61	-0.15	21.46	33.01	PASS
Band38	20	38000	100	#0	QPSK	21.65	-0.15	21.50	33.01	PASS
Band38	20	38000	1	#0	QAM16	21.81	-0.15	21.66	33.01	PASS
Band38	20	38000	1	#Mid	QAM16	21.93	-0.15	21.78	33.01	PASS
Band38	20	38000	1	#Max	QAM16	21.83	-0.15	21.68	33.01	PASS
Band38	20	38000	50	#0	QAM16	20.67	-0.15	20.52	33.01	PASS
Band38	20	38000	50	#Mid	QAM16	20.68	-0.15	20.53	33.01	PASS
Band38	20	38000	50	#Max	QAM16	20.6	-0.15	20.45	33.01	PASS
Band38	20	38000	100	#0	QAM16	20.69	-0.15	20.54	33.01	PASS
Band38	20	38150	1	#0	QPSK	22.61	-0.15	22.46	33.01	PASS
Band38	20	38150	1	#Mid	QPSK	22.53	-0.15	22.38	33.01	PASS
Band38	20	38150	1	#Max	QPSK	22.49	-0.15	22.34	33.01	PASS
Band38	20	38150	50	#0	QPSK	21.58	-0.15	21.43	33.01	PASS
Band38	20	38150	50	#Mid	QPSK	21.52	-0.15	21.37	33.01	PASS
Band38	20	38150	50	#Max	QPSK	21.51	-0.15	21.36	33.01	PASS
Band38	20	38150	100	#0	QPSK	21.55	-0.15	21.40	33.01	PASS
Band38	20	38150	1	#0	QAM16	21.86	-0.15	21.71	33.01	PASS
Band38	20	38150	1	#Mid	QAM16	21.83	-0.15	21.68	33.01	PASS
Band38	20	38150	1	#Max	QAM16	21.75	-0.15	21.60	33.01	PASS
Band38	20	38150	50	#0	QAM16	20.64	-0.15	20.49	33.01	PASS
Band38	20	38150	50	#Mid	QAM16	20.58	-0.15	20.43	33.01	PASS
Band38	20	38150	50	#Max	QAM16	20.59	-0.15	20.44	33.01	PASS
Band38	20	38150	100	#0	QAM16	20.55	-0.15	20.40	33.01	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band38	20	37850	100	#0	QPSK	-5.99	-0.002	-2.5	2.5	PASS
Band38	20	37850	100	#0	QAM16	-2.63	-0.001	-2.5	2.5	PASS
Band38	20	38000	100	#0	QPSK	4.30	0.002	-2.5	2.5	PASS
Band38	20	38000	100	#0	QAM16	-6.36	-0.002	-2.5	2.5	PASS
Band38	20	38150	100	#0	QPSK	-1.04	-0.002	-2.5	2.5	PASS
Band38	20	38150	100	#0	QAM16	-0.97	-0.001	-2.5	2.5	PASS

Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band38	5	38000	1	#0	QPSK	9.63	13	PASS
Band38	5	38000	1	#0	QAM16	9.20	13	PASS
Band38	10	38000	1	#0	QPSK	9.77	13	PASS
Band38	10	38000	1	#0	QAM16	8.86	13	PASS
Band38	15	38000	1	#0	QPSK	9.41	13	PASS
Band38	15	38000	1	#0	QAM16	8.90	13	PASS
Band38	20	38000	1	#0	QPSK	8.57	13	PASS
Band38	20	38000	1	#0	QAM16	9.80	13	PASS


Band38 QAM16 BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 QAM16 BW=15MHz Channel=38000 RB Size=1 Position=#0




Band38 QAM16 BW=20MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0



Band38 QAM16 BW=5MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0



Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band38	5	37775	25	#0	QPSK	4.510	4.936	PASS
Band38	5	37775	25	#0	QAM16	4.507	4.870	PASS
Band38	5	38000	25	#0	QPSK	4.489	5.005	PASS
Band38	5	38000	25	#0	QAM16	4.503	5.072	PASS
Band38	5	38225	25	#0	QPSK	4.526	5.102	PASS
Band38	5	38225	25	#0	QAM16	4.516	5.393	PASS
Band38	10	37800	50	#0	QPSK	8.988	9.997	PASS
Band38	10	37800	50	#0	QAM16	9.002	9.985	PASS
Band38	10	38000	50	#0	QPSK	9.021	11.606	PASS
Band38	10	38000	50	#0	QAM16	8.987	9.636	PASS
Band38	10	38200	50	#0	QPSK	9.002	10.463	PASS
Band38	10	38200	50	#0	QAM16	9.020	14.908	PASS
Band38	15	37825	75	#0	QPSK	13.507	16.256	PASS
Band38	15	37825	75	#0	QAM16	13.451	19.663	PASS
Band38	15	38000	75	#0	QPSK	13.455	18.950	PASS
Band38	15	38000	75	#0	QAM16	13.444	17.685	PASS
Band38	15	38175	75	#0	QPSK	13.505	16.816	PASS
Band38	15	38175	75	#0	QAM16	13.576	22.396	PASS
Band38	20	37850	100	#0	QPSK	17.966	25.680	PASS
Band38	20	37850	100	#0	QAM16	17.976	19.236	PASS
Band38	20	38000	100	#0	QPSK	17.990	28.375	PASS
Band38	20	38000	100	#0	QAM16	18.019	25.409	PASS
Band38	20	38150	100	#0	QPSK	17.998	27.434	PASS
Band38	20	38150	100	#0	QAM16	18.062	22.052	PASS


Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0





Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38000 RB Size=75 Position=#0



**Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0****Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0**




Band38 QAM16 BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=38000 RB Size=25 Position=#0


**Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0****Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0**




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0





Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0





Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0

**Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0****Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0**

**Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0****Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0**




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	2563.94	-41.29	-25	PASS
Band38	5	37775	25	#0	QAM16	2563.63	-41.62	-25	PASS
Band38	5	38225	25	#0	QPSK	2626.09	-40.27	-25	PASS
Band38	5	38225	25	#0	QAM16	2626.43	-40.44	-25	PASS
Band38	10	37800	50	#0	QPSK	2559.59	-41.56	-25	PASS
Band38	10	37800	50	#0	QAM16	2559.37	-41.85	-25	PASS
Band38	10	38200	50	#0	QPSK	2631.89	-41.09	-25	PASS
Band38	10	38200	50	#0	QAM16	2630.91	-41.01	-25	PASS
Band38	15	37825	75	#0	QPSK	2554.29	-41.47	-25	PASS
Band38	15	37825	75	#0	QAM16	2553.25	-41.82	-25	PASS
Band38	15	38175	75	#0	QPSK	2635.80	-41.13	-25	PASS
Band38	15	38175	75	#0	QAM16	2636.76	-41.22	-25	PASS
Band38	20	37850	100	#0	QPSK	2549.96	-41.79	-25	PASS
Band38	20	37850	100	#0	QAM16	2548.37	-41.91	-25	PASS
Band38	20	38150	100	#0	QPSK	2640.35	-41.22	-25	PASS
Band38	20	38150	100	#0	QAM16	2640.87	-41.26	-25	PASS


Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0



Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	3805.75	-38.02	-25	PASS
Band38	5	37775	25	#0	QAM16	3913.53	-37.51	-25	PASS
Band38	5	38225	25	#0	QPSK	3776.95	-37.05	-25	PASS
Band38	5	38225	25	#0	QAM16	3828.25	-37.75	-25	PASS
Band38	10	37800	50	#0	QPSK	3818.80	-37.89	-25	PASS
Band38	10	37800	50	#0	QAM16	4135.83	-37.79	-25	PASS
Band38	10	38200	50	#0	QPSK	3741.63	-36.65	-25	PASS
Band38	10	38200	50	#0	QAM16	3739.83	-38.23	-25	PASS
Band38	15	37825	75	#0	QPSK	3936.25	-38.07	-25	PASS
Band38	15	37825	75	#0	QAM16	3840.63	-37.75	-25	PASS
Band38	15	38175	75	#0	QPSK	3807.33	-37.50	-25	PASS
Band38	15	38175	75	#0	QAM16	3747.70	-37.56	-25	PASS
Band38	20	37850	100	#0	QPSK	3811.38	-37.99	-25	PASS
Band38	20	37850	100	#0	QAM16	3835.68	-37.56	-25	PASS
Band38	20	38150	100	#0	QPSK	3715.53	-37.06	-25	PASS
Band38	20	38150	100	#0	QAM16	3985.30	-37.77	-25	PASS


Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0



Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0



Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0



Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0

