

TABLE OF CONTENTS

1 Conducted output power 2

2 Frequency stability 6

3 Peak-to-Average Ratio 7

4 Occupied bandwidth 12

5 Band edge 25

6 Out-of-band emissions 34

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Conducted Output AV Power (dBm)</i>	<i>Antenna Gain (dBi)</i>	<i>EIRP (dBm)</i>	<i>Limt (dBm)</i>	<i>Verdict</i>
Band43(3700-3800)	5	44615	1	#0	QPSK	20.8	-0.43	20.37	30.00	PASS
Band43(3700-3800)	5	44615	1	#Mid	QPSK	20.81	-0.43	20.38	30.00	PASS
Band43(3700-3800)	5	44615	1	#Max	QPSK	20.82	-0.43	20.39	30.00	PASS
Band43(3700-3800)	5	44615	12	#0	QPSK	19.78	-0.43	19.35	30.00	PASS
Band43(3700-3800)	5	44615	12	#Mid	QPSK	19.78	-0.43	19.35	30.00	PASS
Band43(3700-3800)	5	44615	12	#Max	QPSK	19.75	-0.43	19.32	30.00	PASS
Band43(3700-3800)	5	44615	25	#0	QPSK	19.79	-0.43	19.36	30.00	PASS
Band43(3700-3800)	5	44615	1	#0	QAM16	20.11	-0.43	19.68	30.00	PASS
Band43(3700-3800)	5	44615	1	#Mid	QAM16	20.07	-0.43	19.64	30.00	PASS
Band43(3700-3800)	5	44615	1	#Max	QAM16	20.07	-0.43	19.64	30.00	PASS
Band43(3700-3800)	5	44615	12	#0	QAM16	18.74	-0.43	18.31	30.00	PASS
Band43(3700-3800)	5	44615	12	#Mid	QAM16	18.73	-0.43	18.30	30.00	PASS
Band43(3700-3800)	5	44615	12	#Max	QAM16	18.7	-0.43	18.27	30.00	PASS
Band43(3700-3800)	5	44615	25	#0	QAM16	18.81	-0.43	18.38	30.00	PASS
Band43(3700-3800)	5	45090	1	#0	QPSK	20.81	-0.43	20.38	30.00	PASS
Band43(3700-3800)	5	45090	1	#Mid	QPSK	20.74	-0.43	20.31	30.00	PASS
Band43(3700-3800)	5	45090	1	#Max	QPSK	20.75	-0.43	20.32	30.00	PASS
Band43(3700-3800)	5	45090	12	#0	QPSK	19.8	-0.43	19.37	30.00	PASS
Band43(3700-3800)	5	45090	12	#Mid	QPSK	19.8	-0.43	19.37	30.00	PASS
Band43(3700-3800)	5	45090	12	#Max	QPSK	19.79	-0.43	19.36	30.00	PASS
Band43(3700-3800)	5	45090	25	#0	QPSK	19.83	-0.43	19.40	30.00	PASS
Band43(3700-3800)	5	45090	1	#0	QAM16	20.16	-0.43	19.73	30.00	PASS
Band43(3700-3800)	5	45090	1	#Mid	QAM16	20.1	-0.43	19.67	30.00	PASS
Band43(3700-3800)	5	45090	1	#Max	QAM16	20.14	-0.43	19.71	30.00	PASS
Band43(3700-3800)	5	45090	12	#0	QAM16	18.72	-0.43	18.29	30.00	PASS
Band43(3700-3800)	5	45090	12	#Mid	QAM16	18.82	-0.43	18.39	30.00	PASS
Band43(3700-3800)	5	45090	12	#Max	QAM16	18.83	-0.43	18.40	30.00	PASS
Band43(3700-3800)	5	45090	25	#0	QAM16	18.8	-0.43	18.37	30.00	PASS
Band43(3700-3800)	5	45565	1	#0	QPSK	20.52	-0.43	20.09	30.00	PASS
Band43(3700-3800)	5	45565	1	#Mid	QPSK	20.59	-0.43	20.16	30.00	PASS
Band43(3700-3800)	5	45565	1	#Max	QPSK	20.63	-0.43	20.20	30.00	PASS
Band43(3700-3800)	5	45565	12	#0	QPSK	19.54	-0.43	19.11	30.00	PASS
Band43(3700-3800)	5	45565	12	#Mid	QPSK	19.57	-0.43	19.14	30.00	PASS
Band43(3700-3800)	5	45565	12	#Max	QPSK	19.55	-0.43	19.12	30.00	PASS
Band43(3700-3800)	5	45565	25	#0	QPSK	19.59	-0.43	19.16	30.00	PASS
Band43(3700-3800)	5	45565	1	#0	QAM16	20.15	-0.43	19.72	30.00	PASS
Band43(3700-3800)	5	45565	1	#Mid	QAM16	20.18	-0.43	19.75	30.00	PASS

Band43(3700-3800)	5	45565	1	#Max	QAM16	20.24	-0.43	19.81	30.00	PASS
Band43(3700-3800)	5	45565	12	#0	QAM16	18.57	-0.43	18.14	30.00	PASS
Band43(3700-3800)	5	45565	12	#Mid	QAM16	18.58	-0.43	18.15	30.00	PASS
Band43(3700-3800)	5	45565	12	#Max	QAM16	18.6	-0.43	18.17	30.00	PASS
Band43(3700-3800)	5	45565	25	#0	QAM16	18.55	-0.43	18.12	30.00	PASS
Band43(3700-3800)	10	44640	1	#0	QPSK	20.68	-0.43	20.25	30.00	PASS
Band43(3700-3800)	10	44640	1	#Mid	QPSK	20.64	-0.43	20.21	30.00	PASS
Band43(3700-3800)	10	44640	1	#Max	QPSK	20.65	-0.43	20.22	30.00	PASS
Band43(3700-3800)	10	44640	25	#0	QPSK	19.67	-0.43	19.24	30.00	PASS
Band43(3700-3800)	10	44640	25	#Mid	QPSK	19.68	-0.43	19.25	30.00	PASS
Band43(3700-3800)	10	44640	25	#Max	QPSK	19.66	-0.43	19.23	30.00	PASS
Band43(3700-3800)	10	44640	50	#0	QPSK	19.67	-0.43	19.24	30.00	PASS
Band43(3700-3800)	10	44640	1	#0	QAM16	20.17	-0.43	19.74	30.00	PASS
Band43(3700-3800)	10	44640	1	#Mid	QAM16	20.15	-0.43	19.72	30.00	PASS
Band43(3700-3800)	10	44640	1	#Max	QAM16	20.14	-0.43	19.71	30.00	PASS
Band43(3700-3800)	10	44640	25	#0	QAM16	18.69	-0.43	18.26	30.00	PASS
Band43(3700-3800)	10	44640	25	#Mid	QAM16	18.69	-0.43	18.26	30.00	PASS
Band43(3700-3800)	10	44640	25	#Max	QAM16	18.66	-0.43	18.23	30.00	PASS
Band43(3700-3800)	10	44640	50	#0	QAM16	18.67	-0.43	18.24	30.00	PASS
Band43(3700-3800)	10	45090	1	#0	QPSK	20.74	-0.43	20.31	30.00	PASS
Band43(3700-3800)	10	45090	1	#Mid	QPSK	20.7	-0.43	20.27	30.00	PASS
Band43(3700-3800)	10	45090	1	#Max	QPSK	20.72	-0.43	20.29	30.00	PASS
Band43(3700-3800)	10	45090	25	#0	QPSK	19.72	-0.43	19.29	30.00	PASS
Band43(3700-3800)	10	45090	25	#Mid	QPSK	19.73	-0.43	19.30	30.00	PASS
Band43(3700-3800)	10	45090	25	#Max	QPSK	19.7	-0.43	19.27	30.00	PASS
Band43(3700-3800)	10	45090	50	#0	QPSK	19.71	-0.43	19.28	30.00	PASS
Band43(3700-3800)	10	45090	1	#0	QAM16	19.89	-0.43	19.46	30.00	PASS
Band43(3700-3800)	10	45090	1	#Mid	QAM16	19.85	-0.43	19.42	30.00	PASS
Band43(3700-3800)	10	45090	1	#Max	QAM16	19.84	-0.43	19.41	30.00	PASS
Band43(3700-3800)	10	45090	25	#0	QAM16	18.71	-0.43	18.28	30.00	PASS
Band43(3700-3800)	10	45090	25	#Mid	QAM16	18.7	-0.43	18.27	30.00	PASS
Band43(3700-3800)	10	45090	25	#Max	QAM16	18.69	-0.43	18.26	30.00	PASS
Band43(3700-3800)	10	45090	50	#0	QAM16	18.75	-0.43	18.32	30.00	PASS
Band43(3700-3800)	10	45540	1	#0	QPSK	20.58	-0.43	20.15	30.00	PASS
Band43(3700-3800)	10	45540	1	#Mid	QPSK	20.54	-0.43	20.11	30.00	PASS
Band43(3700-3800)	10	45540	1	#Max	QPSK	20.62	-0.43	20.19	30.00	PASS
Band43(3700-3800)	10	45540	25	#0	QPSK	19.56	-0.43	19.13	30.00	PASS
Band43(3700-3800)	10	45540	25	#Mid	QPSK	19.57	-0.43	19.14	30.00	PASS
Band43(3700-3800)	10	45540	25	#Max	QPSK	19.57	-0.43	19.14	30.00	PASS
Band43(3700-3800)	10	45540	50	#0	QPSK	19.56	-0.43	19.13	30.00	PASS
Band43(3700-3800)	10	45540	1	#0	QAM16	19.56	-0.43	19.13	30.00	PASS
Band43(3700-3800)	10	45540	1	#Mid	QAM16	19.52	-0.43	19.09	30.00	PASS
Band43(3700-3800)	10	45540	1	#Max	QAM16	19.57	-0.43	19.14	30.00	PASS
Band43(3700-3800)	10	45540	25	#0	QAM16	18.58	-0.43	18.15	30.00	PASS

Band43(3700-3800)	10	45540	25	#Mid	QAM16	18.56	-0.43	18.13	30.00	PASS
Band43(3700-3800)	10	45540	25	#Max	QAM16	18.56	-0.43	18.13	30.00	PASS
Band43(3700-3800)	10	45540	50	#0	QAM16	18.58	-0.43	18.15	30.00	PASS
Band43(3700-3800)	15	44665	1	#0	QPSK	20.81	-0.43	20.38	30.00	PASS
Band43(3700-3800)	15	44665	1	#Mid	QPSK	20.75	-0.43	20.32	30.00	PASS
Band43(3700-3800)	15	44665	1	#Max	QPSK	20.68	-0.43	20.25	30.00	PASS
Band43(3700-3800)	15	44665	36	#0	QPSK	19.7	-0.43	19.27	30.00	PASS
Band43(3700-3800)	15	44665	36	#Mid	QPSK	19.68	-0.43	19.25	30.00	PASS
Band43(3700-3800)	15	44665	36	#Max	QPSK	19.66	-0.43	19.23	30.00	PASS
Band43(3700-3800)	15	44665	75	#0	QPSK	19.73	-0.43	19.30	30.00	PASS
Band43(3700-3800)	15	44665	1	#0	QAM16	19.9	-0.43	19.47	30.00	PASS
Band43(3700-3800)	15	44665	1	#Mid	QAM16	19.86	-0.43	19.43	30.00	PASS
Band43(3700-3800)	15	44665	1	#Max	QAM16	19.78	-0.43	19.35	30.00	PASS
Band43(3700-3800)	15	44665	36	#0	QAM16	18.77	-0.43	18.34	30.00	PASS
Band43(3700-3800)	15	44665	36	#Mid	QAM16	18.76	-0.43	18.33	30.00	PASS
Band43(3700-3800)	15	44665	36	#Max	QAM16	18.72	-0.43	18.29	30.00	PASS
Band43(3700-3800)	15	44665	75	#0	QAM16	18.7	-0.43	18.27	30.00	PASS
Band43(3700-3800)	15	45090	1	#0	QPSK	20.86	-0.43	20.43	30.00	PASS
Band43(3700-3800)	15	45090	1	#Mid	QPSK	20.86	-0.43	20.43	30.00	PASS
Band43(3700-3800)	15	45090	1	#Max	QPSK	20.84	-0.43	20.41	30.00	PASS
Band43(3700-3800)	15	45090	36	#0	QPSK	19.77	-0.43	19.34	30.00	PASS
Band43(3700-3800)	15	45090	36	#Mid	QPSK	19.79	-0.43	19.36	30.00	PASS
Band43(3700-3800)	15	45090	36	#Max	QPSK	19.76	-0.43	19.33	30.00	PASS
Band43(3700-3800)	15	45090	75	#0	QPSK	19.78	-0.43	19.35	30.00	PASS
Band43(3700-3800)	15	45090	1	#0	QAM16	20	-0.43	19.57	30.00	PASS
Band43(3700-3800)	15	45090	1	#Mid	QAM16	19.97	-0.43	19.54	30.00	PASS
Band43(3700-3800)	15	45090	1	#Max	QAM16	19.98	-0.43	19.55	30.00	PASS
Band43(3700-3800)	15	45090	36	#0	QAM16	18.77	-0.43	18.34	30.00	PASS
Band43(3700-3800)	15	45090	36	#Mid	QAM16	18.78	-0.43	18.35	30.00	PASS
Band43(3700-3800)	15	45090	36	#Max	QAM16	18.76	-0.43	18.33	30.00	PASS
Band43(3700-3800)	15	45090	75	#0	QAM16	18.84	-0.43	18.41	30.00	PASS
Band43(3700-3800)	15	45515	1	#0	QPSK	20.68	-0.43	20.25	30.00	PASS
Band43(3700-3800)	15	45515	1	#Mid	QPSK	20.62	-0.43	20.19	30.00	PASS
Band43(3700-3800)	15	45515	1	#Max	QPSK	20.69	-0.43	20.26	30.00	PASS
Band43(3700-3800)	15	45515	36	#0	QPSK	19.61	-0.43	19.18	30.00	PASS
Band43(3700-3800)	15	45515	36	#Mid	QPSK	19.63	-0.43	19.20	30.00	PASS
Band43(3700-3800)	15	45515	36	#Max	QPSK	19.6	-0.43	19.17	30.00	PASS
Band43(3700-3800)	15	45515	75	#0	QPSK	19.63	-0.43	19.20	30.00	PASS
Band43(3700-3800)	15	45515	1	#0	QAM16	20.14	-0.43	19.71	30.00	PASS
Band43(3700-3800)	15	45515	1	#Mid	QAM16	20.08	-0.43	19.65	30.00	PASS
Band43(3700-3800)	15	45515	1	#Max	QAM16	20.18	-0.43	19.75	30.00	PASS
Band43(3700-3800)	15	45515	36	#0	QAM16	18.67	-0.43	18.24	30.00	PASS
Band43(3700-3800)	15	45515	36	#Mid	QAM16	18.69	-0.43	18.26	30.00	PASS
Band43(3700-3800)	15	45515	36	#Max	QAM16	18.67	-0.43	18.24	30.00	PASS

Band43(3700-3800)	15	45515	75	#0	QAM16	18.66	-0.43	18.23	30.00	PASS
Band43(3700-3800)	20	44690	1	#0	QPSK	20.73	-0.43	20.30	30.00	PASS
Band43(3700-3800)	20	44690	1	#Mid	QPSK	20.66	-0.43	20.23	30.00	PASS
Band43(3700-3800)	20	44690	1	#Max	QPSK	20.53	-0.43	20.10	30.00	PASS
Band43(3700-3800)	20	44690	50	#0	QPSK	19.73	-0.43	19.30	30.00	PASS
Band43(3700-3800)	20	44690	50	#Mid	QPSK	19.67	-0.43	19.24	30.00	PASS
Band43(3700-3800)	20	44690	50	#Max	QPSK	19.6	-0.43	19.17	30.00	PASS
Band43(3700-3800)	20	44690	100	#0	QPSK	19.68	-0.43	19.25	30.00	PASS
Band43(3700-3800)	20	44690	1	#0	QAM16	20.06	-0.43	19.63	30.00	PASS
Band43(3700-3800)	20	44690	1	#Mid	QAM16	20.01	-0.43	19.58	30.00	PASS
Band43(3700-3800)	20	44690	1	#Max	QAM16	19.86	-0.43	19.43	30.00	PASS
Band43(3700-3800)	20	44690	50	#0	QAM16	18.78	-0.43	18.35	30.00	PASS
Band43(3700-3800)	20	44690	50	#Mid	QAM16	18.73	-0.43	18.30	30.00	PASS
Band43(3700-3800)	20	44690	50	#Max	QAM16	18.68	-0.43	18.25	30.00	PASS
Band43(3700-3800)	20	44690	100	#0	QAM16	18.73	-0.43	18.30	30.00	PASS
Band43(3700-3800)	20	45090	1	#0	QPSK	20.78	-0.43	20.35	30.00	PASS
Band43(3700-3800)	20	45090	1	#Mid	QPSK	20.88	-0.43	20.45	30.00	PASS
Band43(3700-3800)	20	45090	1	#Max	QPSK	20.79	-0.43	20.36	30.00	PASS
Band43(3700-3800)	20	45090	50	#0	QPSK	19.81	-0.43	19.38	30.00	PASS
Band43(3700-3800)	20	45090	50	#Mid	QPSK	19.83	-0.43	19.40	30.00	PASS
Band43(3700-3800)	20	45090	50	#Max	QPSK	19.8	-0.43	19.37	30.00	PASS
Band43(3700-3800)	20	45090	100	#0	QPSK	19.81	-0.43	19.38	30.00	PASS
Band43(3700-3800)	20	45090	1	#0	QAM16	20.03	-0.43	19.60	30.00	PASS
Band43(3700-3800)	20	45090	1	#Mid	QAM16	20.06	-0.43	19.63	30.00	PASS
Band43(3700-3800)	20	45090	1	#Max	QAM16	20.05	-0.43	19.62	30.00	PASS
Band43(3700-3800)	20	45090	50	#0	QAM16	18.82	-0.43	18.39	30.00	PASS
Band43(3700-3800)	20	45090	50	#Mid	QAM16	18.83	-0.43	18.40	30.00	PASS
Band43(3700-3800)	20	45090	50	#Max	QAM16	18.8	-0.43	18.37	30.00	PASS
Band43(3700-3800)	20	45090	100	#0	QAM16	18.84	-0.43	18.41	30.00	PASS
Band43(3700-3800)	20	45490	1	#0	QPSK	20.79	-0.43	20.36	30.00	PASS
Band43(3700-3800)	20	45490	1	#Mid	QPSK	20.68	-0.43	20.25	30.00	PASS
Band43(3700-3800)	20	45490	1	#Max	QPSK	20.73	-0.43	20.30	30.00	PASS
Band43(3700-3800)	20	45490	50	#0	QPSK	19.73	-0.43	19.30	30.00	PASS
Band43(3700-3800)	20	45490	50	#Mid	QPSK	19.66	-0.43	19.23	30.00	PASS
Band43(3700-3800)	20	45490	50	#Max	QPSK	19.67	-0.43	19.24	30.00	PASS
Band43(3700-3800)	20	45490	100	#0	QPSK	19.73	-0.43	19.30	30.00	PASS
Band43(3700-3800)	20	45490	1	#0	QAM16	20.06	-0.43	19.63	30.00	PASS
Band43(3700-3800)	20	45490	1	#Mid	QAM16	19.89	-0.43	19.46	30.00	PASS
Band43(3700-3800)	20	45490	1	#Max	QAM16	19.96	-0.43	19.53	30.00	PASS
Band43(3700-3800)	20	45490	50	#0	QAM16	18.78	-0.43	18.35	30.00	PASS
Band43(3700-3800)	20	45490	50	#Mid	QAM16	18.71	-0.43	18.28	30.00	PASS
Band43(3700-3800)	20	45490	50	#Max	QAM16	18.7	-0.43	18.27	30.00	PASS
Band43(3700-3800)	20	45490	100	#0	QAM16	18.78	-0.43	18.35	30.00	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band43(3700-3800)	20	44690	100	#0	QPSK	-12.63	-0.003	-2.5	2.5	PASS
Band43(3700-3800)	20	44690	100	#0	QAM16	1.17	0.001	-2.5	2.5	PASS
Band43(3700-3800)	20	45090	100	#0	QPSK	-2.70	-0.001	-2.5	2.5	PASS
Band43(3700-3800)	20	45090	100	#0	QAM16	-12.04	-0.003	-2.5	2.5	PASS
Band43(3700-3800)	20	45490	100	#0	QPSK	-23.11	-0.006	-2.5	2.5	PASS
Band43(3700-3800)	20	45490	100	#0	QAM16	5.75	0.002	-2.5	2.5	PASS

Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band43(3700-3800)	5	45090	1	#0	QPSK	9.04	13	PASS
Band43(3700-3800)	5	45090	1	#0	QAM16	9.36	13	PASS
Band43(3700-3800)	10	45090	1	#0	QPSK	9.36	13	PASS
Band43(3700-3800)	10	45090	1	#0	QAM16	8.81	13	PASS
Band43(3700-3800)	15	45090	1	#0	QPSK	7.98	13	PASS
Band43(3700-3800)	15	45090	1	#0	QAM16	10.62	13	PASS
Band43(3700-3800)	20	45090	1	#0	QPSK	11.93	13	PASS
Band43(3700-3800)	20	45090	1	#0	QAM16	7.96	13	PASS


Band43(3700-3800) QAM16 BW=10MHz Channel=45090 RB Size=1 Position=#0




Band43(3700-3800) QAM16 BW=15MHz Channel=45090 RB Size=1 Position=#0



Band43(3700-3800) QAM16 BW=20MHz Channel=45090 RB Size=1 Position=#0




Band43(3700-3800) QAM16 BW=5MHz Channel=45090 RB Size=1 Position=#0




Band43(3700-3800) QPSK BW=10MHz Channel=45090 RB Size=1 Position=#0




Band43(3700-3800) QPSK BW=15MHz Channel=45090 RB Size=1 Position=#0



Band43(3700-3800) QPSK BW=20MHz Channel=45090 RB Size=1 Position=#0




Band43(3700-3800) QPSK BW=5MHz Channel=45090 RB Size=1 Position=#0




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band43(3700-3800)	5	44615	25	#0	QPSK	4.490	4.864	PASS
Band43(3700-3800)	5	44615	25	#0	QAM16	4.520	4.997	PASS
Band43(3700-3800)	5	45090	25	#0	QPSK	4.510	4.859	PASS
Band43(3700-3800)	5	45090	25	#0	QAM16	4.488	4.848	PASS
Band43(3700-3800)	5	45565	25	#0	QPSK	4.526	4.843	PASS
Band43(3700-3800)	5	45565	25	#0	QAM16	4.503	4.869	PASS
Band43(3700-3800)	10	44640	50	#0	QPSK	8.961	9.658	PASS
Band43(3700-3800)	10	44640	50	#0	QAM16	8.947	9.952	PASS
Band43(3700-3800)	10	45090	50	#0	QPSK	8.982	9.542	PASS
Band43(3700-3800)	10	45090	50	#0	QAM16	8.972	9.569	PASS
Band43(3700-3800)	10	45540	50	#0	QPSK	8.981	9.564	PASS
Band43(3700-3800)	10	45540	50	#0	QAM16	8.988	9.630	PASS
Band43(3700-3800)	15	44665	75	#0	QPSK	13.450	14.305	PASS
Band43(3700-3800)	15	44665	75	#0	QAM16	13.454	14.633	PASS
Band43(3700-3800)	15	45090	75	#0	QPSK	13.482	14.332	PASS
Band43(3700-3800)	15	45090	75	#0	QAM16	13.454	14.349	PASS
Band43(3700-3800)	15	45515	75	#0	QPSK	13.452	14.399	PASS
Band43(3700-3800)	15	45515	75	#0	QAM16	13.420	14.239	PASS
Band43(3700-3800)	20	44690	100	#0	QPSK	17.919	19.123	PASS
Band43(3700-3800)	20	44690	100	#0	QAM16	17.942	19.247	PASS
Band43(3700-3800)	20	45090	100	#0	QPSK	17.918	19.144	PASS
Band43(3700-3800)	20	45090	100	#0	QAM16	17.924	19.088	PASS
Band43(3700-3800)	20	45490	100	#0	QPSK	17.929	19.340	PASS
Band43(3700-3800)	20	45490	100	#0	QAM16	17.997	19.135	PASS


Band43(3700-3800) QAM16 BW=10MHz Channel=44640 RB Size=50 Position=#0




Band43(3700-3800) QAM16 BW=10MHz Channel=45090 RB Size=50 Position=#0




Band43(3700-3800) QAM16 BW=10MHz Channel=45540 RB Size=50 Position=#0




Band43(3700-3800) QAM16 BW=15MHz Channel=44665 RB Size=75 Position=#0




Band43(3700-3800) QAM16 BW=15MHz Channel=45090 RB Size=75 Position=#0




Band43(3700-3800) QAM16 BW=15MHz Channel=45515 RB Size=75 Position=#0





Band43(3700-3800) QAM16 BW=20MHz Channel=44690 RB Size=100 Position=#0







Band43(3700-3800) QAM16 BW=20MHz Channel=45090 RB Size=100 Position=#0







Band43(3700-3800) QAM16 BW=20MHz Channel=45490 RB Size=100 Position=#0


**Band43(3700-3800) QAM16 BW=5MHz Channel=44615 RB Size=25 Position=#0****Band43(3700-3800) QAM16 BW=5MHz Channel=45090 RB Size=25 Position=#0**

**Band43(3700-3800) QAM16 BW=5MHz Channel=45565 RB Size=25 Position=#0****Band43(3700-3800) QPSK BW=10MHz Channel=44640 RB Size=50 Position=#0**


**Band43(3700-3800) QPSK BW=10MHz Channel=45090 RB Size=50 Position=#0****Band43(3700-3800) QPSK BW=10MHz Channel=45540 RB Size=50 Position=#0**

**Band43(3700-3800) QPSK BW=15MHz Channel=44665 RB Size=75 Position=#0****Band43(3700-3800) QPSK BW=15MHz Channel=45090 RB Size=75 Position=#0**



**Band43(3700-3800) QPSK BW=15MHz Channel=45515 RB Size=75 Position=#0****Band43(3700-3800) QPSK BW=20MHz Channel=44690 RB Size=100 Position=#0**




Band43(3700-3800) QPSK BW=20MHz Channel=45090 RB Size=100 Position=#0




Band43(3700-3800) QPSK BW=20MHz Channel=45490 RB Size=100 Position=#0

**Band43(3700-3800) QPSK BW=5MHz Channel=44615 RB Size=25 Position=#0****Band43(3700-3800) QPSK BW=5MHz Channel=45090 RB Size=25 Position=#0**




Band43(3700-3800) QPSK BW=5MHz Channel=45565 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band43(3700-3800)	5	44615	25	#0	QPSK	3700.00	-32.12	-13	PASS
Band43(3700-3800)	5	44615	25	#0	QAM16	3699.99	-42.17	-13	PASS
Band43(3700-3800)	5	45565	25	#0	QPSK	3800.00	-37.95	-13	PASS
Band43(3700-3800)	5	45565	25	#0	QAM16	3800.02	-39.00	-13	PASS
Band43(3700-3800)	10	44640	50	#0	QPSK	3699.90	-40.81	-13	PASS
Band43(3700-3800)	10	44640	50	#0	QAM16	3699.98	-40.03	-13	PASS
Band43(3700-3800)	10	45540	50	#0	QPSK	3800.92	-40.09	-13	PASS
Band43(3700-3800)	10	45540	50	#0	QAM16	3800.02	-41.95	-13	PASS
Band43(3700-3800)	15	44665	75	#0	QPSK	3700.00	-39.21	-13	PASS
Band43(3700-3800)	15	44665	75	#0	QAM16	3700.00	-41.30	-13	PASS
Band43(3700-3800)	15	45515	75	#0	QPSK	3802.55	-37.72	-13	PASS
Band43(3700-3800)	15	45515	75	#0	QAM16	3800.15	-37.23	-13	PASS
Band43(3700-3800)	20	44690	100	#0	QPSK	3698.92	-40.08	-13	PASS
Band43(3700-3800)	20	44690	100	#0	QAM16	3699.76	-36.90	-13	PASS
Band43(3700-3800)	20	45490	100	#0	QPSK	3800.72	-39.20	-13	PASS
Band43(3700-3800)	20	45490	100	#0	QAM16	3802.00	-36.51	-13	PASS


Band43(3700-3800) QAM16 BW=10MHz Channel=44640 RB Size=50 Position=#0



Band43(3700-3800) QAM16 BW=10MHz Channel=45540 RB Size=50 Position=#0




Band43(3700-3800) QAM16 BW=15MHz Channel=44665 RB Size=75 Position=#0




Band43(3700-3800) QAM16 BW=15MHz Channel=45515 RB Size=75 Position=#0




Band43(3700-3800) QAM16 BW=20MHz Channel=44690 RB Size=100 Position=#0



Band43(3700-3800) QAM16 BW=20MHz Channel=45490 RB Size=100 Position=#0




Band43(3700-3800) QAM16 BW=5MHz Channel=44615 RB Size=25 Position=#0




Band43(3700-3800) QAM16 BW=5MHz Channel=45565 RB Size=25 Position=#0




Band43(3700-3800) QPSK BW=10MHz Channel=44640 RB Size=50 Position=#0



Band43(3700-3800) QPSK BW=10MHz Channel=45540 RB Size=50 Position=#0




Band43(3700-3800) QPSK BW=15MHz Channel=44665 RB Size=75 Position=#0



Band43(3700-3800) QPSK BW=15MHz Channel=45515 RB Size=75 Position=#0




Band43(3700-3800) QPSK BW=20MHz Channel=44690 RB Size=100 Position=#0




Band43(3700-3800) QPSK BW=20MHz Channel=45490 RB Size=100 Position=#0



Band43(3700-3800) QPSK BW=5MHz Channel=44615 RB Size=25 Position=#0




Band43(3700-3800) QPSK BW=5MHz Channel=45565 RB Size=25 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band43(3700-3800)	5	44615	25	#0	QPSK	3851.65	-37.39	-13	PASS
Band43(3700-3800)	5	44615	25	#0	QAM16	5067.33	-37.25	-13	PASS
Band43(3700-3800)	5	45565	25	#0	QPSK	3905.88	-37.64	-13	PASS
Band43(3700-3800)	5	45565	25	#0	QAM16	3835.00	-37.95	-13	PASS
Band43(3700-3800)	10	44640	50	#0	QPSK	3868.98	-37.41	-13	PASS
Band43(3700-3800)	10	44640	50	#0	QAM16	5578.08	-37.33	-13	PASS
Band43(3700-3800)	10	45540	50	#0	QPSK	4689.10	-38.20	-13	PASS
Band43(3700-3800)	10	45540	50	#0	QAM16	3856.83	-37.04	-13	PASS
Band43(3700-3800)	15	44665	75	#0	QPSK	3896.65	-37.62	-13	PASS
Band43(3700-3800)	15	44665	75	#0	QAM16	3941.88	-37.31	-13	PASS
Band43(3700-3800)	15	45515	75	#0	QPSK	8111.80	-37.03	-13	PASS
Band43(3700-3800)	15	45515	75	#0	QAM16	3883.15	-37.13	-13	PASS
Band43(3700-3800)	20	44690	100	#0	QPSK	3936.70	-37.83	-13	PASS
Band43(3700-3800)	20	44690	100	#0	QAM16	9718.30	-38.23	-13	PASS
Band43(3700-3800)	20	45490	100	#0	QPSK	4366.68	-37.07	-13	PASS
Band43(3700-3800)	20	45490	100	#0	QAM16	8901.78	-37.34	-13	PASS


Band43(3700-3800) QAM16 BW=10MHz Channel=44640 RB Size=50 Position=#0




Band43(3700-3800) QAM16 BW=10MHz Channel=45540 RB Size=50 Position=#0




Band43(3700-3800) QAM16 BW=15MHz Channel=44665 RB Size=75 Position=#0




Band43(3700-3800) QAM16 BW=15MHz Channel=45515 RB Size=75 Position=#0




Band43(3700-3800) QAM16 BW=20MHz Channel=44690 RB Size=100 Position=#0




Band43(3700-3800) QAM16 BW=20MHz Channel=45490 RB Size=100 Position=#0




Band43(3700-3800) QAM16 BW=5MHz Channel=44615 RB Size=25 Position=#0




Band43(3700-3800) QAM16 BW=5MHz Channel=45565 RB Size=25 Position=#0




Band43(3700-3800) QPSK BW=10MHz Channel=44640 RB Size=50 Position=#0




Band43(3700-3800) QPSK BW=10MHz Channel=45540 RB Size=50 Position=#0




Band43(3700-3800) QPSK BW=15MHz Channel=44665 RB Size=75 Position=#0




Band43(3700-3800) QPSK BW=15MHz Channel=45515 RB Size=75 Position=#0




Band43(3700-3800) QPSK BW=20MHz Channel=44690 RB Size=100 Position=#0



Band43(3700-3800) QPSK BW=20MHz Channel=45490 RB Size=100 Position=#0



Band43(3700-3800) QPSK BW=5MHz Channel=44615 RB Size=25 Position=#0



Band43(3700-3800) QPSK BW=5MHz Channel=45565 RB Size=25 Position=#0

