


Band Edge

5.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	21.05	30	8.95	Pass	401
716	716.1	0.03	RMS	716	-15.85	-13	2.85	Pass*	401
716.1	725	0.1	RMS	716.1	-15.01	-13	2.01	Pass*	401




5.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.863	6.97	30	23.03	Pass	401
716	716.1	0.03	RMS	716	-29.76	-13	16.76	Pass	401
716.1	725	0.1	RMS	716.1	-27.65	-13	14.65	Pass	401



5.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.12	30	9.88	Pass	401
716	716.1	0.03	RMS	716	-15.69	-13	2.69	Pass*	401
716.1	725	0.1	RMS	716.1	-14.58	-13	1.58	Pass*	401




5.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.1	5.94	30	24.06	Pass	401
716	716.1	0.03	RMS	716.001	-30.31	-13	17.31	Pass	401
716.1	725	0.1	RMS	716.1	-28.06	-13	15.06	Pass	401




5.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-19.15	-13	6.15	Pass	401
698.9	699	0.03	RMS	698.999	-21.78	-13	8.78	Pass	401
699	709	0.1	RMS	699.575	21.1	30	8.9	Pass	401




5.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.57	-13	19.57	Pass	401
698.9	699	0.03	RMS	698.997	-36.09	-13	23.09	Pass	401
699	709	0.1	RMS	703.225	4.04	30	25.96	Pass	401




5.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-20.05	-13	7.05	Pass	401
698.9	699	0.03	RMS	699	-22.65	-13	9.65	Pass	401
699	709	0.1	RMS	699.575	20.28	30	9.72	Pass	401




5.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.24	-13	20.24	Pass	401
698.9	699	0.03	RMS	699	-36.58	-13	23.58	Pass	401
699	709	0.1	RMS	704	3.06	30	26.94	Pass	401




5.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	21.13	30	8.87	Pass	401
716	716.1	0.03	RMS	716.001	-21.46	-13	8.46	Pass	401
716.1	725	0.1	RMS	716.1	-19.04	-13	6.04	Pass	401




5.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	713.55	4.14	30	25.86	Pass	401
716	716.1	0.03	RMS	716.004	-37.09	-13	24.09	Pass	401
716.1	725	0.1	RMS	716.1	-33.37	-13	20.37	Pass	401




5.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.03	30	9.97	Pass	401
716	716.1	0.03	RMS	716.002	-22.63	-13	9.63	Pass	401
716.1	725	0.1	RMS	716.1	-20.15	-13	7.15	Pass	401



5.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	713.025	3.23	30	26.77	Pass	401
716	716.1	0.03	RMS	716.001	-37	-13	24	Pass	401
716.1	725	0.1	RMS	716.1	-33.67	-13	20.67	Pass	401



6. LTE_Band13


6.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	775	-58.05	-35	23.05	Pass	1201
775	775.9	0.1	RMS	775.898	-44.5	-13	31.5	Pass	401
775.9	776	0.03	RMS	775.967	-52.04	-13	39.04	Pass	401
776	788	0.1	RMS	777.35	20.07	30	9.93	Pass	401




6.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.83	-43.74	-35	8.74	Pass	1201
775	775.9	0.1	RMS	775.896	-33.56	-13	20.56	Pass	401
775.9	776	0.03	RMS	775.901	-38.08	-13	25.08	Pass	401
776	788	0.1	RMS	780.35	5.9	30	24.1	Pass	401




6.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	775	-58.22	-35	23.22	Pass	1201
775	775.9	0.1	RMS	775.896	-47.31	-13	34.31	Pass	401
775.9	776	0.03	RMS	775.998	-51.82	-13	38.82	Pass	401
776	788	0.1	RMS	777.35	19.32	30	10.68	Pass	401




6.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.35	-43.82	-35	8.82	Pass	1201
775	775.9	0.1	RMS	775.9	-32.93	-13	19.93	Pass	401
775.9	776	0.03	RMS	775.951	-37.63	-13	24.63	Pass	401
776	788	0.1	RMS	779.93	5.06	30	24.94	Pass	401




6.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.18	30	9.82	Pass	401
788	788.1	0.03	RMS	788.038	-52.63	-13	39.63	Pass	401
788.1	793	0.1	RMS	788.1	-48.09	-13	35.09	Pass	401
793	805	0.01	RMS	793.18	-69.82	-35	34.82	Pass	1201




6.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.44	5.95	30	24.05	Pass	401
788	788.1	0.03	RMS	788.058	-37.6	-13	24.6	Pass	401
788.1	793	0.1	RMS	788.1	-33.14	-13	20.14	Pass	401
793	805	0.01	RMS	793.05	-54.94	-35	19.94	Pass	1201




6.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	19.31	30	10.69	Pass	401
788	788.1	0.03	RMS	788.006	-51.83	-13	38.83	Pass	401
788.1	793	0.1	RMS	788.1	-47.46	-13	34.46	Pass	401
793	805	0.01	RMS	793.13	-71.34	-35	36.34	Pass	1201




6.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.23	5.06	30	24.94	Pass	401
788	788.1	0.03	RMS	788.094	-37.52	-13	24.52	Pass	401
788.1	793	0.1	RMS	788.1	-32.67	-13	19.67	Pass	401
793	805	0.01	RMS	793.08	-55.58	-35	20.58	Pass	1201




6.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	773.19	-58.9	-35	23.9	Pass	1201
775	775.9	0.1	RMS	775.05	-48.08	-13	35.08	Pass	401
775.9	776	0.03	RMS	775.99	-48.5	-13	35.5	Pass	401
776	788	0.1	RMS	777.59	20.36	30	9.64	Pass	401




6.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.93	-46.07	-35	11.07	Pass	1201
775	775.9	0.1	RMS	775.563	-36.7	-13	23.7	Pass	401
775.9	776	0.03	RMS	776	-41.61	-13	28.61	Pass	401
776	788	0.1	RMS	778.91	3.06	30	26.94	Pass	401




6.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	773.24	-59.43	-35	24.43	Pass	1201
775	775.9	0.1	RMS	775.878	-48.21	-13	35.21	Pass	401
775.9	776	0.03	RMS	775.969	-47.76	-13	34.76	Pass	401
776	788	0.1	RMS	777.59	19.49	30	10.51	Pass	401




6.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.83	-45.42	-35	10.42	Pass	1201
775	775.9	0.1	RMS	775.752	-36.11	-13	23.11	Pass	401
775.9	776	0.03	RMS	775.997	-40.97	-13	27.97	Pass	401
776	788	0.1	RMS	782	2.02	30	27.98	Pass	401




6.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	20.35	30	9.65	Pass	401
788	788.1	0.03	RMS	788.052	-49.74	-13	36.74	Pass	401
788.1	793	0.1	RMS	788.1	-49.25	-13	36.25	Pass	401
793	805	0.01	RMS	795.24	-61.63	-35	26.63	Pass	1201




6.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	788.1	0.03	RMS	788.001	-40.16	-13	27.16	Pass	401
788.1	793	0.1	RMS	788.235	-35.56	-13	22.56	Pass	401
793	805	0.01	RMS	793.14	-50.61	-35	15.61	Pass	1201




6.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	19.44	30	10.56	Pass	401
788	788.1	0.03	RMS	788.001	-52.99	-13	39.99	Pass	401
788.1	793	0.1	RMS	788.112	-49.3	-13	36.3	Pass	401
793	805	0.01	RMS	795.22	-62.85	-35	27.85	Pass	1201



6.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	788.1	0.03	RMS	788.013	-39.97	-13	26.97	Pass	401
788.1	793	0.1	RMS	788.247	-34.65	-13	21.65	Pass	401
793	805	0.01	RMS	793.15	-51.35	-35	16.35	Pass	1201



7. LTE_Band17


7.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-14.62	-13	1.62	Pass*	401
703.9	704	0.03	RMS	704	-15.8	-13	2.8	Pass*	401
704	709	0.1	RMS	704.338	20.63	30	9.37	Pass	401




7.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-25.93	-13	12.93	Pass	401
703.9	704	0.03	RMS	704	-27.68	-13	14.68	Pass	401
704	709	0.1	RMS	704.388	6.94	30	23.06	Pass	401




7.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-15.21	-13	2.21	Pass*	401
703.9	704	0.03	RMS	703.999	-16.21	-13	3.21	Pass*	401
704	709	0.1	RMS	704.35	19.87	30	10.13	Pass	401




7.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.36	-13	13.36	Pass	401
703.9	704	0.03	RMS	704	-28.18	-13	15.18	Pass	401
704	709	0.1	RMS	704.363	6.06	30	23.94	Pass	401



7.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.8	30	9.2	Pass	401
716	716.1	0.03	RMS	716	-16.3	-13	3.3	Pass*	401
716.1	725	0.1	RMS	716.1	-15.4	-13	2.4	Pass*	401




7.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.875	6.73	30	23.27	Pass	401
716	716.1	0.03	RMS	716.001	-30	-13	17	Pass	401
716.1	725	0.1	RMS	716.1	-28.1	-13	15.1	Pass	401



7.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	19.88	30	10.12	Pass	401
716	716.1	0.03	RMS	716.001	-15.8	-13	2.8	Pass*	401
716.1	725	0.1	RMS	716.1	-14.95	-13	1.95	Pass*	401




7.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.15	5.71	30	24.29	Pass	401
716	716.1	0.03	RMS	716.001	-30.56	-13	17.56	Pass	401
716.1	725	0.1	RMS	716.1	-28.79	-13	15.79	Pass	401




7.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-19.1	-13	6.1	Pass	401
703.9	704	0.03	RMS	704	-21.88	-13	8.88	Pass	401
704	714	0.1	RMS	704.6	20.83	30	9.17	Pass	401




7.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.59	-13	17.59	Pass	401
703.9	704	0.03	RMS	703.992	-33.98	-13	20.98	Pass	401
704	714	0.1	RMS	711.975	4.25	30	25.75	Pass	401




7.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-20.01	-13	7.01	Pass	401
703.9	704	0.03	RMS	704	-22.72	-13	9.72	Pass	401
704	714	0.1	RMS	704.6	20	30	10	Pass	401




7.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.49	-13	18.49	Pass	401
703.9	704	0.03	RMS	703.999	-35.18	-13	22.18	Pass	401
704	714	0.1	RMS	713.05	3.37	30	26.63	Pass	401




7.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.88	30	9.12	Pass	401
716	716.1	0.03	RMS	716	-21.85	-13	8.85	Pass	401
716.1	725	0.1	RMS	716.1	-19.26	-13	6.26	Pass	401




7.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	712.375	3.97	30	26.03	Pass	401
716	716.1	0.03	RMS	716.002	-37.45	-13	24.45	Pass	401
716.1	725	0.1	RMS	716.1	-33.89	-13	20.89	Pass	401




7.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.79	30	10.21	Pass	401
716	716.1	0.03	RMS	716	-22.8	-13	9.8	Pass	401
716.1	725	0.1	RMS	716.1	-20.53	-13	7.53	Pass	401



7.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	713.025	3.02	30	26.98	Pass	401
716	716.1	0.03	RMS	716.003	-37.22	-13	24.22	Pass	401
716.1	725	0.1	RMS	716.1	-33.88	-13	20.88	Pass	401



8. LTE_Band25


8.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.94	-13	25.94	Pass	401
1848	1849	1	RMS	1849	-31.18	-13	18.18	Pass	2
1849	1850	0.02	RMS	1850	-22.67	-13	9.67	Pass	401
1850	1852	0.1	RMS	1850.245	20.68	30	9.32	Pass	401




8.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.69	-13	19.69	Pass	401
1848	1849	1	RMS	1849	-24.93	-13	11.93	Pass	2
1849	1850	0.02	RMS	1850	-30.25	-13	17.25	Pass	401
1850	1852	0.1	RMS	1850.64	12.37	30	17.63	Pass	401




8.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-35.52	-13	22.52	Pass	401
1848	1849	1	RMS	1849	-32.61	-13	19.61	Pass	2
1849	1850	0.02	RMS	1850	-23.96	-13	10.96	Pass	401
1850	1852	0.1	RMS	1850.255	19.58	30	10.42	Pass	401




8.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.79	-13	21.79	Pass	401
1848	1849	1	RMS	1849	-27.03	-13	14.03	Pass	2
1849	1850	0.02	RMS	1850	-30.97	-13	17.97	Pass	401
1850	1852	0.1	RMS	1850.73	11.44	30	18.56	Pass	401




8.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.745	20.69	30	9.31	Pass	401
1915	1916	0.02	RMS	1915	-22.6	-13	9.6	Pass	401
1916	1917	1	RMS	1916	-36.24	-13	23.24	Pass	2
1917	1925	1	RMS	1917	-37.82	-13	24.82	Pass	401




8.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.42	12.45	30	17.55	Pass	401
1915	1916	0.02	RMS	1915	-31.04	-13	18.04	Pass	401
1916	1917	1	RMS	1916	-24.51	-13	11.51	Pass	2
1917	1925	1	RMS	1917	-32.7	-13	19.7	Pass	401




8.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.745	19.73	30	10.27	Pass	401
1915	1916	0.02	RMS	1915	-24.23	-13	11.23	Pass	401
1916	1917	1	RMS	1916	-36.75	-13	23.75	Pass	2
1917	1925	1	RMS	1917	-38.48	-13	25.48	Pass	401




8.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.325	11.62	30	18.38	Pass	401
1915	1916	0.02	RMS	1915	-31.84	-13	18.84	Pass	401
1916	1917	1	RMS	1916	-26.06	-13	13.06	Pass	2
1917	1925	1	RMS	1917	-34.46	-13	21.46	Pass	401




8.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.86	-32.06	-13	19.06	Pass	401
1848	1849	1	RMS	1849	-37.49	-13	24.49	Pass	2
1849	1850	0.03	RMS	1850	-21.67	-13	8.67	Pass	401
1850	1853	0.1	RMS	1850.233	20.66	30	9.34	Pass	401




8.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-26.59	-13	13.59	Pass	401
1848	1849	1	RMS	1849	-24.28	-13	11.28	Pass	2
1849	1850	0.03	RMS	1850	-32.81	-13	19.81	Pass	401
1850	1853	0.1	RMS	1851.44	8.57	30	21.43	Pass	401




8.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.68	-31.94	-13	18.94	Pass	401
1848	1849	1	RMS	1849	-29.68	-13	16.68	Pass	2
1849	1850	0.03	RMS	1850	-22.43	-13	9.43	Pass	401
1850	1853	0.1	RMS	1850.248	19.84	30	10.16	Pass	401




8.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-28.78	-13	15.78	Pass	401
1848	1849	1	RMS	1849	-25.58	-13	12.58	Pass	2
1849	1850	0.03	RMS	1850	-34.25	-13	21.25	Pass	401
1850	1853	0.1	RMS	1851.223	7.55	30	22.45	Pass	401




8.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	20.75	30	9.25	Pass	401
1915	1916	0.03	RMS	1915.003	-21.69	-13	8.69	Pass	401
1916	1917	1	RMS	1916	-37.4	-13	24.4	Pass	2
1917	1925	1	RMS	1919.7	-39.69	-13	26.69	Pass	401




8.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.065	8.62	30	21.38	Pass	401
1915	1916	0.03	RMS	1915	-35.13	-13	22.13	Pass	401
1916	1917	1	RMS	1916	-26.21	-13	13.21	Pass	2
1917	1925	1	RMS	1917	-26.58	-13	13.58	Pass	401




8.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	19.8	30	10.2	Pass	401
1915	1916	0.03	RMS	1915	-23.21	-13	10.21	Pass	35
1916	1917	1	RMS	1916	-37.94	-13	24.94	Pass	2
1917	1925	1	RMS	1919.78	-40.8	-13	27.8	Pass	401




8.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.395	7.41	30	22.59	Pass	401
1915	1916	0.03	RMS	1915	-35.17	-13	22.17	Pass	401
1916	1917	1	RMS	1916	-26.21	-13	13.21	Pass	2
1917	1925	1	RMS	1917	-27.98	-13	14.98	Pass	401




8.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.58	-13	26.58	Pass	401
1848	1849	1	RMS	1849	-35.56	-13	22.56	Pass	2
1849	1850	0.051	RMS	1850	-13.79	-13	0.79	Pass*	401
1850	1855	0.1	RMS	1850.338	20.34	30	9.66	Pass	401




8.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.11	-13	13.11	Pass	401
1848	1849	1	RMS	1849	-25.24	-13	12.24	Pass	2
1849	1850	0.051	RMS	1850	-26.24	-13	13.24	Pass	401
1850	1855	0.1	RMS	1851.675	6.31	30	23.69	Pass	401




8.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.04	-13	27.04	Pass	401
1848	1849	1	RMS	1849	-36.17	-13	23.17	Pass	2
1849	1850	0.051	RMS	1850	-14.26	-13	1.26	Pass*	401
1850	1855	0.1	RMS	1850.338	19.66	30	10.34	Pass	401




8.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-27.66	-13	14.66	Pass	401
1848	1849	1	RMS	1849	-26.5	-13	13.5	Pass	2
1849	1850	0.051	RMS	1849.998	-27.1	-13	14.1	Pass	401
1850	1855	0.1	RMS	1851.688	5.26	30	24.74	Pass	401




8.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	20.52	30	9.48	Pass	401
1915	1916	0.051	RMS	1915.003	-14.16	-13	1.16	Pass*	401
1916	1917	1	RMS	1916	-35.92	-13	22.92	Pass	2
1917	1925	1	RMS	1917	-40.38	-13	27.38	Pass	401




8.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1911.863	6.25	30	23.75	Pass	401
1915	1916	0.051	RMS	1915	-26.95	-13	13.95	Pass	401
1916	1917	1	RMS	1916	-27.26	-13	14.26	Pass	2
1917	1925	1	RMS	1917.04	-28.16	-13	15.16	Pass	401




8.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	19.68	30	10.32	Pass	401
1915	1916	0.051	RMS	1915	-13.7	-13	0.7	Pass*	401
1916	1917	1	RMS	1916	-35.65	-13	22.65	Pass	2
1917	1925	1	RMS	1917	-40.62	-13	27.62	Pass	401




8.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1910.6	5.3	30	24.7	Pass	401
1915	1916	0.051	RMS	1915	-27.77	-13	14.77	Pass	401
1916	1917	1	RMS	1916	-27.37	-13	14.37	Pass	2
1917	1925	1	RMS	1917	-28.3	-13	15.3	Pass	401



8.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.12	-41.24	-13	28.24	Pass	401
1848	1849	1	RMS	1849	-30.2	-13	17.2	Pass	2
1849	1850	0.1	RMS	1850	-16.85	-13	3.85	Pass*	401
1850	1860	0.1	RMS	1850.6	20.59	30	9.41	Pass	401



8.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.68	-13	14.68	Pass	401
1848	1849	1	RMS	1849	-27	-13	14	Pass	2
1849	1850	0.1	RMS	1849.995	-29.69	-13	16.69	Pass	401
1850	1860	0.1	RMS	1851.95	3.55	30	26.45	Pass	401

