

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	34

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Conducted output power (dBm)</i>	<i>Antenna Gain (dBi)</i>	<i>EIRP (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band41(2535-2655)	5	40065	1	#0	QPSK	22.87	-0.26	22.61	33.01	PASS
Band41(2535-2655)	5	40065	1	#Mid	QPSK	22.85	-0.26	22.59	33.01	PASS
Band41(2535-2655)	5	40065	1	#Max	QPSK	23.02	-0.26	22.76	33.01	PASS
Band41(2535-2655)	5	40065	12	#0	QPSK	21.88	-0.26	21.62	33.01	PASS
Band41(2535-2655)	5	40065	12	#Mid	QPSK	21.79	-0.26	21.53	33.01	PASS
Band41(2535-2655)	5	40065	12	#Max	QPSK	21.79	-0.26	21.53	33.01	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	21.81	-0.26	21.55	33.01	PASS
Band41(2535-2655)	5	40065	1	#0	QAM16	21.54	-0.26	21.28	33.01	PASS
Band41(2535-2655)	5	40065	1	#Mid	QAM16	21.48	-0.26	21.22	33.01	PASS
Band41(2535-2655)	5	40065	1	#Max	QAM16	21.47	-0.26	21.21	33.01	PASS
Band41(2535-2655)	5	40065	12	#0	QAM16	20.92	-0.26	20.66	33.01	PASS
Band41(2535-2655)	5	40065	12	#Mid	QAM16	20.9	-0.26	20.64	33.01	PASS
Band41(2535-2655)	5	40065	12	#Max	QAM16	20.86	-0.26	20.6	33.01	PASS
Band41(2535-2655)	5	40065	25	#0	QAM16	21.12	-0.26	20.86	33.01	PASS
Band41(2535-2655)	5	40640	1	#0	QPSK	22.71	-0.26	22.45	33.01	PASS
Band41(2535-2655)	5	40640	1	#Mid	QPSK	22.81	-0.26	22.55	33.01	PASS
Band41(2535-2655)	5	40640	1	#Max	QPSK	22.95	-0.26	22.69	33.01	PASS
Band41(2535-2655)	5	40640	12	#0	QPSK	21.93	-0.26	21.67	33.01	PASS
Band41(2535-2655)	5	40640	12	#Mid	QPSK	21.88	-0.26	21.62	33.01	PASS
Band41(2535-2655)	5	40640	12	#Max	QPSK	21.93	-0.26	21.67	33.01	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	21.95	-0.26	21.69	33.01	PASS
Band41(2535-2655)	5	40640	1	#0	QAM16	21.67	-0.26	21.41	33.01	PASS
Band41(2535-2655)	5	40640	1	#Mid	QAM16	21.75	-0.26	21.49	33.01	PASS
Band41(2535-2655)	5	40640	1	#Max	QAM16	21.81	-0.26	21.55	33.01	PASS
Band41(2535-2655)	5	40640	12	#0	QAM16	21.02	-0.26	20.76	33.01	PASS
Band41(2535-2655)	5	40640	12	#Mid	QAM16	20.99	-0.26	20.73	33.01	PASS
Band41(2535-2655)	5	40640	12	#Max	QAM16	21.01	-0.26	20.75	33.01	PASS
Band41(2535-2655)	5	40640	25	#0	QAM16	20.91	-0.26	20.65	33.01	PASS
Band41(2535-2655)	5	41215	1	#0	QPSK	22.96	-0.26	22.7	33.01	PASS
Band41(2535-2655)	5	41215	1	#Mid	QPSK	23.09	-0.26	22.83	33.01	PASS
Band41(2535-2655)	5	41215	1	#Max	QPSK	23.17	-0.26	22.91	33.01	PASS
Band41(2535-2655)	5	41215	12	#0	QPSK	22.29	-0.26	22.03	33.01	PASS
Band41(2535-2655)	5	41215	12	#Mid	QPSK	22.25	-0.26	21.99	33.01	PASS
Band41(2535-2655)	5	41215	12	#Max	QPSK	22.27	-0.26	22.01	33.01	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	22.26	-0.26	22	33.01	PASS
Band41(2535-2655)	5	41215	1	#0	QAM16	22.01	-0.26	21.75	33.01	PASS
Band41(2535-2655)	5	41215	1	#Mid	QAM16	22.04	-0.26	21.78	33.01	PASS

Band41(2535-2655)	5	41215	1	#Max	QAM16	21.93	-0.26	21.67	33.01	PASS
Band41(2535-2655)	5	41215	12	#0	QAM16	21.43	-0.26	21.17	33.01	PASS
Band41(2535-2655)	5	41215	12	#Mid	QAM16	21.4	-0.26	21.14	33.01	PASS
Band41(2535-2655)	5	41215	12	#Max	QAM16	21.44	-0.26	21.18	33.01	PASS
Band41(2535-2655)	5	41215	25	#0	QAM16	21.39	-0.26	21.13	33.01	PASS
Band41(2535-2655)	10	40090	1	#0	QPSK	22.91	-0.26	22.65	33.01	PASS
Band41(2535-2655)	10	40090	1	#Mid	QPSK	22.93	-0.26	22.67	33.01	PASS
Band41(2535-2655)	10	40090	1	#Max	QPSK	22.85	-0.26	22.59	33.01	PASS
Band41(2535-2655)	10	40090	25	#0	QPSK	22.01	-0.26	21.75	33.01	PASS
Band41(2535-2655)	10	40090	25	#Mid	QPSK	22.06	-0.26	21.8	33.01	PASS
Band41(2535-2655)	10	40090	25	#Max	QPSK	22.03	-0.26	21.77	33.01	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	21.92	-0.26	21.66	33.01	PASS
Band41(2535-2655)	10	40090	1	#0	QAM16	22.92	-0.26	22.66	33.01	PASS
Band41(2535-2655)	10	40090	1	#Mid	QAM16	23.02	-0.26	22.76	33.01	PASS
Band41(2535-2655)	10	40090	1	#Max	QAM16	22.94	-0.26	22.68	33.01	PASS
Band41(2535-2655)	10	40090	25	#0	QAM16	21.35	-0.26	21.09	33.01	PASS
Band41(2535-2655)	10	40090	25	#Mid	QAM16	21.23	-0.26	20.97	33.01	PASS
Band41(2535-2655)	10	40090	25	#Max	QAM16	21.41	-0.26	21.15	33.01	PASS
Band41(2535-2655)	10	40090	50	#0	QAM16	21.12	-0.26	20.86	33.01	PASS
Band41(2535-2655)	10	40640	1	#0	QPSK	22.79	-0.26	22.53	33.01	PASS
Band41(2535-2655)	10	40640	1	#Mid	QPSK	22.89	-0.26	22.63	33.01	PASS
Band41(2535-2655)	10	40640	1	#Max	QPSK	23.08	-0.26	22.82	33.01	PASS
Band41(2535-2655)	10	40640	25	#0	QPSK	21.68	-0.26	21.42	33.01	PASS
Band41(2535-2655)	10	40640	25	#Mid	QPSK	21.68	-0.26	21.42	33.01	PASS
Band41(2535-2655)	10	40640	25	#Max	QPSK	21.88	-0.26	21.62	33.01	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	21.74	-0.26	21.48	33.01	PASS
Band41(2535-2655)	10	40640	1	#0	QAM16	21.53	-0.26	21.27	33.01	PASS
Band41(2535-2655)	10	40640	1	#Mid	QAM16	21.55	-0.26	21.29	33.01	PASS
Band41(2535-2655)	10	40640	1	#Max	QAM16	21.64	-0.26	21.38	33.01	PASS
Band41(2535-2655)	10	40640	25	#0	QAM16	20.95	-0.26	20.69	33.01	PASS
Band41(2535-2655)	10	40640	25	#Mid	QAM16	20.95	-0.26	20.69	33.01	PASS
Band41(2535-2655)	10	40640	25	#Max	QAM16	21.06	-0.26	20.8	33.01	PASS
Band41(2535-2655)	10	40640	50	#0	QAM16	20.97	-0.26	20.71	33.01	PASS
Band41(2535-2655)	10	41190	1	#0	QPSK	23.07	-0.26	22.81	33.01	PASS
Band41(2535-2655)	10	41190	1	#Mid	QPSK	22.95	-0.26	22.69	33.01	PASS
Band41(2535-2655)	10	41190	1	#Max	QPSK	23.02	-0.26	22.76	33.01	PASS
Band41(2535-2655)	10	41190	25	#0	QPSK	22.11	-0.26	21.85	33.01	PASS
Band41(2535-2655)	10	41190	25	#Mid	QPSK	22.21	-0.26	21.95	33.01	PASS
Band41(2535-2655)	10	41190	25	#Max	QPSK	22.1	-0.26	21.84	33.01	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	22.12	-0.26	21.86	33.01	PASS
Band41(2535-2655)	10	41190	1	#0	QAM16	22.61	-0.26	22.35	33.01	PASS
Band41(2535-2655)	10	41190	1	#Mid	QAM16	22.51	-0.26	22.25	33.01	PASS
Band41(2535-2655)	10	41190	1	#Max	QAM16	22.57	-0.26	22.31	33.01	PASS
Band41(2535-2655)	10	41190	25	#0	QAM16	21.39	-0.26	21.13	33.01	PASS

Band41(2535-2655)	10	41190	25	#Mid	QAM16	21.33	-0.26	21.07	33.01	PASS
Band41(2535-2655)	10	41190	25	#Max	QAM16	21.35	-0.26	21.09	33.01	PASS
Band41(2535-2655)	10	41190	50	#0	QAM16	21.19	-0.26	20.93	33.01	PASS
Band41(2535-2655)	15	40115	1	#0	QPSK	23.02	-0.26	22.76	33.01	PASS
Band41(2535-2655)	15	40115	1	#Mid	QPSK	22.83	-0.26	22.57	33.01	PASS
Band41(2535-2655)	15	40115	1	#Max	QPSK	22.74	-0.26	22.48	33.01	PASS
Band41(2535-2655)	15	40115	36	#0	QPSK	22.03	-0.26	21.77	33.01	PASS
Band41(2535-2655)	15	40115	36	#Mid	QPSK	21.92	-0.26	21.66	33.01	PASS
Band41(2535-2655)	15	40115	36	#Max	QPSK	21.93	-0.26	21.67	33.01	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	21.98	-0.26	21.72	33.01	PASS
Band41(2535-2655)	15	40115	1	#0	QAM16	23.01	-0.26	22.75	33.01	PASS
Band41(2535-2655)	15	40115	1	#Mid	QAM16	22.93	-0.26	22.67	33.01	PASS
Band41(2535-2655)	15	40115	1	#Max	QAM16	22.79	-0.26	22.53	33.01	PASS
Band41(2535-2655)	15	40115	36	#0	QAM16	21.2	-0.26	20.94	33.01	PASS
Band41(2535-2655)	15	40115	36	#Mid	QAM16	21.09	-0.26	20.83	33.01	PASS
Band41(2535-2655)	15	40115	36	#Max	QAM16	21.02	-0.26	20.76	33.01	PASS
Band41(2535-2655)	15	40115	75	#0	QAM16	21.14	-0.26	20.88	33.01	PASS
Band41(2535-2655)	15	40640	1	#0	QPSK	22.98	-0.26	22.72	33.01	PASS
Band41(2535-2655)	15	40640	1	#Mid	QPSK	23.01	-0.26	22.75	33.01	PASS
Band41(2535-2655)	15	40640	1	#Max	QPSK	22.94	-0.26	22.68	33.01	PASS
Band41(2535-2655)	15	40640	36	#0	QPSK	21.62	-0.26	21.36	33.01	PASS
Band41(2535-2655)	15	40640	36	#Mid	QPSK	21.77	-0.26	21.51	33.01	PASS
Band41(2535-2655)	15	40640	36	#Max	QPSK	21.84	-0.26	21.58	33.01	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	21.82	-0.26	21.56	33.01	PASS
Band41(2535-2655)	15	40640	1	#0	QAM16	21.61	-0.26	21.35	33.01	PASS
Band41(2535-2655)	15	40640	1	#Mid	QAM16	21.54	-0.26	21.28	33.01	PASS
Band41(2535-2655)	15	40640	1	#Max	QAM16	21.64	-0.26	21.38	33.01	PASS
Band41(2535-2655)	15	40640	36	#0	QAM16	20.9	-0.26	20.64	33.01	PASS
Band41(2535-2655)	15	40640	36	#Mid	QAM16	20.85	-0.26	20.59	33.01	PASS
Band41(2535-2655)	15	40640	36	#Max	QAM16	20.93	-0.26	20.67	33.01	PASS
Band41(2535-2655)	15	40640	75	#0	QAM16	20.98	-0.26	20.72	33.01	PASS
Band41(2535-2655)	15	41165	1	#0	QPSK	23.17	-0.26	22.91	33.01	PASS
Band41(2535-2655)	15	41165	1	#Mid	QPSK	23.05	-0.26	22.79	33.01	PASS
Band41(2535-2655)	15	41165	1	#Max	QPSK	23.14	-0.26	22.88	33.01	PASS
Band41(2535-2655)	15	41165	36	#0	QPSK	22.22	-0.26	21.96	33.01	PASS
Band41(2535-2655)	15	41165	36	#Mid	QPSK	22.15	-0.26	21.89	33.01	PASS
Band41(2535-2655)	15	41165	36	#Max	QPSK	22.08	-0.26	21.82	33.01	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	22.06	-0.26	21.8	33.01	PASS
Band41(2535-2655)	15	41165	1	#0	QAM16	22.58	-0.26	22.32	33.01	PASS
Band41(2535-2655)	15	41165	1	#Mid	QAM16	22.46	-0.26	22.2	33.01	PASS
Band41(2535-2655)	15	41165	1	#Max	QAM16	22.53	-0.26	22.27	33.01	PASS
Band41(2535-2655)	15	41165	36	#0	QAM16	21.27	-0.26	21.01	33.01	PASS
Band41(2535-2655)	15	41165	36	#Mid	QAM16	21.23	-0.26	20.97	33.01	PASS
Band41(2535-2655)	15	41165	36	#Max	QAM16	21.31	-0.26	21.05	33.01	PASS

Band41(2535-2655)	15	41165	75	#0	QAM16	21.35	-0.26	21.09	33.01	PASS
Band41(2535-2655)	20	40140	1	#0	QPSK	22.96	-0.26	22.7	33.01	PASS
Band41(2535-2655)	20	40140	1	#Mid	QPSK	22.8	-0.26	22.54	33.01	PASS
Band41(2535-2655)	20	40140	1	#Max	QPSK	22.94	-0.26	22.68	33.01	PASS
Band41(2535-2655)	20	40140	50	#0	QPSK	21.87	-0.26	21.61	33.01	PASS
Band41(2535-2655)	20	40140	50	#Mid	QPSK	21.89	-0.26	21.63	33.01	PASS
Band41(2535-2655)	20	40140	50	#Max	QPSK	21.69	-0.26	21.43	33.01	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	21.76	-0.26	21.5	33.01	PASS
Band41(2535-2655)	20	40140	1	#0	QAM16	21.61	-0.26	21.35	33.01	PASS
Band41(2535-2655)	20	40140	1	#Mid	QAM16	21.52	-0.26	21.26	33.01	PASS
Band41(2535-2655)	20	40140	1	#Max	QAM16	21.56	-0.26	21.3	33.01	PASS
Band41(2535-2655)	20	40140	50	#0	QAM16	21.07	-0.26	20.81	33.01	PASS
Band41(2535-2655)	20	40140	50	#Mid	QAM16	21.11	-0.26	20.85	33.01	PASS
Band41(2535-2655)	20	40140	50	#Max	QAM16	21.02	-0.26	20.76	33.01	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	20.98	-0.26	20.72	33.01	PASS
Band41(2535-2655)	20	40640	1	#0	QPSK	22.89	-0.26	22.63	33.01	PASS
Band41(2535-2655)	20	40640	1	#Mid	QPSK	22.84	-0.26	22.58	33.01	PASS
Band41(2535-2655)	20	40640	1	#Max	QPSK	23.13	-0.26	22.87	33.01	PASS
Band41(2535-2655)	20	40640	50	#0	QPSK	21.7	-0.26	21.44	33.01	PASS
Band41(2535-2655)	20	40640	50	#Mid	QPSK	21.8	-0.26	21.54	33.01	PASS
Band41(2535-2655)	20	40640	50	#Max	QPSK	21.85	-0.26	21.59	33.01	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	21.87	-0.26	21.61	33.01	PASS
Band41(2535-2655)	20	40640	1	#0	QAM16	21.53	-0.26	21.27	33.01	PASS
Band41(2535-2655)	20	40640	1	#Mid	QAM16	21.33	-0.26	21.07	33.01	PASS
Band41(2535-2655)	20	40640	1	#Max	QAM16	21.36	-0.26	21.1	33.01	PASS
Band41(2535-2655)	20	40640	50	#0	QAM16	21.43	-0.26	21.17	33.01	PASS
Band41(2535-2655)	20	40640	50	#Mid	QAM16	20.84	-0.26	20.58	33.01	PASS
Band41(2535-2655)	20	40640	50	#Max	QAM16	21.1	-0.26	20.84	33.01	PASS
Band41(2535-2655)	20	40640	100	#0	QAM16	20.82	-0.26	20.56	33.01	PASS
Band41(2535-2655)	20	41140	1	#0	QPSK	23.19	-0.26	22.93	33.01	PASS
Band41(2535-2655)	20	41140	1	#Mid	QPSK	23.13	-0.26	22.87	33.01	PASS
Band41(2535-2655)	20	41140	1	#Max	QPSK	23.14	-0.26	22.88	33.01	PASS
Band41(2535-2655)	20	41140	50	#0	QPSK	22.24	-0.26	21.98	33.01	PASS
Band41(2535-2655)	20	41140	50	#Mid	QPSK	22.15	-0.26	21.89	33.01	PASS
Band41(2535-2655)	20	41140	50	#Max	QPSK	22.08	-0.26	21.82	33.01	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	22.2	-0.26	21.94	33.01	PASS
Band41(2535-2655)	20	41140	1	#0	QAM16	22.34	-0.26	22.08	33.01	PASS
Band41(2535-2655)	20	41140	1	#Mid	QAM16	22.09	-0.26	21.83	33.01	PASS
Band41(2535-2655)	20	41140	1	#Max	QAM16	22.08	-0.26	21.82	33.01	PASS
Band41(2535-2655)	20	41140	50	#0	QAM16	21.53	-0.26	21.27	33.01	PASS
Band41(2535-2655)	20	41140	50	#Mid	QAM16	21.43	-0.26	21.17	33.01	PASS
Band41(2535-2655)	20	41140	50	#Max	QAM16	21.46	-0.26	21.2	33.01	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	21.19	-0.26	20.93	33.01	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band41(2535-2655)	20	40140	100	#0	QPSK	-19.91	-0.008	-2.5	2.5	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	-21.68	-0.009	-2.5	2.5	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	-18.78	-0.007	-2.5	2.5	PASS
Band41(2535-2655)	20	40640	100	#0	QAM16	-17.96	-0.007	-2.5	2.5	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	-11.88	-0.004	-2.5	2.5	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	-18.99	-0.007	-2.5	2.5	PASS

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41(2535-2655)	5	40640	1	#0	QPSK	8.42	13	PASS
Band41(2535-2655)	5	40640	1	#0	QAM16	9.29	13	PASS
Band41(2535-2655)	10	40640	1	#0	QPSK	8.97	13	PASS
Band41(2535-2655)	10	40640	1	#0	QAM16	9.75	13	PASS
Band41(2535-2655)	15	40640	1	#0	QPSK	8.47	13	PASS
Band41(2535-2655)	15	40640	1	#0	QAM16	11.16	13	PASS
Band41(2535-2655)	20	40640	1	#0	QPSK	8.78	13	PASS
Band41(2535-2655)	20	40640	1	#0	QAM16	9.26	13	PASS

Band41(2535-2655) QAM16 BW=10MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QAM16 BW=15MHz Channel=40640 RB Size=1 Position=#0

**Band41(2535-2655) QAM16 BW=20MHz Channel=40640 RB Size=1 Position=#0****Band41(2535-2655) QAM16 BW=5MHz Channel=40640 RB Size=1 Position=#0**

**Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=1 Position=#0****Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=1 Position=#0**


**Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=1 Position=#0****Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band41(2535-2655)	5	40065	25	#0	QPSK	4.517	5.184	PASS
Band41(2535-2655)	5	40065	25	#0	QAM16	4.510	4.950	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	4.504	4.840	PASS
Band41(2535-2655)	5	40640	25	#0	QAM16	4.515	4.987	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	4.508	4.920	PASS
Band41(2535-2655)	5	41215	25	#0	QAM16	4.497	4.998	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	8.991	9.684	PASS
Band41(2535-2655)	10	40090	50	#0	QAM16	8.984	9.786	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	9.017	10.198	PASS
Band41(2535-2655)	10	40640	50	#0	QAM16	8.994	9.705	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	9.007	9.748	PASS
Band41(2535-2655)	10	41190	50	#0	QAM16	9.021	9.876	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	13.435	15.086	PASS
Band41(2535-2655)	15	40115	75	#0	QAM16	13.497	14.807	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	13.460	14.729	PASS
Band41(2535-2655)	15	40640	75	#0	QAM16	13.494	14.850	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	13.506	14.783	PASS
Band41(2535-2655)	15	41165	75	#0	QAM16	13.523	14.737	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	17.913	19.634	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	17.920	20.036	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	17.969	19.437	PASS
Band41(2535-2655)	20	40640	100	#0	QAM16	17.952	19.502	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	17.946	19.728	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	17.976	19.717	PASS


Band41(2535-2655) QAM16 BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QAM16 BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41(2535-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0





Band41(2535-2655) QAM16 BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QAM16 BW=20MHz Channel=40640 RB Size=100 Position=#0




Band41(2535-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0



**Band41(2535-2655) QAM16 BW=5MHz Channel=40065 RB Size=25 Position=#0****Band41(2535-2655) QAM16 BW=5MHz Channel=40640 RB Size=25 Position=#0**







Band41(2535-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0







Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0



**Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=50 Position=#0****Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0**

**Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0****Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=75 Position=#0**

**Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0****Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0**

**Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=100 Position=#0****Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0**


**Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0****Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=25 Position=#0**

*Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0*



5 Band edge


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	2534.00	-17.33	-10	PASS
Band41(2535-2655)	5	40065	25	#0	QAM16	2528.97	-30.93	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	2663.55	-32.33	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QAM16	2656.04	-18.81	-10	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	2524.49	-36.09	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QAM16	2523.81	-38.11	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	2665.81	-34.67	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QAM16	2665.01	-33.66	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	2517.87	-39.08	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QAM16	2518.88	-38.03	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	2670.29	-36.55	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QAM16	2671.38	-37.97	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	2511.65	-40.65	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	2513.71	-39.98	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	2676.76	-37.02	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	2675.12	-36.76	-25	PASS

Band41(2535-2655) QAM16 BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0


**Band41(2535-2655) QAM16 BW=15MHz Channel=40115 RB Size=75 Position=#0****Band41(2535-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0**




Band41(2535-2655) QAM16 BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2535-2655) QAM16 BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.043	-27.92	-10
2	2656	2660	1000	2656.004	-18.52	-10
3	2660	2661	1000	2660.081	-28.87	-13
4	2661	2665	1000	2663.548	-32.33	-25



6 Out-of-band emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	3702.93	-38.46	-25	PASS
Band41(2535-2655)	5	40065	25	#0	QAM16	2403.33	-36.50	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	5306.28	-37.75	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QAM16	2731.15	-30.27	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	3812.50	-38.89	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QAM16	4935.25	-38.86	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	5303.80	-38.28	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QAM16	2763.55	-35.69	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	3654.33	-39.50	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QAM16	3814.98	-38.14	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	3857.50	-38.71	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QAM16	5288.05	-38.78	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	3773.80	-38.55	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	3888.78	-39.49	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	5016.93	-39.11	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	3835.45	-39.36	-25	PASS



Band41(2535-2655) QAM16 BW=10MHz Channel=40090 RB Size=50 Position=#0







Band41(2535-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0



**Band41(2535-2655) QAM16 BW=15MHz Channel=40115 RB Size=75 Position=#0****Band41(2535-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0**



**Band41(2535-2655) QAM16 BW=20MHz Channel=40140 RB Size=100 Position=#0****Band41(2535-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0**


**Band41(2535-2655) QAM16 BW=5MHz Channel=40065 RB Size=25 Position=#0****Band41(2535-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0**

**Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0****Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0**

**Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0****Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0**

**Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0****Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0**

**Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0****Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0**



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01099515	-45.19	-25
2	0.15	30	10	0.17611875	-57.08	-25
3	30	1000	100	940.539	-53.84	-25
4	1000	10000	1000	5306.275	-37.75	-25