

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limt (dBm)	Verdict
Band5	1.4	20407	1	#0	QPSK	21.62	-4.42	-6.57	15.05	38.45	Pass
Band5	1.4	20407	1	#Mid	QPSK	21.66	-4.42	-6.57	15.09	38.45	Pass
Band5	1.4	20407	1	#Max	QPSK	21.53	-4.42	-6.57	14.96	38.45	Pass
Band5	1.4	20407	3	#0	QPSK	21.49	-4.42	-6.57	14.92	38.45	Pass
Band5	1.4	20407	3	#Mid	QPSK	21.51	-4.42	-6.57	14.94	38.45	Pass
Band5	1.4	20407	3	#Max	QPSK	21.58	-4.42	-6.57	15.01	38.45	Pass
Band5	1.4	20407	6	#0	QPSK	21	-4.42	-6.57	14.43	38.45	Pass
Band5	1.4	20407	1	#0	QAM16	21.86	-4.42	-6.57	15.29	38.45	Pass
Band5	1.4	20407	1	#Mid	QAM16	21.79	-4.42	-6.57	15.22	38.45	Pass
Band5	1.4	20407	1	#Max	QAM16	21.83	-4.42	-6.57	15.26	38.45	Pass
Band5	1.4	20407	3	#0	QAM16	20.63	-4.42	-6.57	14.06	38.45	Pass
Band5	1.4	20407	3	#Mid	QAM16	20.65	-4.42	-6.57	14.08	38.45	Pass
Band5	1.4	20407	3	#Max	QAM16	20.59	-4.42	-6.57	14.02	38.45	Pass
Band5	1.4	20407	6	#0	QAM16	19.5	-4.42	-6.57	12.93	38.45	Pass
Band5	1.4	20525	1	#0	QPSK	21.8	-4.42	-6.57	15.23	38.45	Pass
Band5	1.4	20525	1	#Mid	QPSK	21.76	-4.42	-6.57	15.19	38.45	Pass
Band5	1.4	20525	1	#Max	QPSK	21.77	-4.42	-6.57	15.20	38.45	Pass
Band5	1.4	20525	3	#0	QPSK	21.71	-4.42	-6.57	15.14	38.45	Pass
Band5	1.4	20525	3	#Mid	QPSK	21.76	-4.42	-6.57	15.19	38.45	Pass
Band5	1.4	20525	3	#Max	QPSK	21.79	-4.42	-6.57	15.22	38.45	Pass
Band5	1.4	20525	6	#0	QPSK	21.23	-4.42	-6.57	14.66	38.45	Pass
Band5	1.4	20525	1	#0	QAM16	21.61	-4.42	-6.57	15.04	38.45	Pass
Band5	1.4	20525	1	#Mid	QAM16	21.7	-4.42	-6.57	15.13	38.45	Pass
Band5	1.4	20525	1	#Max	QAM16	21.64	-4.42	-6.57	15.07	38.45	Pass
Band5	1.4	20525	3	#0	QAM16	21.06	-4.42	-6.57	14.49	38.45	Pass
Band5	1.4	20525	3	#Mid	QAM16	21.1	-4.42	-6.57	14.53	38.45	Pass
Band5	1.4	20525	3	#Max	QAM16	21.05	-4.42	-6.57	14.48	38.45	Pass
Band5	1.4	20525	6	#0	QAM16	19.84	-4.42	-6.57	13.27	38.45	Pass
Band5	1.4	20643	1	#0	QPSK	21.55	-4.42	-6.57	14.98	38.45	Pass
Band5	1.4	20643	1	#Mid	QPSK	21.58	-4.42	-6.57	15.01	38.45	Pass
Band5	1.4	20643	1	#Max	QPSK	21.58	-4.42	-6.57	15.01	38.45	Pass
Band5	1.4	20643	3	#0	QPSK	21.49	-4.42	-6.57	14.92	38.45	Pass
Band5	1.4	20643	3	#Mid	QPSK	21.7	-4.42	-6.57	15.13	38.45	Pass
Band5	1.4	20643	3	#Max	QPSK	21.61	-4.42	-6.57	15.04	38.45	Pass
Band5	1.4	20643	6	#0	QPSK	21.08	-4.42	-6.57	14.51	38.45	Pass
Band5	1.4	20643	1	#0	QAM16	21.46	-4.42	-6.57	14.89	38.45	Pass
Band5	1.4	20643	1	#Mid	QAM16	21.55	-4.42	-6.57	14.98	38.45	Pass

Band5	1.4	20643	1	#Max	QAM16	21.48	-4.42	-6.57	14.91	38.45	Pass
Band5	1.4	20643	3	#0	QAM16	20.6	-4.42	-6.57	14.03	38.45	Pass
Band5	1.4	20643	3	#Mid	QAM16	20.7	-4.42	-6.57	14.13	38.45	Pass
Band5	1.4	20643	3	#Max	QAM16	20.71	-4.42	-6.57	14.14	38.45	Pass
Band5	1.4	20643	6	#0	QAM16	19.88	-4.42	-6.57	13.31	38.45	Pass
Band5	3	20415	1	#0	QPSK	21.4	-4.42	-6.57	14.83	38.45	Pass
Band5	3	20415	1	#Mid	QPSK	21.49	-4.42	-6.57	14.92	38.45	Pass
Band5	3	20415	1	#Max	QPSK	21.63	-4.42	-6.57	15.06	38.45	Pass
Band5	3	20415	8	#0	QPSK	21.02	-4.42	-6.57	14.45	38.45	Pass
Band5	3	20415	8	#Mid	QPSK	21.01	-4.42	-6.57	14.44	38.45	Pass
Band5	3	20415	8	#Max	QPSK	21.15	-4.42	-6.57	14.58	38.45	Pass
Band5	3	20415	15	#0	QPSK	21.07	-4.42	-6.57	14.50	38.45	Pass
Band5	3	20415	1	#0	QAM16	21.86	-4.42	-6.57	15.29	38.45	Pass
Band5	3	20415	1	#Mid	QAM16	21.91	-4.42	-6.57	15.34	38.45	Pass
Band5	3	20415	1	#Max	QAM16	22.06	-4.42	-6.57	15.49	38.45	Pass
Band5	3	20415	8	#0	QAM16	19.39	-4.42	-6.57	12.82	38.45	Pass
Band5	3	20415	8	#Mid	QAM16	19.42	-4.42	-6.57	12.85	38.45	Pass
Band5	3	20415	8	#Max	QAM16	19.4	-4.42	-6.57	12.83	38.45	Pass
Band5	3	20415	15	#0	QAM16	19.44	-4.42	-6.57	12.87	38.45	Pass
Band5	3	20525	1	#0	QPSK	21.73	-4.42	-6.57	15.16	38.45	Pass
Band5	3	20525	1	#Mid	QPSK	21.62	-4.42	-6.57	15.05	38.45	Pass
Band5	3	20525	1	#Max	QPSK	21.65	-4.42	-6.57	15.08	38.45	Pass
Band5	3	20525	8	#0	QPSK	21.2	-4.42	-6.57	14.63	38.45	Pass
Band5	3	20525	8	#Mid	QPSK	21.1	-4.42	-6.57	14.53	38.45	Pass
Band5	3	20525	8	#Max	QPSK	21.14	-4.42	-6.57	14.57	38.45	Pass
Band5	3	20525	15	#0	QPSK	21.17	-4.42	-6.57	14.60	38.45	Pass
Band5	3	20525	1	#0	QAM16	21.8	-4.42	-6.57	15.23	38.45	Pass
Band5	3	20525	1	#Mid	QAM16	21.91	-4.42	-6.57	15.34	38.45	Pass
Band5	3	20525	1	#Max	QAM16	21.91	-4.42	-6.57	15.34	38.45	Pass
Band5	3	20525	8	#0	QAM16	19.84	-4.42	-6.57	13.27	38.45	Pass
Band5	3	20525	8	#Mid	QAM16	19.85	-4.42	-6.57	13.28	38.45	Pass
Band5	3	20525	8	#Max	QAM16	19.88	-4.42	-6.57	13.31	38.45	Pass
Band5	3	20525	15	#0	QAM16	19.67	-4.42	-6.57	13.10	38.45	Pass
Band5	3	20635	1	#0	QPSK	21.54	-4.42	-6.57	14.97	38.45	Pass
Band5	3	20635	1	#Mid	QPSK	21.56	-4.42	-6.57	14.99	38.45	Pass
Band5	3	20635	1	#Max	QPSK	21.66	-4.42	-6.57	15.09	38.45	Pass
Band5	3	20635	8	#0	QPSK	21.05	-4.42	-6.57	14.48	38.45	Pass
Band5	3	20635	8	#Mid	QPSK	21.06	-4.42	-6.57	14.49	38.45	Pass
Band5	3	20635	8	#Max	QPSK	21.08	-4.42	-6.57	14.51	38.45	Pass
Band5	3	20635	15	#0	QPSK	21.01	-4.42	-6.57	14.44	38.45	Pass
Band5	3	20635	1	#0	QAM16	21.96	-4.42	-6.57	15.39	38.45	Pass
Band5	3	20635	1	#Mid	QAM16	21.91	-4.42	-6.57	15.34	38.45	Pass
Band5	3	20635	1	#Max	QAM16	21.8	-4.42	-6.57	15.23	38.45	Pass
Band5	3	20635	8	#0	QAM16	19.54	-4.42	-6.57	12.97	38.45	Pass

Band5	3	20635	8	#Mid	QAM16	19.57	-4.42	-6.57	13.00	38.45	Pass
Band5	3	20635	8	#Max	QAM16	19.88	-4.42	-6.57	13.31	38.45	Pass
Band5	3	20635	15	#0	QAM16	19.58	-4.42	-6.57	13.01	38.45	Pass
Band5	5	20425	1	#0	QPSK	21.43	-4.42	-6.57	14.86	38.45	Pass
Band5	5	20425	1	#Mid	QPSK	21.64	-4.42	-6.57	15.07	38.45	Pass
Band5	5	20425	1	#Max	QPSK	21.81	-4.42	-6.57	15.24	38.45	Pass
Band5	5	20425	12	#0	QPSK	21.04	-4.42	-6.57	14.47	38.45	Pass
Band5	5	20425	12	#Mid	QPSK	21.19	-4.42	-6.57	14.62	38.45	Pass
Band5	5	20425	12	#Max	QPSK	21.2	-4.42	-6.57	14.63	38.45	Pass
Band5	5	20425	25	#0	QPSK	21.14	-4.42	-6.57	14.57	38.45	Pass
Band5	5	20425	1	#0	QAM16	20.7	-4.42	-6.57	14.13	38.45	Pass
Band5	5	20425	1	#Mid	QAM16	20.84	-4.42	-6.57	14.27	38.45	Pass
Band5	5	20425	1	#Max	QAM16	20.92	-4.42	-6.57	14.35	38.45	Pass
Band5	5	20425	12	#0	QAM16	19.34	-4.42	-6.57	12.77	38.45	Pass
Band5	5	20425	12	#Mid	QAM16	19.43	-4.42	-6.57	12.86	38.45	Pass
Band5	5	20425	12	#Max	QAM16	19.51	-4.42	-6.57	12.94	38.45	Pass
Band5	5	20425	25	#0	QAM16	19.66	-4.42	-6.57	13.09	38.45	Pass
Band5	5	20525	1	#0	QPSK	21.73	-4.42	-6.57	15.16	38.45	Pass
Band5	5	20525	1	#Mid	QPSK	21.72	-4.42	-6.57	15.15	38.45	Pass
Band5	5	20525	1	#Max	QPSK	21.74	-4.42	-6.57	15.17	38.45	Pass
Band5	5	20525	12	#0	QPSK	21.19	-4.42	-6.57	14.62	38.45	Pass
Band5	5	20525	12	#Mid	QPSK	21.15	-4.42	-6.57	14.58	38.45	Pass
Band5	5	20525	12	#Max	QPSK	21.18	-4.42	-6.57	14.61	38.45	Pass
Band5	5	20525	25	#0	QPSK	21.14	-4.42	-6.57	14.57	38.45	Pass
Band5	5	20525	1	#0	QAM16	21.23	-4.42	-6.57	14.66	38.45	Pass
Band5	5	20525	1	#Mid	QAM16	21.22	-4.42	-6.57	14.65	38.45	Pass
Band5	5	20525	1	#Max	QAM16	21.08	-4.42	-6.57	14.51	38.45	Pass
Band5	5	20525	12	#0	QAM16	19.72	-4.42	-6.57	13.15	38.45	Pass
Band5	5	20525	12	#Mid	QAM16	19.65	-4.42	-6.57	13.08	38.45	Pass
Band5	5	20525	12	#Max	QAM16	19.61	-4.42	-6.57	13.04	38.45	Pass
Band5	5	20525	25	#0	QAM16	19.64	-4.42	-6.57	13.07	38.45	Pass
Band5	5	20625	1	#0	QPSK	21.57	-4.42	-6.57	15.00	38.45	Pass
Band5	5	20625	1	#Mid	QPSK	21.5	-4.42	-6.57	14.93	38.45	Pass
Band5	5	20625	1	#Max	QPSK	21.56	-4.42	-6.57	14.99	38.45	Pass
Band5	5	20625	12	#0	QPSK	21.07	-4.42	-6.57	14.50	38.45	Pass
Band5	5	20625	12	#Mid	QPSK	21.16	-4.42	-6.57	14.59	38.45	Pass
Band5	5	20625	12	#Max	QPSK	20.96	-4.42	-6.57	14.39	38.45	Pass
Band5	5	20625	25	#0	QPSK	21.04	-4.42	-6.57	14.47	38.45	Pass
Band5	5	20625	1	#0	QAM16	21.25	-4.42	-6.57	14.68	38.45	Pass
Band5	5	20625	1	#Mid	QAM16	21.17	-4.42	-6.57	14.60	38.45	Pass
Band5	5	20625	1	#Max	QAM16	21.13	-4.42	-6.57	14.56	38.45	Pass
Band5	5	20625	12	#0	QAM16	19.59	-4.42	-6.57	13.02	38.45	Pass
Band5	5	20625	12	#Mid	QAM16	19.5	-4.42	-6.57	12.93	38.45	Pass
Band5	5	20625	12	#Max	QAM16	19.48	-4.42	-6.57	12.91	38.45	Pass

Band5	5	20625	25	#0	QAM16	19.69	-4.42	-6.57	13.12	38.45	Pass
Band5	10	20450	1	#0	QPSK	21.74	-4.42	-6.57	15.17	38.45	Pass
Band5	10	20450	1	#Mid	QPSK	21.82	-4.42	-6.57	15.25	38.45	Pass
Band5	10	20450	1	#Max	QPSK	21.82	-4.42	-6.57	15.25	38.45	Pass
Band5	10	20450	25	#0	QPSK	21.2	-4.42	-6.57	14.63	38.45	Pass
Band5	10	20450	25	#Mid	QPSK	21.29	-4.42	-6.57	14.72	38.45	Pass
Band5	10	20450	25	#Max	QPSK	21.25	-4.42	-6.57	14.68	38.45	Pass
Band5	10	20450	50	#0	QPSK	21.17	-4.42	-6.57	14.60	38.45	Pass
Band5	10	20450	1	#0	QAM16	20.94	-4.42	-6.57	14.37	38.45	Pass
Band5	10	20450	1	#Mid	QAM16	21.19	-4.42	-6.57	14.62	38.45	Pass
Band5	10	20450	1	#Max	QAM16	21.19	-4.42	-6.57	14.62	38.45	Pass
Band5	10	20450	25	#0	QAM16	19.57	-4.42	-6.57	13.00	38.45	Pass
Band5	10	20450	25	#Mid	QAM16	19.72	-4.42	-6.57	13.15	38.45	Pass
Band5	10	20450	25	#Max	QAM16	19.81	-4.42	-6.57	13.24	38.45	Pass
Band5	10	20450	50	#0	QAM16	19.78	-4.42	-6.57	13.21	38.45	Pass
Band5	10	20525	1	#0	QPSK	21.73	-4.42	-6.57	15.16	38.45	Pass
Band5	10	20525	1	#Mid	QPSK	21.87	-4.42	-6.57	15.30	38.45	Pass
Band5	10	20525	1	#Max	QPSK	21.87	-4.42	-6.57	15.30	38.45	Pass
Band5	10	20525	25	#0	QPSK	21.23	-4.42	-6.57	14.66	38.45	Pass
Band5	10	20525	25	#Mid	QPSK	21.19	-4.42	-6.57	14.62	38.45	Pass
Band5	10	20525	25	#Max	QPSK	21.24	-4.42	-6.57	14.67	38.45	Pass
Band5	10	20525	50	#0	QPSK	21.22	-4.42	-6.57	14.65	38.45	Pass
Band5	10	20525	1	#0	QAM16	21.12	-4.42	-6.57	14.55	38.45	Pass
Band5	10	20525	1	#Mid	QAM16	21.21	-4.42	-6.57	14.64	38.45	Pass
Band5	10	20525	1	#Max	QAM16	21.1	-4.42	-6.57	14.53	38.45	Pass
Band5	10	20525	25	#0	QAM16	19.75	-4.42	-6.57	13.18	38.45	Pass
Band5	10	20525	25	#Mid	QAM16	19.75	-4.42	-6.57	13.18	38.45	Pass
Band5	10	20525	25	#Max	QAM16	19.83	-4.42	-6.57	13.26	38.45	Pass
Band5	10	20525	50	#0	QAM16	19.68	-4.42	-6.57	13.11	38.45	Pass
Band5	10	20600	1	#0	QPSK	21.75	-4.42	-6.57	15.18	38.45	Pass
Band5	10	20600	1	#Mid	QPSK	21.56	-4.42	-6.57	14.99	38.45	Pass
Band5	10	20600	1	#Max	QPSK	21.55	-4.42	-6.57	14.98	38.45	Pass
Band5	10	20600	25	#0	QPSK	21.11	-4.42	-6.57	14.54	38.45	Pass
Band5	10	20600	25	#Mid	QPSK	21.19	-4.42	-6.57	14.62	38.45	Pass
Band5	10	20600	25	#Max	QPSK	21.19	-4.42	-6.57	14.62	38.45	Pass
Band5	10	20600	50	#0	QPSK	21.12	-4.42	-6.57	14.55	38.45	Pass
Band5	10	20600	1	#0	QAM16	22.03	-4.42	-6.57	15.46	38.45	Pass
Band5	10	20600	1	#Mid	QAM16	22.03	-4.42	-6.57	15.46	38.45	Pass
Band5	10	20600	1	#Max	QAM16	21.98	-4.42	-6.57	15.41	38.45	Pass
Band5	10	20600	25	#0	QAM16	19.71	-4.42	-6.57	13.14	38.45	Pass
Band5	10	20600	25	#Mid	QAM16	19.67	-4.42	-6.57	13.10	38.45	Pass
Band5	10	20600	25	#Max	QAM16	19.57	-4.42	-6.57	13.00	38.45	Pass
Band5	10	20600	50	#0	QAM16	19.68	-4.42	-6.57	13.11	38.45	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band5	10	20450	50	#0	QPSK	-3.40	-0.00410	-2.5	2.5	PASS
Band5	10	20450	50	#0	QAM16	-9.89	-0.01193	-2.5	2.5	PASS
Band5	10	20525	50	#0	QPSK	0.15	0.00018	-2.5	2.5	PASS
Band5	10	20525	50	#0	QAM16	-7.28	-0.00870	-2.5	2.5	PASS
Band5	10	20600	50	#0	QPSK	1.53	0.00181	-2.5	2.5	PASS
Band5	10	20600	50	#0	QAM16	-7.66	-0.00908	-2.5	2.5	PASS

Note: (Voltage: 3.85V, Temperature: 25°C) only reflect the worst mode.


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band5	1.4	20525	1	#0	QPSK	4.33	13	PASS
Band5	1.4	20525	1	#0	QAM16	4.70	13	PASS
Band5	3	20525	1	#0	QPSK	4.35	13	PASS
Band5	3	20525	1	#0	QAM16	5.08	13	PASS
Band5	5	20525	1	#0	QPSK	4.46	13	PASS
Band5	5	20525	1	#0	QAM16	5.25	13	PASS
Band5	10	20525	1	#0	QPSK	4.52	13	PASS
Band5	10	20525	1	#0	QAM16	5.22	13	PASS


Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0



Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band5	1.4	20407	6	#0	QPSK	1.101	1.245	PASS
Band5	1.4	20407	6	#0	QAM16	1.106	1.250	PASS
Band5	1.4	20525	6	#0	QPSK	1.094	1.240	PASS
Band5	1.4	20525	6	#0	QAM16	1.103	1.240	PASS
Band5	1.4	20643	6	#0	QPSK	1.094	1.245	PASS
Band5	1.4	20643	6	#0	QAM16	1.108	1.251	PASS
Band5	3	20415	15	#0	QPSK	2.705	3.040	PASS
Band5	3	20415	15	#0	QAM16	2.710	3.054	PASS
Band5	3	20525	15	#0	QPSK	2.711	3.027	PASS
Band5	3	20525	15	#0	QAM16	2.705	3.031	PASS
Band5	3	20635	15	#0	QPSK	2.716	3.014	PASS
Band5	3	20635	15	#0	QAM16	2.698	3.023	PASS
Band5	5	20425	25	#0	QPSK	4.503	4.911	PASS
Band5	5	20425	25	#0	QAM16	4.533	4.963	PASS
Band5	5	20525	25	#0	QPSK	4.521	4.947	PASS
Band5	5	20525	25	#0	QAM16	4.499	4.975	PASS
Band5	5	20625	25	#0	QPSK	4.510	4.904	PASS
Band5	5	20625	25	#0	QAM16	4.501	4.970	PASS
Band5	10	20450	50	#0	QPSK	8.984	9.718	PASS
Band5	10	20450	50	#0	QAM16	8.973	9.831	PASS
Band5	10	20525	50	#0	QPSK	9.023	9.867	PASS
Band5	10	20525	50	#0	QAM16	9.015	9.829	PASS
Band5	10	20600	50	#0	QPSK	8.987	9.801	PASS
Band5	10	20600	50	#0	QAM16	9.001	9.785	PASS


Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0





Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0


**Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0****Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0**




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	823.95	-33.17	-13	PASS
Band5	1.4	20407	6	#0	QAM16	823.93	-35.84	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.10	-33.83	-13	PASS
Band5	1.4	20643	6	#0	QAM16	849.01	-33.54	-13	PASS
Band5	3	20415	15	#0	QPSK	824.00	-23.41	-13	PASS
Band5	3	20415	15	#0	QAM16	824.00	-24.61	-13	PASS
Band5	3	20635	15	#0	QPSK	849.01	-24.86	-13	PASS
Band5	3	20635	15	#0	QAM16	849.00	-24.97	-13	PASS
Band5	5	20425	25	#0	QPSK	823.99	-29.63	-13	PASS
Band5	5	20425	25	#0	QAM16	824.00	-30.78	-13	PASS
Band5	5	20625	25	#0	QPSK	849.03	-31.57	-13	PASS
Band5	5	20625	25	#0	QAM16	849.00	-32.79	-13	PASS
Band5	10	20450	50	#0	QPSK	823.58	-32.04	-13	PASS
Band5	10	20450	50	#0	QAM16	823.92	-34.69	-13	PASS
Band5	10	20600	50	#0	QPSK	849.00	-34.35	-13	PASS
Band5	10	20600	50	#0	QAM16	849.04	-34.14	-13	PASS

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	3774.25	-40.92	-13	PASS
Band5	1.4	20407	6	#0	QAM16	3784.38	-40.03	-13	PASS
Band5	1.4	20643	6	#0	QPSK	3720.25	-40.59	-13	PASS
Band5	1.4	20643	6	#0	QAM16	4557.03	-40.56	-13	PASS
Band5	3	20415	15	#0	QPSK	3853.45	-40.61	-13	PASS
Band5	3	20415	15	#0	QAM16	5053.60	-39.60	-13	PASS
Band5	3	20635	15	#0	QPSK	4993.53	-40.47	-13	PASS
Band5	3	20635	15	#0	QAM16	9017.88	-40.83	-13	PASS
Band5	5	20425	25	#0	QPSK	3874.60	-40.57	-13	PASS
Band5	5	20425	25	#0	QAM16	4708.23	-40.47	-13	PASS
Band5	5	20625	25	#0	QPSK	3928.60	-40.70	-13	PASS
Band5	5	20625	25	#0	QAM16	5902.98	-40.13	-13	PASS
Band5	10	20450	50	#0	QPSK	4901.95	-39.76	-13	PASS
Band5	10	20450	50	#0	QAM16	3901.38	-39.85	-13	PASS
Band5	10	20600	50	#0	QPSK	4840.75	-40.49	-13	PASS
Band5	10	20600	50	#0	QAM16	4986.78	-40.49	-13	PASS


Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0

