

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band7	5	20775	1	#0	QPSK	20.17	-1.18	18.99	33.01	Pass
Band7	5	20775	1	#Mid	QPSK	20.14	-1.18	18.96	33.01	Pass
Band7	5	20775	1	#Max	QPSK	20.1	-1.18	18.92	33.01	Pass
Band7	5	20775	12	#0	QPSK	19.75	-1.18	18.57	33.01	Pass
Band7	5	20775	12	#Mid	QPSK	19.72	-1.18	18.54	33.01	Pass
Band7	5	20775	12	#Max	QPSK	19.58	-1.18	18.40	33.01	Pass
Band7	5	20775	25	#0	QPSK	19.69	-1.18	18.51	33.01	Pass
Band7	5	20775	1	#0	QAM16	19.42	-1.18	18.24	33.01	Pass
Band7	5	20775	1	#Mid	QAM16	19.38	-1.18	18.20	33.01	Pass
Band7	5	20775	1	#Max	QAM16	19.41	-1.18	18.23	33.01	Pass
Band7	5	20775	12	#0	QAM16	18.15	-1.18	16.97	33.01	Pass
Band7	5	20775	12	#Mid	QAM16	18.16	-1.18	16.98	33.01	Pass
Band7	5	20775	12	#Max	QAM16	18.1	-1.18	16.92	33.01	Pass
Band7	5	20775	25	#0	QAM16	18.28	-1.18	17.10	33.01	Pass
Band7	5	21100	1	#0	QPSK	19.62	-1.18	18.44	33.01	Pass
Band7	5	21100	1	#Mid	QPSK	19.53	-1.18	18.35	33.01	Pass
Band7	5	21100	1	#Max	QPSK	19.55	-1.18	18.37	33.01	Pass
Band7	5	21100	12	#0	QPSK	19.28	-1.18	18.10	33.01	Pass
Band7	5	21100	12	#Mid	QPSK	19.18	-1.18	18.00	33.01	Pass
Band7	5	21100	12	#Max	QPSK	19.22	-1.18	18.04	33.01	Pass
Band7	5	21100	25	#0	QPSK	19.2	-1.18	18.02	33.01	Pass
Band7	5	21100	1	#0	QAM16	19.36	-1.18	18.18	33.01	Pass
Band7	5	21100	1	#Mid	QAM16	19.31	-1.18	18.13	33.01	Pass
Band7	5	21100	1	#Max	QAM16	19.28	-1.18	18.10	33.01	Pass
Band7	5	21100	12	#0	QAM16	17.78	-1.18	16.60	33.01	Pass
Band7	5	21100	12	#Mid	QAM16	17.69	-1.18	16.51	33.01	Pass
Band7	5	21100	12	#Max	QAM16	17.7	-1.18	16.52	33.01	Pass
Band7	5	21100	25	#0	QAM16	17.69	-1.18	16.51	33.01	Pass
Band7	5	21425	1	#0	QPSK	19.4	-1.18	18.22	33.01	Pass
Band7	5	21425	1	#Mid	QPSK	19.39	-1.18	18.21	33.01	Pass
Band7	5	21425	1	#Max	QPSK	19.46	-1.18	18.28	33.01	Pass
Band7	5	21425	12	#0	QPSK	19.03	-1.18	17.85	33.01	Pass
Band7	5	21425	12	#Mid	QPSK	19.02	-1.18	17.84	33.01	Pass
Band7	5	21425	12	#Max	QPSK	19.13	-1.18	17.95	33.01	Pass
Band7	5	21425	25	#0	QPSK	19.01	-1.18	17.83	33.01	Pass
Band7	5	21425	1	#0	QAM16	19.41	-1.18	18.23	33.01	Pass
Band7	5	21425	1	#Mid	QAM16	19.39	-1.18	18.21	33.01	Pass

Band7	5	21425	1	#Max	QAM16	19.44	-1.18	18.26	33.01	Pass
Band7	5	21425	12	#0	QAM16	17.55	-1.18	16.37	33.01	Pass
Band7	5	21425	12	#Mid	QAM16	17.45	-1.18	16.27	33.01	Pass
Band7	5	21425	12	#Max	QAM16	17.56	-1.18	16.38	33.01	Pass
Band7	5	21425	25	#0	QAM16	17.61	-1.18	16.43	33.01	Pass
Band7	10	20800	1	#0	QPSK	20.08	-1.18	18.90	33.01	Pass
Band7	10	20800	1	#Mid	QPSK	20.04	-1.18	18.86	33.01	Pass
Band7	10	20800	1	#Max	QPSK	20.14	-1.18	18.96	33.01	Pass
Band7	10	20800	25	#0	QPSK	19.72	-1.18	18.54	33.01	Pass
Band7	10	20800	25	#Mid	QPSK	19.6	-1.18	18.42	33.01	Pass
Band7	10	20800	25	#Max	QPSK	19.5	-1.18	18.32	33.01	Pass
Band7	10	20800	50	#0	QPSK	19.61	-1.18	18.43	33.01	Pass
Band7	10	20800	1	#0	QAM16	20.84	-1.18	19.66	33.01	Pass
Band7	10	20800	1	#Mid	QAM16	20.71	-1.18	19.53	33.01	Pass
Band7	10	20800	1	#Max	QAM16	20.66	-1.18	19.48	33.01	Pass
Band7	10	20800	25	#0	QAM16	18.24	-1.18	17.06	33.01	Pass
Band7	10	20800	25	#Mid	QAM16	18.23	-1.18	17.05	33.01	Pass
Band7	10	20800	25	#Max	QAM16	18.11	-1.18	16.93	33.01	Pass
Band7	10	20800	50	#0	QAM16	18.27	-1.18	17.09	33.01	Pass
Band7	10	21100	1	#0	QPSK	19.88	-1.18	18.70	33.01	Pass
Band7	10	21100	1	#Mid	QPSK	19.84	-1.18	18.66	33.01	Pass
Band7	10	21100	1	#Max	QPSK	19.79	-1.18	18.61	33.01	Pass
Band7	10	21100	25	#0	QPSK	19.22	-1.18	18.04	33.01	Pass
Band7	10	21100	25	#Mid	QPSK	19.19	-1.18	18.01	33.01	Pass
Band7	10	21100	25	#Max	QPSK	19.14	-1.18	17.96	33.01	Pass
Band7	10	21100	50	#0	QPSK	19.21	-1.18	18.03	33.01	Pass
Band7	10	21100	1	#0	QAM16	19.36	-1.18	18.18	33.01	Pass
Band7	10	21100	1	#Mid	QAM16	19.3	-1.18	18.12	33.01	Pass
Band7	10	21100	1	#Max	QAM16	19.26	-1.18	18.08	33.01	Pass
Band7	10	21100	25	#0	QAM16	17.82	-1.18	16.64	33.01	Pass
Band7	10	21100	25	#Mid	QAM16	17.76	-1.18	16.58	33.01	Pass
Band7	10	21100	25	#Max	QAM16	17.82	-1.18	16.64	33.01	Pass
Band7	10	21100	50	#0	QAM16	17.9	-1.18	16.72	33.01	Pass
Band7	10	21400	1	#0	QPSK	19.57	-1.18	18.39	33.01	Pass
Band7	10	21400	1	#Mid	QPSK	19.58	-1.18	18.40	33.01	Pass
Band7	10	21400	1	#Max	QPSK	19.57	-1.18	18.39	33.01	Pass
Band7	10	21400	25	#0	QPSK	19.05	-1.18	17.87	33.01	Pass
Band7	10	21400	25	#Mid	QPSK	19.1	-1.18	17.92	33.01	Pass
Band7	10	21400	25	#Max	QPSK	19.17	-1.18	17.99	33.01	Pass
Band7	10	21400	50	#0	QPSK	19.05	-1.18	17.87	33.01	Pass
Band7	10	21400	1	#0	QAM16	19.17	-1.18	17.99	33.01	Pass
Band7	10	21400	1	#Mid	QAM16	19.11	-1.18	17.93	33.01	Pass
Band7	10	21400	1	#Max	QAM16	19.13	-1.18	17.95	33.01	Pass
Band7	10	21400	25	#0	QAM16	17.61	-1.18	16.43	33.01	Pass

Band7	10	21400	25	#Mid	QAM16	17.65	-1.18	16.47	33.01	Pass
Band7	10	21400	25	#Max	QAM16	17.67	-1.18	16.49	33.01	Pass
Band7	10	21400	50	#0	QAM16	17.6	-1.18	16.42	33.01	Pass
Band7	15	20825	1	#0	QPSK	20.04	-1.18	18.86	33.01	Pass
Band7	15	20825	1	#Mid	QPSK	19.98	-1.18	18.80	33.01	Pass
Band7	15	20825	1	#Max	QPSK	19.74	-1.18	18.56	33.01	Pass
Band7	15	20825	36	#0	QPSK	19.6	-1.18	18.42	33.01	Pass
Band7	15	20825	36	#Mid	QPSK	19.62	-1.18	18.44	33.01	Pass
Band7	15	20825	36	#Max	QPSK	19.46	-1.18	18.28	33.01	Pass
Band7	15	20825	75	#0	QPSK	19.55	-1.18	18.37	33.01	Pass
Band7	15	20825	1	#0	QAM16	20.82	-1.18	19.64	33.01	Pass
Band7	15	20825	1	#Mid	QAM16	20.65	-1.18	19.47	33.01	Pass
Band7	15	20825	1	#Max	QAM16	20.52	-1.18	19.34	33.01	Pass
Band7	15	20825	36	#0	QAM16	18.29	-1.18	17.11	33.01	Pass
Band7	15	20825	36	#Mid	QAM16	18.17	-1.18	16.99	33.01	Pass
Band7	15	20825	36	#Max	QAM16	18.05	-1.18	16.87	33.01	Pass
Band7	15	20825	75	#0	QAM16	18.21	-1.18	17.03	33.01	Pass
Band7	15	21100	1	#0	QPSK	19.92	-1.18	18.74	33.01	Pass
Band7	15	21100	1	#Mid	QPSK	19.7	-1.18	18.52	33.01	Pass
Band7	15	21100	1	#Max	QPSK	19.71	-1.18	18.53	33.01	Pass
Band7	15	21100	36	#0	QPSK	19.21	-1.18	18.03	33.01	Pass
Band7	15	21100	36	#Mid	QPSK	19.29	-1.18	18.11	33.01	Pass
Band7	15	21100	36	#Max	QPSK	19.25	-1.18	18.07	33.01	Pass
Band7	15	21100	75	#0	QPSK	19.22	-1.18	18.04	33.01	Pass
Band7	15	21100	1	#0	QAM16	19.38	-1.18	18.20	33.01	Pass
Band7	15	21100	1	#Mid	QAM16	19.25	-1.18	18.07	33.01	Pass
Band7	15	21100	1	#Max	QAM16	19.22	-1.18	18.04	33.01	Pass
Band7	15	21100	36	#0	QAM16	17.93	-1.18	16.75	33.01	Pass
Band7	15	21100	36	#Mid	QAM16	17.94	-1.18	16.76	33.01	Pass
Band7	15	21100	36	#Max	QAM16	17.9	-1.18	16.72	33.01	Pass
Band7	15	21100	75	#0	QAM16	17.77	-1.18	16.59	33.01	Pass
Band7	15	21375	1	#0	QPSK	19.46	-1.18	18.28	33.01	Pass
Band7	15	21375	1	#Mid	QPSK	19.4	-1.18	18.22	33.01	Pass
Band7	15	21375	1	#Max	QPSK	19.51	-1.18	18.33	33.01	Pass
Band7	15	21375	36	#0	QPSK	18.97	-1.18	17.79	33.01	Pass
Band7	15	21375	36	#Mid	QPSK	18.96	-1.18	17.78	33.01	Pass
Band7	15	21375	36	#Max	QPSK	19.13	-1.18	17.95	33.01	Pass
Band7	15	21375	75	#0	QPSK	19.07	-1.18	17.89	33.01	Pass
Band7	15	21375	1	#0	QAM16	20.14	-1.18	18.96	33.01	Pass
Band7	15	21375	1	#Mid	QAM16	20.09	-1.18	18.91	33.01	Pass
Band7	15	21375	1	#Max	QAM16	0	-1.18	-1.18	33.01	Pass
Band7	15	21375	36	#0	QAM16	0	-1.18	-1.18	33.01	Pass
Band7	15	21375	36	#Mid	QAM16	17.67	-1.18	16.49	33.01	Pass
Band7	15	21375	36	#Max	QAM16	17.71	-1.18	16.53	33.01	Pass

Band7	15	21375	75	#0	QAM16	17.56	-1.18	16.38	33.01	Pass
Band7	20	20850	1	#0	QPSK	20.09	-1.18	18.91	33.01	Pass
Band7	20	20850	1	#Mid	QPSK	19.87	-1.18	18.69	33.01	Pass
Band7	20	20850	1	#Max	QPSK	19.65	-1.18	18.47	33.01	Pass
Band7	20	20850	50	#0	QPSK	19.64	-1.18	18.46	33.01	Pass
Band7	20	20850	50	#Mid	QPSK	19.56	-1.18	18.38	33.01	Pass
Band7	20	20850	50	#Max	QPSK	19.48	-1.18	18.30	33.01	Pass
Band7	20	20850	100	#0	QPSK	19.44	-1.18	18.26	33.01	Pass
Band7	20	20850	1	#0	QAM16	19.55	-1.18	18.37	33.01	Pass
Band7	20	20850	1	#Mid	QAM16	19.28	-1.18	18.10	33.01	Pass
Band7	20	20850	1	#Max	QAM16	19.08	-1.18	17.90	33.01	Pass
Band7	20	20850	50	#0	QAM16	18.31	-1.18	17.13	33.01	Pass
Band7	20	20850	50	#Mid	QAM16	18.18	-1.18	17.00	33.01	Pass
Band7	20	20850	50	#Max	QAM16	18.08	-1.18	16.90	33.01	Pass
Band7	20	20850	100	#0	QAM16	18.1	-1.18	16.92	33.01	Pass
Band7	20	21100	1	#0	QPSK	19.92	-1.18	18.74	33.01	Pass
Band7	20	21100	1	#Mid	QPSK	19.8	-1.18	18.62	33.01	Pass
Band7	20	21100	1	#Max	QPSK	19.83	-1.18	18.65	33.01	Pass
Band7	20	21100	50	#0	QPSK	19.23	-1.18	18.05	33.01	Pass
Band7	20	21100	50	#Mid	QPSK	19.23	-1.18	18.05	33.01	Pass
Band7	20	21100	50	#Max	QPSK	19.24	-1.18	18.06	33.01	Pass
Band7	20	21100	100	#0	QPSK	19.15	-1.18	17.97	33.01	Pass
Band7	20	21100	1	#0	QAM16	19.49	-1.18	18.31	33.01	Pass
Band7	20	21100	1	#Mid	QAM16	19.37	-1.18	18.19	33.01	Pass
Band7	20	21100	1	#Max	QAM16	19.26	-1.18	18.08	33.01	Pass
Band7	20	21100	50	#0	QAM16	17.94	-1.18	16.76	33.01	Pass
Band7	20	21100	50	#Mid	QAM16	17.84	-1.18	16.66	33.01	Pass
Band7	20	21100	50	#Max	QAM16	17.67	-1.18	16.49	33.01	Pass
Band7	20	21100	100	#0	QAM16	17.73	-1.18	16.55	33.01	Pass
Band7	20	21350	1	#0	QPSK	19.82	-1.18	18.64	33.01	Pass
Band7	20	21350	1	#Mid	QPSK	19.8	-1.18	18.62	33.01	Pass
Band7	20	21350	1	#Max	QPSK	19.75	-1.18	18.57	33.01	Pass
Band7	20	21350	50	#0	QPSK	19.03	-1.18	17.85	33.01	Pass
Band7	20	21350	50	#Mid	QPSK	18.98	-1.18	17.80	33.01	Pass
Band7	20	21350	50	#Max	QPSK	19.03	-1.18	17.85	33.01	Pass
Band7	20	21350	100	#0	QPSK	18.96	-1.18	17.78	33.01	Pass
Band7	20	21350	1	#0	QAM16	19.17	-1.18	17.99	33.01	Pass
Band7	20	21350	1	#Mid	QAM16	19.16	-1.18	17.98	33.01	Pass
Band7	20	21350	1	#Max	QAM16	19.17	-1.18	17.99	33.01	Pass
Band7	20	21350	50	#0	QAM16	17.66	-1.18	16.48	33.01	Pass
Band7	20	21350	50	#Mid	QAM16	17.65	-1.18	16.47	33.01	Pass
Band7	20	21350	50	#Max	QAM16	17.64	-1.18	16.46	33.01	Pass
Band7	20	21350	100	#0	QAM16	17.67	-1.18	16.49	33.01	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band7	20	20850	100	#0	QPSK	-28.62	-0.01140	-2.5	2.5	PASS
Band7	20	20850	100	#0	QAM16	-23.84	-0.00950	-2.5	2.5	PASS
Band7	20	21100	100	#0	QPSK	-27.13	-0.01070	-2.5	2.5	PASS
Band7	20	21100	100	#0	QAM16	-21.38	-0.00843	-2.5	2.5	PASS
Band7	20	21350	100	#0	QPSK	-9.72	-0.00380	-2.5	2.5	PASS
Band7	20	21350	100	#0	QAM16	-27.13	-0.01060	-2.5	2.5	PASS

Note: (Voltage: 3.85V, Temperature: 25°C) only reflect the worst mode.


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band7	5	21100	1	#0	QPSK	5.37	13	PASS
Band7	5	21100	1	#0	QAM16	5.89	13	PASS
Band7	10	21100	1	#0	QPSK	5.39	13	PASS
Band7	10	21100	1	#0	QAM16	5.95	13	PASS
Band7	15	21100	1	#0	QPSK	5.41	13	PASS
Band7	15	21100	1	#0	QAM16	6.10	13	PASS
Band7	20	21100	1	#0	QPSK	5.23	13	PASS
Band7	20	21100	1	#0	QAM16	5.86	13	PASS


Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band7	5	20775	25	#0	QPSK	4.520	4.975	PASS
Band7	5	20775	25	#0	QAM16	4.510	4.925	PASS
Band7	5	21100	25	#0	QPSK	4.501	4.933	PASS
Band7	5	21100	25	#0	QAM16	4.508	4.911	PASS
Band7	5	21425	25	#0	QPSK	4.528	4.935	PASS
Band7	5	21425	25	#0	QAM16	4.489	4.957	PASS
Band7	10	20800	50	#0	QPSK	9.012	9.849	PASS
Band7	10	20800	50	#0	QAM16	8.975	9.767	PASS
Band7	10	21100	50	#0	QPSK	8.985	9.751	PASS
Band7	10	21100	50	#0	QAM16	8.958	9.768	PASS
Band7	10	21400	50	#0	QPSK	8.991	9.715	PASS
Band7	10	21400	50	#0	QAM16	9.002	9.902	PASS
Band7	15	20825	75	#0	QPSK	13.472	14.668	PASS
Band7	15	20825	75	#0	QAM16	13.451	14.703	PASS
Band7	15	21100	75	#0	QPSK	13.488	14.785	PASS
Band7	15	21100	75	#0	QAM16	13.458	14.834	PASS
Band7	15	21375	75	#0	QPSK	13.464	14.848	PASS
Band7	15	21375	75	#0	QAM16	13.459	14.864	PASS
Band7	20	20850	100	#0	QPSK	18.027	19.443	PASS
Band7	20	20850	100	#0	QAM16	17.950	19.593	PASS
Band7	20	21100	100	#0	QPSK	18.015	19.605	PASS
Band7	20	21100	100	#0	QAM16	18.036	19.561	PASS
Band7	20	21350	100	#0	QPSK	18.045	19.444	PASS
Band7	20	21350	100	#0	QAM16	18.062	19.606	PASS


Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0





Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0






Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0

**Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0**

**Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0****Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0**




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2498.99	-14.19	-10	PASS
Band7	5	20775	25	#0	QAM16	2499.00	-14.66	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.00	-15.25	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.00	-17.01	-10	PASS
Band7	10	20800	50	#0	QPSK	2489.16	-35.59	-25	PASS
Band7	10	20800	50	#0	QAM16	2489.16	-38.17	-25	PASS
Band7	10	21400	50	#0	QPSK	2580.87	-39.35	-25	PASS
Band7	10	21400	50	#0	QAM16	2580.48	-39.08	-25	PASS
Band7	15	20825	75	#0	QPSK	2484.85	-36.17	-25	PASS
Band7	15	20825	75	#0	QAM16	2484.32	-39.09	-25	PASS
Band7	15	21375	75	#0	QPSK	2586.06	-40.77	-25	PASS
Band7	15	21375	75	#0	QAM16	2585.90	-40.61	-25	PASS
Band7	20	20850	100	#0	QPSK	2479.72	-39.67	-25	PASS
Band7	20	20850	100	#0	QAM16	2480.00	-40.89	-25	PASS
Band7	20	21350	100	#0	QPSK	2570.01	-26.32	-10	PASS
Band7	20	21350	100	#0	QAM16	2591.25	-41.56	-25	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0



Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	3818.80	-39.23	-25	PASS
Band7	5	20775	25	#0	QAM16	3788.65	-38.41	-25	PASS
Band7	5	21425	25	#0	QPSK	5135.28	-37.65	-25	PASS
Band7	5	21425	25	#0	QAM16	5136.40	-39.38	-25	PASS
Band7	10	20800	50	#0	QPSK	3085.08	-39.39	-25	PASS
Band7	10	20800	50	#0	QAM16	3698.65	-38.98	-25	PASS
Band7	10	21400	50	#0	QPSK	3846.93	-39.37	-25	PASS
Band7	10	21400	50	#0	QAM16	5537.58	-39.39	-25	PASS
Band7	15	20825	75	#0	QPSK	3811.15	-38.40	-25	PASS
Band7	15	20825	75	#0	QAM16	5198.28	-38.59	-25	PASS
Band7	15	21375	75	#0	QPSK	3718.68	-39.25	-25	PASS
Band7	15	21375	75	#0	QAM16	3832.75	-39.06	-25	PASS
Band7	20	20850	100	#0	QPSK	4009.83	-39.37	-25	PASS
Band7	20	20850	100	#0	QAM16	3903.85	-39.32	-25	PASS
Band7	20	21350	100	#0	QPSK	3799.68	-37.88	-25	PASS
Band7	20	21350	100	#0	QAM16	3766.83	-39.19	-25	PASS


Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0

