

TABLE OF CONTENTS

1 Conducted output power 2

2 Frequency stability 12

3 Peak-to-Average Ratio 13

4 Occupied bandwidth 19

5 Band edge 35

6 Out-of-band emissions 46

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
Band26 (824-849)	1.4	26797	1	#0	QPSK	21.63	-4.42	-6.57	15.06	38.45	Pass
Band26 (824-849)	1.4	26797	1	#Mid	QPSK	21.63	-4.42	-6.57	15.06	38.45	Pass
Band26 (824-849)	1.4	26797	1	#Max	QPSK	21.65	-4.42	-6.57	15.08	38.45	Pass
Band26 (824-849)	1.4	26797	3	#0	QPSK	21.58	-4.42	-6.57	15.01	38.45	Pass
Band26 (824-849)	1.4	26797	3	#Mid	QPSK	21.6	-4.42	-6.57	15.03	38.45	Pass
Band26 (824-849)	1.4	26797	3	#Max	QPSK	21.56	-4.42	-6.57	14.99	38.45	Pass
Band26 (824-849)	1.4	26797	6	#0	QPSK	21.07	-4.42	-6.57	14.50	38.45	Pass
Band26 (824-849)	1.4	26797	1	#0	QAM16	22.04	-4.42	-6.57	15.47	38.45	Pass
Band26 (824-849)	1.4	26797	1	#Mid	QAM16	22.02	-4.42	-6.57	15.45	38.45	Pass
Band26 (824-849)	1.4	26797	1	#Max	QAM16	22.01	-4.42	-6.57	15.44	38.45	Pass
Band26 (824-849)	1.4	26797	3	#0	QAM16	20.73	-4.42	-6.57	14.16	38.45	Pass
Band26 (824-849)	1.4	26797	3	#Mid	QAM16	20.72	-4.42	-6.57	14.15	38.45	Pass
Band26 (824-849)	1.4	26797	3	#Max	QAM16	20.7	-4.42	-6.57	14.13	38.45	Pass
Band26 (824-849)	1.4	26797	6	#0	QAM16	20.16	-4.42	-6.57	13.59	38.45	Pass
Band26 (824-849)	1.4	26915	1	#0	QPSK	21.6	-4.42	-6.57	15.03	38.45	Pass
Band26 (824-849)	1.4	26915	1	#Mid	QPSK	21.84	-4.42	-6.57	15.27	38.45	Pass
Band26 (824-849)	1.4	26915	1	#Max	QPSK	21.82	-4.42	-6.57	15.25	38.45	Pass
Band26 (824-849)	1.4	26915	3	#0	QPSK	21.87	-4.42	-6.57	15.30	38.45	Pass
Band26 (824-849)	1.4	26915	3	#Mid	QPSK	21.74	-4.42	-6.57	15.17	38.45	Pass

(824-849)											
Band26 (824-849)	1.4	26915	3	#Max	QPSK	21.81	-4.42	-6.57	15.24	38.45	Pass
Band26 (824-849)	1.4	26915	6	#0	QPSK	21.24	-4.42	-6.57	14.67	38.45	Pass
Band26 (824-849)	1.4	26915	1	#0	QAM16	21.64	-4.42	-6.57	15.07	38.45	Pass
Band26 (824-849)	1.4	26915	1	#Mid	QAM16	21.75	-4.42	-6.57	15.18	38.45	Pass
Band26 (824-849)	1.4	26915	1	#Max	QAM16	21.78	-4.42	-6.57	15.21	38.45	Pass
Band26 (824-849)	1.4	26915	3	#0	QAM16	21.31	-4.42	-6.57	14.74	38.45	Pass
Band26 (824-849)	1.4	26915	3	#Mid	QAM16	21.21	-4.42	-6.57	14.64	38.45	Pass
Band26 (824-849)	1.4	26915	3	#Max	QAM16	21.21	-4.42	-6.57	14.64	38.45	Pass
Band26 (824-849)	1.4	26915	6	#0	QAM16	19.87	-4.42	-6.57	13.30	38.45	Pass
Band26 (824-849)	1.4	27033	1	#0	QPSK	21.65	-4.42	-6.57	15.08	38.45	Pass
Band26 (824-849)	1.4	27033	1	#Mid	QPSK	21.78	-4.42	-6.57	15.21	38.45	Pass
Band26 (824-849)	1.4	27033	1	#Max	QPSK	21.76	-4.42	-6.57	15.19	38.45	Pass
Band26 (824-849)	1.4	27033	3	#0	QPSK	21.58	-4.42	-6.57	15.01	38.45	Pass
Band26 (824-849)	1.4	27033	3	#Mid	QPSK	21.63	-4.42	-6.57	15.06	38.45	Pass
Band26 (824-849)	1.4	27033	3	#Max	QPSK	21.59	-4.42	-6.57	15.02	38.45	Pass
Band26 (824-849)	1.4	27033	6	#0	QPSK	21.11	-4.42	-6.57	14.54	38.45	Pass
Band26 (824-849)	1.4	27033	1	#0	QAM16	22.36	-4.42	-6.57	15.79	38.45	Pass
Band26 (824-849)	1.4	27033	1	#Mid	QAM16	22.42	-4.42	-6.57	15.85	38.45	Pass
Band26 (824-849)	1.4	27033	1	#Max	QAM16	22.37	-4.42	-6.57	15.80	38.45	Pass
Band26 (824-849)	1.4	27033	3	#0	QAM16	20.94	-4.42	-6.57	14.37	38.45	Pass
Band26 (824-849)	1.4	27033	3	#Mid	QAM16	21.01	-4.42	-6.57	14.44	38.45	Pass
Band26 (824-849)	1.4	27033	3	#Max	QAM16	20.98	-4.42	-6.57	14.41	38.45	Pass

(824-849)											
Band26 (824-849)	1.4	27033	6	#0	QAM16	19.8	-4.42	-6.57	13.23	38.45	Pass
Band26 (824-849)	3	26805	1	#0	QPSK	21.58	-4.42	-6.57	15.01	38.45	Pass
Band26 (824-849)	3	26805	1	#Mid	QPSK	21.55	-4.42	-6.57	14.98	38.45	Pass
Band26 (824-849)	3	26805	1	#Max	QPSK	21.63	-4.42	-6.57	15.06	38.45	Pass
Band26 (824-849)	3	26805	8	#0	QPSK	21	-4.42	-6.57	14.43	38.45	Pass
Band26 (824-849)	3	26805	8	#Mid	QPSK	21.09	-4.42	-6.57	14.52	38.45	Pass
Band26 (824-849)	3	26805	8	#Max	QPSK	21.27	-4.42	-6.57	14.70	38.45	Pass
Band26 (824-849)	3	26805	15	#0	QPSK	21.04	-4.42	-6.57	14.47	38.45	Pass
Band26 (824-849)	3	26805	1	#0	QAM16	22.02	-4.42	-6.57	15.45	38.45	Pass
Band26 (824-849)	3	26805	1	#Mid	QAM16	21.91	-4.42	-6.57	15.34	38.45	Pass
Band26 (824-849)	3	26805	1	#Max	QAM16	22.14	-4.42	-6.57	15.57	38.45	Pass
Band26 (824-849)	3	26805	8	#0	QAM16	19.86	-4.42	-6.57	13.29	38.45	Pass
Band26 (824-849)	3	26805	8	#Mid	QAM16	19.85	-4.42	-6.57	13.28	38.45	Pass
Band26 (824-849)	3	26805	8	#Max	QAM16	19.55	-4.42	-6.57	12.98	38.45	Pass
Band26 (824-849)	3	26805	15	#0	QAM16	20.1	-4.42	-6.57	13.53	38.45	Pass
Band26 (824-849)	3	26915	1	#0	QPSK	21.77	-4.42	-6.57	15.20	38.45	Pass
Band26 (824-849)	3	26915	1	#Mid	QPSK	21.87	-4.42	-6.57	15.30	38.45	Pass
Band26 (824-849)	3	26915	1	#Max	QPSK	21.8	-4.42	-6.57	15.23	38.45	Pass
Band26 (824-849)	3	26915	8	#0	QPSK	21.22	-4.42	-6.57	14.65	38.45	Pass
Band26 (824-849)	3	26915	8	#Mid	QPSK	21.36	-4.42	-6.57	14.79	38.45	Pass
Band26 (824-849)	3	26915	8	#Max	QPSK	21.28	-4.42	-6.57	14.71	38.45	Pass
Band26	3	26915	15	#0	QPSK	21.3	-4.42	-6.57	14.73	38.45	Pass

(824-849)											
Band26 (824-849)	3	26915	1	#0	QAM16	21.25	-4.42	-6.57	14.68	38.45	Pass
Band26 (824-849)	3	26915	1	#Mid	QAM16	21.3	-4.42	-6.57	14.73	38.45	Pass
Band26 (824-849)	3	26915	1	#Max	QAM16	21.31	-4.42	-6.57	14.74	38.45	Pass
Band26 (824-849)	3	26915	8	#0	QAM16	19.74	-4.42	-6.57	13.17	38.45	Pass
Band26 (824-849)	3	26915	8	#Mid	QAM16	19.92	-4.42	-6.57	13.35	38.45	Pass
Band26 (824-849)	3	26915	8	#Max	QAM16	19.84	-4.42	-6.57	13.27	38.45	Pass
Band26 (824-849)	3	26915	15	#0	QAM16	19.84	-4.42	-6.57	13.27	38.45	Pass
Band26 (824-849)	3	27025	1	#0	QPSK	21.64	-4.42	-6.57	15.07	38.45	Pass
Band26 (824-849)	3	27025	1	#Mid	QPSK	21.59	-4.42	-6.57	15.02	38.45	Pass
Band26 (824-849)	3	27025	1	#Max	QPSK	21.73	-4.42	-6.57	15.16	38.45	Pass
Band26 (824-849)	3	27025	8	#0	QPSK	21.08	-4.42	-6.57	14.51	38.45	Pass
Band26 (824-849)	3	27025	8	#Mid	QPSK	21.09	-4.42	-6.57	14.52	38.45	Pass
Band26 (824-849)	3	27025	8	#Max	QPSK	21.17	-4.42	-6.57	14.60	38.45	Pass
Band26 (824-849)	3	27025	15	#0	QPSK	21.09	-4.42	-6.57	14.52	38.45	Pass
Band26 (824-849)	3	27025	1	#0	QAM16	22.02	-4.42	-6.57	15.45	38.45	Pass
Band26 (824-849)	3	27025	1	#Mid	QAM16	21.99	-4.42	-6.57	15.42	38.45	Pass
Band26 (824-849)	3	27025	1	#Max	QAM16	21.84	-4.42	-6.57	15.27	38.45	Pass
Band26 (824-849)	3	27025	8	#0	QAM16	19.7	-4.42	-6.57	13.13	38.45	Pass
Band26 (824-849)	3	27025	8	#Mid	QAM16	19.72	-4.42	-6.57	13.15	38.45	Pass
Band26 (824-849)	3	27025	8	#Max	QAM16	19.68	-4.42	-6.57	13.11	38.45	Pass
Band26 (824-849)	3	27025	15	#0	QAM16	19.76	-4.42	-6.57	13.19	38.45	Pass
Band26	5	26815	1	#0	QPSK	21.54	-4.42	-6.57	14.97	38.45	Pass

(824-849)											
Band26 (824-849)	5	26815	1	#Mid	QPSK	21.68	-4.42	-6.57	15.11	38.45	Pass
Band26 (824-849)	5	26815	1	#Max	QPSK	21.62	-4.42	-6.57	15.05	38.45	Pass
Band26 (824-849)	5	26815	12	#0	QPSK	21.11	-4.42	-6.57	14.54	38.45	Pass
Band26 (824-849)	5	26815	12	#Mid	QPSK	21.2	-4.42	-6.57	14.63	38.45	Pass
Band26 (824-849)	5	26815	12	#Max	QPSK	21.29	-4.42	-6.57	14.72	38.45	Pass
Band26 (824-849)	5	26815	25	#0	QPSK	21.28	-4.42	-6.57	14.71	38.45	Pass
Band26 (824-849)	5	26815	1	#0	QAM16	21.18	-4.42	-6.57	14.61	38.45	Pass
Band26 (824-849)	5	26815	1	#Mid	QAM16	21.29	-4.42	-6.57	14.72	38.45	Pass
Band26 (824-849)	5	26815	1	#Max	QAM16	21.22	-4.42	-6.57	14.65	38.45	Pass
Band26 (824-849)	5	26815	12	#0	QAM16	20.01	-4.42	-6.57	13.44	38.45	Pass
Band26 (824-849)	5	26815	12	#Mid	QAM16	19.6	-4.42	-6.57	13.03	38.45	Pass
Band26 (824-849)	5	26815	12	#Max	QAM16	19.57	-4.42	-6.57	13.00	38.45	Pass
Band26 (824-849)	5	26815	25	#0	QAM16	19.72	-4.42	-6.57	13.15	38.45	Pass
Band26 (824-849)	5	26915	1	#0	QPSK	21.61	-4.42	-6.57	15.04	38.45	Pass
Band26 (824-849)	5	26915	1	#Mid	QPSK	21.75	-4.42	-6.57	15.18	38.45	Pass
Band26 (824-849)	5	26915	1	#Max	QPSK	21.8	-4.42	-6.57	15.23	38.45	Pass
Band26 (824-849)	5	26915	12	#0	QPSK	21.24	-4.42	-6.57	14.67	38.45	Pass
Band26 (824-849)	5	26915	12	#Mid	QPSK	21.31	-4.42	-6.57	14.74	38.45	Pass
Band26 (824-849)	5	26915	12	#Max	QPSK	21.33	-4.42	-6.57	14.76	38.45	Pass
Band26 (824-849)	5	26915	25	#0	QPSK	21.31	-4.42	-6.57	14.74	38.45	Pass
Band26 (824-849)	5	26915	1	#0	QAM16	20.95	-4.42	-6.57	14.38	38.45	Pass
Band26	5	26915	1	#Mid	QAM16	20.95	-4.42	-6.57	14.38	38.45	Pass

(824-849)											
Band26 (824-849)	5	26915	1	#Max	QAM16	20.96	-4.42	-6.57	14.39	38.45	Pass
Band26 (824-849)	5	26915	12	#0	QAM16	19.7	-4.42	-6.57	13.13	38.45	Pass
Band26 (824-849)	5	26915	12	#Mid	QAM16	19.74	-4.42	-6.57	13.17	38.45	Pass
Band26 (824-849)	5	26915	12	#Max	QAM16	19.7	-4.42	-6.57	13.13	38.45	Pass
Band26 (824-849)	5	26915	25	#0	QAM16	19.86	-4.42	-6.57	13.29	38.45	Pass
Band26 (824-849)	5	27015	1	#0	QPSK	21.54	-4.42	-6.57	14.97	38.45	Pass
Band26 (824-849)	5	27015	1	#Mid	QPSK	21.44	-4.42	-6.57	14.87	38.45	Pass
Band26 (824-849)	5	27015	1	#Max	QPSK	21.46	-4.42	-6.57	14.89	38.45	Pass
Band26 (824-849)	5	27015	12	#0	QPSK	21.06	-4.42	-6.57	14.49	38.45	Pass
Band26 (824-849)	5	27015	12	#Mid	QPSK	21.11	-4.42	-6.57	14.54	38.45	Pass
Band26 (824-849)	5	27015	12	#Max	QPSK	21.14	-4.42	-6.57	14.57	38.45	Pass
Band26 (824-849)	5	27015	25	#0	QPSK	21.04	-4.42	-6.57	14.47	38.45	Pass
Band26 (824-849)	5	27015	1	#0	QAM16	21.76	-4.42	-6.57	15.19	38.45	Pass
Band26 (824-849)	5	27015	1	#Mid	QAM16	21.69	-4.42	-6.57	15.12	38.45	Pass
Band26 (824-849)	5	27015	1	#Max	QAM16	21.58	-4.42	-6.57	15.01	38.45	Pass
Band26 (824-849)	5	27015	12	#0	QAM16	20.08	-4.42	-6.57	13.51	38.45	Pass
Band26 (824-849)	5	27015	12	#Mid	QAM16	19.66	-4.42	-6.57	13.09	38.45	Pass
Band26 (824-849)	5	27015	12	#Max	QAM16	19.59	-4.42	-6.57	13.02	38.45	Pass
Band26 (824-849)	5	27015	25	#0	QAM16	19.85	-4.42	-6.57	13.28	38.45	Pass
Band26 (824-849)	10	26840	1	#0	QPSK	21.49	-4.42	-6.57	14.92	38.45	Pass
Band26 (824-849)	10	26840	1	#Mid	QPSK	21.57	-4.42	-6.57	15.00	38.45	Pass
Band26 (824-849)	10	26840	1	#Max	QPSK	21.63	-4.42	-6.57	15.06	38.45	Pass

(824-849)											
Band26 (824-849)	10	26840	25	#0	QPSK	21.15	-4.42	-6.57	14.58	38.45	Pass
Band26 (824-849)	10	26840	25	#Mid	QPSK	21.14	-4.42	-6.57	14.57	38.45	Pass
Band26 (824-849)	10	26840	25	#Max	QPSK	21.22	-4.42	-6.57	14.65	38.45	Pass
Band26 (824-849)	10	26840	50	#0	QPSK	21.16	-4.42	-6.57	14.59	38.45	Pass
Band26 (824-849)	10	26840	1	#0	QAM16	21.89	-4.42	-6.57	15.32	38.45	Pass
Band26 (824-849)	10	26840	1	#Mid	QAM16	22.04	-4.42	-6.57	15.47	38.45	Pass
Band26 (824-849)	10	26840	1	#Max	QAM16	22.09	-4.42	-6.57	15.52	38.45	Pass
Band26 (824-849)	10	26840	25	#0	QAM16	19.78	-4.42	-6.57	13.21	38.45	Pass
Band26 (824-849)	10	26840	25	#Mid	QAM16	19.73	-4.42	-6.57	13.16	38.45	Pass
Band26 (824-849)	10	26840	25	#Max	QAM16	20.21	-4.42	-6.57	13.64	38.45	Pass
Band26 (824-849)	10	26840	50	#0	QAM16	19.79	-4.42	-6.57	13.22	38.45	Pass
Band26 (824-849)	10	26915	1	#0	QPSK	21.86	-4.42	-6.57	15.29	38.45	Pass
Band26 (824-849)	10	26915	1	#Mid	QPSK	21.9	-4.42	-6.57	15.33	38.45	Pass
Band26 (824-849)	10	26915	1	#Max	QPSK	21.94	-4.42	-6.57	15.37	38.45	Pass
Band26 (824-849)	10	26915	25	#0	QPSK	21.21	-4.42	-6.57	14.64	38.45	Pass
Band26 (824-849)	10	26915	25	#Mid	QPSK	21.33	-4.42	-6.57	14.76	38.45	Pass
Band26 (824-849)	10	26915	25	#Max	QPSK	21.28	-4.42	-6.57	14.71	38.45	Pass
Band26 (824-849)	10	26915	50	#0	QPSK	21.36	-4.42	-6.57	14.79	38.45	Pass
Band26 (824-849)	10	26915	1	#0	QAM16	21.13	-4.42	-6.57	14.56	38.45	Pass
Band26 (824-849)	10	26915	1	#Mid	QAM16	21.29	-4.42	-6.57	14.72	38.45	Pass
Band26 (824-849)	10	26915	1	#Max	QAM16	21.18	-4.42	-6.57	14.61	38.45	Pass
Band26	10	26915	25	#0	QAM16	19.78	-4.42	-6.57	13.21	38.45	Pass

(824-849)											
Band26 (824-849)	10	26915	25	#Mid	QAM16	19.89	-4.42	-6.57	13.32	38.45	Pass
Band26 (824-849)	10	26915	25	#Max	QAM16	19.78	-4.42	-6.57	13.21	38.45	Pass
Band26 (824-849)	10	26915	50	#0	QAM16	19.96	-4.42	-6.57	13.39	38.45	Pass
Band26 (824-849)	10	26990	1	#0	QPSK	21.91	-4.42	-6.57	15.34	38.45	Pass
Band26 (824-849)	10	26990	1	#Mid	QPSK	21.73	-4.42	-6.57	15.16	38.45	Pass
Band26 (824-849)	10	26990	1	#Max	QPSK	21.71	-4.42	-6.57	15.14	38.45	Pass
Band26 (824-849)	10	26990	25	#0	QPSK	21.23	-4.42	-6.57	14.66	38.45	Pass
Band26 (824-849)	10	26990	25	#Mid	QPSK	21.16	-4.42	-6.57	14.59	38.45	Pass
Band26 (824-849)	10	26990	25	#Max	QPSK	21.04	-4.42	-6.57	14.47	38.45	Pass
Band26 (824-849)	10	26990	50	#0	QPSK	21.13	-4.42	-6.57	14.56	38.45	Pass
Band26 (824-849)	10	26990	1	#0	QAM16	21.17	-4.42	-6.57	14.60	38.45	Pass
Band26 (824-849)	10	26990	1	#Mid	QAM16	21	-4.42	-6.57	14.43	38.45	Pass
Band26 (824-849)	10	26990	1	#Max	QAM16	21.12	-4.42	-6.57	14.55	38.45	Pass
Band26 (824-849)	10	26990	25	#0	QAM16	19.73	-4.42	-6.57	13.16	38.45	Pass
Band26 (824-849)	10	26990	25	#Mid	QAM16	19.55	-4.42	-6.57	12.98	38.45	Pass
Band26 (824-849)	10	26990	25	#Max	QAM16	19.73	-4.42	-6.57	13.16	38.45	Pass
Band26 (824-849)	10	26990	50	#0	QAM16	19.62	-4.42	-6.57	13.05	38.45	Pass
Band26 (824-849)	15	26865	1	#0	QPSK	21.58	-4.42	-6.57	15.01	38.45	Pass
Band26 (824-849)	15	26865	1	#Mid	QPSK	21.71	-4.42	-6.57	15.14	38.45	Pass
Band26 (824-849)	15	26865	1	#Max	QPSK	21.83	-4.42	-6.57	15.26	38.45	Pass
Band26 (824-849)	15	26865	36	#0	QPSK	21.14	-4.42	-6.57	14.57	38.45	Pass
Band26 (824-849)	15	26865	36	#Mid	QPSK	21.16	-4.42	-6.57	14.59	38.45	Pass

(824-849)											
Band26 (824-849)	15	26865	36	#Max	QPSK	21.2	-4.42	-6.57	14.63	38.45	Pass
Band26 (824-849)	15	26865	75	#0	QPSK	21.15	-4.42	-6.57	14.58	38.45	Pass
Band26 (824-849)	15	26865	1	#0	QAM16	22.01	-4.42	-6.57	15.44	38.45	Pass
Band26 (824-849)	15	26865	1	#Mid	QAM16	22.18	-4.42	-6.57	15.61	38.45	Pass
Band26 (824-849)	15	26865	1	#Max	QAM16	22.3	-4.42	-6.57	15.73	38.45	Pass
Band26 (824-849)	15	26865	36	#0	QAM16	19.74	-4.42	-6.57	13.17	38.45	Pass
Band26 (824-849)	15	26865	36	#Mid	QAM16	20.17	-4.42	-6.57	13.60	38.45	Pass
Band26 (824-849)	15	26865	36	#Max	QAM16	19.75	-4.42	-6.57	13.18	38.45	Pass
Band26 (824-849)	15	26865	75	#0	QAM16	20.31	-4.42	-6.57	13.74	38.45	Pass
Band26 (824-849)	15	26915	1	#0	QPSK	21.71	-4.42	-6.57	15.14	38.45	Pass
Band26 (824-849)	15	26915	1	#Mid	QPSK	21.89	-4.42	-6.57	15.32	38.45	Pass
Band26 (824-849)	15	26915	1	#Max	QPSK	21.8	-4.42	-6.57	15.23	38.45	Pass
Band26 (824-849)	15	26915	36	#0	QPSK	21.19	-4.42	-6.57	14.62	38.45	Pass
Band26 (824-849)	15	26915	36	#Mid	QPSK	21.29	-4.42	-6.57	14.72	38.45	Pass
Band26 (824-849)	15	26915	36	#Max	QPSK	21.15	-4.42	-6.57	14.58	38.45	Pass
Band26 (824-849)	15	26915	75	#0	QPSK	21.34	-4.42	-6.57	14.77	38.45	Pass
Band26 (824-849)	15	26915	1	#0	QAM16	21.05	-4.42	-6.57	14.48	38.45	Pass
Band26 (824-849)	15	26915	1	#Mid	QAM16	21.28	-4.42	-6.57	14.71	38.45	Pass
Band26 (824-849)	15	26915	1	#Max	QAM16	21.07	-4.42	-6.57	14.50	38.45	Pass
Band26 (824-849)	15	26915	36	#0	QAM16	19.78	-4.42	-6.57	13.21	38.45	Pass
Band26 (824-849)	15	26915	36	#Mid	QAM16	19.97	-4.42	-6.57	13.40	38.45	Pass
Band26 (824-849)	15	26915	36	#Max	QAM16	19.81	-4.42	-6.57	13.24	38.45	Pass

(824-849)											
Band26 (824-849)	15	26915	75	#0	QAM16	19.82	-4.42	-6.57	13.25	38.45	Pass
Band26 (824-849)	15	26965	1	#0	QPSK	21.72	-4.42	-6.57	15.15	38.45	Pass
Band26 (824-849)	15	26965	1	#Mid	QPSK	21.73	-4.42	-6.57	15.16	38.45	Pass
Band26 (824-849)	15	26965	1	#Max	QPSK	21.68	-4.42	-6.57	15.11	38.45	Pass
Band26 (824-849)	15	26965	36	#0	QPSK	21.28	-4.42	-6.57	14.71	38.45	Pass
Band26 (824-849)	15	26965	36	#Mid	QPSK	21.19	-4.42	-6.57	14.62	38.45	Pass
Band26 (824-849)	15	26965	36	#Max	QPSK	21.09	-4.42	-6.57	14.52	38.45	Pass
Band26 (824-849)	15	26965	75	#0	QPSK	21.12	-4.42	-6.57	14.55	38.45	Pass
Band26 (824-849)	15	26965	1	#0	QAM16	21.73	-4.42	-6.57	15.16	38.45	Pass
Band26 (824-849)	15	26965	1	#Mid	QAM16	21.74	-4.42	-6.57	15.17	38.45	Pass
Band26 (824-849)	15	26965	1	#Max	QAM16	21.65	-4.42	-6.57	15.08	38.45	Pass
Band26 (824-849)	15	26965	36	#0	QAM16	19.75	-4.42	-6.57	13.18	38.45	Pass
Band26 (824-849)	15	26965	36	#Mid	QAM16	19.68	-4.42	-6.57	13.11	38.45	Pass
Band26 (824-849)	15	26965	36	#Max	QAM16	20.13	-4.42	-6.57	13.56	38.45	Pass
Band26 (824-849)	15	26965	75	#0	QAM16	19.72	-4.42	-6.57	13.15	38.45	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band26(824-849)	15	26865	75	#0	QPSK	5.47	0.00658	-2.5	2.5	PASS
Band26(824-849)	15	26865	75	#0	QAM16	3.36	0.00404	-2.5	2.5	PASS
Band26(824-849)	15	26915	75	#0	QPSK	10.72	0.01282	-2.5	2.5	PASS
Band26(824-849)	15	26915	75	#0	QAM16	8.25	0.00986	-2.5	2.5	PASS
Band26(824-849)	15	26965	75	#0	QPSK	7.18	0.00853	-2.5	2.5	PASS
Band26(824-849)	15	26965	75	#0	QAM16	2.63	0.00313	-2.5	2.5	PASS

Note: (Voltage: 3.85V, Temperature: 25°C) only reflect the worst mode.


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band26(824-849)	1.4	26915	1	#0	QPSK	4.67	13	PASS
Band26(824-849)	1.4	26915	1	#0	QAM16	5.09	13	PASS
Band26(824-849)	3	26915	1	#0	QPSK	4.59	13	PASS
Band26(824-849)	3	26915	1	#0	QAM16	5.40	13	PASS
Band26(824-849)	5	26915	1	#0	QPSK	4.84	13	PASS
Band26(824-849)	5	26915	1	#0	QAM16	5.43	13	PASS
Band26(824-849)	10	26915	1	#0	QPSK	4.73	13	PASS
Band26(824-849)	10	26915	1	#0	QAM16	5.34	13	PASS
Band26(824-849)	15	26915	1	#0	QPSK	4.87	13	PASS
Band26(824-849)	15	26915	1	#0	QAM16	5.34	13	PASS


Band26(824-849) QAM16 BW=15MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QAM16 BW=3MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QAM16 BW=1.4MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QAM16 BW=10MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QAM16 BW=5MHz Channel=26915 RB Size=1 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=1 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=1 Position=#0




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band26(824-849)	1.4	26797	6	#0	QPSK	1.095	1.250	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	1.106	1.247	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	1.094	1.249	PASS
Band26(824-849)	1.4	26915	6	#0	QAM16	1.092	1.251	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	1.092	1.246	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	1.090	1.240	PASS
Band26(824-849)	3	26805	15	#0	QPSK	2.707	3.043	PASS
Band26(824-849)	3	26805	15	#0	QAM16	2.723	3.041	PASS
Band26(824-849)	3	26915	15	#0	QPSK	2.719	3.051	PASS
Band26(824-849)	3	26915	15	#0	QAM16	2.703	3.043	PASS
Band26(824-849)	3	27025	15	#0	QPSK	2.703	3.031	PASS
Band26(824-849)	3	27025	15	#0	QAM16	2.715	3.052	PASS
Band26(824-849)	5	26815	25	#0	QPSK	4.519	4.955	PASS
Band26(824-849)	5	26815	25	#0	QAM16	4.530	4.975	PASS
Band26(824-849)	5	26915	25	#0	QPSK	4.499	4.965	PASS
Band26(824-849)	5	26915	25	#0	QAM16	4.504	4.983	PASS
Band26(824-849)	5	27015	25	#0	QPSK	4.514	4.947	PASS
Band26(824-849)	5	27015	25	#0	QAM16	4.499	4.989	PASS
Band26(824-849)	10	26840	50	#0	QPSK	9.011	9.818	PASS
Band26(824-849)	10	26840	50	#0	QAM16	8.987	9.813	PASS
Band26(824-849)	10	26915	50	#0	QPSK	8.972	9.867	PASS
Band26(824-849)	10	26915	50	#0	QAM16	8.988	9.845	PASS
Band26(824-849)	10	26990	50	#0	QPSK	8.996	9.858	PASS
Band26(824-849)	10	26990	50	#0	QAM16	9.037	9.975	PASS
Band26(824-849)	15	26865	75	#0	QPSK	13.477	14.888	PASS
Band26(824-849)	15	26865	75	#0	QAM16	13.499	14.725	PASS
Band26(824-849)	15	26915	75	#0	QPSK	13.459	14.801	PASS
Band26(824-849)	15	26915	75	#0	QAM16	13.448	14.838	PASS
Band26(824-849)	15	26965	75	#0	QPSK	13.482	14.778	PASS
Band26(824-849)	15	26965	75	#0	QAM16	13.512	14.842	PASS


Band26(824-849) QAM16 BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) QAM16 BW=10MHz Channel=26915 RB Size=50 Position=#0




Band26(824-849) QAM16 BW=15MHz Channel=26915 RB Size=75 Position=#0




Band26(824-849) QAM16 BW=15MHz Channel=26865 RB Size=75 Position=#0





Band26(824-849) QAM16 BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=10MHz Channel=26840 RB Size=50 Position=#0


**Band26(824-849) QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0****Band26(824-849) QAM16 BW=15MHz Channel=26965 RB Size=75 Position=#0**




Band26(824-849) QAM16 BW=5MHz Channel=26815 RB Size=25 Position=#0




Band26(824-849) QAM16 BW=5MHz Channel=26915 RB Size=25 Position=#0




Band26(824-849) QAM16 BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26(824-849) QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0




Band26(824-849) QAM16 BW=3MHz Channel=26915 RB Size=15 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=50 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=75 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=5MHz Channel=27015 RB Size=25 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=25 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0



Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0



Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=15 Position=#0




5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band26(824-849)	1.4	26797	6	#0	QPSK	823.96	-34.98	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	823.97	-34.43	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	849.04	-34.59	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	849.05	-34.75	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	824.00	-25.47	-13	PASS
Band26(824-849)	3	26805	15	#0	QAM16	824.00	-25.94	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	849.00	-25.14	-13	PASS
Band26(824-849)	3	27025	15	#0	QAM16	849.00	-26.37	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	824.00	-30.07	-13	PASS
Band26(824-849)	5	26815	25	#0	QAM16	824.00	-30.96	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	849.00	-30.02	-13	PASS
Band26(824-849)	5	27015	25	#0	QAM16	849.00	-33.67	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	824.00	-32.06	-13	PASS
Band26(824-849)	10	26840	50	#0	QAM16	823.98	-35.24	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	849.04	-33.49	-13	PASS
Band26(824-849)	10	26990	50	#0	QAM16	849.00	-34.42	-13	PASS
Band26(824-849)	15	26865	75	#0	QPSK	823.76	-31.27	-13	PASS
Band26(824-849)	15	26865	75	#0	QAM16	821.36	-32.51	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	849.00	-32.75	-13	PASS
Band26(824-849)	15	26965	75	#0	QAM16	849.00	-34.00	-13	PASS


Band26(824-849) QAM16 BW=15MHz Channel=26965 RB Size=75 Position=#0




Band26(824-849) QAM16 BW=15MHz Channel=26865 RB Size=75 Position=#0



Band26(824-849) QAM16 BW=3MHz Channel=27025 RB Size=15 Position=#0



Band26(824-849) QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0



Band26(824-849) QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0



Band26(824-849) QAM16 BW=10MHz Channel=26990 RB Size=50 Position=#0



Band26(824-849) QAM16 BW=10MHz Channel=26840 RB Size=50 Position=#0



Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0



Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0



Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0



Band26(824-849) QAM16 BW=5MHz Channel=27015 RB Size=25 Position=#0




Band26(824-849) QAM16 BW=5MHz Channel=26815 RB Size=25 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0



Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0



Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0




6 Out-of-band emissions

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band26(824-849)	1.4	26797	6	#0	QPSK	4821.40	-38.46	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	3850.08	-38.96	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	3778.53	-38.60	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	4941.33	-38.72	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	3806.43	-38.82	-13	PASS
Band26(824-849)	3	26805	15	#0	QAM16	7104.48	-39.19	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	3739.15	-38.98	-13	PASS
Band26(824-849)	3	27025	15	#0	QAM16	3814.98	-39.21	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	3771.10	-38.68	-13	PASS
Band26(824-849)	5	26815	25	#0	QAM16	3832.30	-39.28	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	3817.45	-38.94	-13	PASS
Band26(824-849)	5	27015	25	#0	QAM16	5100.40	-38.83	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	3908.35	-38.67	-13	PASS
Band26(824-849)	10	26840	50	#0	QAM16	3792.48	-37.89	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	3958.30	-39.61	-13	PASS
Band26(824-849)	10	26990	50	#0	QAM16	4773.25	-39.16	-13	PASS
Band26(824-849)	15	26865	75	#0	QPSK	3758.28	-39.04	-13	PASS
Band26(824-849)	15	26865	75	#0	QAM16	3712.38	-39.46	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	3830.95	-38.37	-13	PASS
Band26(824-849)	15	26965	75	#0	QAM16	3844.00	-38.12	-13	PASS


Band26(824-849) QAM16 BW=10MHz Channel=26840 RB Size=50 Position=#0




Band26(824-849) QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=5MHz Channel=27015 RB Size=25 Position=#0




Band26(824-849) QAM16 BW=5MHz Channel=26815 RB Size=25 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26(824-849) QAM16 BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) QAM16 BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0




Band26(824-849) QAM16 BW=15MHz Channel=26965 RB Size=75 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0



Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0



Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0



Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0

