



#### 12.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -28.7       | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 698.952         | -32.83      | -13         | Pass    | 401         |
| 699                   | 701                  | 0.1       | RMS      | 699.95          | 11.07       | 30          | Pass    | 401         |




## 12.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 714                   | 716                  | 0.1       | RMS      | 715.78          | 20.49       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -23.82      | -13         | Pass    | 5           |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -24.27      | -13         | Pass    | 401         |




## 12.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 714                   | 716                  | 0.1       | RMS      | 714.93          | 12.44       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -31.59      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.122         | -27.43      | -13         | Pass    | 401         |




## 12.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 714                   | 716                  | 0.1       | RMS      | 715.775         | 20.44       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -22.21      | -13         | Pass    | 5           |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -23.7       | -13         | Pass    | 401         |




## 12.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 714                   | 716                  | 0.1       | RMS      | 715.345         | 11.05       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.079         | -35.22      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.145         | -31.46      | -13         | Pass    | 401         |




## 12.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -23.68      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -18.4       | -13         | Pass    | 401         |
| 699                   | 702                  | 0.1       | RMS      | 699.263         | 20.32       | 30          | Pass    | 401         |




# 12.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -28.62      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -27.45      | -13         | Pass    | 401         |
| 699                   | 702                  | 0.1       | RMS      | 700.83          | 8.81        | 30          | Pass    | 401         |




# 12.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -24.44      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -19.06      | -13         | Pass    | 401         |
| 699                   | 702                  | 0.1       | RMS      | 699.278         | 19.69       | 30          | Pass    | 401         |




## 12.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -32.56      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 698.999         | -29.95      | -13         | Pass    | 401         |
| 699                   | 702                  | 0.1       | RMS      | 701.033         | 7.05        | 30          | Pass    | 401         |



### 12.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 713                   | 716                  | 0.1       | RMS      | 715.783         | 20.32       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -13.1       | -13         | Pass*   | 5           |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -16.9       | -13         | Pass    | 401         |




# 12.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 713                   | 716                  | 0.1       | RMS      | 714.133         | 8.79        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -23.47      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -27.56      | -13         | Pass    | 401         |




### 12.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 713                   | 716                  | 0.1       | RMS      | 715.775         | 18.81       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -14.97      | -13         | Pass*   | 5           |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -20         | -13         | Pass    | 401         |




# 12.15. LTE Band Edge(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulat6on:16QAM, RB Number:15, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 713                   | 716                  | 0.1       | RMS      | 713.465         | 7.12        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -23.95      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -28.46      | -13         | Pass    | 401         |




# 12.17. LTE Band Edge(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -28.73      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -25.63      | -13         | Pass    | 401         |
| 699                   | 704                  | 0.1       | RMS      | 699.363         | 20.14       | 30          | Pass    | 401         |




# 12.18. LTE Band Edge(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -32.9       | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -35.36      | -13         | Pass    | 401         |
| 699                   | 704                  | 0.1       | RMS      | 700.675         | 6.37        | 30          | Pass    | 401         |




# 12.19. LTE Band Edge(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -31.88      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -26.94      | -13         | Pass    | 401         |
| 699                   | 704                  | 0.1       | RMS      | 699.375         | 19.07       | 30          | Pass    | 401         |




**12.20. LTE Band Edge(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.878         | -35.72      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -36.97      | -13         | Pass    | 401         |
| 699                   | 704                  | 0.1       | RMS      | 701.925         | 5.17        | 30          | Pass    | 401         |




# 12.21. LTE Band Edge(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 715.675         | 20.22       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -20.45      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -24.9       | -13         | Pass    | 401         |




## 12.22. LTE Band Edge(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 712.763         | 6.48        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -31.9       | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -32.77      | -13         | Pass    | 401         |




### 12.23. LTE Band Edge(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 715.688         | 19.69       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -20         | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -24.31      | -13         | Pass    | 401         |




# 12.24. LTE Band Edge(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 713.3           | 4.98        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -33.32      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -35.57      | -13         | Pass    | 401         |




**12.25. LTE Band Edge(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -31.99      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -30.91      | -13         | Pass    | 401         |
| 699                   | 709                  | 0.1       | RMS      | 699.625         | 20.3        | 30          | Pass    | 401         |




## 12.26. LTE Band Edge(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -33.85      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 698.999         | -37.8       | -13         | Pass    | 401         |
| 699                   | 709                  | 0.1       | RMS      | 707.925         | 3.54        | 30          | Pass    | 401         |




# 12.27. LTE Band Edge(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -32.91      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -31.86      | -13         | Pass    | 401         |
| 699                   | 709                  | 0.1       | RMS      | 699.625         | 19.34       | 30          | Pass    | 401         |




# 12.28. LTE Band Edge(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -37.47      | -13         | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 699             | -41.25      | -13         | Pass    | 401         |
| 699                   | 709                  | 0.1       | RMS      | 707.375         | 2.26        | 30          | Pass    | 401         |




# 12.29. LTE Band Edge(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 715.45          | 20.34       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -27.48      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -28.32      | -13         | Pass    | 401         |




### 12.30. LTE Band Edge(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 709.05          | 3.34        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -38.41      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -35.08      | -13         | Pass    | 401         |




# 12.31. LTE Band Edge(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 715.425         | 19.66       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -27.98      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -28.69      | -13         | Pass    | 401         |



# 12.32. LTE Band Edge(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 707.75          | 2.38        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -39.76      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -36.59      | -13         | Pass    | 401         |



## 13. LTE\_Band17


### 13.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.9           | -30.82      | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 704             | -25.76      | -13         | Pass    | 401         |
| 704                   | 709                  | 0.1       | RMS      | 704.363         | 20.15       | 30          | Pass    | 401         |




### 13.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.865         | -29.73      | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 704             | -32.99      | -13         | Pass    | 401         |
| 704                   | 709                  | 0.1       | RMS      | 705.925         | 6.2         | 30          | Pass    | 401         |




### 13.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.9           | -31.24      | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 704             | -26.18      | -13         | Pass    | 401         |
| 704                   | 709                  | 0.1       | RMS      | 704.35          | 19.43       | 30          | Pass    | 401         |




### 13.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.9           | -31.3       | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 704             | -34.44      | -13         | Pass    | 401         |
| 704                   | 709                  | 0.1       | RMS      | 706.538         | 5.34        | 30          | Pass    | 401         |




### 13.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 715.675         | 19.82       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -20.88      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -25.87      | -13         | Pass    | 401         |




### 13.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 712.675         | 6.17        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -32.18      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -33.48      | -13         | Pass    | 401         |




### 13.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 715.688         | 19.54       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -21.15      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -26.24      | -13         | Pass    | 401         |




### 13.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 711                   | 716                  | 0.1       | RMS      | 713.225         | 4.66        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -34.02      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -36.4       | -13         | Pass    | 401         |




### 13.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.9           | -32.19      | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 703.999         | -31.05      | -13         | Pass    | 401         |
| 704                   | 714                  | 0.1       | RMS      | 704.625         | 20.14       | 30          | Pass    | 401         |




### 13.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.9           | -32.89      | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 703.983         | -37.04      | -13         | Pass    | 401         |
| 704                   | 714                  | 0.1       | RMS      | 708.275         | 3.07        | 30          | Pass    | 401         |




### 13.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.9           | -32.93      | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 704             | -31.92      | -13         | Pass    | 401         |
| 704                   | 714                  | 0.1       | RMS      | 704.625         | 19.25       | 30          | Pass    | 401         |




### 13.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 690                   | 703.9                | 0.1       | RMS      | 703.9           | -37.77      | -13         | Pass    | 401         |
| 703.9                 | 704                  | 0.03      | RMS      | 704             | -41.28      | -13         | Pass    | 401         |
| 704                   | 714                  | 0.1       | RMS      | 712.4           | 1.39        | 30          | Pass    | 401         |




### 13.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 715.425         | 20.07       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -27.88      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -28.67      | -13         | Pass    | 401         |




**13.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 708.475         | 3           | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -39.26      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -36.18      | -13         | Pass    | 401         |




### 13.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 715.45          | 19.46       | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.002         | -28.3       | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -28.98      | -13         | Pass    | 401         |



### 13.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 708.55          | 2.23        | 30          | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.002         | -39.72      | -13         | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -36.64      | -13         | Pass    | 401         |



## 14. LTE\_Band26(part22)


### 14.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.52          | -45.94      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 824             | -31.61      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.285         | 20.82       | 30          | Pass    | 401         |



## 14.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -35.94      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 823.995         | -29.26      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.855         | 12.76       | 30          | Pass    | 401         |




### 14.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.46          | -45.72      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 823.993         | -33.14      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.275         | 20.14       | 30          | Pass    | 401         |




#### 14.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.96          | -36.07      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 823.988         | -31.27      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.59          | 11.54       | 30          | Pass    | 401         |




**14.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.445         | -64.35      | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.81          | -71.05      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 859.675         | -64.19      | -13         | Pass    | 401         |




# 14.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.42          | 12.75       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849             | -30.72      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -36.48      | -13         | Pass    | 401         |




**14.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.775         | 19.98       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.003         | -28.56      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -48.83      | -13         | Pass    | 401         |




**14.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.345         | 11.98       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.01          | -30.79      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -35.52      | -13         | Pass    | 401         |




# 14.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 819.24          | -46         | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 823.998         | -19.75      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 824.27          | 20.54       | 30          | Pass    | 401         |




**14.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -29.44      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -26.72      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 825.455         | 8.91        | 30          | Pass    | 401         |




**14.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 819.24          | -45.86      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -19.88      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 824.278         | 19.92       | 30          | Pass    | 401         |




**14.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -31.07      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.03      | RMS      | 824             | -28.86      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 825.23          | 7.33        | 30          | Pass    | 401         |




**14.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 848.783         | 18.81       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -13.55      | -13         | Pass*   | 35          |
| 850                   | 860                  | 0.1       | RMS      | 850             | -50.1       | -13         | Pass    | 401         |



**14.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 847.088         | 8.87        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -22.42      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -31.43      | -13         | Pass    | 401         |



**14.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 848.798         | 18.02       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.03      | RMS      | 849             | -13.67      | -13         | Pass*   | 35          |
| 850                   | 860                  | 0.1       | RMS      | 851.35          | -49.85      | -13         | Pass    | 401         |

