

TABLE OF CONTENTS

1 Conducted output power 2

2 Frequency stability 6

3 Peak-to-Average Ratio 7

4 Occupied bandwidth 12

5 Band edge 25

6 Out-of-band emissions 34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band38	5	37775	1	#0	QPSK	22.69	-1.83	20.86	33.01	PASS
Band38	5	37775	1	#Mid	QPSK	22.93	-1.83	21.10	33.01	PASS
Band38	5	37775	1	#Max	QPSK	22.56	-1.83	20.73	33.01	PASS
Band38	5	37775	12	#0	QPSK	21.80	-1.83	19.97	33.01	PASS
Band38	5	37775	12	#Mid	QPSK	21.81	-1.83	19.98	33.01	PASS
Band38	5	37775	12	#Max	QPSK	21.72	-1.83	19.89	33.01	PASS
Band38	5	37775	25	#0	QPSK	21.82	-1.83	19.99	33.01	PASS
Band38	5	37775	1	#0	QAM16	22.39	-1.83	20.56	33.01	PASS
Band38	5	37775	1	#Mid	QAM16	22.58	-1.83	20.75	33.01	PASS
Band38	5	37775	1	#Max	QAM16	22.27	-1.83	20.44	33.01	PASS
Band38	5	37775	12	#0	QAM16	20.82	-1.83	18.99	33.01	PASS
Band38	5	37775	12	#Mid	QAM16	20.83	-1.83	19.00	33.01	PASS
Band38	5	37775	12	#Max	QAM16	20.74	-1.83	18.91	33.01	PASS
Band38	5	37775	25	#0	QAM16	20.77	-1.83	18.94	33.01	PASS
Band38	5	38000	1	#0	QPSK	22.58	-1.83	20.75	33.01	PASS
Band38	5	38000	1	#Mid	QPSK	22.81	-1.83	20.98	33.01	PASS
Band38	5	38000	1	#Max	QPSK	22.53	-1.83	20.70	33.01	PASS
Band38	5	38000	12	#0	QPSK	21.69	-1.83	19.86	33.01	PASS
Band38	5	38000	12	#Mid	QPSK	21.70	-1.83	19.87	33.01	PASS
Band38	5	38000	12	#Max	QPSK	21.64	-1.83	19.81	33.01	PASS
Band38	5	38000	25	#0	QPSK	21.69	-1.83	19.86	33.01	PASS
Band38	5	38000	1	#0	QAM16	21.92	-1.83	20.09	33.01	PASS
Band38	5	38000	1	#Mid	QAM16	22.14	-1.83	20.31	33.01	PASS
Band38	5	38000	1	#Max	QAM16	21.87	-1.83	20.04	33.01	PASS
Band38	5	38000	12	#0	QAM16	20.63	-1.83	18.80	33.01	PASS
Band38	5	38000	12	#Mid	QAM16	20.67	-1.83	18.84	33.01	PASS
Band38	5	38000	12	#Max	QAM16	20.61	-1.83	18.78	33.01	PASS
Band38	5	38000	25	#0	QAM16	20.72	-1.83	18.89	33.01	PASS
Band38	5	38225	1	#0	QPSK	22.44	-1.83	20.61	33.01	PASS
Band38	5	38225	1	#Mid	QPSK	22.72	-1.83	20.89	33.01	PASS
Band38	5	38225	1	#Max	QPSK	22.45	-1.83	20.62	33.01	PASS
Band38	5	38225	12	#0	QPSK	21.66	-1.83	19.83	33.01	PASS
Band38	5	38225	12	#Mid	QPSK	21.70	-1.83	19.87	33.01	PASS
Band38	5	38225	12	#Max	QPSK	21.69	-1.83	19.86	33.01	PASS
Band38	5	38225	25	#0	QPSK	21.70	-1.83	19.87	33.01	PASS
Band38	5	38225	1	#0	QAM16	21.89	-1.83	20.06	33.01	PASS
Band38	5	38225	1	#Mid	QAM16	22.15	-1.83	20.32	33.01	PASS

Band38	5	38225	1	#Max	QAM16	21.90	-1.83	20.07	33.01	PASS
Band38	5	38225	12	#0	QAM16	20.67	-1.83	18.84	33.01	PASS
Band38	5	38225	12	#Mid	QAM16	20.73	-1.83	18.90	33.01	PASS
Band38	5	38225	12	#Max	QAM16	20.66	-1.83	18.83	33.01	PASS
Band38	5	38225	25	#0	QAM16	20.63	-1.83	18.80	33.01	PASS
Band38	10	37800	1	#0	QPSK	22.75	-1.83	20.92	33.01	PASS
Band38	10	37800	1	#Mid	QPSK	22.80	-1.83	20.97	33.01	PASS
Band38	10	37800	1	#Max	QPSK	22.62	-1.83	20.79	33.01	PASS
Band38	10	37800	25	#0	QPSK	21.87	-1.83	20.04	33.01	PASS
Band38	10	37800	25	#Mid	QPSK	21.77	-1.83	19.94	33.01	PASS
Band38	10	37800	25	#Max	QPSK	21.76	-1.83	19.93	33.01	PASS
Band38	10	37800	50	#0	QPSK	21.81	-1.83	19.98	33.01	PASS
Band38	10	37800	1	#0	QAM16	22.34	-1.83	20.51	33.01	PASS
Band38	10	37800	1	#Mid	QAM16	22.37	-1.83	20.54	33.01	PASS
Band38	10	37800	1	#Max	QAM16	22.25	-1.83	20.42	33.01	PASS
Band38	10	37800	25	#0	QAM16	20.90	-1.83	19.07	33.01	PASS
Band38	10	37800	25	#Mid	QAM16	20.79	-1.83	18.96	33.01	PASS
Band38	10	37800	25	#Max	QAM16	20.82	-1.83	18.99	33.01	PASS
Band38	10	37800	50	#0	QAM16	20.84	-1.83	19.01	33.01	PASS
Band38	10	38000	1	#0	QPSK	22.68	-1.83	20.85	33.01	PASS
Band38	10	38000	1	#Mid	QPSK	22.78	-1.83	20.95	33.01	PASS
Band38	10	38000	1	#Max	QPSK	22.65	-1.83	20.82	33.01	PASS
Band38	10	38000	25	#0	QPSK	21.80	-1.83	19.97	33.01	PASS
Band38	10	38000	25	#Mid	QPSK	21.74	-1.83	19.91	33.01	PASS
Band38	10	38000	25	#Max	QPSK	21.77	-1.83	19.94	33.01	PASS
Band38	10	38000	50	#0	QPSK	21.79	-1.83	19.96	33.01	PASS
Band38	10	38000	1	#0	QAM16	21.87	-1.83	20.04	33.01	PASS
Band38	10	38000	1	#Mid	QAM16	21.99	-1.83	20.16	33.01	PASS
Band38	10	38000	1	#Max	QAM16	21.84	-1.83	20.01	33.01	PASS
Band38	10	38000	25	#0	QAM16	20.82	-1.83	18.99	33.01	PASS
Band38	10	38000	25	#Mid	QAM16	20.78	-1.83	18.95	33.01	PASS
Band38	10	38000	25	#Max	QAM16	20.77	-1.83	18.94	33.01	PASS
Band38	10	38000	50	#0	QAM16	20.84	-1.83	19.01	33.01	PASS
Band38	10	38200	1	#0	QPSK	22.67	-1.83	20.84	33.01	PASS
Band38	10	38200	1	#Mid	QPSK	22.75	-1.83	20.92	33.01	PASS
Band38	10	38200	1	#Max	QPSK	22.63	-1.83	20.80	33.01	PASS
Band38	10	38200	25	#0	QPSK	21.79	-1.83	19.96	33.01	PASS
Band38	10	38200	25	#Mid	QPSK	21.69	-1.83	19.86	33.01	PASS
Band38	10	38200	25	#Max	QPSK	21.71	-1.83	19.88	33.01	PASS
Band38	10	38200	50	#0	QPSK	21.73	-1.83	19.90	33.01	PASS
Band38	10	38200	1	#0	QAM16	21.67	-1.83	19.84	33.01	PASS
Band38	10	38200	1	#Mid	QAM16	21.76	-1.83	19.93	33.01	PASS
Band38	10	38200	1	#Max	QAM16	21.64	-1.83	19.81	33.01	PASS
Band38	10	38200	25	#0	QAM16	20.77	-1.83	18.94	33.01	PASS

Band38	10	38200	25	#Mid	QAM16	20.72	-1.83	18.89	33.01	PASS
Band38	10	38200	25	#Max	QAM16	20.72	-1.83	18.89	33.01	PASS
Band38	10	38200	50	#0	QAM16	20.70	-1.83	18.87	33.01	PASS
Band38	15	37825	1	#0	QPSK	22.72	-1.83	20.89	33.01	PASS
Band38	15	37825	1	#Mid	QPSK	22.88	-1.83	21.05	33.01	PASS
Band38	15	37825	1	#Max	QPSK	22.56	-1.83	20.73	33.01	PASS
Band38	15	37825	36	#0	QPSK	21.82	-1.83	19.99	33.01	PASS
Band38	15	37825	36	#Mid	QPSK	21.76	-1.83	19.93	33.01	PASS
Band38	15	37825	36	#Max	QPSK	21.79	-1.83	19.96	33.01	PASS
Band38	15	37825	75	#0	QPSK	21.83	-1.83	20.00	33.01	PASS
Band38	15	37825	1	#0	QAM16	22.29	-1.83	20.46	33.01	PASS
Band38	15	37825	1	#Mid	QAM16	22.43	-1.83	20.60	33.01	PASS
Band38	15	37825	1	#Max	QAM16	22.16	-1.83	20.33	33.01	PASS
Band38	15	37825	36	#0	QAM16	20.83	-1.83	19.00	33.01	PASS
Band38	15	37825	36	#Mid	QAM16	20.76	-1.83	18.93	33.01	PASS
Band38	15	37825	36	#Max	QAM16	20.80	-1.83	18.97	33.01	PASS
Band38	15	37825	75	#0	QAM16	20.79	-1.83	18.96	33.01	PASS
Band38	15	38000	1	#0	QPSK	22.65	-1.83	20.82	33.01	PASS
Band38	15	38000	1	#Mid	QPSK	22.85	-1.83	21.02	33.01	PASS
Band38	15	38000	1	#Max	QPSK	22.51	-1.83	20.68	33.01	PASS
Band38	15	38000	36	#0	QPSK	21.78	-1.83	19.95	33.01	PASS
Band38	15	38000	36	#Mid	QPSK	21.78	-1.83	19.95	33.01	PASS
Band38	15	38000	36	#Max	QPSK	21.73	-1.83	19.90	33.01	PASS
Band38	15	38000	75	#0	QPSK	21.77	-1.83	19.94	33.01	PASS
Band38	15	38000	1	#0	QAM16	21.87	-1.83	20.04	33.01	PASS
Band38	15	38000	1	#Mid	QAM16	22.07	-1.83	20.24	33.01	PASS
Band38	15	38000	1	#Max	QAM16	21.76	-1.83	19.93	33.01	PASS
Band38	15	38000	36	#0	QAM16	20.82	-1.83	18.99	33.01	PASS
Band38	15	38000	36	#Mid	QAM16	20.83	-1.83	19.00	33.01	PASS
Band38	15	38000	36	#Max	QAM16	20.75	-1.83	18.92	33.01	PASS
Band38	15	38000	75	#0	QAM16	20.72	-1.83	18.89	33.01	PASS
Band38	15	38175	1	#0	QPSK	22.67	-1.83	20.84	33.01	PASS
Band38	15	38175	1	#Mid	QPSK	22.91	-1.83	21.08	33.01	PASS
Band38	15	38175	1	#Max	QPSK	22.58	-1.83	20.75	33.01	PASS
Band38	15	38175	36	#0	QPSK	21.75	-1.83	19.92	33.01	PASS
Band38	15	38175	36	#Mid	QPSK	21.77	-1.83	19.94	33.01	PASS
Band38	15	38175	36	#Max	QPSK	21.72	-1.83	19.89	33.01	PASS
Band38	15	38175	75	#0	QPSK	21.76	-1.83	19.93	33.01	PASS
Band38	15	38175	1	#0	QAM16	21.91	-1.83	20.08	33.01	PASS
Band38	15	38175	1	#Mid	QAM16	22.13	-1.83	20.30	33.01	PASS
Band38	15	38175	1	#Max	QAM16	21.83	-1.83	20.00	33.01	PASS
Band38	15	38175	36	#0	QAM16	20.70	-1.83	18.87	33.01	PASS
Band38	15	38175	36	#Mid	QAM16	20.69	-1.83	18.86	33.01	PASS
Band38	15	38175	36	#Max	QAM16	20.65	-1.83	18.82	33.01	PASS

Band38	15	38175	75	#0	QAM16	20.74	-1.83	18.91	33.01	PASS
Band38	20	37850	1	#0	QPSK	22.52	-1.83	20.69	33.01	PASS
Band38	20	37850	1	#Mid	QPSK	22.83	-1.83	21.00	33.01	PASS
Band38	20	37850	1	#Max	QPSK	22.44	-1.83	20.61	33.01	PASS
Band38	20	37850	50	#0	QPSK	21.80	-1.83	19.97	33.01	PASS
Band38	20	37850	50	#Mid	QPSK	21.77	-1.83	19.94	33.01	PASS
Band38	20	37850	50	#Max	QPSK	21.76	-1.83	19.93	33.01	PASS
Band38	20	37850	100	#0	QPSK	21.77	-1.83	19.94	33.01	PASS
Band38	20	37850	1	#0	QAM16	21.90	-1.83	20.07	33.01	PASS
Band38	20	37850	1	#Mid	QAM16	22.17	-1.83	20.34	33.01	PASS
Band38	20	37850	1	#Max	QAM16	21.77	-1.83	19.94	33.01	PASS
Band38	20	37850	50	#0	QAM16	20.85	-1.83	19.02	33.01	PASS
Band38	20	37850	50	#Mid	QAM16	20.84	-1.83	19.01	33.01	PASS
Band38	20	37850	50	#Max	QAM16	20.88	-1.83	19.05	33.01	PASS
Band38	20	37850	100	#0	QAM16	20.84	-1.83	19.01	33.01	PASS
Band38	20	38000	1	#0	QPSK	22.52	-1.83	20.69	33.01	PASS
Band38	20	38000	1	#Mid	QPSK	22.84	-1.83	21.01	33.01	PASS
Band38	20	38000	1	#Max	QPSK	22.42	-1.83	20.59	33.01	PASS
Band38	20	38000	50	#0	QPSK	21.77	-1.83	19.94	33.01	PASS
Band38	20	38000	50	#Mid	QPSK	21.77	-1.83	19.94	33.01	PASS
Band38	20	38000	50	#Max	QPSK	21.66	-1.83	19.83	33.01	PASS
Band38	20	38000	100	#0	QPSK	21.74	-1.83	19.91	33.01	PASS
Band38	20	38000	1	#0	QAM16	21.79	-1.83	19.96	33.01	PASS
Band38	20	38000	1	#Mid	QAM16	22.09	-1.83	20.26	33.01	PASS
Band38	20	38000	1	#Max	QAM16	21.71	-1.83	19.88	33.01	PASS
Band38	20	38000	50	#0	QAM16	20.82	-1.83	18.99	33.01	PASS
Band38	20	38000	50	#Mid	QAM16	20.80	-1.83	18.97	33.01	PASS
Band38	20	38000	50	#Max	QAM16	20.66	-1.83	18.83	33.01	PASS
Band38	20	38000	100	#0	QAM16	20.73	-1.83	18.90	33.01	PASS
Band38	20	38150	1	#0	QPSK	22.44	-1.83	20.61	33.01	PASS
Band38	20	38150	1	#Mid	QPSK	22.83	-1.83	21.00	33.01	PASS
Band38	20	38150	1	#Max	QPSK	22.39	-1.83	20.56	33.01	PASS
Band38	20	38150	50	#0	QPSK	21.70	-1.83	19.87	33.01	PASS
Band38	20	38150	50	#Mid	QPSK	21.70	-1.83	19.87	33.01	PASS
Band38	20	38150	50	#Max	QPSK	21.66	-1.83	19.83	33.01	PASS
Band38	20	38150	100	#0	QPSK	21.69	-1.83	19.86	33.01	PASS
Band38	20	38150	1	#0	QAM16	21.70	-1.83	19.87	33.01	PASS
Band38	20	38150	1	#Mid	QAM16	22.02	-1.83	20.19	33.01	PASS
Band38	20	38150	1	#Max	QAM16	21.63	-1.83	19.80	33.01	PASS
Band38	20	38150	50	#0	QAM16	20.79	-1.83	18.96	33.01	PASS
Band38	20	38150	50	#Mid	QAM16	20.77	-1.83	18.94	33.01	PASS
Band38	20	38150	50	#Max	QAM16	20.71	-1.83	18.88	33.01	PASS
Band38	20	38150	100	#0	QAM16	20.71	-1.83	18.88	33.01	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band38	20	37850	100	#0	QPSK	-9.16	-0.004	-2.5	2.5	PASS
Band38	20	37850	100	#0	QAM16	-9.79	-0.004	-2.5	2.5	PASS
Band38	20	38000	100	#0	QPSK	-10.27	-0.004	-2.5	2.5	PASS
Band38	20	38000	100	#0	QAM16	-6.00	-0.002	-2.5	2.5	PASS
Band38	20	38150	100	#0	QPSK	-4.46	-0.002	-2.5	2.5	PASS
Band38	20	38150	100	#0	QAM16	-6.35	-0.002	-2.5	2.5	PASS

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band38	5	38000	1	#0	QPSK	8.70	13	PASS
Band38	5	38000	1	#0	QAM16	9.10	13	PASS
Band38	10	38000	1	#0	QPSK	8.21	13	PASS
Band38	10	38000	1	#0	QAM16	9.37	13	PASS
Band38	15	38000	1	#0	QPSK	9.69	13	PASS
Band38	15	38000	1	#0	QAM16	11.41	13	PASS
Band38	20	38000	1	#0	QPSK	8.37	13	PASS
Band38	20	38000	1	#0	QAM16	9.99	13	PASS

Band38 QAM16 BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 QAM16 BW=15MHz Channel=38000 RB Size=1 Position=#0

**Band38 QAM16 BW=20MHz Channel=38000 RB Size=1 Position=#0****Band38 QAM16 BW=5MHz Channel=38000 RB Size=1 Position=#0**

**Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0****Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0**


**Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0****Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band38	5	37775	25	#0	QPSK	4.493	4.805	PASS
Band38	5	37775	25	#0	QAM16	4.499	5.118	PASS
Band38	5	38000	25	#0	QPSK	4.521	4.861	PASS
Band38	5	38000	25	#0	QAM16	4.494	4.862	PASS
Band38	5	38225	25	#0	QPSK	4.516	5.114	PASS
Band38	5	38225	25	#0	QAM16	4.483	4.808	PASS
Band38	10	37800	50	#0	QPSK	8.988	9.591	PASS
Band38	10	37800	50	#0	QAM16	8.986	9.543	PASS
Band38	10	38000	50	#0	QPSK	8.979	9.645	PASS
Band38	10	38000	50	#0	QAM16	8.988	9.585	PASS
Band38	10	38200	50	#0	QPSK	8.989	9.692	PASS
Band38	10	38200	50	#0	QAM16	9.005	9.881	PASS
Band38	15	37825	75	#0	QPSK	13.451	14.353	PASS
Band38	15	37825	75	#0	QAM16	13.489	14.428	PASS
Band38	15	38000	75	#0	QPSK	13.465	15.066	PASS
Band38	15	38000	75	#0	QAM16	13.464	15.300	PASS
Band38	15	38175	75	#0	QPSK	13.443	14.661	PASS
Band38	15	38175	75	#0	QAM16	13.493	14.303	PASS
Band38	20	37850	100	#0	QPSK	17.952	19.160	PASS
Band38	20	37850	100	#0	QAM16	17.987	19.087	PASS
Band38	20	38000	100	#0	QPSK	17.950	19.256	PASS
Band38	20	38000	100	#0	QAM16	17.969	19.424	PASS
Band38	20	38150	100	#0	QPSK	17.911	20.347	PASS
Band38	20	38150	100	#0	QAM16	17.951	19.088	PASS


Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0





Band38 QAM16 BW=15MHz Channel=38000 RB Size=75 Position=#0






Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0

**Band38 QAM16 BW=20MHz Channel=38000 RB Size=100 Position=#0****Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0**


**Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0****Band38 QAM16 BW=5MHz Channel=38000 RB Size=25 Position=#0**




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0





Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0


**Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0****Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0**




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0



Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	2569.00	-12.89	-10	PASS
Band38	5	37775	25	#0	QAM16	2568.99	-11.47	-10	PASS
Band38	5	38225	25	#0	QPSK	2621.03	-13.49	-10	PASS
Band38	5	38225	25	#0	QAM16	2621.02	-12.49	-10	PASS
Band38	10	37800	50	#0	QPSK	2559.94	-31.96	-25	PASS
Band38	10	37800	50	#0	QAM16	2559.27	-33.43	-25	PASS
Band38	10	38200	50	#0	QPSK	2630.11	-32.79	-25	PASS
Band38	10	38200	50	#0	QAM16	2630.97	-28.80	-25	PASS
Band38	15	37825	75	#0	QPSK	2555.00	-33.22	-25	PASS
Band38	15	37825	75	#0	QAM16	2553.34	-35.24	-25	PASS
Band38	15	38175	75	#0	QPSK	2635.31	-33.24	-25	PASS
Band38	15	38175	75	#0	QAM16	2635.21	-34.62	-25	PASS
Band38	20	37850	100	#0	QPSK	2549.87	-34.90	-25	PASS
Band38	20	37850	100	#0	QAM16	2548.81	-35.36	-25	PASS
Band38	20	38150	100	#0	QPSK	2643.38	-32.31	-25	PASS
Band38	20	38150	100	#0	QAM16	2640.57	-34.80	-25	PASS


Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0



Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	25397.76	-34.32	-25	PASS
Band38	5	37775	25	#0	QAM16	26244.36	-33.36	-25	PASS
Band38	5	38225	25	#0	QPSK	26210.58	-32.86	-25	PASS
Band38	5	38225	25	#0	QAM16	26327.88	-33.86	-25	PASS
Band38	10	37800	50	#0	QPSK	25534.83	-33.47	-25	PASS
Band38	10	37800	50	#0	QAM16	26218.23	-34.07	-25	PASS
Band38	10	38200	50	#0	QPSK	25766.24	-33.94	-25	PASS
Band38	10	38200	50	#0	QAM16	22885.38	-34.29	-25	PASS
Band38	15	37825	75	#0	QPSK	25820.43	-33.85	-25	PASS
Band38	15	37825	75	#0	QAM16	25814.69	-32.94	-25	PASS
Band38	15	38175	75	#0	QPSK	2688.10	-34.28	-25	PASS
Band38	15	38175	75	#0	QAM16	24053.28	-33.20	-25	PASS
Band38	20	37850	100	#0	QPSK	26263.49	-33.38	-25	PASS
Band38	20	37850	100	#0	QAM16	25861.23	-33.63	-25	PASS
Band38	20	38150	100	#0	QPSK	25972.15	-33.76	-25	PASS
Band38	20	38150	100	#0	QAM16	26088.81	-33.43	-25	PASS


Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0



Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0



Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0



Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0

