

Spurious Emission at Antenna Terminals


8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.95	-13	63.95	Pass	401
0.15	30	0.01	RMS	0.15	-77.7	-13	64.7	Pass	2986
30	1000	0.1	RMS	946.565	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1691	-57.92	-13	44.92	Pass	701
1700	1790	1	RMS	1765.7	18.37	60	41.63	Pass	401
1790	3000	1	RMS	1792	-44.58	-13	31.58	Pass	1211
3000	12000	1	RMS	11995	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	19343	-34.93	-13	21.93	Pass	8001




8.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.73	-13	64.73	Pass	401
0.15	30	0.01	RMS	0.15	-77.35	-13	64.35	Pass	2986
30	1000	0.1	RMS	955.571	-69.69	-13	56.69	Pass	9701
1000	1700	1	RMS	1693	-42.34	-13	29.34	Pass	701
1700	1790	1	RMS	1711.025	19.44	60	40.56	Pass	401
1790	3000	1	RMS	2968	-54.25	-13	41.25	Pass	1211
3000	12000	1	RMS	11908	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19449	-34.87	-13	21.87	Pass	8001




8.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.68	-13	64.68	Pass	401
0.15	30	0.01	RMS	0.15	-77.89	-13	64.89	Pass	2986
30	1000	0.1	RMS	945.864	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1693	-46.69	-13	33.69	Pass	701
1700	1790	1	RMS	1711.025	18.23	60	41.77	Pass	401
1790	3000	1	RMS	2999	-54.24	-13	41.24	Pass	1211
3000	12000	1	RMS	11905	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19356	-34.87	-13	21.87	Pass	8001




8.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.27	-13	65.27	Pass	401
0.15	30	0.01	RMS	0.16	-77.22	-13	64.22	Pass	2986
30	1000	0.1	RMS	941.261	-69.72	-13	56.72	Pass	9701
1000	1700	1	RMS	1700	-51.46	-13	38.46	Pass	701
1700	1790	1	RMS	1736	19.45	60	40.55	Pass	401
1790	3000	1	RMS	2998	-54.22	-13	41.22	Pass	1211
3000	12000	1	RMS	12000	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	17845	-34.89	-13	21.89	Pass	8001




8.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.25	-13	64.25	Pass	401
0.15	30	0.01	RMS	0.17	-77.61	-13	64.61	Pass	2986
30	1000	0.1	RMS	924.55	-69.78	-13	56.78	Pass	9701
1000	1700	1	RMS	1700	-52.45	-13	39.45	Pass	701
1700	1790	1	RMS	1736	18.62	60	41.38	Pass	401
1790	3000	1	RMS	3000	-54.17	-13	41.17	Pass	1211
3000	12000	1	RMS	11902	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	17844	-34.87	-13	21.87	Pass	8001




8.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.39	-13	65.39	Pass	401
0.15	30	0.01	RMS	0.16	-76.48	-13	63.48	Pass	2986
30	1000	0.1	RMS	995.597	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1700	-55.01	-13	42.01	Pass	701
1700	1790	1	RMS	1760.975	19.69	60	40.31	Pass	401
1790	3000	1	RMS	1797	-43.74	-13	30.74	Pass	1211
3000	12000	1	RMS	11898	-42.99	-13	29.99	Pass	9002
12000	20000	1	RMS	19440	-34.9	-13	21.9	Pass	8001



8.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.68	-13	65.68	Pass	401
0.15	30	0.01	RMS	0.16	-76.47	-13	63.47	Pass	2986
30	1000	0.1	RMS	924.35	-69.71	-13	56.71	Pass	9701
1000	1700	1	RMS	1700	-55.83	-13	42.83	Pass	701
1700	1790	1	RMS	1760.975	18.62	60	41.38	Pass	401
1790	3000	1	RMS	1797	-43.59	-13	30.59	Pass	1211
3000	12000	1	RMS	11899	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19376	-34.88	-13	21.88	Pass	8001



9. LTE_Band38


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.93	-25	43.93	Pass	401
0.15	30	0.01	RMS	0.16	-67.03	-25	42.03	Pass	2986
30	1000	0.1	RMS	972.882	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2559	-44.92	-25	19.92	Pass	1561
2560	2630	1	RMS	2570.325	22.94	60	37.06	Pass	401
2630	3000	1	RMS	2901.95	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11952	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25499	-50.93	-25	25.93	Pass	14502




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.15	-67.74	-25	42.74	Pass	2986
30	1000	0.1	RMS	841.3	-61.31	-25	36.31	Pass	9701
1000	2560	1	RMS	2559	-44.7	-25	19.7	Pass	1561
2560	2630	1	RMS	2570.325	22.76	60	37.24	Pass	401
2630	3000	1	RMS	2901.95	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11954	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25491	-50.95	-25	25.95	Pass	14502




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.11	-25	44.11	Pass	401
0.15	30	0.01	RMS	0.16	-67.92	-25	42.92	Pass	2986
30	1000	0.1	RMS	876.118	-61.38	-25	36.38	Pass	9701
1000	2560	1	RMS	2560	-47.89	-25	22.89	Pass	1561
2560	2630	1	RMS	2592.725	23.26	60	36.74	Pass	401
2630	3000	1	RMS	2901.025	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11966	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25520	-51.01	-25	26.01	Pass	14502




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	0.15	-67.78	-25	42.78	Pass	2986
30	1000	0.1	RMS	864.01	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2560	-47.7	-25	22.7	Pass	1561
2560	2630	1	RMS	2592.725	22.7	60	37.3	Pass	401
2630	3000	1	RMS	2904.725	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11983	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25515	-50.9	-25	25.9	Pass	14502




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.34	-25	43.34	Pass	401
0.15	30	0.01	RMS	0.19	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	1000	-61.29	-25	36.29	Pass	9701
1000	2560	1	RMS	2500	-48.26	-25	23.26	Pass	1561
2560	2630	1	RMS	2615.125	23.1	60	36.9	Pass	401
2630	3000	1	RMS	2630	-46.1	-25	21.1	Pass	401
3000	12000	1	RMS	11968	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25495	-50.94	-25	25.94	Pass	14502




9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.02	-25	43.02	Pass	401
0.15	30	0.01	RMS	0.15	-68	-25	43	Pass	2986
30	1000	0.1	RMS	979.086	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2529	-48.26	-25	23.26	Pass	1561
2560	2630	1	RMS	2615.3	22.22	60	37.78	Pass	401
2630	3000	1	RMS	2630.925	-46.2	-25	21.2	Pass	401
3000	12000	1	RMS	11953	-49.76	-25	24.76	Pass	9002
12000	26500	1	RMS	25506	-50.91	-25	25.91	Pass	14502




9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.07	-25	43.07	Pass	401
0.15	30	0.01	RMS	0.29	-68.39	-25	43.39	Pass	2986
30	1000	0.1	RMS	836.1	-61.42	-25	36.42	Pass	9701
1000	2560	1	RMS	2558	-45.19	-25	20.19	Pass	1561
2560	2630	1	RMS	2570.5	22.85	60	37.15	Pass	401
2630	3000	1	RMS	2901.025	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11966	-49.91	-25	24.91	Pass	9002
12000	26500	1	RMS	25496	-50.9	-25	25.9	Pass	14502




9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.97	-25	42.97	Pass	401
0.15	30	0.01	RMS	0.18	-67.99	-25	42.99	Pass	2986
30	1000	0.1	RMS	995.897	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2559	-45.38	-25	20.38	Pass	1561
2560	2630	1	RMS	2570.675	22.9	60	37.1	Pass	401
2630	3000	1	RMS	2901.025	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11957	-49.83	-25	24.83	Pass	9002
12000	26500	1	RMS	25887	-50.94	-25	25.94	Pass	14502




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	0.17	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	838	-61.3	-25	36.3	Pass	9701
1000	2560	1	RMS	2560	-47.9	-25	22.9	Pass	1561
2560	2630	1	RMS	2590.45	22.8	60	37.2	Pass	401
2630	3000	1	RMS	2899.175	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11958	-49.81	-25	24.81	Pass	9002
12000	26500	1	RMS	25898	-50.97	-25	25.97	Pass	14502




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	0.16	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	840.6	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2558	-47.92	-25	22.92	Pass	1561
2560	2630	1	RMS	2590.45	23.05	60	36.95	Pass	401
2630	3000	1	RMS	2899.175	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11960	-49.8	-25	24.8	Pass	9002
12000	26500	1	RMS	25498	-50.98	-25	25.98	Pass	14502




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.17	-67.84	-25	42.84	Pass	2986
30	1000	0.1	RMS	978.786	-61.38	-25	36.38	Pass	9701
1000	2560	1	RMS	2488	-47.31	-25	22.31	Pass	1561
2560	2630	1	RMS	2610.575	23.41	60	36.59	Pass	401
2630	3000	1	RMS	2636.475	-46.13	-25	21.13	Pass	401
3000	12000	1	RMS	5221	-49.42	-25	24.42	Pass	9002
12000	26500	1	RMS	25488	-50.89	-25	25.89	Pass	14502




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.57	-25	43.57	Pass	401
0.15	30	0.01	RMS	0.16	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	895.431	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2488	-48	-25	23	Pass	1561
2560	2630	1	RMS	2610.575	22.74	60	37.26	Pass	401
2630	3000	1	RMS	2630	-45.77	-25	20.77	Pass	401
3000	12000	1	RMS	11950	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25896	-50.92	-25	25.92	Pass	14502




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.76	-25	42.76	Pass	401
0.15	30	0.01	RMS	0.16	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	975.584	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2557	-37.7	-25	12.7	Pass	1561
2560	2630	1	RMS	2570.675	23.2	60	36.8	Pass	401
2630	3000	1	RMS	2702.15	-43.06	-25	18.06	Pass	401
3000	12000	1	RMS	11971	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25508	-50.9	-25	25.9	Pass	14502




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.93	-25	42.93	Pass	401
0.15	30	0.01	RMS	0.16	-68.1	-25	43.1	Pass	2986
30	1000	0.1	RMS	610.2	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2558	-35.55	-25	10.55	Pass	1561
2560	2630	1	RMS	2570.85	22.52	60	37.48	Pass	401
2630	3000	1	RMS	2702.15	-43.8	-25	18.8	Pass	401
3000	12000	1	RMS	5142	-48.86	-25	23.86	Pass	9002
12000	26500	1	RMS	25506	-50.94	-25	25.94	Pass	14502




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.18	-68.27	-25	43.27	Pass	2986
30	1000	0.1	RMS	984.79	-61.31	-25	36.31	Pass	9701
1000	2560	1	RMS	2558	-47.9	-25	22.9	Pass	1561
2560	2630	1	RMS	2588.175	23.48	60	36.52	Pass	401
2630	3000	1	RMS	2899.175	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11952	-49.92	-25	24.92	Pass	9002
12000	26500	1	RMS	25496	-50.96	-25	25.96	Pass	14502




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.2	-25	43.2	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	850.301	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2558	-47.72	-25	22.72	Pass	1561
2560	2630	1	RMS	2588.175	22.78	60	37.22	Pass	401
2630	3000	1	RMS	2899.175	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11954	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25490	-50.98	-25	25.98	Pass	14502




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.32	-25	43.32	Pass	401
0.15	30	0.01	RMS	0.2	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	839	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2483	-44.44	-25	19.44	Pass	1561
2560	2630	1	RMS	2605.85	22.84	60	37.16	Pass	401
2630	3000	1	RMS	2728.05	-43.24	-25	18.24	Pass	401
3000	12000	1	RMS	5212	-49.18	-25	24.18	Pass	9002
12000	26500	1	RMS	25503	-50.86	-25	25.86	Pass	14502




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	0.15	-67.52	-25	42.52	Pass	2986
30	1000	0.1	RMS	837.3	-61.43	-25	36.43	Pass	9701
1000	2560	1	RMS	2483	-45.68	-25	20.68	Pass	1561
2560	2630	1	RMS	2605.675	22.07	60	37.93	Pass	401
2630	3000	1	RMS	2631.85	-35.3	-25	10.3	Pass	401
3000	12000	1	RMS	5212	-49.57	-25	24.57	Pass	9002
12000	26500	1	RMS	25493	-50.9	-25	25.9	Pass	14502




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.07	-25	43.07	Pass	401
0.15	30	0.01	RMS	0.18	-67.76	-25	42.76	Pass	2986
30	1000	0.1	RMS	930.454	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2554	-37.03	-25	12.03	Pass	1561
2560	2630	1	RMS	2570.85	22.49	60	37.51	Pass	401
2630	3000	1	RMS	2702.15	-40.33	-25	15.33	Pass	401
3000	12000	1	RMS	11963	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25500	-50.93	-25	25.93	Pass	14502




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-25	43.1	Pass	2986
30	1000	0.1	RMS	978.686	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2553	-31.6	-25	6.6	Pass	1561
2560	2630	1	RMS	2571.025	23.18	60	36.82	Pass	401
2630	3000	1	RMS	2702.15	-41.05	-25	16.05	Pass	401
3000	12000	1	RMS	5142	-47.09	-25	22.09	Pass	9002
12000	26500	1	RMS	25499	-50.94	-25	25.94	Pass	14502




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.82	-25	42.82	Pass	401
0.15	30	0.01	RMS	0.19	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	873.416	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2551	-45.49	-25	20.49	Pass	1561
2560	2630	1	RMS	2585.9	22.41	60	37.59	Pass	401
2630	3000	1	RMS	2906.575	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11962	-49.9	-25	24.9	Pass	9002
12000	26500	1	RMS	25506	-50.99	-25	25.99	Pass	14502




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.39	-25	42.39	Pass	401
0.15	30	0.01	RMS	0.16	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	829.3	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2551	-45.32	-25	20.32	Pass	1561
2560	2630	1	RMS	2586.075	21.94	60	38.06	Pass	401
2630	3000	1	RMS	2900.1	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11968	-49.92	-25	24.92	Pass	9002
12000	26500	1	RMS	25498	-50.88	-25	25.88	Pass	14502




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.22	-25	44.22	Pass	401
0.15	30	0.01	RMS	0.18	-67.64	-25	42.64	Pass	2986
30	1000	0.1	RMS	866.912	-61.47	-25	36.47	Pass	9701
1000	2560	1	RMS	2558	-48.16	-25	23.16	Pass	1561
2560	2630	1	RMS	2601.125	23.28	60	36.72	Pass	401
2630	3000	1	RMS	2636.475	-37.78	-25	12.78	Pass	401
3000	12000	1	RMS	11958	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25502	-50.89	-25	25.89	Pass	14502




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.18	-67.69	-25	42.69	Pass	2986
30	1000	0.1	RMS	878.019	-61.29	-25	36.29	Pass	9701
1000	2560	1	RMS	2560	-48.09	-25	23.09	Pass	1561
2560	2630	1	RMS	2600.95	22.78	60	37.22	Pass	401
2630	3000	1	RMS	2636.475	-35.64	-25	10.64	Pass	401
3000	12000	1	RMS	11964	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25511	-50.77	-25	25.77	Pass	14502




10. LTE_Band41


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)



10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)




10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)




10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)




10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)




10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10,
Modulation:16QAM, RB Number:1, RB Position:0)




10.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.8	-25	43.8	Pass	401
0.15	30	0.01	RMS	0.22	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	719.9	-59.44	-25	34.44	Pass	9701
1000	2490	1	RMS	2484	-48.47	-25	23.47	Pass	1491
2490	2700	1	RMS	2680.575	22.68	60	37.32	Pass	401
2700	3000	1	RMS	2700.75	-45.81	-25	20.81	Pass	401
3000	12000	1	RMS	5362	-53.04	-25	28.04	Pass	9002
12000	26500	1	RMS	25495	-50.21	-25	25.21	Pass	14502




10.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:39765, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	0.16	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	540.2	-60.81	-25	35.81	Pass	9701
1000	2490	1	RMS	2488	-39.19	-25	14.19	Pass	1491
2490	2700	1	RMS	2500.5	22.6	60	37.4	Pass	401
2700	3000	1	RMS	2900.25	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5001	-53.94	-25	28.94	Pass	9002
12000	26500	1	RMS	25501	-50.11	-25	25.11	Pass	14502




10.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:39765, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.48	-25	42.48	Pass	401
0.15	30	0.01	RMS	0.2	-67.64	-25	42.64	Pass	2986
30	1000	0.1	RMS	540.2	-60.61	-25	35.61	Pass	9701
1000	2490	1	RMS	2487	-40.52	-25	15.52	Pass	1491
2490	2700	1	RMS	2500.5	22.86	60	37.14	Pass	401
2700	3000	1	RMS	2898.75	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5002	-44.94	-25	19.94	Pass	9002
12000	26500	1	RMS	25512	-50.21	-25	25.21	Pass	14502




10.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.73	-25	41.73	Pass	401
0.15	30	0.01	RMS	0.16	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	938.759	-61.37	-25	36.37	Pass	9701
1000	2490	1	RMS	2466	-47.59	-25	22.59	Pass	1491
2490	2700	1	RMS	2588.175	22.52	60	37.48	Pass	401
2700	3000	1	RMS	2710.5	-42.65	-25	17.65	Pass	401
3000	12000	1	RMS	5177	-51.7	-25	26.7	Pass	9002
12000	26500	1	RMS	25505	-50.26	-25	25.26	Pass	14502




10.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.28	-25	42.28	Pass	401
0.15	30	0.01	RMS	0.15	-68	-25	43	Pass	2986
30	1000	0.1	RMS	914.043	-61.4	-25	36.4	Pass	9701
1000	2490	1	RMS	2465	-47.47	-25	22.47	Pass	1491
2490	2700	1	RMS	2588.175	23.01	60	36.99	Pass	401
2700	3000	1	RMS	2710.5	-43.12	-25	18.12	Pass	401
3000	12000	1	RMS	5176	-54.97	-25	29.97	Pass	9002
12000	26500	1	RMS	25486	-50.26	-25	25.26	Pass	14502




10.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	715.1	-58.96	-25	33.96	Pass	9701
1000	2490	1	RMS	2482	-48.46	-25	23.46	Pass	1491
2490	2700	1	RMS	2675.325	22.41	60	37.59	Pass	401
2700	3000	1	RMS	2701.5	-44.87	-25	19.87	Pass	401
3000	12000	1	RMS	5351	-54.63	-25	29.63	Pass	9002
12000	26500	1	RMS	25499	-50.17	-25	25.17	Pass	14502




10.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.17	-67.82	-25	42.82	Pass	2986
30	1000	0.1	RMS	715.2	-60.27	-25	35.27	Pass	9701
1000	2490	1	RMS	2489	-48.5	-25	23.5	Pass	1491
2490	2700	1	RMS	2675.325	22.38	60	37.62	Pass	401
2700	3000	1	RMS	2702.25	-41.42	-25	16.42	Pass	401
3000	12000	1	RMS	5352	-55.17	-25	30.17	Pass	9002
12000	26500	1	RMS	25500	-50.11	-25	25.11	Pass	14502



10.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:39790, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.17	-67.74	-25	42.74	Pass	2986
30	1000	0.1	RMS	540.4	-60.66	-25	35.66	Pass	9701
1000	2490	1	RMS	2484	-41.16	-25	16.16	Pass	1491
2490	2700	1	RMS	2501.025	22.46	60	37.54	Pass	401
2700	3000	1	RMS	2900.25	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5002	-46.75	-25	21.75	Pass	9002
12000	26500	1	RMS	25507	-50.18	-25	25.18	Pass	14502



10.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:39790, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.39	-25	43.39	Pass	401
0.15	30	0.01	RMS	0.18	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	540.4	-60.4	-25	35.4	Pass	9701
1000	2490	1	RMS	2483	-38.37	-25	13.37	Pass	1491
2490	2700	1	RMS	2501.025	22.42	60	37.58	Pass	401
2700	3000	1	RMS	2898	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5003	-49.29	-25	24.29	Pass	9002
12000	26500	1	RMS	25504	-50.11	-25	25.11	Pass	14502



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.18	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	958.973	-61.43	-25	36.43	Pass	9701
1000	2490	1	RMS	2463	-47.32	-25	22.32	Pass	1491
2490	2700	1	RMS	2585.55	21.65	60	38.35	Pass	401
2700	3000	1	RMS	2709	-39.66	-25	14.66	Pass	401
3000	12000	1	RMS	5172	-54.35	-25	29.35	Pass	9002
12000	26500	1	RMS	25501	-50.22	-25	25.22	Pass	14502



10.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.02	-25	43.02	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	836.5	-61.39	-25	36.39	Pass	9701
1000	2490	1	RMS	2463	-47.66	-25	22.66	Pass	1491
2490	2700	1	RMS	2586.075	21.3	60	38.7	Pass	401
2700	3000	1	RMS	2708.25	-39.39	-25	14.39	Pass	401
3000	12000	1	RMS	5172	-54.94	-25	29.94	Pass	9002
12000	26500	1	RMS	25514	-50.23	-25	25.23	Pass	14502



10.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.15	-25	43.15	Pass	401
0.15	30	0.01	RMS	0.16	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	710.4	-61.03	-25	36.03	Pass	9701
1000	2490	1	RMS	2487	-48.51	-25	23.51	Pass	1491
2490	2700	1	RMS	2671.125	22.26	60	37.74	Pass	401
2700	3000	1	RMS	2706	-39.19	-25	14.19	Pass	401
3000	12000	1	RMS	5342	-51.11	-25	26.11	Pass	9002
12000	26500	1	RMS	25503	-50.2	-25	25.2	Pass	14502



10.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.76	-25	42.76	Pass	401
0.15	30	0.01	RMS	0.17	-67.43	-25	42.43	Pass	2986
30	1000	0.1	RMS	710.4	-58.35	-25	33.35	Pass	9701
1000	2490	1	RMS	2484	-48.5	-25	23.5	Pass	1491
2490	2700	1	RMS	2670.6	22.52	60	37.48	Pass	401
2700	3000	1	RMS	2706	-37.95	-25	12.95	Pass	401
3000	12000	1	RMS	5342	-52.33	-25	27.33	Pass	9002
12000	26500	1	RMS	25482	-50.28	-25	25.28	Pass	14502



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-70.15	-13	57.15	Pass	401
0.15	30	0.01	Peak	0.26	-70.06	-13	57.06	Pass	2986
30	809	0.1	Peak	730.8	-59.47	-13	46.47	Pass	7791
809	829	0.1	Peak	814.2	20.96	60	39.04	Pass	401
829	1000	0.1	Peak	974.9	-58.74	-13	45.74	Pass	1711
1000	3000	1	Peak	1629	-40.95	-13	27.95	Pass	2001
3000	10000	1	Peak	7270	-32.66	-13	19.66	Pass	7001




1.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-69.93	-13	56.93	Pass	401
0.15	30	0.01	Peak	0.31	-70.2	-13	57.2	Pass	2986
30	809	0.1	Peak	643.7	-58.75	-13	45.75	Pass	7791
809	829	0.1	Peak	814.25	22.26	60	37.74	Pass	401
829	1000	0.1	Peak	834.5	-48.08	-13	35.08	Pass	1711
1000	3000	1	Peak	1629	-38.83	-13	25.83	Pass	2001
3000	10000	1	Peak	7492	-33.85	-13	20.85	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-71.66	-13	58.66	Pass	401
0.15	30	0.01	Peak	0.16	-70.25	-13	57.25	Pass	2986
30	809	0.1	Peak	788.9	-58.71	-13	45.71	Pass	7791
809	829	0.1	Peak	818.6	21.35	60	38.65	Pass	401
829	1000	0.1	Peak	872.1	-58.89	-13	45.89	Pass	1711
1000	3000	1	Peak	1637	-38.35	-13	25.35	Pass	2001
3000	10000	1	Peak	7204	-33.33	-13	20.33	Pass	7001




1.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-70.78	-13	57.78	Pass	401
0.15	30	0.01	Peak	0.16	-69.63	-13	56.63	Pass	2986
30	809	0.1	Peak	797.2	-59.38	-13	46.38	Pass	7791
809	829	0.1	Peak	818.6	22.06	60	37.94	Pass	401
829	1000	0.1	Peak	829.8	-58.71	-13	45.71	Pass	1711
1000	3000	1	Peak	1637	-36.96	-13	23.96	Pass	2001
3000	10000	1	Peak	7955	-33.47	-13	20.47	Pass	7001




**1.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-73.37	-13	60.37	Pass	401
0.15	30	0.01	Peak	0.15	-69.83	-13	56.83	Pass	2986
30	809	0.1	Peak	708.4	-59.01	-13	46.01	Pass	7791
809	829	0.1	Peak	822.9	21	60	39	Pass	401
829	1000	0.1	Peak	829.6	-56.23	-13	43.23	Pass	1711
1000	3000	1	Peak	1646	-39.25	-13	26.25	Pass	2001
3000	10000	1	Peak	8753	-33.43	-13	20.43	Pass	7001




1.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.026	-71.83	-13	58.83	Pass	401
0.15	30	0.01	Peak	0.26	-70.33	-13	57.33	Pass	2986
30	809	0.1	Peak	809	-55.74	-13	42.74	Pass	7791
809	829	0.1	Peak	822.85	21.16	60	38.84	Pass	401
829	1000	0.1	Peak	829.5	-47.95	-13	34.95	Pass	1711
1000	3000	1	Peak	1646	-39.93	-13	26.93	Pass	2001
3000	10000	1	Peak	8718	-33.59	-13	20.59	Pass	7001




1.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-70.97	-13	57.97	Pass	401
0.15	30	0.01	Peak	0.15	-69.91	-13	56.91	Pass	2986
30	809	0.1	Peak	809	-47.07	-13	34.07	Pass	7791
809	829	0.1	Peak	814.2	21.05	60	38.95	Pass	401
829	1000	0.1	Peak	832.7	-57.78	-13	44.78	Pass	1711
1000	3000	1	Peak	1628	-40.67	-13	27.67	Pass	2001
3000	10000	1	Peak	6885	-33.41	-13	20.41	Pass	7001




1.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-70.15	-13	57.15	Pass	401
0.15	30	0.01	Peak	0.19	-69.77	-13	56.77	Pass	2986
30	809	0.1	Peak	809	-43.36	-13	30.36	Pass	7791
809	829	0.1	Peak	814.25	21.62	60	38.38	Pass	401
829	1000	0.1	Peak	830.4	-52.88	-13	39.88	Pass	1711
1000	3000	1	Peak	1629	-39.33	-13	26.33	Pass	2001
3000	10000	1	Peak	9949	-33.74	-13	20.74	Pass	7001




1.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-70.18	-13	57.18	Pass	401
0.15	30	0.01	Peak	0.17	-70.23	-13	57.23	Pass	2986
30	809	0.1	Peak	807.6	-54.97	-13	41.97	Pass	7791
809	829	0.1	Peak	817.75	21.39	60	38.61	Pass	401
829	1000	0.1	Peak	829.1	-56.7	-13	43.7	Pass	1711
1000	3000	1	Peak	1636	-38.47	-13	25.47	Pass	2001
3000	10000	1	Peak	9226	-33.33	-13	20.33	Pass	7001




1.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-70.64	-13	57.64	Pass	401
0.15	30	0.01	Peak	0.17	-69.95	-13	56.95	Pass	2986
30	809	0.1	Peak	807.5	-56.22	-13	43.22	Pass	7791
809	829	0.1	Peak	817.75	22.42	60	37.58	Pass	401
829	1000	0.1	Peak	830.3	-56.83	-13	43.83	Pass	1711
1000	3000	1	Peak	1636	-36.13	-13	23.13	Pass	2001
3000	10000	1	Peak	9243	-33.62	-13	20.62	Pass	7001




1.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-71.32	-13	58.32	Pass	401
0.15	30	0.01	Peak	0.16	-69.28	-13	56.28	Pass	2986
30	809	0.1	Peak	702.9	-58.98	-13	45.98	Pass	7791
809	829	0.1	Peak	821.25	20.95	60	39.05	Pass	401
829	1000	0.1	Peak	829.3	-54.27	-13	41.27	Pass	1711
1000	3000	1	Peak	1643	-39.72	-13	26.72	Pass	2001
3000	10000	1	Peak	6941	-33.84	-13	20.84	Pass	7001




1.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-71.54	-13	58.54	Pass	401
0.15	30	0.01	Peak	0.47	-70.7	-13	57.7	Pass	2986
30	809	0.1	Peak	479	-59.32	-13	46.32	Pass	7791
809	829	0.1	Peak	821.3	21.54	60	38.46	Pass	401
829	1000	0.1	Peak	831.3	-55.49	-13	42.49	Pass	1711
1000	3000	1	Peak	1643	-39.06	-13	26.06	Pass	2001
3000	10000	1	Peak	7181	-33.3	-13	20.3	Pass	7001




1.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-71.16	-13	58.16	Pass	401
0.15	30	0.01	Peak	0.39	-70	-13	57	Pass	2986
30	809	0.1	Peak	808	-56.47	-13	43.47	Pass	7791
809	829	0.1	Peak	814.35	21.58	60	38.42	Pass	401
829	1000	0.1	Peak	829.3	-58.28	-13	45.28	Pass	1711
1000	3000	1	Peak	1629	-38.74	-13	25.74	Pass	2001
3000	10000	1	Peak	3359	-33.95	-13	20.95	Pass	7001




1.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-71.58	-13	58.58	Pass	401
0.15	30	0.01	Peak	0.52	-70.94	-13	57.94	Pass	2986
30	809	0.1	Peak	808.8	-56.13	-13	43.13	Pass	7791
809	829	0.1	Peak	814.25	21.7	60	38.3	Pass	401
829	1000	0.1	Peak	831.4	-55.37	-13	42.37	Pass	1711
1000	3000	1	Peak	1628	-40.4	-13	27.4	Pass	2001
3000	10000	1	Peak	7500	-33.47	-13	20.47	Pass	7001




1.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-70.9	-13	57.9	Pass	401
0.15	30	0.01	Peak	0.15	-70.24	-13	57.24	Pass	2986
30	809	0.1	Peak	808.2	-49.49	-13	36.49	Pass	7791
809	829	0.1	Peak	816.85	21.12	60	38.88	Pass	401
829	1000	0.1	Peak	829.7	-55.55	-13	42.55	Pass	1711
1000	3000	1	Peak	1634	-38.39	-13	25.39	Pass	2001
3000	10000	1	Peak	7902	-33.75	-13	20.75	Pass	7001




1.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-70.69	-13	57.69	Pass	401
0.15	30	0.01	Peak	0.21	-70.53	-13	57.53	Pass	2986
30	809	0.1	Peak	808.2	-47.42	-13	34.42	Pass	7791
809	829	0.1	Peak	816.8	21.37	60	38.63	Pass	401
829	1000	0.1	Peak	830.3	-37.22	-13	24.22	Pass	1711
1000	3000	1	Peak	1634	-39.94	-13	26.94	Pass	2001
3000	10000	1	Peak	6848	-33.6	-13	20.6	Pass	7001




1.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-72.23	-13	59.23	Pass	401
0.15	30	0.01	Peak	0.22	-69.05	-13	56.05	Pass	2986
30	809	0.1	Peak	808.9	-59.43	-13	46.43	Pass	7791
809	829	0.1	Peak	819.3	20.85	60	39.15	Pass	401
829	1000	0.1	Peak	832.5	-56.01	-13	43.01	Pass	1711
1000	3000	1	Peak	1639	-38.37	-13	25.37	Pass	2001
3000	10000	1	Peak	7221	-33.64	-13	20.64	Pass	7001




1.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.39	-13	56.39	Pass	401
0.15	30	0.01	Peak	0.17	-69.59	-13	56.59	Pass	2986
30	809	0.1	Peak	734.4	-58.82	-13	45.82	Pass	7791
809	829	0.1	Peak	819.35	21.77	60	38.23	Pass	401
829	1000	0.1	Peak	834.5	-46.24	-13	33.24	Pass	1711
1000	3000	1	Peak	1639	-37.68	-13	24.68	Pass	2001
3000	10000	1	Peak	9896	-33.49	-13	20.49	Pass	7001




1.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-72.23	-13	59.23	Pass	401
0.15	30	0.01	Peak	0.22	-70.24	-13	57.24	Pass	2986
30	809	0.1	Peak	808.8	-57.19	-13	44.19	Pass	7791
809	829	0.1	Peak	814.6	21.33	60	38.67	Pass	401
829	1000	0.1	Peak	832.2	-25.11	-13	12.11	Pass	1711
1000	3000	1	Peak	1629	-40.12	-13	27.12	Pass	2001
3000	10000	1	Peak	7047	-32.31	-13	19.31	Pass	7001




1.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-71.56	-13	58.56	Pass	401
0.15	30	0.01	Peak	0.23	-70.75	-13	57.75	Pass	2986
30	809	0.1	Peak	808.9	-39.08	-13	26.08	Pass	7791
809	829	0.1	Peak	814.6	21.65	60	38.35	Pass	401
829	1000	0.1	Peak	832.2	-22.83	-13	9.83	Pass	1711
1000	3000	1	Peak	1629	-38.9	-13	25.9	Pass	2001
3000	10000	1	Peak	7322	-33.47	-13	20.47	Pass	7001




1.21 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-70.89	-13	57.89	Pass	401
0.15	30	0.01	Peak	0.16	-68.66	-13	55.66	Pass	2986
30	809	0.1	Peak	808.9	-56.94	-13	43.94	Pass	7791
809	829	0.1	Peak	814.6	21.09	60	38.91	Pass	401
829	1000	0.1	Peak	832.2	-25.12	-13	12.12	Pass	1711
1000	3000	1	Peak	1629	-39.84	-13	26.84	Pass	2001
3000	10000	1	Peak	7499	-33.64	-13	20.64	Pass	7001




1.22 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:22, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-70.87	-13	57.87	Pass	401
0.15	30	0.01	Peak	0.16	-68.54	-13	55.54	Pass	2986
30	809	0.1	Peak	808.5	-40.32	-13	27.32	Pass	7791
809	829	0.1	Peak	814.6	21.72	60	38.28	Pass	401
829	1000	0.1	Peak	832.3	-23.2	-13	10.2	Pass	1711
1000	3000	1	Peak	1629	-39.92	-13	26.92	Pass	2001
3000	10000	1	Peak	6960	-33.77	-13	20.77	Pass	7001



1.23 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:23, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-71.41	-13	58.41	Pass	401
0.15	30	0.01	Peak	0.65	-70.47	-13	57.47	Pass	2986
30	809	0.1	Peak	808.8	-56.32	-13	43.32	Pass	7791
809	829	0.1	Peak	814.6	21.29	60	38.71	Pass	401
829	1000	0.1	Peak	832.2	-26.57	-13	13.57	Pass	1711
1000	3000	1	Peak	1629	-39.74	-13	26.74	Pass	2001
3000	10000	1	Peak	6704	-33.51	-13	20.51	Pass	7001



1.24 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:24, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-70.73	-13	57.73	Pass	401
0.15	30	0.01	Peak	0.17	-69.86	-13	56.86	Pass	2986
30	809	0.1	Peak	808.7	-39.9	-13	26.9	Pass	7791
809	829	0.1	Peak	814.65	21.69	60	38.31	Pass	401
829	1000	0.1	Peak	832.2	-22.79	-13	9.79	Pass	1711
1000	3000	1	Peak	1629	-37.92	-13	24.92	Pass	2001
3000	10000	1	Peak	7502	-33.66	-13	20.66	Pass	7001

