

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge23

6 Out-of-band emissions31

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	22.06	-1.92	-4.07	17.99	38.45	PASS
Band26(814-824)	1.4	26697	1	#Mid	QPSK	22.26	-1.92	-4.07	18.19	38.45	PASS
Band26(814-824)	1.4	26697	1	#Max	QPSK	22.08	-1.92	-4.07	18.01	38.45	PASS
Band26(814-824)	1.4	26697	3	#0	QPSK	22.20	-1.92	-4.07	18.13	38.45	PASS
Band26(814-824)	1.4	26697	3	#Mid	QPSK	22.20	-1.92	-4.07	18.13	38.45	PASS
Band26(814-824)	1.4	26697	3	#Max	QPSK	22.15	-1.92	-4.07	18.08	38.45	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	21.17	-1.92	-4.07	17.1	38.45	PASS
Band26(814-824)	1.4	26697	1	#0	QAM16	21.28	-1.92	-4.07	17.21	38.45	PASS
Band26(814-824)	1.4	26697	1	#Mid	QAM16	21.32	-1.92	-4.07	17.25	38.45	PASS
Band26(814-824)	1.4	26697	1	#Max	QAM16	21.28	-1.92	-4.07	17.21	38.45	PASS
Band26(814-824)	1.4	26697	3	#0	QAM16	21.35	-1.92	-4.07	17.28	38.45	PASS
Band26(814-824)	1.4	26697	3	#Mid	QAM16	21.35	-1.92	-4.07	17.28	38.45	PASS
Band26(814-824)	1.4	26697	3	#Max	QAM16	21.32	-1.92	-4.07	17.25	38.45	PASS
Band26(814-824)	1.4	26697	6	#0	QAM16	20.27	-1.92	-4.07	16.2	38.45	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	22.13	-1.92	-4.07	18.06	38.45	PASS
Band26(814-824)	1.4	26740	1	#Mid	QPSK	22.26	-1.92	-4.07	18.19	38.45	PASS
Band26(814-824)	1.4	26740	1	#Max	QPSK	22.08	-1.92	-4.07	18.01	38.45	PASS
Band26(814-824)	1.4	26740	3	#0	QPSK	22.05	-1.92	-4.07	17.98	38.45	PASS
Band26(814-824)	1.4	26740	3	#Mid	QPSK	22.06	-1.92	-4.07	17.99	38.45	PASS
Band26(814-824)	1.4	26740	3	#Max	QPSK	22.01	-1.92	-4.07	17.94	38.45	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	21.08	-1.92	-4.07	17.01	38.45	PASS
Band26(814-824)	1.4	26740	1	#0	QAM16	20.79	-1.92	-4.07	16.72	38.45	PASS
Band26(814-824)	1.4	26740	1	#Mid	QAM16	20.92	-1.92	-4.07	16.85	38.45	PASS
Band26(814-824)	1.4	26740	1	#Max	QAM16	20.77	-1.92	-4.07	16.7	38.45	PASS
Band26(814-824)	1.4	26740	3	#0	QAM16	21.08	-1.92	-4.07	17.01	38.45	PASS
Band26(814-824)	1.4	26740	3	#Mid	QAM16	21.09	-1.92	-4.07	17.02	38.45	PASS
Band26(814-824)	1.4	26740	3	#Max	QAM16	21.12	-1.92	-4.07	17.05	38.45	PASS
Band26(814-824)	1.4	26740	6	#0	QAM16	20.17	-1.92	-4.07	16.1	38.45	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	22.03	-1.92	-4.07	17.96	38.45	PASS
Band26(814-824)	1.4	26783	1	#Mid	QPSK	22.16	-1.92	-4.07	18.09	38.45	PASS
Band26(814-824)	1.4	26783	1	#Max	QPSK	21.98	-1.92	-4.07	17.91	38.45	PASS
Band26(814-824)	1.4	26783	3	#0	QPSK	21.95	-1.92	-4.07	17.88	38.45	PASS
Band26(814-824)	1.4	26783	3	#Mid	QPSK	22.03	-1.92	-4.07	17.96	38.45	PASS
Band26(814-824)	1.4	26783	3	#Max	QPSK	22.02	-1.92	-4.07	17.95	38.45	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	21.03	-1.92	-4.07	16.96	38.45	PASS
Band26(814-824)	1.4	26783	1	#0	QAM16	21.17	-1.92	-4.07	17.1	38.45	PASS
Band26(814-824)	1.4	26783	1	#Mid	QAM16	21.25	-1.92	-4.07	17.18	38.45	PASS

Band26(814-824)	1.4	26783	1	#Max	QAM16	21.13	-1.92	-4.07	17.06	38.45	PASS
Band26(814-824)	1.4	26783	3	#0	QAM16	21.16	-1.92	-4.07	17.09	38.45	PASS
Band26(814-824)	1.4	26783	3	#Mid	QAM16	21.18	-1.92	-4.07	17.11	38.45	PASS
Band26(814-824)	1.4	26783	3	#Max	QAM16	21.17	-1.92	-4.07	17.1	38.45	PASS
Band26(814-824)	1.4	26783	6	#0	QAM16	20.18	-1.92	-4.07	16.11	38.45	PASS
Band26(814-824)	3	26705	1	#0	QPSK	22.13	-1.92	-4.07	18.06	38.45	PASS
Band26(814-824)	3	26705	1	#Mid	QPSK	22.36	-1.92	-4.07	18.29	38.45	PASS
Band26(814-824)	3	26705	1	#Max	QPSK	22.07	-1.92	-4.07	18	38.45	PASS
Band26(814-824)	3	26705	8	#0	QPSK	21.11	-1.92	-4.07	17.04	38.45	PASS
Band26(814-824)	3	26705	8	#Mid	QPSK	21.14	-1.92	-4.07	17.07	38.45	PASS
Band26(814-824)	3	26705	8	#Max	QPSK	21.10	-1.92	-4.07	17.03	38.45	PASS
Band26(814-824)	3	26705	15	#0	QPSK	21.04	-1.92	-4.07	16.97	38.45	PASS
Band26(814-824)	3	26705	1	#0	QAM16	21.47	-1.92	-4.07	17.4	38.45	PASS
Band26(814-824)	3	26705	1	#Mid	QAM16	21.65	-1.92	-4.07	17.58	38.45	PASS
Band26(814-824)	3	26705	1	#Max	QAM16	21.33	-1.92	-4.07	17.26	38.45	PASS
Band26(814-824)	3	26705	8	#0	QAM16	20.10	-1.92	-4.07	16.03	38.45	PASS
Band26(814-824)	3	26705	8	#Mid	QAM16	20.08	-1.92	-4.07	16.01	38.45	PASS
Band26(814-824)	3	26705	8	#Max	QAM16	20.06	-1.92	-4.07	15.99	38.45	PASS
Band26(814-824)	3	26705	15	#0	QAM16	20.04	-1.92	-4.07	15.97	38.45	PASS
Band26(814-824)	3	26740	1	#0	QPSK	22.02	-1.92	-4.07	17.95	38.45	PASS
Band26(814-824)	3	26740	1	#Mid	QPSK	22.11	-1.92	-4.07	18.04	38.45	PASS
Band26(814-824)	3	26740	1	#Max	QPSK	21.95	-1.92	-4.07	17.88	38.45	PASS
Band26(814-824)	3	26740	8	#0	QPSK	20.99	-1.92	-4.07	16.92	38.45	PASS
Band26(814-824)	3	26740	8	#Mid	QPSK	21.01	-1.92	-4.07	16.94	38.45	PASS
Band26(814-824)	3	26740	8	#Max	QPSK	20.98	-1.92	-4.07	16.91	38.45	PASS
Band26(814-824)	3	26740	15	#0	QPSK	20.95	-1.92	-4.07	16.88	38.45	PASS
Band26(814-824)	3	26740	1	#0	QAM16	21.12	-1.92	-4.07	17.05	38.45	PASS
Band26(814-824)	3	26740	1	#Mid	QAM16	21.31	-1.92	-4.07	17.24	38.45	PASS
Band26(814-824)	3	26740	1	#Max	QAM16	21.08	-1.92	-4.07	17.01	38.45	PASS
Band26(814-824)	3	26740	8	#0	QAM16	19.92	-1.92	-4.07	15.85	38.45	PASS
Band26(814-824)	3	26740	8	#Mid	QAM16	19.97	-1.92	-4.07	15.9	38.45	PASS
Band26(814-824)	3	26740	8	#Max	QAM16	19.94	-1.92	-4.07	15.87	38.45	PASS
Band26(814-824)	3	26740	15	#0	QAM16	19.89	-1.92	-4.07	15.82	38.45	PASS
Band26(814-824)	3	26775	1	#0	QPSK	22.02	-1.92	-4.07	17.95	38.45	PASS
Band26(814-824)	3	26775	1	#Mid	QPSK	22.27	-1.92	-4.07	18.2	38.45	PASS
Band26(814-824)	3	26775	1	#Max	QPSK	22.02	-1.92	-4.07	17.95	38.45	PASS
Band26(814-824)	3	26775	8	#0	QPSK	20.91	-1.92	-4.07	16.84	38.45	PASS
Band26(814-824)	3	26775	8	#Mid	QPSK	20.95	-1.92	-4.07	16.88	38.45	PASS
Band26(814-824)	3	26775	8	#Max	QPSK	20.92	-1.92	-4.07	16.85	38.45	PASS
Band26(814-824)	3	26775	15	#0	QPSK	20.91	-1.92	-4.07	16.84	38.45	PASS
Band26(814-824)	3	26775	1	#0	QAM16	20.85	-1.92	-4.07	16.78	38.45	PASS
Band26(814-824)	3	26775	1	#Mid	QAM16	21.09	-1.92	-4.07	17.02	38.45	PASS
Band26(814-824)	3	26775	1	#Max	QAM16	20.86	-1.92	-4.07	16.79	38.45	PASS
Band26(814-824)	3	26775	8	#0	QAM16	19.87	-1.92	-4.07	15.8	38.45	PASS

Band26(814-824)	3	26775	8	#Mid	QAM16	19.92	-1.92	-4.07	15.85	38.45	PASS
Band26(814-824)	3	26775	8	#Max	QAM16	19.92	-1.92	-4.07	15.85	38.45	PASS
Band26(814-824)	3	26775	15	#0	QAM16	19.94	-1.92	-4.07	15.87	38.45	PASS
Band26(814-824)	5	26715	1	#0	QPSK	22.09	-1.92	-4.07	18.02	38.45	PASS
Band26(814-824)	5	26715	1	#Mid	QPSK	22.40	-1.92	-4.07	18.33	38.45	PASS
Band26(814-824)	5	26715	1	#Max	QPSK	21.93	-1.92	-4.07	17.86	38.45	PASS
Band26(814-824)	5	26715	12	#0	QPSK	21.12	-1.92	-4.07	17.05	38.45	PASS
Band26(814-824)	5	26715	12	#Mid	QPSK	21.06	-1.92	-4.07	16.99	38.45	PASS
Band26(814-824)	5	26715	12	#Max	QPSK	21.05	-1.92	-4.07	16.98	38.45	PASS
Band26(814-824)	5	26715	25	#0	QPSK	21.09	-1.92	-4.07	17.02	38.45	PASS
Band26(814-824)	5	26715	1	#0	QAM16	21.53	-1.92	-4.07	17.46	38.45	PASS
Band26(814-824)	5	26715	1	#Mid	QAM16	21.74	-1.92	-4.07	17.67	38.45	PASS
Band26(814-824)	5	26715	1	#Max	QAM16	21.32	-1.92	-4.07	17.25	38.45	PASS
Band26(814-824)	5	26715	12	#0	QAM16	20.06	-1.92	-4.07	15.99	38.45	PASS
Band26(814-824)	5	26715	12	#Mid	QAM16	20.05	-1.92	-4.07	15.98	38.45	PASS
Band26(814-824)	5	26715	12	#Max	QAM16	20.00	-1.92	-4.07	15.93	38.45	PASS
Band26(814-824)	5	26715	25	#0	QAM16	20.03	-1.92	-4.07	15.96	38.45	PASS
Band26(814-824)	5	26740	1	#0	QPSK	22.07	-1.92	-4.07	18	38.45	PASS
Band26(814-824)	5	26740	1	#Mid	QPSK	22.35	-1.92	-4.07	18.28	38.45	PASS
Band26(814-824)	5	26740	1	#Max	QPSK	21.88	-1.92	-4.07	17.81	38.45	PASS
Band26(814-824)	5	26740	12	#0	QPSK	20.92	-1.92	-4.07	16.85	38.45	PASS
Band26(814-824)	5	26740	12	#Mid	QPSK	20.99	-1.92	-4.07	16.92	38.45	PASS
Band26(814-824)	5	26740	12	#Max	QPSK	21.03	-1.92	-4.07	16.96	38.45	PASS
Band26(814-824)	5	26740	25	#0	QPSK	21.03	-1.92	-4.07	16.96	38.45	PASS
Band26(814-824)	5	26740	1	#0	QAM16	21.20	-1.92	-4.07	17.13	38.45	PASS
Band26(814-824)	5	26740	1	#Mid	QAM16	21.44	-1.92	-4.07	17.37	38.45	PASS
Band26(814-824)	5	26740	1	#Max	QAM16	21.14	-1.92	-4.07	17.07	38.45	PASS
Band26(814-824)	5	26740	12	#0	QAM16	19.86	-1.92	-4.07	15.79	38.45	PASS
Band26(814-824)	5	26740	12	#Mid	QAM16	19.90	-1.92	-4.07	15.83	38.45	PASS
Band26(814-824)	5	26740	12	#Max	QAM16	19.91	-1.92	-4.07	15.84	38.45	PASS
Band26(814-824)	5	26740	25	#0	QAM16	20.00	-1.92	-4.07	15.93	38.45	PASS
Band26(814-824)	5	26765	1	#0	QPSK	21.88	-1.92	-4.07	17.81	38.45	PASS
Band26(814-824)	5	26765	1	#Mid	QPSK	22.18	-1.92	-4.07	18.11	38.45	PASS
Band26(814-824)	5	26765	1	#Max	QPSK	21.82	-1.92	-4.07	17.75	38.45	PASS
Band26(814-824)	5	26765	12	#0	QPSK	20.87	-1.92	-4.07	16.8	38.45	PASS
Band26(814-824)	5	26765	12	#Mid	QPSK	20.96	-1.92	-4.07	16.89	38.45	PASS
Band26(814-824)	5	26765	12	#Max	QPSK	20.96	-1.92	-4.07	16.89	38.45	PASS
Band26(814-824)	5	26765	25	#0	QPSK	20.93	-1.92	-4.07	16.86	38.45	PASS
Band26(814-824)	5	26765	1	#0	QAM16	21.11	-1.92	-4.07	17.04	38.45	PASS
Band26(814-824)	5	26765	1	#Mid	QAM16	21.41	-1.92	-4.07	17.34	38.45	PASS
Band26(814-824)	5	26765	1	#Max	QAM16	21.23	-1.92	-4.07	17.16	38.45	PASS
Band26(814-824)	5	26765	12	#0	QAM16	19.90	-1.92	-4.07	15.83	38.45	PASS
Band26(814-824)	5	26765	12	#Mid	QAM16	19.96	-1.92	-4.07	15.89	38.45	PASS
Band26(814-824)	5	26765	12	#Max	QAM16	19.93	-1.92	-4.07	15.86	38.45	PASS

Band26(814-824)	5	26765	25	#0	QAM16	19.90	-1.92	-4.07	15.83	38.45	PASS
Band26(814-824)	10	26740	1	#0	QPSK	22.12	-1.92	-4.07	18.05	38.45	PASS
Band26(814-824)	10	26740	1	#Mid	QPSK	22.14	-1.92	-4.07	18.07	38.45	PASS
Band26(814-824)	10	26740	1	#Max	QPSK	21.92	-1.92	-4.07	17.85	38.45	PASS
Band26(814-824)	10	26740	25	#0	QPSK	21.10	-1.92	-4.07	17.03	38.45	PASS
Band26(814-824)	10	26740	25	#Mid	QPSK	21.03	-1.92	-4.07	16.96	38.45	PASS
Band26(814-824)	10	26740	25	#Max	QPSK	21.15	-1.92	-4.07	17.08	38.45	PASS
Band26(814-824)	10	26740	50	#0	QPSK	21.10	-1.92	-4.07	17.03	38.45	PASS
Band26(814-824)	10	26740	1	#0	QAM16	21.47	-1.92	-4.07	17.4	38.45	PASS
Band26(814-824)	10	26740	1	#Mid	QAM16	21.39	-1.92	-4.07	17.32	38.45	PASS
Band26(814-824)	10	26740	1	#Max	QAM16	21.36	-1.92	-4.07	17.29	38.45	PASS
Band26(814-824)	10	26740	25	#0	QAM16	20.07	-1.92	-4.07	16	38.45	PASS
Band26(814-824)	10	26740	25	#Mid	QAM16	19.97	-1.92	-4.07	15.9	38.45	PASS
Band26(814-824)	10	26740	25	#Max	QAM16	20.14	-1.92	-4.07	16.07	38.45	PASS
Band26(814-824)	10	26740	50	#0	QAM16	20.07	-1.92	-4.07	16	38.45	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band26(814-824)	10	26740	50	#0	QPSK	-4.24	-0.00518	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	QAM16	-4.94	-0.00603	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band26(814-824)	1.4	26740	1	#0	QPSK	3.61	13	PASS
Band26(814-824)	1.4	26740	1	#0	QAM16	4.50	13	PASS
Band26(814-824)	3	26740	1	#0	QPSK	3.46	13	PASS
Band26(814-824)	3	26740	1	#0	QAM16	4.37	13	PASS
Band26(814-824)	5	26740	1	#0	QPSK	3.65	13	PASS
Band26(814-824)	5	26740	1	#0	QAM16	4.48	13	PASS
Band26(814-824)	10	26740	1	#0	QPSK	4.00	13	PASS
Band26(814-824)	10	26740	1	#0	QAM16	4.93	13	PASS



Band26(814-824) QAM16 BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QAM16 BW=10MHz Channel=26740 RB Size=1 Position=#0

**Band26(814-824) QAM16 BW=3MHz Channel=26740 RB Size=1 Position=#0****Band26(814-824) QAM16 BW=5MHz Channel=26740 RB Size=1 Position=#0**

**Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=1 Position=#0****Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0**



**Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=1 Position=#0****Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=1 Position=#0**







4 Occupied bandwidth



<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band26(814-824)	1.4	26697	6	#0	QPSK	1.103	1.269	PASS
Band26(814-824)	1.4	26697	6	#0	QAM16	1.092	1.278	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	1.088	1.270	PASS
Band26(814-824)	1.4	26740	6	#0	QAM16	1.093	1.268	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	1.091	1.285	PASS
Band26(814-824)	1.4	26783	6	#0	QAM16	1.086	1.274	PASS
Band26(814-824)	3	26705	15	#0	QPSK	2.688	2.947	PASS
Band26(814-824)	3	26705	15	#0	QAM16	2.688	2.899	PASS
Band26(814-824)	3	26740	15	#0	QPSK	2.688	2.921	PASS
Band26(814-824)	3	26740	15	#0	QAM16	2.702	2.919	PASS
Band26(814-824)	3	26775	15	#0	QPSK	2.688	2.930	PASS
Band26(814-824)	3	26775	15	#0	QAM16	2.684	2.951	PASS
Band26(814-824)	5	26715	25	#0	QPSK	4.506	4.864	PASS
Band26(814-824)	5	26715	25	#0	QAM16	4.503	4.904	PASS
Band26(814-824)	5	26740	25	#0	QPSK	4.498	4.846	PASS
Band26(814-824)	5	26740	25	#0	QAM16	4.491	4.827	PASS
Band26(814-824)	5	26765	25	#0	QPSK	4.515	4.895	PASS
Band26(814-824)	5	26765	25	#0	QAM16	4.504	4.860	PASS
Band26(814-824)	10	26740	50	#0	QPSK	8.993	9.608	PASS
Band26(814-824)	10	26740	50	#0	QAM16	8.997	9.643	PASS



Band26(814-824) QAM16 BW=1.4MHz Channel=26697 RB Size=6 Position=#0



**Band26(814-824) QAM16 BW=1.4MHz Channel=26740 RB Size=6 Position=#0****Band26(814-824) QAM16 BW=1.4MHz Channel=26783 RB Size=6 Position=#0**


**Band26(814-824) QAM16 BW=10MHz Channel=26740 RB Size=50 Position=#0****Band26(814-824) QAM16 BW=3MHz Channel=26705 RB Size=15 Position=#0**

**Band26(814-824) QAM16 BW=3MHz Channel=26740 RB Size=15 Position=#0****Band26(814-824) QAM16 BW=3MHz Channel=26775 RB Size=15 Position=#0**


**Band26(814-824) QAM16 BW=5MHz Channel=26715 RB Size=25 Position=#0****Band26(814-824) QAM16 BW=5MHz Channel=26740 RB Size=25 Position=#0**

**Band26(814-824) QAM16 BW=5MHz Channel=26765 RB Size=25 Position=#0****Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0**


**Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0****Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0**




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0





Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0

**Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0****Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0**




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	813.96	-21.94	-13	PASS
Band26(814-824)	1.4	26697	6	#0	QAM16	813.96	-24.55	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	822.56	-21.34	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QAM16	822.54	-26.19	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	817.06	-25.42	-13	PASS
Band26(814-824)	3	26705	15	#0	QAM16	817.08	-27.78	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	824.06	-28.65	-13	PASS
Band26(814-824)	3	26775	15	#0	QAM16	820.96	-30.93	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	813.96	-26.50	-13	PASS
Band26(814-824)	5	26715	25	#0	QAM16	819.04	-27.91	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	824.04	-28.46	-13	PASS
Band26(814-824)	5	26765	25	#0	QAM16	824.07	-30.40	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	824.16	-30.32	-13	PASS
Band26(814-824)	10	26740	50	#0	QAM16	824.04	-33.38	-13	PASS


Band26(814-824) QAM16 BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QAM16 BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QAM16 BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(814-824) QAM16 BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QAM16 BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QAM16 BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QAM16 BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0



Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0



Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.95265	-30.41	-13
2	818.9625	819	0.3	818.999775	-49.14	-20
3	824	824.0375	0.3	824.0138375	-49.9	-20
4	824.0375	826.5	100	824.0399625	-28.46	-13



6 Out-of-band emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	5017.60	-40.53	-13	PASS
Band26(814-824)	1.4	26697	6	#0	QAM16	5126.95	-40.64	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	2470.15	-41.05	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QAM16	4693.60	-41.04	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	4728.93	-40.90	-13	PASS
Band26(814-824)	3	26705	15	#0	QAM16	3815.43	-40.97	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	3881.35	-40.22	-13	PASS
Band26(814-824)	3	26775	15	#0	QAM16	3882.48	-39.84	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	3787.75	-40.06	-13	PASS
Band26(814-824)	5	26715	25	#0	QAM16	3755.35	-40.13	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	3787.53	-40.51	-13	PASS
Band26(814-824)	5	26765	25	#0	QAM16	3821.05	-39.63	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	3846.48	-40.26	-13	PASS
Band26(814-824)	10	26740	50	#0	QAM16	6402.93	-40.39	-13	PASS


Band26(814-824) QAM16 BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QAM16 BW=1.4MHz Channel=26783 RB Size=6 Position=#0

**Band26(814-824) QAM16 BW=10MHz Channel=26740 RB Size=50 Position=#0****Band26(814-824) QAM16 BW=3MHz Channel=26705 RB Size=15 Position=#0**


**Band26(814-824) QAM16 BW=3MHz Channel=26775 RB Size=15 Position=#0****Band26(814-824) QAM16 BW=5MHz Channel=26715 RB Size=25 Position=#0**




Band26(814-824) QAM16 BW=5MHz Channel=26765 RB Size=25 Position=#0





Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0





Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0



Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0

**Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0****Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0**

**Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0****Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0**

