

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band41	5	39675	1	#0	QPSK	21.26	-1.35	19.91	33.01	PASS
Band41	5	39675	1	#Mid	QPSK	21.54	-1.35	20.19	33.01	PASS
Band41	5	39675	1	#Max	QPSK	21.23	-1.35	19.88	33.01	PASS
Band41	5	39675	12	#0	QPSK	20.35	-1.35	19	33.01	PASS
Band41	5	39675	12	#Mid	QPSK	20.43	-1.35	19.08	33.01	PASS
Band41	5	39675	12	#Max	QPSK	20.39	-1.35	19.04	33.01	PASS
Band41	5	39675	25	#0	QPSK	20.36	-1.35	19.01	33.01	PASS
Band41	5	39675	1	#0	QAM16	20.95	-1.35	19.6	33.01	PASS
Band41	5	39675	1	#Mid	QAM16	21.24	-1.35	19.89	33.01	PASS
Band41	5	39675	1	#Max	QAM16	20.93	-1.35	19.58	33.01	PASS
Band41	5	39675	12	#0	QAM16	19.41	-1.35	18.06	33.01	PASS
Band41	5	39675	12	#Mid	QAM16	19.46	-1.35	18.11	33.01	PASS
Band41	5	39675	12	#Max	QAM16	19.41	-1.35	18.06	33.01	PASS
Band41	5	39675	25	#0	QAM16	19.34	-1.35	17.99	33.01	PASS
Band41	5	40620	1	#0	QPSK	21.21	-1.35	19.86	33.01	PASS
Band41	5	40620	1	#Mid	QPSK	21.53	-1.35	20.18	33.01	PASS
Band41	5	40620	1	#Max	QPSK	21.23	-1.35	19.88	33.01	PASS
Band41	5	40620	12	#0	QPSK	20.35	-1.35	19	33.01	PASS
Band41	5	40620	12	#Mid	QPSK	20.41	-1.35	19.06	33.01	PASS
Band41	5	40620	12	#Max	QPSK	20.31	-1.35	18.96	33.01	PASS
Band41	5	40620	25	#0	QPSK	20.34	-1.35	18.99	33.01	PASS
Band41	5	40620	1	#0	QAM16	20.53	-1.35	19.18	33.01	PASS
Band41	5	40620	1	#Mid	QAM16	20.83	-1.35	19.48	33.01	PASS
Band41	5	40620	1	#Max	QAM16	20.57	-1.35	19.22	33.01	PASS
Band41	5	40620	12	#0	QAM16	19.33	-1.35	17.98	33.01	PASS
Band41	5	40620	12	#Mid	QAM16	19.40	-1.35	18.05	33.01	PASS
Band41	5	40620	12	#Max	QAM16	19.29	-1.35	17.94	33.01	PASS
Band41	5	40620	25	#0	QAM16	19.40	-1.35	18.05	33.01	PASS
Band41	5	41565	1	#0	QPSK	20.66	-1.35	19.31	33.01	PASS
Band41	5	41565	1	#Mid	QPSK	20.99	-1.35	19.64	33.01	PASS
Band41	5	41565	1	#Max	QPSK	20.67	-1.35	19.32	33.01	PASS
Band41	5	41565	12	#0	QPSK	19.86	-1.35	18.51	33.01	PASS
Band41	5	41565	12	#Mid	QPSK	19.92	-1.35	18.57	33.01	PASS
Band41	5	41565	12	#Max	QPSK	19.85	-1.35	18.5	33.01	PASS
Band41	5	41565	25	#0	QPSK	19.87	-1.35	18.52	33.01	PASS
Band41	5	41565	1	#0	QAM16	20.10	-1.35	18.75	33.01	PASS
Band41	5	41565	1	#Mid	QAM16	20.38	-1.35	19.03	33.01	PASS
Band41	5	41565	1	#Max	QAM16	20.10	-1.35	18.75	33.01	PASS

Band41	5	41565	12	#0	QAM16	18.90	-1.35	17.55	33.01	PASS
Band41	5	41565	12	#Mid	QAM16	18.97	-1.35	17.62	33.01	PASS
Band41	5	41565	12	#Max	QAM16	18.87	-1.35	17.52	33.01	PASS
Band41	5	41565	25	#0	QAM16	18.83	-1.35	17.48	33.01	PASS
Band41	10	39700	1	#0	QPSK	21.35	-1.35	20	33.01	PASS
Band41	10	39700	1	#Mid	QPSK	21.52	-1.35	20.17	33.01	PASS
Band41	10	39700	1	#Max	QPSK	21.28	-1.35	19.93	33.01	PASS
Band41	10	39700	25	#0	QPSK	20.46	-1.35	19.11	33.01	PASS
Band41	10	39700	25	#Mid	QPSK	20.41	-1.35	19.06	33.01	PASS
Band41	10	39700	25	#Max	QPSK	20.41	-1.35	19.06	33.01	PASS
Band41	10	39700	50	#0	QPSK	20.44	-1.35	19.09	33.01	PASS
Band41	10	39700	1	#0	QAM16	20.89	-1.35	19.54	33.01	PASS
Band41	10	39700	1	#Mid	QAM16	21.03	-1.35	19.68	33.01	PASS
Band41	10	39700	1	#Max	QAM16	20.88	-1.35	19.53	33.01	PASS
Band41	10	39700	25	#0	QAM16	19.49	-1.35	18.14	33.01	PASS
Band41	10	39700	25	#Mid	QAM16	19.45	-1.35	18.1	33.01	PASS
Band41	10	39700	25	#Max	QAM16	19.51	-1.35	18.16	33.01	PASS
Band41	10	39700	50	#0	QAM16	19.45	-1.35	18.1	33.01	PASS
Band41	10	40620	1	#0	QPSK	21.29	-1.35	19.94	33.01	PASS
Band41	10	40620	1	#Mid	QPSK	21.45	-1.35	20.1	33.01	PASS
Band41	10	40620	1	#Max	QPSK	21.36	-1.35	20.01	33.01	PASS
Band41	10	40620	25	#0	QPSK	20.40	-1.35	19.05	33.01	PASS
Band41	10	40620	25	#Mid	QPSK	20.40	-1.35	19.05	33.01	PASS
Band41	10	40620	25	#Max	QPSK	20.40	-1.35	19.05	33.01	PASS
Band41	10	40620	50	#0	QPSK	20.39	-1.35	19.04	33.01	PASS
Band41	10	40620	1	#0	QAM16	20.49	-1.35	19.14	33.01	PASS
Band41	10	40620	1	#Mid	QAM16	20.66	-1.35	19.31	33.01	PASS
Band41	10	40620	1	#Max	QAM16	20.53	-1.35	19.18	33.01	PASS
Band41	10	40620	25	#0	QAM16	19.46	-1.35	18.11	33.01	PASS
Band41	10	40620	25	#Mid	QAM16	19.44	-1.35	18.09	33.01	PASS
Band41	10	40620	25	#Max	QAM16	19.43	-1.35	18.08	33.01	PASS
Band41	10	40620	50	#0	QAM16	19.47	-1.35	18.12	33.01	PASS
Band41	10	41540	1	#0	QPSK	20.90	-1.35	19.55	33.01	PASS
Band41	10	41540	1	#Mid	QPSK	20.97	-1.35	19.62	33.01	PASS
Band41	10	41540	1	#Max	QPSK	20.82	-1.35	19.47	33.01	PASS
Band41	10	41540	25	#0	QPSK	19.90	-1.35	18.55	33.01	PASS
Band41	10	41540	25	#Mid	QPSK	19.89	-1.35	18.54	33.01	PASS
Band41	10	41540	25	#Max	QPSK	19.86	-1.35	18.51	33.01	PASS
Band41	10	41540	50	#0	QPSK	19.91	-1.35	18.56	33.01	PASS
Band41	10	41540	1	#0	QAM16	19.85	-1.35	18.5	33.01	PASS
Band41	10	41540	1	#Mid	QAM16	19.95	-1.35	18.6	33.01	PASS
Band41	10	41540	1	#Max	QAM16	19.80	-1.35	18.45	33.01	PASS
Band41	10	41540	25	#0	QAM16	18.98	-1.35	17.63	33.01	PASS
Band41	10	41540	25	#Mid	QAM16	18.90	-1.35	17.55	33.01	PASS

Band41	10	41540	25	#Max	QAM16	18.88	-1.35	17.53	33.01	PASS
Band41	10	41540	50	#0	QAM16	18.89	-1.35	17.54	33.01	PASS
Band41	15	39725	1	#0	QPSK	21.26	-1.35	19.91	33.01	PASS
Band41	15	39725	1	#Mid	QPSK	21.53	-1.35	20.18	33.01	PASS
Band41	15	39725	1	#Max	QPSK	21.08	-1.35	19.73	33.01	PASS
Band41	15	39725	36	#0	QPSK	20.46	-1.35	19.11	33.01	PASS
Band41	15	39725	36	#Mid	QPSK	20.40	-1.35	19.05	33.01	PASS
Band41	15	39725	36	#Max	QPSK	20.36	-1.35	19.01	33.01	PASS
Band41	15	39725	75	#0	QPSK	20.40	-1.35	19.05	33.01	PASS
Band41	15	39725	1	#0	QAM16	20.85	-1.35	19.5	33.01	PASS
Band41	15	39725	1	#Mid	QAM16	21.08	-1.35	19.73	33.01	PASS
Band41	15	39725	1	#Max	QAM16	20.67	-1.35	19.32	33.01	PASS
Band41	15	39725	36	#0	QAM16	19.48	-1.35	18.13	33.01	PASS
Band41	15	39725	36	#Mid	QAM16	19.44	-1.35	18.09	33.01	PASS
Band41	15	39725	36	#Max	QAM16	19.40	-1.35	18.05	33.01	PASS
Band41	15	39725	75	#0	QAM16	19.39	-1.35	18.04	33.01	PASS
Band41	15	40620	1	#0	QPSK	21.20	-1.35	19.85	33.01	PASS
Band41	15	40620	1	#Mid	QPSK	21.56	-1.35	20.21	33.01	PASS
Band41	15	40620	1	#Max	QPSK	21.26	-1.35	19.91	33.01	PASS
Band41	15	40620	36	#0	QPSK	20.37	-1.35	19.02	33.01	PASS
Band41	15	40620	36	#Mid	QPSK	20.43	-1.35	19.08	33.01	PASS
Band41	15	40620	36	#Max	QPSK	20.42	-1.35	19.07	33.01	PASS
Band41	15	40620	75	#0	QPSK	20.38	-1.35	19.03	33.01	PASS
Band41	15	40620	1	#0	QAM16	20.39	-1.35	19.04	33.01	PASS
Band41	15	40620	1	#Mid	QAM16	20.75	-1.35	19.4	33.01	PASS
Band41	15	40620	1	#Max	QAM16	20.46	-1.35	19.11	33.01	PASS
Band41	15	40620	36	#0	QAM16	19.47	-1.35	18.12	33.01	PASS
Band41	15	40620	36	#Mid	QAM16	19.48	-1.35	18.13	33.01	PASS
Band41	15	40620	36	#Max	QAM16	19.50	-1.35	18.15	33.01	PASS
Band41	15	40620	75	#0	QAM16	19.38	-1.35	18.03	33.01	PASS
Band41	15	41515	1	#0	QPSK	20.91	-1.35	19.56	33.01	PASS
Band41	15	41515	1	#Mid	QPSK	21.15	-1.35	19.8	33.01	PASS
Band41	15	41515	1	#Max	QPSK	20.75	-1.35	19.4	33.01	PASS
Band41	15	41515	36	#0	QPSK	19.98	-1.35	18.63	33.01	PASS
Band41	15	41515	36	#Mid	QPSK	19.93	-1.35	18.58	33.01	PASS
Band41	15	41515	36	#Max	QPSK	19.87	-1.35	18.52	33.01	PASS
Band41	15	41515	75	#0	QPSK	19.89	-1.35	18.54	33.01	PASS
Band41	15	41515	1	#0	QAM16	20.14	-1.35	18.79	33.01	PASS
Band41	15	41515	1	#Mid	QAM16	20.37	-1.35	19.02	33.01	PASS
Band41	15	41515	1	#Max	QAM16	19.97	-1.35	18.62	33.01	PASS
Band41	15	41515	36	#0	QAM16	18.92	-1.35	17.57	33.01	PASS
Band41	15	41515	36	#Mid	QAM16	18.89	-1.35	17.54	33.01	PASS
Band41	15	41515	36	#Max	QAM16	18.83	-1.35	17.48	33.01	PASS
Band41	15	41515	75	#0	QAM16	18.90	-1.35	17.55	33.01	PASS

Band41	20	39750	1	#0	QPSK	21.11	-1.35	19.76	33.01	PASS
Band41	20	39750	1	#Mid	QPSK	21.43	-1.35	20.08	33.01	PASS
Band41	20	39750	1	#Max	QPSK	20.88	-1.35	19.53	33.01	PASS
Band41	20	39750	50	#0	QPSK	20.42	-1.35	19.07	33.01	PASS
Band41	20	39750	50	#Mid	QPSK	20.43	-1.35	19.08	33.01	PASS
Band41	20	39750	50	#Max	QPSK	20.34	-1.35	18.99	33.01	PASS
Band41	20	39750	100	#0	QPSK	20.34	-1.35	18.99	33.01	PASS
Band41	20	39750	1	#0	QAM16	20.48	-1.35	19.13	33.01	PASS
Band41	20	39750	1	#Mid	QAM16	20.78	-1.35	19.43	33.01	PASS
Band41	20	39750	1	#Max	QAM16	20.27	-1.35	18.92	33.01	PASS
Band41	20	39750	50	#0	QAM16	19.52	-1.35	18.17	33.01	PASS
Band41	20	39750	50	#Mid	QAM16	19.52	-1.35	18.17	33.01	PASS
Band41	20	39750	50	#Max	QAM16	19.41	-1.35	18.06	33.01	PASS
Band41	20	39750	100	#0	QAM16	19.37	-1.35	18.02	33.01	PASS
Band41	20	40620	1	#0	QPSK	21.04	-1.35	19.69	33.01	PASS
Band41	20	40620	1	#Mid	QPSK	21.52	-1.35	20.17	33.01	PASS
Band41	20	40620	1	#Max	QPSK	21.09	-1.35	19.74	33.01	PASS
Band41	20	40620	50	#0	QPSK	20.37	-1.35	19.02	33.01	PASS
Band41	20	40620	50	#Mid	QPSK	20.37	-1.35	19.02	33.01	PASS
Band41	20	40620	50	#Max	QPSK	20.30	-1.35	18.95	33.01	PASS
Band41	20	40620	100	#0	QPSK	20.33	-1.35	18.98	33.01	PASS
Band41	20	40620	1	#0	QAM16	20.28	-1.35	18.93	33.01	PASS
Band41	20	40620	1	#Mid	QAM16	20.76	-1.35	19.41	33.01	PASS
Band41	20	40620	1	#Max	QAM16	20.36	-1.35	19.01	33.01	PASS
Band41	20	40620	50	#0	QAM16	19.37	-1.35	18.02	33.01	PASS
Band41	20	40620	50	#Mid	QAM16	19.47	-1.35	18.12	33.01	PASS
Band41	20	40620	50	#Max	QAM16	19.37	-1.35	18.02	33.01	PASS
Band41	20	40620	100	#0	QAM16	19.37	-1.35	18.02	33.01	PASS
Band41	20	41490	1	#0	QPSK	20.75	-1.35	19.4	33.01	PASS
Band41	20	41490	1	#Mid	QPSK	21.07	-1.35	19.72	33.01	PASS
Band41	20	41490	1	#Max	QPSK	20.60	-1.35	19.25	33.01	PASS
Band41	20	41490	50	#0	QPSK	20.02	-1.35	18.67	33.01	PASS
Band41	20	41490	50	#Mid	QPSK	19.91	-1.35	18.56	33.01	PASS
Band41	20	41490	50	#Max	QPSK	19.83	-1.35	18.48	33.01	PASS
Band41	20	41490	100	#0	QPSK	19.88	-1.35	18.53	33.01	PASS
Band41	20	41490	1	#0	QAM16	19.98	-1.35	18.63	33.01	PASS
Band41	20	41490	1	#Mid	QAM16	20.28	-1.35	18.93	33.01	PASS
Band41	20	41490	1	#Max	QAM16	19.80	-1.35	18.45	33.01	PASS
Band41	20	41490	50	#0	QAM16	19.07	-1.35	17.72	33.01	PASS
Band41	20	41490	50	#Mid	QAM16	19.03	-1.35	17.68	33.01	PASS
Band41	20	41490	50	#Max	QAM16	18.91	-1.35	17.56	33.01	PASS
Band41	20	41490	100	#0	QAM16	18.90	-1.35	17.55	33.01	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band41	20	39750	100	#0	QPSK	-11.40	-0.00455	-2.5	2.5	PASS
Band41	20	39750	100	#0	QAM16	-10.70	-0.00427	-2.5	2.5	PASS
Band41	20	40620	100	#0	QPSK	-10.29	-0.00397	-2.5	2.5	PASS
Band41	20	40620	100	#0	QAM16	0.35	0.00013	-2.5	2.5	PASS
Band41	20	41490	100	#0	QPSK	-11.60	-0.00433	-2.5	2.5	PASS
Band41	20	41490	100	#0	QAM16	-14.16	-0.00528	-2.5	2.5	PASS

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	40620	1	#0	QPSK	11.77	13	PASS
Band41	5	40620	1	#0	QAM16	9.58	13	PASS
Band41	10	40620	1	#0	QPSK	8.83	13	PASS
Band41	10	40620	1	#0	QAM16	9.44	13	PASS
Band41	15	40620	1	#0	QPSK	7.84	13	PASS
Band41	15	40620	1	#0	QAM16	10.61	13	PASS
Band41	20	40620	1	#0	QPSK	11.18	13	PASS
Band41	20	40620	1	#0	QAM16	8.66	13	PASS



Band41 QAM16 BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=1 Position=#0

**Band41 QAM16 BW=20MHz Channel=40620 RB Size=1 Position=#0****Band41 QAM16 BW=5MHz Channel=40620 RB Size=1 Position=#0**

**Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0****Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0**


**Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0****Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band41	5	39675	25	#0	QPSK	4.523	4.821	PASS
Band41	5	39675	25	#0	QAM16	4.475	4.851	PASS
Band41	5	40620	25	#0	QPSK	4.490	5.236	PASS
Band41	5	40620	25	#0	QAM16	4.518	4.868	PASS
Band41	5	41565	25	#0	QPSK	4.499	4.921	PASS
Band41	5	41565	25	#0	QAM16	4.495	4.807	PASS
Band41	10	39700	50	#0	QPSK	8.959	9.508	PASS
Band41	10	39700	50	#0	QAM16	8.984	9.530	PASS
Band41	10	40620	50	#0	QPSK	9.022	9.684	PASS
Band41	10	40620	50	#0	QAM16	8.969	9.688	PASS
Band41	10	41540	50	#0	QPSK	8.976	9.553	PASS
Band41	10	41540	50	#0	QAM16	9.010	9.550	PASS
Band41	15	39725	75	#0	QPSK	13.554	14.397	PASS
Band41	15	39725	75	#0	QAM16	13.413	15.484	PASS
Band41	15	40620	75	#0	QPSK	13.468	14.435	PASS
Band41	15	40620	75	#0	QAM16	13.501	14.164	PASS
Band41	15	41515	75	#0	QPSK	13.442	14.202	PASS
Band41	15	41515	75	#0	QAM16	13.539	16.196	PASS
Band41	20	39750	100	#0	QPSK	18.020	19.241	PASS
Band41	20	39750	100	#0	QAM16	17.901	19.084	PASS
Band41	20	40620	100	#0	QPSK	17.971	19.318	PASS
Band41	20	40620	100	#0	QAM16	17.996	20.389	PASS
Band41	20	41490	100	#0	QPSK	17.895	19.145	PASS
Band41	20	41490	100	#0	QAM16	17.919	19.188	PASS


Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0





Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0






Band41 QAM16 BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0

**Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0****Band41 QAM16 BW=5MHz Channel=40620 RB Size=25 Position=#0**


**Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0****Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0**




Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0





Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0


**Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0****Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0**




Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0



Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	2495.00	-18.12	-13	PASS
Band41	5	39675	25	#0	QAM16	2495.00	-16.94	-13	PASS
Band41	5	41565	25	#0	QPSK	2691.03	-18.00	-10	PASS
Band41	5	41565	25	#0	QAM16	2691.01	-19.11	-10	PASS
Band41	10	39700	50	#0	QPSK	2494.98	-25.02	-13	PASS
Band41	10	39700	50	#0	QAM16	2494.63	-24.29	-13	PASS
Band41	10	41540	50	#0	QPSK	2700.34	-39.54	-25	PASS
Band41	10	41540	50	#0	QAM16	2700.02	-39.31	-25	PASS
Band41	15	39725	75	#0	QPSK	2493.54	-27.78	-13	PASS
Band41	15	39725	75	#0	QAM16	2493.77	-26.55	-13	PASS
Band41	15	41515	75	#0	QPSK	2705.56	-41.08	-25	PASS
Band41	15	41515	75	#0	QAM16	2705.09	-41.00	-25	PASS
Band41	20	39750	100	#0	QPSK	2493.02	-28.35	-13	PASS
Band41	20	39750	100	#0	QAM16	2493.33	-28.54	-13	PASS
Band41	20	41490	100	#0	QPSK	2710.16	-41.44	-25	PASS
Band41	20	41490	100	#0	QAM16	2710.57	-41.35	-25	PASS


Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0





Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0



Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0

**Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0****Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0**




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	100	2690.341	-33.16	-10
2	2691	2695	1000	2691.032	-18	-10
3	2695	2696	1000	2695.129	-33.99	-13
4	2696	2700	1000	2696.16	-39.24	-25



6 Out-of-band emissions


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	3780.55	-39.15	-25	PASS
Band41	5	39675	25	#0	QAM16	3867.18	-39.36	-25	PASS
Band41	5	41565	25	#0	QPSK	5375.80	-37.50	-25	PASS
Band41	5	41565	25	#0	QAM16	5372.65	-36.12	-25	PASS
Band41	10	39700	50	#0	QPSK	3749.05	-39.24	-25	PASS
Band41	10	39700	50	#0	QAM16	3918.93	-38.99	-25	PASS
Band41	10	41540	50	#0	QPSK	4732.53	-39.12	-25	PASS
Band41	10	41540	50	#0	QAM16	3748.15	-39.18	-25	PASS
Band41	15	39725	75	#0	QPSK	3863.58	-38.72	-25	PASS
Band41	15	39725	75	#0	QAM16	5099.28	-39.09	-25	PASS
Band41	15	41515	75	#0	QPSK	4341.03	-39.58	-25	PASS
Band41	15	41515	75	#0	QAM16	3797.43	-39.01	-25	PASS
Band41	20	39750	100	#0	QPSK	3699.33	-37.92	-25	PASS
Band41	20	39750	100	#0	QAM16	3794.28	-39.24	-25	PASS
Band41	20	41490	100	#0	QPSK	3636.55	-38.46	-25	PASS
Band41	20	41490	100	#0	QAM16	3759.18	-38.87	-25	PASS

Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0


**Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0****Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0**




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0





Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0







Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0





Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0

**Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0****Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0**

**Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0****Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0**

**Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0****Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0**

**Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0****Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0**

