

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	8
3 Peak-to-Average Ratio	9
4 Occupied bandwidth	16
5 Band edge	35
6 Out-of-band emissions	48

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band66	1.4	131979	1	#0	QPSK	21.85	-1.66	20.19	30.00	PASS
Band66	1.4	131979	1	#Mid	QPSK	22.06	-1.66	20.4	30.00	PASS
Band66	1.4	131979	1	#Max	QPSK	21.90	-1.66	20.24	30.00	PASS
Band66	1.4	131979	3	#0	QPSK	22.04	-1.66	20.38	30.00	PASS
Band66	1.4	131979	3	#Mid	QPSK	22.07	-1.66	20.41	30.00	PASS
Band66	1.4	131979	3	#Max	QPSK	22.04	-1.66	20.38	30.00	PASS
Band66	1.4	131979	6	#0	QPSK	20.98	-1.66	19.32	30.00	PASS
Band66	1.4	131979	1	#0	QAM16	21.12	-1.66	19.46	30.00	PASS
Band66	1.4	131979	1	#Mid	QAM16	21.23	-1.66	19.57	30.00	PASS
Band66	1.4	131979	1	#Max	QAM16	21.12	-1.66	19.46	30.00	PASS
Band66	1.4	131979	3	#0	QAM16	21.20	-1.66	19.54	30.00	PASS
Band66	1.4	131979	3	#Mid	QAM16	21.25	-1.66	19.59	30.00	PASS
Band66	1.4	131979	3	#Max	QAM16	21.16	-1.66	19.5	30.00	PASS
Band66	1.4	131979	6	#0	QAM16	20.14	-1.66	18.48	30.00	PASS
Band66	1.4	132322	1	#0	QPSK	22.19	-1.66	20.53	30.00	PASS
Band66	1.4	132322	1	#Mid	QPSK	22.38	-1.66	20.72	30.00	PASS
Band66	1.4	132322	1	#Max	QPSK	22.21	-1.66	20.55	30.00	PASS
Band66	1.4	132322	3	#0	QPSK	22.22	-1.66	20.56	30.00	PASS
Band66	1.4	132322	3	#Mid	QPSK	22.20	-1.66	20.54	30.00	PASS
Band66	1.4	132322	3	#Max	QPSK	22.21	-1.66	20.55	30.00	PASS
Band66	1.4	132322	6	#0	QPSK	21.21	-1.66	19.55	30.00	PASS
Band66	1.4	132322	1	#0	QAM16	20.96	-1.66	19.3	30.00	PASS
Band66	1.4	132322	1	#Mid	QAM16	21.13	-1.66	19.47	30.00	PASS
Band66	1.4	132322	1	#Max	QAM16	20.94	-1.66	19.28	30.00	PASS
Band66	1.4	132322	3	#0	QAM16	21.31	-1.66	19.65	30.00	PASS
Band66	1.4	132322	3	#Mid	QAM16	21.30	-1.66	19.64	30.00	PASS
Band66	1.4	132322	3	#Max	QAM16	21.34	-1.66	19.68	30.00	PASS
Band66	1.4	132322	6	#0	QAM16	20.32	-1.66	18.66	30.00	PASS
Band66	1.4	132665	1	#0	QPSK	22.34	-1.66	20.68	30.00	PASS
Band66	1.4	132665	1	#Mid	QPSK	22.50	-1.66	20.84	30.00	PASS
Band66	1.4	132665	1	#Max	QPSK	22.33	-1.66	20.67	30.00	PASS
Band66	1.4	132665	3	#0	QPSK	22.32	-1.66	20.66	30.00	PASS
Band66	1.4	132665	3	#Mid	QPSK	22.32	-1.66	20.66	30.00	PASS
Band66	1.4	132665	3	#Max	QPSK	22.31	-1.66	20.65	30.00	PASS
Band66	1.4	132665	6	#0	QPSK	21.31	-1.66	19.65	30.00	PASS
Band66	1.4	132665	1	#0	QAM16	21.41	-1.66	19.75	30.00	PASS
Band66	1.4	132665	1	#Mid	QAM16	21.52	-1.66	19.86	30.00	PASS
Band66	1.4	132665	1	#Max	QAM16	21.38	-1.66	19.72	30.00	PASS

Band66	1.4	132665	3	#0	QAM16	21.48	-1.66	19.82	30.00	PASS
Band66	1.4	132665	3	#Mid	QAM16	21.48	-1.66	19.82	30.00	PASS
Band66	1.4	132665	3	#Max	QAM16	21.53	-1.66	19.87	30.00	PASS
Band66	1.4	132665	6	#0	QAM16	20.46	-1.66	18.8	30.00	PASS
Band66	3	131987	1	#0	QPSK	21.95	-1.66	20.29	30.00	PASS
Band66	3	131987	1	#Mid	QPSK	22.33	-1.66	20.67	30.00	PASS
Band66	3	131987	1	#Max	QPSK	22.00	-1.66	20.34	30.00	PASS
Band66	3	131987	8	#0	QPSK	20.98	-1.66	19.32	30.00	PASS
Band66	3	131987	8	#Mid	QPSK	21.01	-1.66	19.35	30.00	PASS
Band66	3	131987	8	#Max	QPSK	20.99	-1.66	19.33	30.00	PASS
Band66	3	131987	15	#0	QPSK	20.95	-1.66	19.29	30.00	PASS
Band66	3	131987	1	#0	QAM16	21.35	-1.66	19.69	30.00	PASS
Band66	3	131987	1	#Mid	QAM16	21.37	-1.66	19.71	30.00	PASS
Band66	3	131987	1	#Max	QAM16	21.34	-1.66	19.68	30.00	PASS
Band66	3	131987	8	#0	QAM16	19.96	-1.66	18.3	30.00	PASS
Band66	3	131987	8	#Mid	QAM16	20.01	-1.66	18.35	30.00	PASS
Band66	3	131987	8	#Max	QAM16	20.01	-1.66	18.35	30.00	PASS
Band66	3	131987	15	#0	QAM16	19.78	-1.66	18.12	30.00	PASS
Band66	3	132322	1	#0	QPSK	22.18	-1.66	20.52	30.00	PASS
Band66	3	132322	1	#Mid	QPSK	22.50	-1.66	20.84	30.00	PASS
Band66	3	132322	1	#Max	QPSK	22.17	-1.66	20.51	30.00	PASS
Band66	3	132322	8	#0	QPSK	21.19	-1.66	19.53	30.00	PASS
Band66	3	132322	8	#Mid	QPSK	21.21	-1.66	19.55	30.00	PASS
Band66	3	132322	8	#Max	QPSK	21.19	-1.66	19.53	30.00	PASS
Band66	3	132322	15	#0	QPSK	21.14	-1.66	19.48	30.00	PASS
Band66	3	132322	1	#0	QAM16	21.33	-1.66	19.67	30.00	PASS
Band66	3	132322	1	#Mid	QAM16	21.60	-1.66	19.94	30.00	PASS
Band66	3	132322	1	#Max	QAM16	21.31	-1.66	19.65	30.00	PASS
Band66	3	132322	8	#0	QAM16	20.20	-1.66	18.54	30.00	PASS
Band66	3	132322	8	#Mid	QAM16	20.23	-1.66	18.57	30.00	PASS
Band66	3	132322	8	#Max	QAM16	20.15	-1.66	18.49	30.00	PASS
Band66	3	132322	15	#0	QAM16	20.08	-1.66	18.42	30.00	PASS
Band66	3	132657	1	#0	QPSK	22.33	-1.66	20.67	30.00	PASS
Band66	3	132657	1	#Mid	QPSK	22.62	-1.66	20.96	30.00	PASS
Band66	3	132657	1	#Max	QPSK	22.37	-1.66	20.71	30.00	PASS
Band66	3	132657	8	#0	QPSK	21.32	-1.66	19.66	30.00	PASS
Band66	3	132657	8	#Mid	QPSK	21.24	-1.66	19.58	30.00	PASS
Band66	3	132657	8	#Max	QPSK	21.21	-1.66	19.55	30.00	PASS
Band66	3	132657	15	#0	QPSK	21.30	-1.66	19.64	30.00	PASS
Band66	3	132657	1	#0	QAM16	20.96	-1.66	19.3	30.00	PASS
Band66	3	132657	1	#Mid	QAM16	21.29	-1.66	19.63	30.00	PASS
Band66	3	132657	1	#Max	QAM16	21.01	-1.66	19.35	30.00	PASS
Band66	3	132657	8	#0	QAM16	20.16	-1.66	18.5	30.00	PASS
Band66	3	132657	8	#Mid	QAM16	20.19	-1.66	18.53	30.00	PASS

Band66	3	132657	8	#Max	QAM16	20.16	-1.66	18.5	30.00	PASS
Band66	3	132657	15	#0	QAM16	20.06	-1.66	18.4	30.00	PASS
Band66	5	131997	1	#0	QPSK	21.90	-1.66	20.24	30.00	PASS
Band66	5	131997	1	#Mid	QPSK	22.28	-1.66	20.62	30.00	PASS
Band66	5	131997	1	#Max	QPSK	21.50	-1.66	19.84	30.00	PASS
Band66	5	131997	12	#0	QPSK	20.47	-1.66	18.81	30.00	PASS
Band66	5	131997	12	#Mid	QPSK	20.58	-1.66	18.92	30.00	PASS
Band66	5	131997	12	#Max	QPSK	20.60	-1.66	18.94	30.00	PASS
Band66	5	131997	25	#0	QPSK	20.50	-1.66	18.84	30.00	PASS
Band66	5	131997	1	#0	QAM16	20.92	-1.66	19.26	30.00	PASS
Band66	5	131997	1	#Mid	QAM16	21.34	-1.66	19.68	30.00	PASS
Band66	5	131997	1	#Max	QAM16	20.96	-1.66	19.3	30.00	PASS
Band66	5	131997	12	#0	QAM16	19.45	-1.66	17.79	30.00	PASS
Band66	5	131997	12	#Mid	QAM16	19.52	-1.66	17.86	30.00	PASS
Band66	5	131997	12	#Max	QAM16	19.53	-1.66	17.87	30.00	PASS
Band66	5	131997	25	#0	QAM16	19.50	-1.66	17.84	30.00	PASS
Band66	5	132322	1	#0	QPSK	21.69	-1.66	20.03	30.00	PASS
Band66	5	132322	1	#Mid	QPSK	22.22	-1.66	20.56	30.00	PASS
Band66	5	132322	1	#Max	QPSK	22.07	-1.66	20.41	30.00	PASS
Band66	5	132322	12	#0	QPSK	21.17	-1.66	19.51	30.00	PASS
Band66	5	132322	12	#Mid	QPSK	21.22	-1.66	19.56	30.00	PASS
Band66	5	132322	12	#Max	QPSK	21.16	-1.66	19.5	30.00	PASS
Band66	5	132322	25	#0	QPSK	21.20	-1.66	19.54	30.00	PASS
Band66	5	132322	1	#0	QAM16	21.32	-1.66	19.66	30.00	PASS
Band66	5	132322	1	#Mid	QAM16	21.70	-1.66	20.04	30.00	PASS
Band66	5	132322	1	#Max	QAM16	21.36	-1.66	19.7	30.00	PASS
Band66	5	132322	12	#0	QAM16	20.11	-1.66	18.45	30.00	PASS
Band66	5	132322	12	#Mid	QAM16	20.15	-1.66	18.49	30.00	PASS
Band66	5	132322	12	#Max	QAM16	20.11	-1.66	18.45	30.00	PASS
Band66	5	132322	25	#0	QAM16	20.14	-1.66	18.48	30.00	PASS
Band66	5	132647	1	#0	QPSK	21.77	-1.66	20.11	30.00	PASS
Band66	5	132647	1	#Mid	QPSK	22.46	-1.66	20.8	30.00	PASS
Band66	5	132647	1	#Max	QPSK	22.13	-1.66	20.47	30.00	PASS
Band66	5	132647	12	#0	QPSK	21.31	-1.66	19.65	30.00	PASS
Band66	5	132647	12	#Mid	QPSK	21.32	-1.66	19.66	30.00	PASS
Band66	5	132647	12	#Max	QPSK	21.29	-1.66	19.63	30.00	PASS
Band66	5	132647	25	#0	QPSK	21.23	-1.66	19.57	30.00	PASS
Band66	5	132647	1	#0	QAM16	21.42	-1.66	19.76	30.00	PASS
Band66	5	132647	1	#Mid	QAM16	21.82	-1.66	20.16	30.00	PASS
Band66	5	132647	1	#Max	QAM16	21.47	-1.66	19.81	30.00	PASS
Band66	5	132647	12	#0	QAM16	20.31	-1.66	18.65	30.00	PASS
Band66	5	132647	12	#Mid	QAM16	20.36	-1.66	18.7	30.00	PASS
Band66	5	132647	12	#Max	QAM16	20.27	-1.66	18.61	30.00	PASS
Band66	5	132647	25	#0	QAM16	20.25	-1.66	18.59	30.00	PASS

Band66	10	132022	1	#0	QPSK	21.54	-1.66	19.88	30.00	PASS
Band66	10	132022	1	#Mid	QPSK	21.73	-1.66	20.07	30.00	PASS
Band66	10	132022	1	#Max	QPSK	21.60	-1.66	19.94	30.00	PASS
Band66	10	132022	25	#0	QPSK	20.60	-1.66	18.94	30.00	PASS
Band66	10	132022	25	#Mid	QPSK	20.61	-1.66	18.95	30.00	PASS
Band66	10	132022	25	#Max	QPSK	20.65	-1.66	18.99	30.00	PASS
Band66	10	132022	50	#0	QPSK	20.62	-1.66	18.96	30.00	PASS
Band66	10	132022	1	#0	QAM16	20.87	-1.66	19.21	30.00	PASS
Band66	10	132022	1	#Mid	QAM16	21.00	-1.66	19.34	30.00	PASS
Band66	10	132022	1	#Max	QAM16	20.92	-1.66	19.26	30.00	PASS
Band66	10	132022	25	#0	QAM16	19.61	-1.66	17.95	30.00	PASS
Band66	10	132022	25	#Mid	QAM16	19.66	-1.66	18	30.00	PASS
Band66	10	132022	25	#Max	QAM16	19.72	-1.66	18.06	30.00	PASS
Band66	10	132022	50	#0	QAM16	19.67	-1.66	18.01	30.00	PASS
Band66	10	132322	1	#0	QPSK	21.70	-1.66	20.04	30.00	PASS
Band66	10	132322	1	#Mid	QPSK	21.83	-1.66	20.17	30.00	PASS
Band66	10	132322	1	#Max	QPSK	21.73	-1.66	20.07	30.00	PASS
Band66	10	132322	25	#0	QPSK	20.70	-1.66	19.04	30.00	PASS
Band66	10	132322	25	#Mid	QPSK	20.71	-1.66	19.05	30.00	PASS
Band66	10	132322	25	#Max	QPSK	20.75	-1.66	19.09	30.00	PASS
Band66	10	132322	50	#0	QPSK	20.70	-1.66	19.04	30.00	PASS
Band66	10	132322	1	#0	QAM16	20.78	-1.66	19.12	30.00	PASS
Band66	10	132322	1	#Mid	QAM16	20.96	-1.66	19.3	30.00	PASS
Band66	10	132322	1	#Max	QAM16	20.86	-1.66	19.2	30.00	PASS
Band66	10	132322	25	#0	QAM16	19.69	-1.66	18.03	30.00	PASS
Band66	10	132322	25	#Mid	QAM16	19.73	-1.66	18.07	30.00	PASS
Band66	10	132322	25	#Max	QAM16	19.75	-1.66	18.09	30.00	PASS
Band66	10	132322	50	#0	QAM16	19.75	-1.66	18.09	30.00	PASS
Band66	10	132622	1	#0	QPSK	21.77	-1.66	20.11	30.00	PASS
Band66	10	132622	1	#Mid	QPSK	21.93	-1.66	20.27	30.00	PASS
Band66	10	132622	1	#Max	QPSK	21.87	-1.66	20.21	30.00	PASS
Band66	10	132622	25	#0	QPSK	20.81	-1.66	19.15	30.00	PASS
Band66	10	132622	25	#Mid	QPSK	20.82	-1.66	19.16	30.00	PASS
Band66	10	132622	25	#Max	QPSK	20.80	-1.66	19.14	30.00	PASS
Band66	10	132622	50	#0	QPSK	20.81	-1.66	19.15	30.00	PASS
Band66	10	132622	1	#0	QAM16	20.60	-1.66	18.94	30.00	PASS
Band66	10	132622	1	#Mid	QAM16	20.74	-1.66	19.08	30.00	PASS
Band66	10	132622	1	#Max	QAM16	20.66	-1.66	19	30.00	PASS
Band66	10	132622	25	#0	QAM16	19.84	-1.66	18.18	30.00	PASS
Band66	10	132622	25	#Mid	QAM16	19.80	-1.66	18.14	30.00	PASS
Band66	10	132622	25	#Max	QAM16	19.78	-1.66	18.12	30.00	PASS
Band66	10	132622	50	#0	QAM16	19.81	-1.66	18.15	30.00	PASS
Band66	15	132047	1	#0	QPSK	21.42	-1.66	19.76	30.00	PASS
Band66	15	132047	1	#Mid	QPSK	21.74	-1.66	20.08	30.00	PASS

Band66	15	132047	1	#Max	QPSK	21.53	-1.66	19.87	30.00	PASS
Band66	15	132047	36	#0	QPSK	20.66	-1.66	19	30.00	PASS
Band66	15	132047	36	#Mid	QPSK	20.68	-1.66	19.02	30.00	PASS
Band66	15	132047	36	#Max	QPSK	20.79	-1.66	19.13	30.00	PASS
Band66	15	132047	75	#0	QPSK	20.75	-1.66	19.09	30.00	PASS
Band66	15	132047	1	#0	QAM16	20.82	-1.66	19.16	30.00	PASS
Band66	15	132047	1	#Mid	QAM16	21.15	-1.66	19.49	30.00	PASS
Band66	15	132047	1	#Max	QAM16	20.87	-1.66	19.21	30.00	PASS
Band66	15	132047	36	#0	QAM16	19.60	-1.66	17.94	30.00	PASS
Band66	15	132047	36	#Mid	QAM16	19.70	-1.66	18.04	30.00	PASS
Band66	15	132047	36	#Max	QAM16	19.72	-1.66	18.06	30.00	PASS
Band66	15	132047	75	#0	QAM16	19.68	-1.66	18.02	30.00	PASS
Band66	15	132322	1	#0	QPSK	21.59	-1.66	19.93	30.00	PASS
Band66	15	132322	1	#Mid	QPSK	21.88	-1.66	20.22	30.00	PASS
Band66	15	132322	1	#Max	QPSK	21.62	-1.66	19.96	30.00	PASS
Band66	15	132322	36	#0	QPSK	20.77	-1.66	19.11	30.00	PASS
Band66	15	132322	36	#Mid	QPSK	20.81	-1.66	19.15	30.00	PASS
Band66	15	132322	36	#Max	QPSK	20.80	-1.66	19.14	30.00	PASS
Band66	15	132322	75	#0	QPSK	20.77	-1.66	19.11	30.00	PASS
Band66	15	132322	1	#0	QAM16	20.73	-1.66	19.07	30.00	PASS
Band66	15	132322	1	#Mid	QAM16	21.09	-1.66	19.43	30.00	PASS
Band66	15	132322	1	#Max	QAM16	20.78	-1.66	19.12	30.00	PASS
Band66	15	132322	36	#0	QAM16	19.79	-1.66	18.13	30.00	PASS
Band66	15	132322	36	#Mid	QAM16	19.82	-1.66	18.16	30.00	PASS
Band66	15	132322	36	#Max	QAM16	19.79	-1.66	18.13	30.00	PASS
Band66	15	132322	75	#0	QAM16	19.74	-1.66	18.08	30.00	PASS
Band66	15	132597	1	#0	QPSK	21.79	-1.66	20.13	30.00	PASS
Band66	15	132597	1	#Mid	QPSK	21.92	-1.66	20.26	30.00	PASS
Band66	15	132597	1	#Max	QPSK	21.77	-1.66	20.11	30.00	PASS
Band66	15	132597	36	#0	QPSK	20.89	-1.66	19.23	30.00	PASS
Band66	15	132597	36	#Mid	QPSK	20.84	-1.66	19.18	30.00	PASS
Band66	15	132597	36	#Max	QPSK	20.84	-1.66	19.18	30.00	PASS
Band66	15	132597	75	#0	QPSK	20.83	-1.66	19.17	30.00	PASS
Band66	15	132597	1	#0	QAM16	20.78	-1.66	19.12	30.00	PASS
Band66	15	132597	1	#Mid	QAM16	21.04	-1.66	19.38	30.00	PASS
Band66	15	132597	1	#Max	QAM16	20.80	-1.66	19.14	30.00	PASS
Band66	15	132597	36	#0	QAM16	19.80	-1.66	18.14	30.00	PASS
Band66	15	132597	36	#Mid	QAM16	19.77	-1.66	18.11	30.00	PASS
Band66	15	132597	36	#Max	QAM16	19.72	-1.66	18.06	30.00	PASS
Band66	15	132597	75	#0	QAM16	19.80	-1.66	18.14	30.00	PASS
Band66	20	132072	1	#0	QPSK	21.32	-1.66	19.66	30.00	PASS
Band66	20	132072	1	#Mid	QPSK	21.78	-1.66	20.12	30.00	PASS
Band66	20	132072	1	#Max	QPSK	21.37	-1.66	19.71	30.00	PASS
Band66	20	132072	50	#0	QPSK	20.58	-1.66	18.92	30.00	PASS

Band66	20	132072	50	#Mid	QPSK	20.62	-1.66	18.96	30.00	PASS
Band66	20	132072	50	#Max	QPSK	20.71	-1.66	19.05	30.00	PASS
Band66	20	132072	100	#0	QPSK	20.61	-1.66	18.95	30.00	PASS
Band66	20	132072	1	#0	QAM16	20.57	-1.66	18.91	30.00	PASS
Band66	20	132072	1	#Mid	QAM16	20.99	-1.66	19.33	30.00	PASS
Band66	20	132072	1	#Max	QAM16	20.58	-1.66	18.92	30.00	PASS
Band66	20	132072	50	#0	QAM16	19.65	-1.66	17.99	30.00	PASS
Band66	20	132072	50	#Mid	QAM16	19.69	-1.66	18.03	30.00	PASS
Band66	20	132072	50	#Max	QAM16	19.71	-1.66	18.05	30.00	PASS
Band66	20	132072	100	#0	QAM16	19.62	-1.66	17.96	30.00	PASS
Band66	20	132322	1	#0	QPSK	21.55	-1.66	19.89	30.00	PASS
Band66	20	132322	1	#Mid	QPSK	21.90	-1.66	20.24	30.00	PASS
Band66	20	132322	1	#Max	QPSK	21.58	-1.66	19.92	30.00	PASS
Band66	20	132322	50	#0	QPSK	20.62	-1.66	18.96	30.00	PASS
Band66	20	132322	50	#Mid	QPSK	20.74	-1.66	19.08	30.00	PASS
Band66	20	132322	50	#Max	QPSK	20.68	-1.66	19.02	30.00	PASS
Band66	20	132322	100	#0	QPSK	20.62	-1.66	18.96	30.00	PASS
Band66	20	132322	1	#0	QAM16	20.65	-1.66	18.99	30.00	PASS
Band66	20	132322	1	#Mid	QAM16	21.02	-1.66	19.36	30.00	PASS
Band66	20	132322	1	#Max	QAM16	20.74	-1.66	19.08	30.00	PASS
Band66	20	132322	50	#0	QAM16	19.66	-1.66	18	30.00	PASS
Band66	20	132322	50	#Mid	QAM16	19.74	-1.66	18.08	30.00	PASS
Band66	20	132322	50	#Max	QAM16	19.71	-1.66	18.05	30.00	PASS
Band66	20	132322	100	#0	QAM16	19.67	-1.66	18.01	30.00	PASS
Band66	20	132572	1	#0	QPSK	21.54	-1.66	19.88	30.00	PASS
Band66	20	132572	1	#Mid	QPSK	21.83	-1.66	20.17	30.00	PASS
Band66	20	132572	1	#Max	QPSK	21.55	-1.66	19.89	30.00	PASS
Band66	20	132572	50	#0	QPSK	20.73	-1.66	19.07	30.00	PASS
Band66	20	132572	50	#Mid	QPSK	20.74	-1.66	19.08	30.00	PASS
Band66	20	132572	50	#Max	QPSK	20.67	-1.66	19.01	30.00	PASS
Band66	20	132572	100	#0	QPSK	20.64	-1.66	18.98	30.00	PASS
Band66	20	132572	1	#0	QAM16	20.77	-1.66	19.11	30.00	PASS
Band66	20	132572	1	#Mid	QAM16	21.07	-1.66	19.41	30.00	PASS
Band66	20	132572	1	#Max	QAM16	20.79	-1.66	19.13	30.00	PASS
Band66	20	132572	50	#0	QAM16	19.76	-1.66	18.1	30.00	PASS
Band66	20	132572	50	#Mid	QAM16	19.80	-1.66	18.14	30.00	PASS
Band66	20	132572	50	#Max	QAM16	19.74	-1.66	18.08	30.00	PASS
Band66	20	132572	100	#0	QAM16	19.70	-1.66	18.04	30.00	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band66	20	132072	100	#0	QPSK	-6.49	-0.00377	-2.5	2.5	PASS
Band66	20	132072	100	#0	QAM16	-3.64	-0.00212	-2.5	2.5	PASS
Band66	20	132322	100	#0	QPSK	-10.65	-0.00610	-2.5	2.5	PASS
Band66	20	132322	100	#0	QAM16	-1.20	-0.00069	-2.5	2.5	PASS
Band66	20	132572	100	#0	QPSK	-4.23	-0.00239	-2.5	2.5	PASS
Band66	20	132572	100	#0	QAM16	-6.46	-0.00365	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band66	1.4	132322	1	#0	QPSK	4.05	13	PASS
Band66	1.4	132322	1	#0	QAM16	4.96	13	PASS
Band66	3	132322	1	#0	QPSK	3.91	13	PASS
Band66	3	132322	1	#0	QAM16	4.86	13	PASS
Band66	5	132322	1	#0	QPSK	4.10	13	PASS
Band66	5	132322	1	#0	QAM16	4.77	13	PASS
Band66	10	132322	1	#0	QPSK	3.89	13	PASS
Band66	10	132322	1	#0	QAM16	4.81	13	PASS
Band66	15	132322	1	#0	QPSK	3.80	13	PASS
Band66	15	132322	1	#0	QAM16	4.66	13	PASS
Band66	20	132322	1	#0	QPSK	3.86	13	PASS
Band66	20	132322	1	#0	QAM16	4.49	13	PASS



Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=1 Position=#0







Band66 QAM16 BW=10MHz Channel=132322 RB Size=1 Position=#0


**Band66 QAM16 BW=15MHz Channel=132322 RB Size=1 Position=#0****Band66 QAM16 BW=20MHz Channel=132322 RB Size=1 Position=#0**

**Band66 QAM16 BW=3MHz Channel=132322 RB Size=1 Position=#0****Band66 QAM16 BW=5MHz Channel=132322 RB Size=1 Position=#0**

**Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0****Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0**

**Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0****Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0**


**Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0****Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0**




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band66	1.4	131979	6	#0	QPSK	1.086	1.268	PASS
Band66	1.4	131979	6	#0	QAM16	1.097	1.310	PASS
Band66	1.4	132322	6	#0	QPSK	1.090	1.270	PASS
Band66	1.4	132322	6	#0	QAM16	1.089	1.289	PASS
Band66	1.4	132665	6	#0	QPSK	1.100	1.258	PASS
Band66	1.4	132665	6	#0	QAM16	1.095	1.292	PASS
Band66	3	131987	15	#0	QPSK	2.693	2.906	PASS
Band66	3	131987	15	#0	QAM16	2.687	2.909	PASS
Band66	3	132322	15	#0	QPSK	2.686	2.901	PASS
Band66	3	132322	15	#0	QAM16	2.687	2.929	PASS
Band66	3	132657	15	#0	QPSK	2.677	2.917	PASS
Band66	3	132657	15	#0	QAM16	2.692	2.927	PASS
Band66	5	131997	25	#0	QPSK	4.514	5.104	PASS
Band66	5	131997	25	#0	QAM16	4.539	5.127	PASS
Band66	5	132322	25	#0	QPSK	4.521	5.115	PASS
Band66	5	132322	25	#0	QAM16	4.517	5.104	PASS
Band66	5	132647	25	#0	QPSK	4.529	5.072	PASS
Band66	5	132647	25	#0	QAM16	4.508	5.177	PASS
Band66	10	132022	50	#0	QPSK	8.999	9.917	PASS
Band66	10	132022	50	#0	QAM16	9.010	9.832	PASS
Band66	10	132322	50	#0	QPSK	9.015	9.836	PASS
Band66	10	132322	50	#0	QAM16	8.987	9.797	PASS
Band66	10	132622	50	#0	QPSK	9.021	10.006	PASS
Band66	10	132622	50	#0	QAM16	8.989	10.133	PASS
Band66	15	132047	75	#0	QPSK	13.507	14.795	PASS
Band66	15	132047	75	#0	QAM16	13.519	15.042	PASS
Band66	15	132322	75	#0	QPSK	13.457	14.897	PASS
Band66	15	132322	75	#0	QAM16	13.445	14.629	PASS
Band66	15	132597	75	#0	QPSK	13.510	15.027	PASS
Band66	15	132597	75	#0	QAM16	13.448	14.826	PASS
Band66	20	132072	100	#0	QPSK	18.015	19.544	PASS
Band66	20	132072	100	#0	QAM16	18.007	19.527	PASS
Band66	20	132322	100	#0	QPSK	17.924	19.395	PASS
Band66	20	132322	100	#0	QAM16	17.942	19.480	PASS
Band66	20	132572	100	#0	QPSK	17.946	19.739	PASS
Band66	20	132572	100	#0	QAM16	17.947	19.455	PASS


Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QAM16 BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0





Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0






Band66 QAM16 BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0

**Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0****Band66 QAM16 BW=20MHz Channel=132322 RB Size=100 Position=#0**


**Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0****Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0**




Band66 QAM16 BW=3MHz Channel=132322 RB Size=15 Position=#0





Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132322 RB Size=25 Position=#0


**Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0****Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0**




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0





Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0







Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0


**Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0****Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0**

**Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0****Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0**

**Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0****Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0**




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	1710.00	-32.67	-13	PASS
Band66	1.4	131979	6	#0	QAM16	1709.99	-33.99	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1780.00	-32.69	-13	PASS
Band66	1.4	132665	6	#0	QAM16	1780.00	-33.94	-13	PASS
Band66	3	131987	15	#0	QPSK	1710.00	-33.75	-13	PASS
Band66	3	131987	15	#0	QAM16	1710.00	-34.51	-13	PASS
Band66	3	132657	15	#0	QPSK	1780.00	-34.90	-13	PASS
Band66	3	132657	15	#0	QAM16	1780.00	-36.61	-13	PASS
Band66	5	131997	25	#0	QPSK	1710.00	-26.31	-13	PASS
Band66	5	131997	25	#0	QAM16	1710.00	-28.64	-13	PASS
Band66	5	132647	25	#0	QPSK	1780.03	-27.35	-13	PASS
Band66	5	132647	25	#0	QAM16	1780.04	-28.12	-13	PASS
Band66	10	132022	50	#0	QPSK	1709.92	-31.90	-13	PASS
Band66	10	132022	50	#0	QAM16	1710.00	-33.26	-13	PASS
Band66	10	132622	50	#0	QPSK	1780.00	-31.49	-13	PASS
Band66	10	132622	50	#0	QAM16	1780.00	-32.23	-13	PASS
Band66	15	132047	75	#0	QPSK	1709.82	-31.09	-13	PASS
Band66	15	132047	75	#0	QAM16	1709.97	-33.27	-13	PASS
Band66	15	132597	75	#0	QPSK	1780.03	-31.18	-13	PASS
Band66	15	132597	75	#0	QAM16	1780.03	-33.76	-13	PASS
Band66	20	132072	100	#0	QPSK	1709.84	-33.71	-13	PASS
Band66	20	132072	100	#0	QAM16	1710.00	-35.47	-13	PASS
Band66	20	132572	100	#0	QPSK	1780.00	-35.80	-13	PASS
Band66	20	132572	100	#0	QAM16	1780.12	-35.86	-13	PASS


Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0


**Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0****Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0**




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0



Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




6 Out-of-band emissions

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	3830.95	-39.67	-13	PASS
Band66	1.4	131979	6	#0	QAM16	3826.00	-39.39	-13	PASS
Band66	1.4	132665	6	#0	QPSK	3765.48	-39.69	-13	PASS
Band66	1.4	132665	6	#0	QAM16	3732.85	-39.76	-13	PASS
Band66	3	131987	15	#0	QPSK	3801.70	-39.44	-13	PASS
Band66	3	131987	15	#0	QAM16	3825.33	-39.58	-13	PASS
Band66	3	132657	15	#0	QPSK	5029.75	-39.90	-13	PASS
Band66	3	132657	15	#0	QAM16	3814.75	-39.34	-13	PASS
Band66	5	131997	25	#0	QPSK	6368.50	-39.79	-13	PASS
Band66	5	131997	25	#0	QAM16	3713.95	-39.28	-13	PASS
Band66	5	132647	25	#0	QPSK	3912.40	-40.03	-13	PASS
Band66	5	132647	25	#0	QAM16	3771.33	-39.55	-13	PASS
Band66	10	132022	50	#0	QPSK	3693.70	-39.19	-13	PASS
Band66	10	132022	50	#0	QAM16	3749.28	-39.83	-13	PASS
Band66	10	132622	50	#0	QPSK	3872.35	-38.86	-13	PASS
Band66	10	132622	50	#0	QAM16	3767.05	-39.78	-13	PASS
Band66	15	132047	75	#0	QPSK	3728.35	-38.64	-13	PASS
Band66	15	132047	75	#0	QAM16	3892.60	-39.67	-13	PASS
Band66	15	132597	75	#0	QPSK	3869.88	-40.03	-13	PASS
Band66	15	132597	75	#0	QAM16	4712.73	-39.65	-13	PASS
Band66	20	132072	100	#0	QPSK	3941.20	-39.30	-13	PASS
Band66	20	132072	100	#0	QAM16	3794.28	-38.73	-13	PASS
Band66	20	132572	100	#0	QPSK	3871.45	-39.77	-13	PASS
Band66	20	132572	100	#0	QAM16	3675.93	-39.47	-13	PASS



Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0


**Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0****Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0**




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0





Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0






Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0

**Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0****Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0**



**Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0****Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0**







Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0






Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0

**Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0****Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0**

**Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0****Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0**

**Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0****Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0**

**Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0****Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0**



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0

