

Spurious Emission at Antenna Terminals

6. LTE_Band17

6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	694	0.1	RMS	694	-64.85	-13	51.85	Pass	6641
694	726	0.1	RMS	704.32	20.13	60	39.87	Pass	401
726	1000	0.1	RMS	839	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1408	-44.59	-13	31.59	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001



6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.87	-13	59.87	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	694	0.1	RMS	693.7	-65.54	-13	52.54	Pass	6641
694	726	0.1	RMS	704.32	18.6	60	41.4	Pass	401
726	1000	0.1	RMS	957.4	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1408	-46.46	-13	33.46	Pass	2001
3000	10000	1	RMS	6799	-45.67	-13	32.67	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.2	-72.28	-13	59.28	Pass	2986
30	694	0.1	RMS	694	-65.15	-13	52.15	Pass	6641
694	726	0.1	RMS	707.84	20.32	60	39.68	Pass	401
726	1000	0.1	RMS	961.1	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1415	-45.98	-13	32.98	Pass	2001
3000	10000	1	RMS	6801	-45.68	-13	32.68	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	694	0.1	RMS	693.6	-66.04	-13	53.04	Pass	6641
694	726	0.1	RMS	707.84	19.03	60	40.97	Pass	401
726	1000	0.1	RMS	854.2	-65.2	-13	52.2	Pass	2741
1000	3000	1	RMS	1415	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	694	0.1	RMS	693.8	-64.79	-13	51.79	Pass	6641
694	726	0.1	RMS	711.36	19.95	60	40.05	Pass	401
726	1000	0.1	RMS	833.8	-65.29	-13	52.29	Pass	2741
1000	3000	1	RMS	2845	-51.34	-13	38.34	Pass	2001
3000	10000	1	RMS	6800	-45.69	-13	32.69	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	694	0.1	RMS	693.6	-65.81	-13	52.81	Pass	6641
694	726	0.1	RMS	711.36	19.88	60	40.12	Pass	401
726	1000	0.1	RMS	847.5	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	2845	-51.39	-13	38.39	Pass	2001
3000	10000	1	RMS	6801	-45.74	-13	32.74	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	59.2	Pass	2986
30	694	0.1	RMS	693.9	-64.19	-13	51.19	Pass	6641
694	726	0.1	RMS	704.56	20.14	60	39.86	Pass	401
726	1000	0.1	RMS	981.4	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1409	-44.94	-13	31.94	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	694	0.1	RMS	693.9	-64.74	-13	51.74	Pass	6641
694	726	0.1	RMS	704.56	18.64	60	41.36	Pass	401
726	1000	0.1	RMS	930.2	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1409	-46.8	-13	33.8	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.22	-72.31	-13	59.31	Pass	2986
30	694	0.1	RMS	694	-65.16	-13	52.16	Pass	6641
694	726	0.1	RMS	705.6	20.37	60	39.63	Pass	401
726	1000	0.1	RMS	898.4	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1411	-44.85	-13	31.85	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.74	-13	60.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	694	0.1	RMS	694	-64.7	-13	51.7	Pass	6641
694	726	0.1	RMS	705.6	20.36	60	39.64	Pass	401
726	1000	0.1	RMS	969.7	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1411	-44.59	-13	31.59	Pass	2001
3000	10000	1	RMS	6799	-45.7	-13	32.7	Pass	7001




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.17	-72.53	-13	59.53	Pass	2986
30	694	0.1	RMS	694	-65.51	-13	52.51	Pass	6641
694	726	0.1	RMS	706.56	20.14	60	39.86	Pass	401
726	1000	0.1	RMS	866.6	-65.23	-13	52.23	Pass	2741
1000	3000	1	RMS	1413	-45.6	-13	32.6	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001



6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.19	-72.68	-13	59.68	Pass	2986
30	694	0.1	RMS	693.9	-65.44	-13	52.44	Pass	6641
694	726	0.1	RMS	706.56	19.14	60	40.86	Pass	401
726	1000	0.1	RMS	826.4	-65.29	-13	52.29	Pass	2741
1000	3000	1	RMS	1413	-46.57	-13	33.57	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001



7. LTE_Band26(part22)


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	814	0.1	RMS	813.5	-64.74	-13	51.74	Pass	7841
814	860	0.1	RMS	824.2	19.12	60	40.88	Pass	461
860	1000	0.1	RMS	896.7	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1648	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	813.5	-64.33	-13	51.33	Pass	7841
814	860	0.1	RMS	824.3	18.72	60	41.28	Pass	461
860	1000	0.1	RMS	996.6	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1648	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	6802	-45.66	-13	32.66	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	814	0.1	RMS	811.2	-65.37	-13	52.37	Pass	7841
814	860	0.1	RMS	836	19.2	60	40.8	Pass	461
860	1000	0.1	RMS	939.5	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1672	-48.92	-13	35.92	Pass	2001
3000	10000	1	RMS	6797	-45.69	-13	32.69	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	809.5	-65	-13	52	Pass	7841
814	860	0.1	RMS	836.1	18.58	60	41.42	Pass	461
860	1000	0.1	RMS	890.3	-65.5	-13	52.5	Pass	1401
1000	3000	1	RMS	1672	-49.4	-13	36.4	Pass	2001
3000	10000	1	RMS	6799	-45.72	-13	32.72	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	814	0.1	RMS	811.6	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	847.8	19.15	60	40.85	Pass	461
860	1000	0.1	RMS	991.3	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1695	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	6800	-45.69	-13	32.69	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	811.9	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	847.9	18.25	60	41.75	Pass	461
860	1000	0.1	RMS	916.4	-65.54	-13	52.54	Pass	1401
1000	3000	1	RMS	1695	-49.48	-13	36.48	Pass	2001
3000	10000	1	RMS	6798	-45.68	-13	32.68	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	813.5	-62.78	-13	49.78	Pass	7841
814	860	0.1	RMS	824.2	19.43	60	40.57	Pass	461
860	1000	0.1	RMS	973.2	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1648	-48.55	-13	35.55	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.18	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	813.9	-60.91	-13	47.91	Pass	7841
814	860	0.1	RMS	824.2	18.68	60	41.32	Pass	461
860	1000	0.1	RMS	976.1	-65.52	-13	52.52	Pass	1401
1000	3000	1	RMS	1648	-49.05	-13	36.05	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	813.7	-64.52	-13	51.52	Pass	7841
814	860	0.1	RMS	835.2	19.47	60	40.53	Pass	461
860	1000	0.1	RMS	978.1	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1670	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	814	0.1	RMS	811.9	-64.68	-13	51.68	Pass	7841
814	860	0.1	RMS	835.2	18.85	60	41.15	Pass	461
860	1000	0.1	RMS	862	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1670	-47.68	-13	34.68	Pass	2001
3000	10000	1	RMS	6800	-45.7	-13	32.7	Pass	7001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.18	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	813.8	-65.18	-13	52.18	Pass	7841
814	860	0.1	RMS	846.2	19.37	60	40.63	Pass	461
860	1000	0.1	RMS	868.8	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1692	-48.41	-13	35.41	Pass	2001
3000	10000	1	RMS	6799	-45.68	-13	32.68	Pass	7001




7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	813.7	-65.31	-13	52.31	Pass	7841
814	860	0.1	RMS	846.2	18.5	60	41.5	Pass	461
860	1000	0.1	RMS	984.9	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1692	-49.25	-13	36.25	Pass	2001
3000	10000	1	RMS	6800	-45.69	-13	32.69	Pass	7001




7.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	814	0.1	RMS	809.7	-60.61	-13	47.61	Pass	7841
814	860	0.1	RMS	824.3	19.35	60	40.65	Pass	461
860	1000	0.1	RMS	869.7	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1648	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




7.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	811.6	-56.16	-13	43.16	Pass	7841
814	860	0.1	RMS	824.3	18.21	60	41.79	Pass	461
860	1000	0.1	RMS	869.5	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1648	-49.91	-13	36.91	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




7.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	811.6	-64.48	-13	51.48	Pass	7841
814	860	0.1	RMS	834.3	19.38	60	40.62	Pass	461
860	1000	0.1	RMS	992.3	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1668	-48.36	-13	35.36	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




7.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	812	-64.67	-13	51.67	Pass	7841
814	860	0.1	RMS	834.3	18.74	60	41.26	Pass	461
860	1000	0.1	RMS	882.5	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1668	-49.05	-13	36.05	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




7.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.17	-72.53	-13	59.53	Pass	2986
30	814	0.1	RMS	813.6	-64.27	-13	51.27	Pass	7841
814	860	0.1	RMS	844.3	19.52	60	40.48	Pass	461
860	1000	0.1	RMS	952.9	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1688	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001




7.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	813.6	-64.32	-13	51.32	Pass	7841
814	860	0.1	RMS	844.3	18.96	60	41.04	Pass	461
860	1000	0.1	RMS	866.2	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1688	-48.94	-13	35.94	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




7.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	807	-62.58	-13	49.58	Pass	7841
814	860	0.1	RMS	824.6	19.75	60	40.25	Pass	461
860	1000	0.1	RMS	869.7	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1649	-49.17	-13	36.17	Pass	2001
3000	10000	1	RMS	6803	-45.71	-13	32.71	Pass	7001




7.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	806.9	-61.2	-13	48.2	Pass	7841
814	860	0.1	RMS	824.6	19.25	60	40.75	Pass	461
860	1000	0.1	RMS	863.6	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1649	-49.51	-13	36.51	Pass	2001
3000	10000	1	RMS	6798	-45.67	-13	32.67	Pass	7001




7.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	814	-63.94	-13	50.94	Pass	7841
814	860	0.1	RMS	832.1	20.02	60	39.98	Pass	461
860	1000	0.1	RMS	878.3	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1664	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	6799	-45.71	-13	32.71	Pass	7001




7.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	814	0.1	RMS	814	-63.77	-13	50.77	Pass	7841
814	860	0.1	RMS	832.1	19.4	60	40.6	Pass	461
860	1000	0.1	RMS	877.8	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1664	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	6803	-45.67	-13	32.67	Pass	7001




7.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	814	0.1	RMS	811.4	-64.87	-13	51.87	Pass	7841
814	860	0.1	RMS	839.6	19.87	60	40.13	Pass	461
860	1000	0.1	RMS	965	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1679	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




7.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	813.5	-65.12	-13	52.12	Pass	7841
814	860	0.1	RMS	839.6	19.32	60	40.68	Pass	461
860	1000	0.1	RMS	977.9	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1679	-49.26	-13	36.26	Pass	2001
3000	10000	1	RMS	6798	-45.74	-13	32.74	Pass	7001




7.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.17	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	811.5	-48.75	-13	35.75	Pass	7841
814	860	0.1	RMS	824.8	19.5	60	40.5	Pass	461
860	1000	0.1	RMS	967.3	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1649	-48.53	-13	35.53	Pass	2001
3000	10000	1	RMS	6798	-45.69	-13	32.69	Pass	7001




7.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.19	-72.68	-13	59.68	Pass	2986
30	814	0.1	RMS	811.5	-46.57	-13	33.57	Pass	7841
814	860	0.1	RMS	824.8	18.91	60	41.09	Pass	461
860	1000	0.1	RMS	985.8	-65.5	-13	52.5	Pass	1401
1000	3000	1	RMS	1649	-49.07	-13	36.07	Pass	2001
3000	10000	1	RMS	6801	-45.69	-13	32.69	Pass	7001




7.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	814	0.1	RMS	811	-62.95	-13	49.95	Pass	7841
814	860	0.1	RMS	829.8	19.46	60	40.54	Pass	461
860	1000	0.1	RMS	881.1	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1659	-48.48	-13	35.48	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




7.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	814	0.1	RMS	811	-62.86	-13	49.86	Pass	7841
814	860	0.1	RMS	829.8	19.5	60	40.5	Pass	461
860	1000	0.1	RMS	957.1	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1659	-49.04	-13	36.04	Pass	2001
3000	10000	1	RMS	6799	-45.65	-13	32.65	Pass	7001




7.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-70.49	-13	57.49	Pass	2986
30	814	0.1	RMS	808.3	-57.31	-13	44.31	Pass	7841
814	860	0.1	RMS	834.8	19.12	60	40.88	Pass	461
860	1000	0.1	RMS	966.6	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1669	-48.49	-13	35.49	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001



7.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	59.77	Pass	2986
30	814	0.1	RMS	808.2	-53.14	-13	40.14	Pass	7841
814	860	0.1	RMS	834.8	18.64	60	41.36	Pass	461
860	1000	0.1	RMS	987.8	-65.5	-13	52.5	Pass	1401
1000	3000	1	RMS	1669	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	6804	-45.69	-13	32.69	Pass	7001



8. LTE_Band66


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.17	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	861.708	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	39.46	Pass	701
1700	1790	1	RMS	1710.125	22.48	60	37.52	Pass	401
1790	3000	1	RMS	2978	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	3421	-21.85	-13	8.85	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	987.792	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-52.42	-13	39.42	Pass	701
1700	1790	1	RMS	1710.125	22.3	60	37.7	Pass	401
1790	3000	1	RMS	2981	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	3421	-21.85	-13	8.85	Pass	9002
12000	20000	1	RMS	13606	-39.87	-13	26.87	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	849.901	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1698	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1744.55	22.54	60	37.46	Pass	401
1790	3000	1	RMS	2986	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	3489	-19.68	-13	6.68	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	853.403	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1680	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1744.55	22.03	60	37.97	Pass	401
1790	3000	1	RMS	2980	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	3489	-20.55	-13	7.55	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	837.4	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1680	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1778.75	22.53	60	37.47	Pass	401
1790	3000	1	RMS	2991	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	3558	-17.66	-13	4.66	Pass*	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	947.966	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1682	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1778.75	21.41	60	38.59	Pass	401
1790	3000	1	RMS	2987	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	3558	-18.6	-13	5.6	Pass*	9002
12000	20000	1	RMS	13605	-39.87	-13	26.87	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	837.1	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1700	-51.5	-13	38.5	Pass	701
1700	1790	1	RMS	1710.125	22.43	60	37.57	Pass	401
1790	3000	1	RMS	2991	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	3420	-21.84	-13	8.84	Pass	9002
12000	20000	1	RMS	13601	-39.84	-13	26.84	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	980.887	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-51.91	-13	38.91	Pass	701
1700	1790	1	RMS	1710.125	21.41	60	38.59	Pass	401
1790	3000	1	RMS	2987	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	3420	-22.88	-13	9.88	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	848.9	-65.51	-13	52.51	Pass	9701
1000	1700	1	RMS	1681	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1743.65	22.53	60	37.47	Pass	401
1790	3000	1	RMS	2993	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	3487	-21.8	-13	8.8	Pass	9002
12000	20000	1	RMS	13599	-39.83	-13	26.83	Pass	8001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.3	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	996.298	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1681	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1743.65	22.18	60	37.82	Pass	401
1790	3000	1	RMS	3000	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	3487	-22.16	-13	9.16	Pass	9002
12000	20000	1	RMS	13601	-39.85	-13	26.85	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	846	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1678	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1777.175	22.61	60	37.39	Pass	401
1790	3000	1	RMS	2985	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	3554	-18.72	-13	5.72	Pass*	9002
12000	20000	1	RMS	13599	-39.82	-13	26.82	Pass	8001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	995.597	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1683	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1777.175	21.04	60	38.96	Pass	401
1790	3000	1	RMS	2992	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	3555	-19.95	-13	6.95	Pass	9002
12000	20000	1	RMS	13605	-39.82	-13	26.82	Pass	8001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	931.355	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1700	-51.7	-13	38.7	Pass	701
1700	1790	1	RMS	1710.125	22.25	60	37.75	Pass	401
1790	3000	1	RMS	2981	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	3421	-20.84	-13	7.84	Pass	9002
12000	20000	1	RMS	13605	-39.86	-13	26.86	Pass	8001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	846.8	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1700	-52.24	-13	39.24	Pass	701
1700	1790	1	RMS	1710.35	20.82	60	39.18	Pass	401
1790	3000	1	RMS	2996	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	3421	-22.47	-13	9.47	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	966.578	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1676	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1742.75	22.72	60	37.28	Pass	401
1790	3000	1	RMS	2998	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	3486	-20.58	-13	7.58	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	841.3	-65.51	-13	52.51	Pass	9701
1000	1700	1	RMS	1683	-54.13	-13	41.13	Pass	701
1700	1790	1	RMS	1742.75	21.63	60	38.37	Pass	401
1790	3000	1	RMS	3000	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	3486	-21.73	-13	8.73	Pass	9002
12000	20000	1	RMS	13605	-39.86	-13	26.86	Pass	8001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	928.353	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1675	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1775.15	22.49	60	37.51	Pass	401
1790	3000	1	RMS	2942	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	3551	-17.62	-13	4.62	Pass*	9002
12000	20000	1	RMS	13604	-39.85	-13	26.85	Pass	8001



8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	976.985	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1676	-54.13	-13	41.13	Pass	701
1700	1790	1	RMS	1775.15	21.38	60	38.62	Pass	401
1790	3000	1	RMS	2975	-51.51	-13	38.51	Pass	1211
3000	12000	1	RMS	3551	-18.77	-13	5.77	Pass*	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001



8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	921.348	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1693	-44.69	-13	31.69	Pass	701
1700	1790	1	RMS	1710.575	22.42	60	37.58	Pass	401
1790	3000	1	RMS	2980	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	3421	-20.16	-13	7.16	Pass	9002
12000	20000	1	RMS	13603	-39.87	-13	26.87	Pass	8001

