


Band Edge


5.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.25	5.2	30	24.8	Pass	401
716	716.1	0.03	RMS	716	-35.37	-13	22.37	Pass	401
716.1	725	0.1	RMS	716.1	-34.01	-13	21.01	Pass	401




5.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.14	-13	18.14	Pass	401
698.9	699	0.03	RMS	699	-29.66	-13	16.66	Pass	401
699	709	0.1	RMS	699.6	20.55	30	9.45	Pass	401




5.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-34.55	-13	21.55	Pass	401
698.9	699	0.03	RMS	699	-38.22	-13	25.22	Pass	401
699	709	0.1	RMS	699.925	2.89	30	27.11	Pass	401




5.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.15	-13	19.15	Pass	401
698.9	699	0.03	RMS	698.999	-30.99	-13	17.99	Pass	401
699	709	0.1	RMS	699.6	19.24	30	10.76	Pass	401




5.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.31	-13	22.31	Pass	401
698.9	699	0.03	RMS	698.992	-39.07	-13	26.07	Pass	401
699	709	0.1	RMS	700	1.58	30	28.42	Pass	401




5.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	20.57	30	9.43	Pass	401
716	716.1	0.03	RMS	716	-29.03	-13	16.03	Pass	401
716.1	725	0.1	RMS	716.1	-30.1	-13	17.1	Pass	401




5.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	713.575	3.39	30	26.61	Pass	401
716	716.1	0.03	RMS	716.001	-39.73	-13	26.73	Pass	401
716.1	725	0.1	RMS	716.1	-35.67	-13	22.67	Pass	401




5.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.94	30	10.06	Pass	401
716	716.1	0.03	RMS	716.001	-29.14	-13	16.14	Pass	401
716.1	725	0.1	RMS	716.1	-30.33	-13	17.33	Pass	401



5.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	713.575	2.34	30	27.66	Pass	401
716	716.1	0.03	RMS	716.001	-39.51	-13	26.51	Pass	401
716.1	725	0.1	RMS	716.1	-35.86	-13	22.86	Pass	401



6. LTE_Band17


6.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.95	-13	13.95	Pass	401
703.9	704	0.03	RMS	704	-23.21	-13	10.21	Pass	401
704	709	0.1	RMS	704.338	20.13	30	9.87	Pass	401




6.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.54	-13	18.54	Pass	401
703.9	704	0.03	RMS	704	-33.02	-13	20.02	Pass	401
704	709	0.1	RMS	708.4	7.62	30	22.38	Pass	401




6.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-29.4	-13	16.4	Pass	401
703.9	704	0.03	RMS	704	-24.41	-13	11.41	Pass	401
704	709	0.1	RMS	704.338	18.91	30	11.09	Pass	401




6.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.96	-13	18.96	Pass	401
703.9	704	0.03	RMS	703.999	-33.82	-13	20.82	Pass	401
704	709	0.1	RMS	707.325	4.89	30	25.11	Pass	401




6.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.64	30	9.36	Pass	401
716	716.1	0.03	RMS	716.001	-23.01	-13	10.01	Pass	401
716.1	725	0.1	RMS	716.1	-27.39	-13	14.39	Pass	401




6.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.9	5.91	30	24.09	Pass	401
716	716.1	0.03	RMS	716	-35.28	-13	22.28	Pass	401
716.1	725	0.1	RMS	716.1	-33.53	-13	20.53	Pass	401




6.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	19.28	30	10.72	Pass	401
716	716.1	0.03	RMS	716.001	-23.48	-13	10.48	Pass	401
716.1	725	0.1	RMS	716.1	-28.21	-13	15.21	Pass	401




6.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.113	5.19	30	24.81	Pass	401
716	716.1	0.03	RMS	716.001	-35.27	-13	22.27	Pass	401
716.1	725	0.1	RMS	716.1	-33.98	-13	20.98	Pass	401




6.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.52	-13	17.52	Pass	401
703.9	704	0.03	RMS	704	-29.44	-13	16.44	Pass	401
704	714	0.1	RMS	704.575	20.49	30	9.51	Pass	401




6.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-35.15	-13	22.15	Pass	401
703.9	704	0.03	RMS	704	-39.03	-13	26.03	Pass	401
704	714	0.1	RMS	712.9	3.24	30	26.76	Pass	401




6.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.82	-13	18.82	Pass	401
703.9	704	0.03	RMS	704	-30.66	-13	17.66	Pass	401
704	714	0.1	RMS	704.575	19.26	30	10.74	Pass	401




6.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-35.84	-13	22.84	Pass	401
703.9	704	0.03	RMS	703.975	-39.8	-13	26.8	Pass	401
704	714	0.1	RMS	713.1	2.13	30	27.87	Pass	401




6.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.51	30	9.49	Pass	401
716	716.1	0.03	RMS	716	-29.06	-13	16.06	Pass	401
716.1	725	0.1	RMS	716.1	-30.32	-13	17.32	Pass	401




6.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	713.575	3.37	30	26.63	Pass	401
716	716.1	0.03	RMS	716.003	-39.69	-13	26.69	Pass	401
716.1	725	0.1	RMS	716.1	-35.53	-13	22.53	Pass	401




6.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.39	30	10.61	Pass	401
716	716.1	0.03	RMS	716	-30.15	-13	17.15	Pass	401
716.1	725	0.1	RMS	716.1	-31.51	-13	18.51	Pass	401



6.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	713	2.41	30	27.59	Pass	401
716	716.1	0.03	RMS	716.002	-39.48	-13	26.48	Pass	401
716.1	725	0.1	RMS	716.1	-35.79	-13	22.79	Pass	401



7. LTE_Band26(part22)


7.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-46.64	-13	33.64	Pass	401
823	824	0.02	RMS	824	-24.82	-13	11.82	Pass	401
824	826	0.1	RMS	824.25	20.14	30	9.86	Pass	401




7.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.3	-13	21.3	Pass	401
823	824	0.02	RMS	823.99	-34.4	-13	21.4	Pass	401
824	826	0.1	RMS	824.285	11.42	30	18.58	Pass	401




7.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.2	-13	32.2	Pass	401
823	824	0.02	RMS	824	-25.95	-13	12.95	Pass	401
824	826	0.1	RMS	824.255	19.61	30	10.39	Pass	401




7.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.24	-13	22.24	Pass	401
823	824	0.02	RMS	823.965	-33.99	-13	20.99	Pass	401
824	826	0.1	RMS	824.72	10.9	30	19.1	Pass	401




7.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	20.24	30	9.76	Pass	401
849	850	0.02	RMS	849.003	-25.53	-13	12.53	Pass	401
850	860	0.1	RMS	850	-48.24	-13	35.24	Pass	401




7.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.9	11.74	30	18.26	Pass	401
849	850	0.02	RMS	849	-37.45	-13	24.45	Pass	401
850	860	0.1	RMS	850	-39.17	-13	26.17	Pass	401




7.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	20.35	30	9.65	Pass	401
849	850	0.02	RMS	849	-24.33	-13	11.33	Pass	401
850	860	0.1	RMS	850.6	-46.81	-13	33.81	Pass	401




7.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.16	11.09	30	18.91	Pass	401
849	850	0.02	RMS	849.06	-36.14	-13	23.14	Pass	401
850	860	0.1	RMS	850	-39.7	-13	26.7	Pass	401




7.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	819.22	-47.77	-13	34.77	Pass	401
823	824	0.03	RMS	824	-15.77	-13	2.77	Pass*	401
824	827	0.1	RMS	824.24	20.11	30	9.89	Pass	401




7.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.54	-35.35	-13	22.35	Pass	401
823	824	0.03	RMS	824	-25.2	-13	12.2	Pass	401
824	827	0.1	RMS	824.27	7.81	30	22.19	Pass	401




7.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	819.24	-47.15	-13	34.15	Pass	401
823	824	0.03	RMS	824	-16.33	-13	3.33	Pass*	401
824	827	0.1	RMS	824.233	19.37	30	10.63	Pass	401




7.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.8	-13	20.8	Pass	401
823	824	0.03	RMS	824	-25.84	-13	12.84	Pass	401
824	827	0.1	RMS	824.36	7.18	30	22.82	Pass	401




7.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.745	20.24	30	9.76	Pass	401
849	850	0.03	RMS	849	-15.77	-13	2.77	Pass*	401
850	860	0.1	RMS	851.35	-48.03	-13	35.03	Pass	401




7.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.073	7.92	30	22.08	Pass	401
849	850	0.03	RMS	849	-27.74	-13	14.74	Pass	401
850	860	0.1	RMS	850.25	-40.4	-13	27.4	Pass	401




7.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	19.98	30	10.02	Pass	401
849	850	0.03	RMS	849	-15.81	-13	2.81	Pass*	401
850	860	0.1	RMS	850.05	-47.11	-13	34.11	Pass	401




7.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.45	6.73	30	23.27	Pass	401
849	850	0.03	RMS	849	-27.78	-13	14.78	Pass	401
850	860	0.1	RMS	850	-38.95	-13	25.95	Pass	401




7.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.72	-48.74	-13	35.74	Pass	401
823	824	0.051	RMS	824	-20.14	-13	7.14	Pass	401
824	829	0.1	RMS	824.338	19.94	30	10.06	Pass	401




7.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-36.43	-13	23.43	Pass	401
823	824	0.051	RMS	824	-31.08	-13	18.08	Pass	401
824	829	0.1	RMS	825.663	5.62	30	24.38	Pass	401




7.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.68	-51.1	-13	38.1	Pass	401
823	824	0.051	RMS	824	-21.46	-13	8.46	Pass	401
824	829	0.1	RMS	824.35	18.77	30	11.23	Pass	401




7.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-35.11	-13	22.11	Pass	401
823	824	0.051	RMS	824	-31.25	-13	18.25	Pass	401
824	829	0.1	RMS	825.575	5.15	30	24.85	Pass	401




7.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.16	30	9.84	Pass	401
849	850	0.051	RMS	849	-20.73	-13	7.73	Pass	401
850	860	0.1	RMS	853	-49.96	-13	36.96	Pass	401




7.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.875	5.67	30	24.33	Pass	401
849	850	0.051	RMS	849	-33.42	-13	20.42	Pass	401
850	860	0.1	RMS	850	-40.23	-13	27.23	Pass	401




7.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.61	30	10.39	Pass	401
849	850	0.051	RMS	849.003	-20.29	-13	7.29	Pass	401
850	860	0.1	RMS	850.05	-48.87	-13	35.87	Pass	401




7.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.263	4.61	30	25.39	Pass	401
849	850	0.051	RMS	849	-33.76	-13	20.76	Pass	401
850	860	0.1	RMS	850.025	-39.45	-13	26.45	Pass	401




7.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.78	-46.68	-13	33.68	Pass	401
823	824	0.1	RMS	824	-23.78	-13	10.78	Pass	401
824	834	0.1	RMS	824.6	20.05	30	9.95	Pass	401




7.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-39.58	-13	26.58	Pass	401
823	824	0.1	RMS	824	-34.71	-13	21.71	Pass	401
824	834	0.1	RMS	833.325	2.63	30	27.37	Pass	401




7.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.78	-47.41	-13	34.41	Pass	401
823	824	0.1	RMS	824	-24.59	-13	11.59	Pass	401
824	834	0.1	RMS	824.6	19.32	30	10.68	Pass	401




7.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-38.56	-13	25.56	Pass	401
823	824	0.1	RMS	823.998	-34.82	-13	21.82	Pass	401
824	834	0.1	RMS	833.025	1.67	30	28.33	Pass	401




7.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.1	30	9.9	Pass	401
849	850	0.1	RMS	849	-23.85	-13	10.85	Pass	401
850	860	0.1	RMS	850	-53.53	-13	40.53	Pass	401




7.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	840.075	3.08	30	26.92	Pass	401
849	850	0.1	RMS	849.003	-35.95	-13	22.95	Pass	401
850	860	0.1	RMS	850	-41.47	-13	28.47	Pass	401




7.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.07	30	9.93	Pass	401
849	850	0.1	RMS	849	-23.61	-13	10.61	Pass	401
850	860	0.1	RMS	850.075	-48	-13	35	Pass	401




7.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	840.7	2.34	30	27.66	Pass	401
849	850	0.1	RMS	849	-35.75	-13	22.75	Pass	401
850	860	0.1	RMS	850	-40.81	-13	27.81	Pass	401




7.33. LTE Band Edge_Part22-24-27(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	818.16	-52.66	-13	39.66	Pass	401
823	824	0.15	RMS	824	-22.37	-13	9.37	Pass	401
824	839	0.1	RMS	824.825	20.07	30	9.93	Pass	401




7.34. LTE Band Edge_Part22-24-27(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.24	-39.71	-13	26.71	Pass	401
823	824	0.15	RMS	823.998	-34.83	-13	21.83	Pass	401
824	839	0.1	RMS	837.388	1.59	30	28.41	Pass	401




7.35. LTE Band Edge_Part22-24-27(Subtest:35, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	818.2	-52.52	-13	39.52	Pass	401
823	824	0.15	RMS	824	-22.5	-13	9.5	Pass	401
824	839	0.1	RMS	824.825	19.46	30	10.54	Pass	401




7.36. LTE Band Edge_Part22-24-27(Subtest:36, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-39.36	-13	26.36	Pass	401
823	824	0.15	RMS	824	-34.22	-13	21.22	Pass	401
824	839	0.1	RMS	837.2	0.91	30	29.09	Pass	401




7.37. LTE Band Edge_Part22-24-27(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.17	30	9.83	Pass	401
849	850	0.15	RMS	849	-23.78	-13	10.78	Pass	401
850	860	0.1	RMS	850.225	-56.28	-13	43.28	Pass	401




7.38. LTE Band Edge_Part22-24-27(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	837.938	1.64	30	28.36	Pass	401
849	850	0.15	RMS	849.003	-35.15	-13	22.15	Pass	401
850	860	0.1	RMS	850.1	-41.54	-13	28.54	Pass	401



7.39. LTE Band Edge_Part22-24-27(Subtest:39, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.138	19.54	30	10.46	Pass	401
849	850	0.15	RMS	849.005	-23.87	-13	10.87	Pass	401
850	860	0.1	RMS	850.075	-56.08	-13	43.08	Pass	401



7.40. LTE Band Edge_Part22-24-27(Subtest:40, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	837.825	0.57	30	29.43	Pass	401
849	850	0.15	RMS	849	-35.13	-13	22.13	Pass	401
850	860	0.1	RMS	850	-40.95	-13	27.95	Pass	401

