



Transmit at 5200MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10400.00        | 42.2           | 44.93          | 2.760         | 68.30          | 23.37       | PK  | Vertic | PASS    |
| 2  | 15600.00        | 39.1           | 49.79          | 10.740        | 74.00          | 24.21       | PK  | Vertic | PASS    |
| 3  | 15600.00        | 29.5           | 40.28          | 10.740        | 54.00          | 13.72       | AV  | Vertic | PASS    |


Transmit at 5240MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10480.58        | 47.5           | 50.45          | 2.940         | 68.30          | 17.85       | PK  | Horizo | PASS    |
| 2  | 15720.00        | 38.0           | 48.60          | 10.630        | 74.00          | 25.40       | PK  | Horizo | PASS    |
| 3  | 15720.00        | 30.2           | 40.81          | 10.630        | 54.00          | 13.19       | AV  | Horizo | PASS    |


Transmit at 5240MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10480.00        | 43.3           | 46.22          | 2.940         | 68.30          | 22.08       | PK  | Vertic | PASS    |
| 2  | 15720.00        | 39.4           | 50.06          | 10.630        | 74.00          | 23.94       | PK  | Vertic | PASS    |
| 3  | 15720.00        | 29.6           | 40.21          | 10.630        | 54.00          | 13.79       | AV  | Vertic | PASS    |


Transmit at 5260MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10511.75        | 48.0           | 50.99          | 2.980         | 68.30          | 17.31       | PK  | Horizo | PASS    |
| 2  | 15780.00        | 39.6           | 50.11          | 10.480        | 74.00          | 23.89       | PK  | Horizo | PASS    |
| 3  | 15780.00        | 29.8           | 40.26          | 10.480        | 54.00          | 13.74       | AV  | Horizo | PASS    |


Transmit at 5260MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10509.92        | 46.6           | 49.54          | 2.980         | 68.30          | 18.76       | PK  | Vertic | PASS    |
| 2  | 15780.00        | 38.6           | 49.12          | 10.480        | 74.00          | 24.88       | PK  | Vertic | PASS    |
| 3  | 15780.00        | 29.7           | 40.15          | 10.480        | 54.00          | 13.85       | AV  | Vertic | PASS    |


**Transmit at 5280MHz by 802.11ax(20MHz) with Ant1+2**



## Data List

| NO | Frequenc y [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdi ct |
|----|------------------|----------------|----------------|---------------|----------------|-------------|-----|--------|----------|
| 1  | 10563.08         | 49.3           | 52.23          | 2.960         | 68.30          | 16.07       | PK  | Horizo | PASS     |
| 2  | 15840.00         | 38.2           | 48.71          | 10.550        | 74.00          | 25.29       | PK  | Horizo | PASS     |
| 3  | 15840.00         | 30.4           | 40.97          | 10.550        | 54.00          | 13.03       | AV  | Horizo | PASS     |


Transmit at 5280MHz by 802.11ax(20MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10560.00        | 44.0           | 46.94          | 2.980         | 68.30          | 21.36       | PK  | Vertic | PASS    |
| 2  | 15840.00        | 37.6           | 48.12          | 10.550        | 74.00          | 25.88       | PK  | Vertic | PASS    |
| 3  | 15840.00        | 30.3           | 40.87          | 10.550        | 54.00          | 13.13       | AV  | Vertic | PASS    |

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10640.00        | 45.1           | 48.24          | 3.130         | 74.00          | 25.76       | PK  | Horizo | PASS    |
| 2         | 10640.00        | 37.4           | 40.54          | 3.130         | 54.00          | 13.46       | AV  | Horizo | PASS    |
| 3         | 15960.00        | 37.8           | 48.99          | 11.150        | 74.00          | 25.01       | PK  | Horizo | PASS    |
| 4         | 15960.00        | 29.4           | 40.54          | 11.150        | 54.00          | 13.46       | AV  | Horizo | PASS    |


Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10640.00        | 42.4           | 45.56          | 3.130         | 74.00          | 28.44       | PK  | Vertic | PASS    |
| 2  | 10640.00        | 35.0           | 38.13          | 3.130         | 54.00          | 15.87       | AV  | Vertic | PASS    |
| 3  | 15960.00        | 37.3           | 48.41          | 11.150        | 74.00          | 25.59       | PK  | Vertic | PASS    |
| 4  | 15960.00        | 29.7           | 40.84          | 11.150        | 54.00          | 13.16       | AV  | Vertic | PASS    |


Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10997.13        | 44.9           | 48.89          | 4.020         | 54.00          | 5.11        | AV  | Horizo | PASS    |
| 2  | 11000.00        | 50.5           | 54.52          | 4.020         | 74.00          | 19.48       | PK  | Horizo | PASS    |
| 3  | 16500.00        | 38.5           | 49.54          | 11.010        | 68.30          | 18.76       | PK  | Horizo | PASS    |


Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10995.29        | 48.1           | 52.08          | 4.010         | 74.00          | 21.92       | PK  | Vertic | PASS    |
| 2  | 10997.58        | 39.7           | 43.70          | 4.020         | 54.00          | 10.30       | AV  | Vertic | PASS    |
| 3  | 16500.00        | 38.4           | 49.38          | 11.010        | 68.30          | 18.92       | PK  | Vertic | PASS    |


Transmit at 5580MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11163.96        | 54.0           | 58.38          | 4.420         | 74.00          | 15.62       | PK  | Horizo | PASS    |
| 2  | 11164.42        | 44.6           | 48.98          | 4.410         | 54.00          | 5.02        | AV  | Horizo | PASS    |
| 3  | 16740.00        | 37.4           | 48.66          | 11.310        | 68.30          | 19.64       | PK  | Horizo | PASS    |

Transmit at 5580MHz by 802.11ax(20MHz) with Ant1+2




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11156.17        | 42.2           | 46.62          | 4.410         | 54.00          | 7.38        | AV  | Vertic | PASS    |
| 2  | 11158.00        | 52.0           | 56.42          | 4.410         | 74.00          | 17.58       | PK  | Vertic | PASS    |
| 3  | 16740.00        | 38.4           | 49.68          | 11.310        | 68.30          | 18.62       | PK  | Vertic | PASS    |

## Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2


Test Graph



## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11396.79        | 40.6           | 45.51          | 4.940         | 54.00          | 8.49        | AV  | Horizo | PASS    |
| 2  | 11398.63        | 48.8           | 53.79          | 4.950         | 74.00          | 20.21       | PK  | Horizo | PASS    |
| 3  | 17100.00        | 36.6           | 47.14          | 10.560        | 68.30          | 21.16       | PK  | Horizo | PASS    |


Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11393.58        | 49.6           | 54.57          | 4.930         | 74.00          | 19.43       | PK  | Vertic | PASS    |
| 2  | 11394.04        | 41.3           | 46.22          | 4.930         | 54.00          | 7.78        | AV  | Vertic | PASS    |
| 3  | 17100.00        | 37.1           | 47.69          | 10.560        | 68.30          | 20.61       | PK  | Vertic | PASS    |


Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11487.08        | 48.9           | 53.97          | 5.060         | 74.00          | 20.03       | PK  | Horizo | PASS    |
| 2  | 11490.75        | 41.1           | 46.19          | 5.070         | 54.00          | 7.81        | AV  | Horizo | PASS    |
| 3  | 17235.00        | 38.3           | 49.52          | 11.180        | 68.30          | 18.78       | PK  | Horizo | PASS    |


Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11488.46        | 38.5           | 43.60          | 5.070         | 54.00          | 10.40       | AV  | Vertic | PASS    |
| 2  | 11491.21        | 48.6           | 53.65          | 5.070         | 74.00          | 20.35       | PK  | Vertic | PASS    |
| 3  | 17235.00        | 37.8           | 48.93          | 11.180        | 68.30          | 19.37       | PK  | Vertic | PASS    |


Transmit at 5785MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11570.04        | 39.5           | 44.38          | 4.870         | 54.00          | 9.62        | AV  | Horizo | PASS    |
| 2  | 11570.96        | 48.8           | 53.63          | 4.870         | 74.00          | 20.37       | PK  | Horizo | PASS    |
| 3  | 17346.42        | 41.6           | 52.36          | 10.750        | 68.30          | 15.94       | PK  | Horizo | PASS    |


Transmit at 5785MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11571.42        | 50.4           | 55.24          | 4.870         | 74.00          | 18.76       | PK  | Vertic | PASS    |
| 2  | 11571.88        | 39.9           | 44.72          | 4.860         | 54.00          | 9.28        | AV  | Vertic | PASS    |
| 3  | 17362.00        | 40.8           | 51.56          | 10.750        | 68.30          | 16.74       | PK  | Vertic | PASS    |


Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11650.25        | 38.6           | 43.62          | 5.040         | 54.00          | 10.38       | AV  | Horizo | PASS    |
| 2  | 11652.08        | 50.1           | 55.14          | 5.050         | 74.00          | 18.86       | PK  | Horizo | PASS    |
| 3  | 17477.04        | 42.9           | 54.09          | 11.190        | 68.30          | 14.21       | PK  | Horizo | PASS    |


Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11645.67        | 48.5           | 53.54          | 5.020         | 74.00          | 20.46       | PK  | Vertic | PASS    |
| 2  | 11648.42        | 39.2           | 44.25          | 5.030         | 54.00          | 9.75        | AV  | Vertic | PASS    |
| 3  | 17467.42        | 43.7           | 54.79          | 11.120        | 68.30          | 13.51       | PK  | Vertic | PASS    |


Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10380.00        | 44.6           | 47.34          | 2.760         | 68.30          | 20.96       | PK  | Horizo | PASS    |
| 2  | 15570.00        | 37.1           | 47.90          | 10.760        | 74.00          | 26.10       | PK  | Horizo | PASS    |
| 3  | 15570.00        | 29.3           | 40.04          | 10.760        | 54.00          | 13.96       | AV  | Horizo | PASS    |


Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10380.00        | 42.4           | 45.14          | 2.760         | 68.30          | 23.16       | PK  | Vertic | PASS    |
| 2  | 15570.00        | 38.4           | 49.11          | 10.760        | 74.00          | 24.89       | PK  | Vertic | PASS    |
| 3  | 15570.00        | 29.2           | 39.92          | 10.760        | 54.00          | 14.08       | AV  | Vertic | PASS    |


Transmit at 5230MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10460.00        | 43.0           | 45.85          | 2.900         | 68.30          | 22.45       | PK  | Horizo | PASS    |
| 2  | 15690.00        | 37.8           | 48.47          | 10.680        | 74.00          | 25.53       | PK  | Horizo | PASS    |
| 3  | 15690.00        | 29.3           | 39.93          | 10.680        | 54.00          | 14.07       | AV  | Horizo | PASS    |


Transmit at 5230MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10460.00        | 41.4           | 44.33          | 2.900         | 68.30          | 23.97       | PK  | Vertic | PASS    |
| 2  | 15690.00        | 37.6           | 48.28          | 10.680        | 74.00          | 25.72       | PK  | Vertic | PASS    |
| 3  | 15690.00        | 29.2           | 39.92          | 10.680        | 54.00          | 14.08       | AV  | Vertic | PASS    |


Transmit at 5270MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10542.00        | 45.9           | 48.84          | 2.980         | 68.30          | 19.46       | PK  | Horizo | PASS    |
| 2  | 15810.00        | 37.8           | 48.27          | 10.460        | 74.00          | 25.73       | PK  | Horizo | PASS    |
| 3  | 15810.00        | 30.1           | 40.59          | 10.460        | 54.00          | 13.41       | AV  | Horizo | PASS    |


Transmit at 5270MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10540.00        | 42.6           | 45.54          | 2.980         | 68.30          | 22.76       | PK  | Vertic | PASS    |
| 2  | 15810.00        | 38.8           | 49.30          | 10.460        | 74.00          | 24.70       | PK  | Vertic | PASS    |
| 3  | 15810.00        | 30.1           | 40.58          | 10.460        | 54.00          | 13.42       | AV  | Vertic | PASS    |


Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10620.00        | 41.6           | 44.64          | 3.040         | 74.00          | 29.36       | PK  | Horizo | PASS    |
| 2  | 10620.00        | 34.1           | 37.13          | 3.040         | 54.00          | 16.87       | AV  | Horizo | PASS    |
| 3  | 15930.00        | 37.7           | 48.67          | 10.950        | 74.00          | 25.33       | PK  | Horizo | PASS    |
| 4  | 15930.00        | 28.6           | 39.55          | 10.950        | 54.00          | 14.45       | AV  | Horizo | PASS    |

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10620.00        | 42.1           | 45.09          | 3.040         | 74.00          | 28.91       | PK  | Vertic | PASS    |
| 2         | 10620.00        | 32.8           | 35.88          | 3.040         | 54.00          | 18.12       | AV  | Vertic | PASS    |
| 3         | 15930.00        | 36.9           | 47.89          | 10.950        | 74.00          | 26.11       | PK  | Vertic | PASS    |
| 4         | 15930.00        | 28.2           | 39.18          | 10.950        | 54.00          | 14.82       | AV  | Vertic | PASS    |


Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11017.29        | 39.0           | 43.12          | 4.100         | 54.00          | 10.88       | AV  | Horizo | PASS    |
| 2  | 11019.58        | 49.3           | 53.39          | 4.100         | 74.00          | 20.61       | PK  | Horizo | PASS    |
| 3  | 16530.00        | 37.8           | 48.81          | 11.060        | 68.30          | 19.49       | PK  | Horizo | PASS    |

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11020.04        | 45.5           | 49.63          | 4.110         | 74.00          | 24.37       | PK  | Vertic | PASS    |
| 2  | 11027.83        | 36.2           | 40.30          | 4.140         | 54.00          | 13.70       | AV  | Vertic | PASS    |
| 3  | 16530.00        | 37.8           | 48.84          | 11.060        | 68.30          | 19.46       | PK  | Vertic | PASS    |

## Transmit at 5550MHz by 802.11n(40MHz) with Ant1+2


Test Graph



## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11079.17        | 48.1           | 52.41          | 4.340         | 74.00          | 21.59       | PK  | Horizo | PASS    |
| 2  | 11099.79        | 39.7           | 44.10          | 4.420         | 54.00          | 9.90        | AV  | Horizo | PASS    |
| 3  | 16650.00        | 36.1           | 47.33          | 11.250        | 68.30          | 20.97       | PK  | Horizo | PASS    |


Transmit at 5550MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11098.42        | 47.4           | 51.84          | 4.420         | 74.00          | 22.16       | PK  | Vertic | PASS    |
| 2  | 11098.88        | 36.9           | 41.29          | 4.420         | 54.00          | 12.71       | AV  | Vertic | PASS    |
| 3  | 16650.00        | 37.4           | 48.64          | 11.250        | 68.30          | 19.66       | PK  | Vertic | PASS    |


Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11343.63        | 47.4           | 52.15          | 4.790         | 74.00          | 21.85       | PK  | Horizo | PASS    |
| 2  | 11348.67        | 38.3           | 43.05          | 4.800         | 54.00          | 10.95       | AV  | Horizo | PASS    |
| 3  | 17010.00        | 34.8           | 46.88          | 12.070        | 68.30          | 21.42       | PK  | Horizo | PASS    |


Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11339.50        | 37.7           | 42.49          | 4.780         | 54.00          | 11.51       | AV  | Vertic | PASS    |
| 2  | 11341.79        | 46.2           | 50.97          | 4.780         | 74.00          | 23.03       | PK  | Vertic | PASS    |
| 3  | 17010.00        | 34.9           | 47.00          | 12.070        | 68.30          | 21.30       | PK  | Vertic | PASS    |


Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11496.25        | 45.3           | 50.34          | 5.080         | 74.00          | 23.66       | PK  | Horizo | PASS    |
| 2  | 11501.29        | 36.5           | 41.55          | 5.080         | 54.00          | 12.45       | AV  | Horizo | PASS    |
| 3  | 17265.00        | 37.4           | 48.36          | 10.990        | 68.30          | 19.94       | PK  | Horizo | PASS    |


**Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2**



## Data List

| NO | Frequenc y [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|------------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11507.25         | 46.3           | 51.40          | 5.060         | 74.00          | 22.60       | PK  | Vertic | PASS    |
| 2  | 11507.71         | 36.2           | 41.24          | 5.060         | 54.00          | 12.76       | AV  | Vertic | PASS    |
| 3  | 17265.00         | 36.7           | 47.71          | 10.990        | 68.30          | 20.59       | PK  | Vertic | PASS    |


Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11590.67        | 46.8           | 51.64          | 4.800         | 74.00          | 22.36       | PK  | Horizo | PASS    |
| 2  | 11591.13        | 36.8           | 41.55          | 4.800         | 54.00          | 12.45       | AV  | Horizo | PASS    |
| 3  | 17385.00        | 36.4           | 47.13          | 10.750        | 68.30          | 21.17       | PK  | Horizo | PASS    |


Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11586.54        | 36.8           | 41.64          | 4.810         | 54.00          | 12.36       | AV  | Vertic | PASS    |
| 2  | 11593.42        | 44.5           | 49.31          | 4.790         | 74.00          | 24.69       | PK  | Vertic | PASS    |
| 3  | 17385.00        | 35.7           | 46.46          | 10.750        | 68.30          | 21.84       | PK  | Vertic | PASS    |


Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10380.00        | 42.0           | 44.71          | 2.760         | 68.30          | 23.59       | PK  | Horizo | PASS    |
| 2  | 15570.00        | 36.5           | 47.22          | 10.760        | 74.00          | 26.78       | PK  | Horizo | PASS    |
| 3  | 15570.00        | 28.8           | 39.56          | 10.760        | 54.00          | 14.44       | AV  | Horizo | PASS    |


**Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2**



## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10380.00        | 42.3           | 45.03          | 2.760         | 68.30          | 23.27       | PK  | Vertic | PASS    |
| 2  | 15570.00        | 36.7           | 47.48          | 10.760        | 74.00          | 26.52       | PK  | Vertic | PASS    |
| 3  | 15570.00        | 28.7           | 39.47          | 10.760        | 54.00          | 14.53       | AV  | Vertic | PASS    |


Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10460.00        | 42.1           | 45.02          | 2.900         | 68.30          | 23.28       | PK  | Horizo | PASS    |
| 2  | 15690.00        | 37.3           | 48.00          | 10.680        | 74.00          | 26.00       | PK  | Horizo | PASS    |
| 3  | 15690.00        | 28.9           | 39.62          | 10.680        | 54.00          | 14.38       | AV  | Horizo | PASS    |


Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10460.00        | 41.7           | 44.64          | 2.900         | 68.30          | 23.66       | PK  | Vertic | PASS    |
| 2  | 15690.00        | 37.4           | 48.12          | 10.680        | 74.00          | 25.88       | PK  | Vertic | PASS    |
| 3  | 15690.00        | 28.8           | 39.47          | 10.680        | 54.00          | 14.53       | AV  | Vertic | PASS    |


Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10533.75        | 45.7           | 48.63          | 2.980         | 68.30          | 19.67       | PK  | Horizo | PASS    |
| 2  | 15810.00        | 37.9           | 48.35          | 10.460        | 74.00          | 25.65       | PK  | Horizo | PASS    |
| 3  | 15810.00        | 29.7           | 40.16          | 10.460        | 54.00          | 13.84       | AV  | Horizo | PASS    |


Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10540.00        | 41.6           | 44.59          | 2.980         | 68.30          | 23.71       | PK  | Vertic | PASS    |
| 2  | 15810.00        | 38.0           | 48.41          | 10.460        | 74.00          | 25.59       | PK  | Vertic | PASS    |
| 3  | 15810.00        | 29.1           | 39.55          | 10.460        | 54.00          | 14.45       | AV  | Vertic | PASS    |


Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10620.00        | 41.6           | 44.64          | 3.040         | 74.00          | 29.36       | PK  | Horizo | PASS    |
| 2  | 10620.00        | 33.2           | 36.28          | 3.040         | 54.00          | 17.72       | AV  | Horizo | PASS    |
| 3  | 15930.00        | 37.2           | 48.19          | 10.950        | 74.00          | 25.81       | PK  | Horizo | PASS    |
| 4  | 15930.00        | 28.0           | 38.98          | 10.950        | 54.00          | 15.02       | AV  | Horizo | PASS    |

Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10620.00        | 40.5           | 43.53          | 3.040         | 74.00          | 30.47       | PK  | Vertic | PASS    |
| 2         | 10620.00        | 32.8           | 35.86          | 3.040         | 54.00          | 18.14       | AV  | Vertic | PASS    |
| 3         | 15930.00        | 36.2           | 47.14          | 10.950        | 74.00          | 26.86       | PK  | Vertic | PASS    |
| 4         | 15930.00        | 27.8           | 38.70          | 10.950        | 54.00          | 15.30       | AV  | Vertic | PASS    |


Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11016.38        | 47.8           | 51.86          | 4.100         | 74.00          | 22.14       | PK  | Horizo | PASS    |
| 2  | 11016.83        | 38.3           | 42.38          | 4.100         | 54.00          | 11.62       | AV  | Horizo | PASS    |
| 3  | 16530.00        | 36.7           | 47.77          | 11.060        | 68.30          | 20.53       | PK  | Horizo | PASS    |


Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11008.13        | 45.6           | 49.65          | 4.050         | 74.00          | 24.35       | PK  | Vertic | PASS    |
| 2  | 11024.17        | 36.5           | 40.63          | 4.130         | 54.00          | 13.37       | AV  | Vertic | PASS    |
| 3  | 16530.00        | 38.3           | 49.39          | 11.060        | 68.30          | 18.91       | PK  | Vertic | PASS    |


**Transmit at 5550MHz by 802.11ac(40MHz) with Ant1+2**



## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11098.42        | 51.0           | 55.40          | 4.420         | 74.00          | 18.60       | PK  | Horizo | PASS    |
| 2  | 11098.88        | 43.3           | 47.72          | 4.420         | 54.00          | 6.28        | AV  | Horizo | PASS    |
| 3  | 16650.00        | 36.8           | 48.07          | 11.250        | 68.30          | 20.23       | PK  | Horizo | PASS    |


Transmit at 5550MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11098.42        | 47.6           | 52.00          | 4.420         | 74.00          | 22.00       | PK  | Vertic | PASS    |
| 2  | 11098.88        | 38.8           | 43.18          | 4.420         | 54.00          | 10.82       | AV  | Vertic | PASS    |
| 3  | 16650.00        | 37.1           | 48.36          | 11.250        | 68.30          | 19.94       | PK  | Vertic | PASS    |


Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11338.13        | 47.6           | 52.40          | 4.780         | 74.00          | 21.60       | PK  | Horizo | PASS    |
| 2  | 11338.58        | 39.4           | 44.20          | 4.780         | 54.00          | 9.80        | AV  | Horizo | PASS    |
| 3  | 17010.00        | 35.3           | 47.39          | 12.070        | 68.30          | 20.91       | PK  | Horizo | PASS    |

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11339.04        | 46.3           | 51.09          | 4.780         | 74.00          | 22.91       | PK  | Vertic | PASS    |
| 2         | 11340.00        | 35.4           | 40.20          | 4.780         | 54.00          | 13.80       | AV  | Vertic | PASS    |
| 3         | 17010.00        | 36.7           | 48.76          | 12.070        | 68.30          | 19.54       | PK  | Vertic | PASS    |


Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11504.50        | 45.9           | 50.93          | 5.070         | 74.00          | 23.07       | PK  | Horizo | PASS    |
| 2  | 11509.08        | 37.0           | 42.04          | 5.050         | 54.00          | 11.96       | AV  | Horizo | PASS    |
| 3  | 17265.00        | 36.7           | 47.70          | 10.990        | 68.30          | 20.60       | PK  | Horizo | PASS    |


Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11503.58        | 45.0           | 50.04          | 5.070         | 74.00          | 23.96       | PK  | Vertic | PASS    |
| 2  | 11504.04        | 35.8           | 40.87          | 5.070         | 54.00          | 13.13       | AV  | Vertic | PASS    |
| 3  | 17265.00        | 36.6           | 47.62          | 10.990        | 68.30          | 20.68       | PK  | Vertic | PASS    |


Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11587.46        | 45.8           | 50.56          | 4.810         | 74.00          | 23.44       | PK  | Horizo | PASS    |
| 2  | 11591.58        | 35.9           | 40.67          | 4.800         | 54.00          | 13.33       | AV  | Horizo | PASS    |
| 3  | 17385.00        | 37.2           | 47.96          | 10.750        | 68.30          | 20.34       | PK  | Horizo | PASS    |


Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11590.00        | 42.8           | 47.59          | 4.800         | 74.00          | 26.41       | PK  | Vertic | PASS    |
| 2  | 11590.00        | 33.6           | 38.37          | 4.800         | 54.00          | 15.63       | AV  | Vertic | PASS    |
| 3  | 17385.00        | 36.2           | 46.99          | 10.750        | 68.30          | 21.31       | PK  | Vertic | PASS    |


Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10380.00        | 41.6           | 44.40          | 2.760         | 68.30          | 23.90       | PK  | Horizo | PASS    |
| 2  | 15570.00        | 37.2           | 48.00          | 10.760        | 74.00          | 26.00       | PK  | Horizo | PASS    |
| 3  | 15570.00        | 28.9           | 39.61          | 10.760        | 54.00          | 14.39       | AV  | Horizo | PASS    |


Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10380.00        | 41.1           | 43.84          | 2.760         | 68.30          | 24.46       | PK  | Vertic | PASS    |
| 2  | 15570.00        | 38.2           | 48.91          | 10.760        | 74.00          | 25.09       | PK  | Vertic | PASS    |
| 3  | 15570.00        | 28.7           | 39.48          | 10.760        | 54.00          | 14.52       | AV  | Vertic | PASS    |


Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10460.00        | 40.8           | 43.71          | 2.900         | 68.30          | 24.59       | PK  | Horizo | PASS    |
| 2  | 15690.00        | 38.4           | 49.06          | 10.680        | 74.00          | 24.94       | PK  | Horizo | PASS    |
| 3  | 15690.00        | 28.8           | 39.44          | 10.680        | 54.00          | 14.56       | AV  | Horizo | PASS    |


Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10460.00        | 41.6           | 44.46          | 2.900         | 68.30          | 23.84       | PK  | Vertic | PASS    |
| 2  | 15690.00        | 37.1           | 47.76          | 10.680        | 74.00          | 26.24       | PK  | Vertic | PASS    |
| 3  | 15690.00        | 28.1           | 38.73          | 10.680        | 54.00          | 15.27       | AV  | Vertic | PASS    |


Transmit at 5270MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10531.46        | 45.8           | 48.80          | 2.980         | 68.30          | 19.50       | PK  | Horizo | PASS    |
| 2  | 15810.00        | 37.6           | 48.07          | 10.460        | 74.00          | 25.93       | PK  | Horizo | PASS    |
| 3  | 15810.00        | 29.0           | 39.48          | 10.460        | 54.00          | 14.52       | AV  | Horizo | PASS    |

Transmit at 5270MHz by 802.11ax(40MHz) with Ant1+2




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10540.00        | 42.8           | 45.78          | 2.980         | 68.30          | 22.52       | PK  | Vertic | PASS    |
| 2  | 15810.00        | 37.9           | 48.40          | 10.460        | 74.00          | 25.60       | PK  | Vertic | PASS    |
| 3  | 15810.00        | 28.8           | 39.21          | 10.460        | 54.00          | 14.79       | AV  | Vertic | PASS    |

## Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2


Test Graph



## Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10620.00        | 43.3           | 46.36          | 3.040         | 74.00          | 27.64       | PK  | Horizo | PASS    |
| 2  | 10620.00        | 32.9           | 35.89          | 3.040         | 54.00          | 18.11       | AV  | Horizo | PASS    |
| 3  | 15930.00        | 36.0           | 46.95          | 10.950        | 74.00          | 27.05       | PK  | Horizo | PASS    |
| 4  | 15930.00        | 27.9           | 38.80          | 10.950        | 54.00          | 15.20       | AV  | Horizo | PASS    |


Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10620.00        | 40.8           | 43.80          | 3.040         | 74.00          | 30.20       | PK  | Vertic | PASS    |
| 2  | 10620.00        | 32.6           | 35.59          | 3.040         | 54.00          | 18.41       | AV  | Vertic | PASS    |
| 3  | 15930.00        | 36.2           | 47.14          | 10.950        | 74.00          | 26.86       | PK  | Vertic | PASS    |
| 4  | 15930.00        | 27.3           | 38.27          | 10.950        | 54.00          | 15.73       | AV  | Vertic | PASS    |


Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11013.17        | 45.2           | 49.23          | 4.080         | 74.00          | 24.77       | PK  | Horizo | PASS    |
| 2  | 11015.46        | 37.6           | 41.71          | 4.080         | 54.00          | 12.29       | AV  | Horizo | PASS    |
| 3  | 16530.00        | 36.9           | 47.98          | 11.060        | 68.30          | 20.32       | PK  | Horizo | PASS    |


Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11020.00        | 43.6           | 47.73          | 4.110         | 74.00          | 26.27       | PK  | Vertic | PASS    |
| 2  | 11020.00        | 34.2           | 38.27          | 4.110         | 54.00          | 15.73       | AV  | Vertic | PASS    |
| 3  | 16530.00        | 36.1           | 47.17          | 11.060        | 68.30          | 21.13       | PK  | Vertic | PASS    |


Transmit at 5550MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11106.67        | 48.5           | 52.91          | 4.420         | 74.00          | 21.09       | PK  | Horizo | PASS    |
| 2  | 11107.13        | 39.0           | 43.44          | 4.420         | 54.00          | 10.56       | AV  | Horizo | PASS    |
| 3  | 16650.00        | 36.3           | 47.50          | 11.250        | 68.30          | 20.80       | PK  | Horizo | PASS    |


Transmit at 5550MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11100.00        | 33.3           | 37.68          | 4.420         | 54.00          | 16.32       | AV  | Vertic | PASS    |
| 2  | 11116.29        | 45.0           | 49.40          | 4.420         | 74.00          | 24.60       | PK  | Vertic | PASS    |
| 3  | 16650.00        | 35.4           | 46.66          | 11.250        | 68.30          | 21.64       | PK  | Vertic | PASS    |


Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11334.00        | 45.8           | 50.59          | 4.760         | 74.00          | 23.41       | PK  | Horizo | PASS    |
| 2  | 11334.46        | 37.3           | 42.06          | 4.760         | 54.00          | 11.94       | AV  | Horizo | PASS    |
| 3  | 17010.00        | 34.8           | 46.86          | 12.070        | 68.30          | 21.44       | PK  | Horizo | PASS    |


Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11319.33        | 45.9           | 50.66          | 4.730         | 74.00          | 23.34       | PK  | Vertic | PASS    |
| 2  | 11334.00        | 37.1           | 41.82          | 4.760         | 54.00          | 12.18       | AV  | Vertic | PASS    |
| 3  | 17010.00        | 35.9           | 47.97          | 12.070        | 68.30          | 20.33       | PK  | Vertic | PASS    |


Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11498.08        | 44.1           | 49.18          | 5.080         | 74.00          | 24.82       | PK  | Horizo | PASS    |
| 2  | 11522.38        | 35.5           | 40.52          | 5.020         | 54.00          | 13.48       | AV  | Horizo | PASS    |
| 3  | 17265.00        | 36.9           | 47.84          | 10.990        | 68.30          | 20.46       | PK  | Horizo | PASS    |


Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11456.38        | 43.4           | 48.46          | 5.040         | 74.00          | 25.54       | PK  | Vertic | PASS    |
| 2  | 11500.38        | 35.1           | 40.20          | 5.080         | 54.00          | 13.80       | AV  | Vertic | PASS    |
| 3  | 17265.00        | 36.2           | 47.17          | 10.990        | 68.30          | 21.13       | PK  | Vertic | PASS    |


Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11590.00        | 39.9           | 44.65          | 4.800         | 74.00          | 29.35       | PK  | Horizo | PASS    |
| 2  | 11590.00        | 32.6           | 37.44          | 4.800         | 54.00          | 16.56       | AV  | Horizo | PASS    |
| 3  | 17385.00        | 35.5           | 46.20          | 10.750        | 68.30          | 22.10       | PK  | Horizo | PASS    |


Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11590.00        | 41.4           | 46.19          | 4.800         | 74.00          | 27.81       | PK  | Vertic | PASS    |
| 2  | 11590.00        | 33.1           | 37.89          | 4.800         | 54.00          | 16.11       | AV  | Vertic | PASS    |
| 3  | 17385.00        | 35.3           | 46.04          | 10.750        | 68.30          | 22.26       | PK  | Vertic | PASS    |

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2




Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10420.00        | 42.8           | 45.58          | 2.800         | 68.30          | 22.72       | PK  | Horizo | PASS    |
| 2  | 15630.00        | 37.0           | 47.76          | 10.730        | 74.00          | 26.24       | PK  | Horizo | PASS    |
| 3  | 15630.00        | 28.8           | 39.56          | 10.730        | 54.00          | 14.44       | AV  | Horizo | PASS    |

**Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2***Test Graph***Data List**

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10420.00        | 41.9           | 44.72          | 2.800         | 68.30          | 23.58       | PK  | Vertic | PASS    |
| 2  | 15630.00        | 37.3           | 48.06          | 10.730        | 74.00          | 25.94       | PK  | Vertic | PASS    |
| 3  | 15630.00        | 28.2           | 38.96          | 10.730        | 54.00          | 15.04       | AV  | Vertic | PASS    |


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10580.00        | 40.4           | 43.40          | 2.960         | 68.30          | 24.90       | PK  | Horizo | PASS    |
| 2  | 15870.00        | 37.7           | 48.29          | 10.630        | 74.00          | 25.71       | PK  | Horizo | PASS    |
| 3  | 15870.00        | 28.5           | 39.13          | 10.630        | 54.00          | 14.87       | AV  | Horizo | PASS    |


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10580.00        | 40.7           | 43.62          | 2.960         | 68.30          | 24.68       | PK  | Vertic | PASS    |
| 2  | 15870.00        | 37.0           | 47.61          | 10.630        | 74.00          | 26.39       | PK  | Vertic | PASS    |
| 3  | 15870.00        | 28.6           | 39.23          | 10.630        | 54.00          | 14.77       | AV  | Vertic | PASS    |


Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11079.17        | 37.9           | 42.21          | 4.340         | 54.00          | 11.79       | AV  | Horizo | PASS    |
| 2  | 11087.88        | 46.4           | 50.76          | 4.380         | 74.00          | 23.24       | PK  | Horizo | PASS    |
| 3  | 16590.00        | 35.9           | 47.08          | 11.220        | 68.30          | 21.22       | PK  | Horizo | PASS    |


Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11075.96        | 34.2           | 38.53          | 4.330         | 54.00          | 15.47       | AV  | Vertic | PASS    |
| 2  | 11088.33        | 44.6           | 48.95          | 4.380         | 74.00          | 25.05       | PK  | Vertic | PASS    |
| 3  | 16590.00        | 36.1           | 47.35          | 11.220        | 68.30          | 20.95       | PK  | Vertic | PASS    |


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11234.08        | 47.2           | 51.66          | 4.490         | 74.00          | 22.34       | PK  | Horizo | PASS    |
| 2  | 11234.54        | 39.3           | 43.79          | 4.490         | 54.00          | 10.21       | AV  | Horizo | PASS    |
| 3  | 16830.00        | 36.4           | 47.96          | 11.580        | 68.30          | 20.34       | PK  | Horizo | PASS    |


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11235.92        | 45.3           | 49.78          | 4.490         | 74.00          | 24.22       | PK  | Vertic | PASS    |
| 2  | 11249.21        | 37.3           | 41.87          | 4.530         | 54.00          | 12.13       | AV  | Vertic | PASS    |
| 3  | 16830.00        | 37.2           | 48.73          | 11.580        | 68.30          | 19.57       | PK  | Vertic | PASS    |

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11550.00        | 41.2           | 46.18          | 4.950         | 74.00          | 27.82       | PK  | Horizo | PASS    |
| 2         | 11550.00        | 32.4           | 37.39          | 4.950         | 54.00          | 16.61       | AV  | Horizo | PASS    |
| 3         | 17325.00        | 35.6           | 46.32          | 10.750        | 68.30          | 21.98       | PK  | Horizo | PASS    |