





Transmit at 5500MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.78	27.71	44.87	17.16	54.00	9.13	AV	Vertic	PASS
2	5460.00	26.72	43.89	17.17	54.00	10.11	AV	Vertic	PASS

Transmit at 5700MHz by 802.11a with Ant1*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	40.64	58.61	17.97	68.30	9.69	PK	Horizo	PASS
2	5727.65	47.27	65.26	17.99	68.30	3.04	PK	Horizo	PASS

Transmit at 5700MHz by 802.11a with Ant1


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	36.05	54.02	17.97	68.30	14.28	PK	Vertic	PASS
2	5726.95	38.59	56.58	17.99	68.30	11.72	PK	Vertic	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.32	44.50	60.62	16.12	74.00	13.38	PK	Horizo	PASS
2	5150.00	39.74	55.85	16.11	74.00	18.15	PK	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.38	34.12	50.24	16.12	54.00	3.76	AV	Horizo	PASS
2	5150.00	33.53	49.64	16.11	54.00	4.36	AV	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5111.60	37.62	53.77	16.15	74.00	20.23	PK	Vertic	PASS
2	5150.00	35.78	51.89	16.11	74.00	22.11	PK	Vertic	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.55	28.95	45.07	16.12	54.00	8.93	AV	Vertic	PASS
2	5150.00	27.77	43.88	16.11	54.00	10.12	AV	Vertic	PASS

Transmit at 5320MHz by 802.11n(20MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.65	53.11	16.46	74.00	20.89	PK	Horizo	PASS
2	5352.15	43.14	59.61	16.47	74.00	14.39	PK	Horizo	PASS

Transmit at 5320MHz by 802.11n(20MHz) with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.51	47.97	16.46	54.00	6.03	AV	Horizo	PASS
2	5352.21	33.24	49.71	16.47	54.00	4.29	AV	Horizo	PASS

Transmit at 5320MHz by 802.11n(20MHz) with Ant1




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.52	48.98	16.46	74.00	25.02	PK	Vertic	PASS
2	5376.58	36.02	52.56	16.54	74.00	21.44	PK	Vertic	PASS




Transmit at 5320MHz by 802.11n(20MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.46	41.92	16.46	54.00	12.08	AV	Vertic	PASS
2	5351.46	26.91	43.37	16.46	54.00	10.63	AV	Vertic	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	38.81	55.98	17.17	68.30	12.32	PK	Horizo	PASS
2	5468.72	48.64	65.89	17.25	68.30	2.41	PK	Horizo	PASS


Transmit at 5500MHz by 802.11n(20MHz) with Ant1*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.32	31.27	48.43	17.16	54.00	5.57	AV	Horizo	PASS
2	5460.00	28.86	46.03	17.17	54.00	7.97	AV	Horizo	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.44	54.61	17.17	68.30	13.69	PK	Vertic	PASS
2	5469.84	41.46	58.72	17.26	68.30	9.58	PK	Vertic	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.44	27.89	45.05	17.16	54.00	8.95	AV	Vertic	PASS
2	5460.00	27.15	44.32	17.17	54.00	9.68	AV	Vertic	PASS

Transmit at 5700MHz by 802.11n(20MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	40.28	58.25	17.97	68.30	10.05	PK	Horizo	PASS
2	5725.30	47.56	65.54	17.98	68.30	2.76	PK	Horizo	PASS

Transmit at 5700MHz by 802.11n(20MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	36.32	54.29	17.97	68.30	14.01	PK	Vertic	PASS
2	5751.00	41.89	59.95	18.06	68.30	8.35	PK	Vertic	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.65	49.44	65.56	16.12	74.00	8.44	PK	Horizo	PASS
2	5150.00	44.51	60.62	16.11	74.00	13.38	PK	Horizo	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.85	34.80	50.92	16.12	54.00	3.08	AV	Horizo	PASS
2	5150.00	32.24	48.35	16.11	54.00	5.65	AV	Horizo	PASS


Transmit at 5190MHz by 802.11n(40MHz) with Ant1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.04	37.95	54.07	16.12	74.00	19.93	PK	Vertic	PASS
2	5150.00	34.58	50.69	16.11	74.00	23.31	PK	Vertic	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5126.75	28.10	44.24	16.14	54.00	9.76	AV	Vertic	PASS
2	5150.00	27.67	43.78	16.11	54.00	10.22	AV	Vertic	PASS


Transmit at 5310MHz by 802.11n(40MHz) with Ant1



Data List


NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5350.00	38.53	54.99	16.46	74.00	19.01	PK	Horizo	PASS
2	5360.59	44.19	60.69	16.50	74.00	13.31	PK	Horizo	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.90	49.36	16.46	54.00	4.64	AV	Horizo	PASS
2	5353.69	34.57	51.05	16.48	54.00	2.95	AV	Horizo	PASS


Transmit at 5310MHz by 802.11n(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.38	49.84	16.46	74.00	24.16	PK	Vertic	PASS
2	5356.49	35.86	52.35	16.49	74.00	21.65	PK	Vertic	PASS


Transmit at 5310MHz by 802.11n(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	26.17	42.63	16.46	54.00	11.37	AV	Vertic	PASS
2	5350.97	27.92	44.38	16.46	54.00	9.62	AV	Vertic	PASS


Transmit at 5510MHz by 802.11n(40MHz) with Ant1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	39.51	56.68	17.17	68.30	11.62	PK	Horizo	PASS
2	5465.98	45.44	62.67	17.23	68.30	5.63	PK	Horizo	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.92	30.36	47.52	17.16	54.00	6.48	AV	Horizo	PASS
2	5460.00	29.73	46.90	17.17	54.00	7.10	AV	Horizo	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.02	54.19	17.17	68.30	14.11	PK	Vertic	PASS
2	5460.22	40.23	57.40	17.17	68.30	10.90	PK	Vertic	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.83	27.72	44.88	17.16	54.00	9.12	AV	Vertic	PASS
2	5460.00	27.01	44.18	17.17	54.00	9.82	AV	Vertic	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.01	54.27	17.26	68.30	14.03	PK	Horizo	PASS
2	5725.00	43.91	61.89	17.98	68.30	6.41	PK	Horizo	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.89	28.09	45.22	17.13	54.00	8.78	AV	Horizo	PASS
2	5460.00	27.26	44.43	17.17	54.00	9.57	AV	Horizo	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.11	54.37	17.26	68.30	13.93	PK	Vertic	PASS
2	5725.00	36.17	54.15	17.98	68.30	14.15	PK	Vertic	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5453.80	27.84	44.96	17.12	54.00	9.04	AV	Vertic	PASS
2	5460.00	26.66	43.83	17.17	54.00	10.17	AV	Vertic	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5116.50	42.52	58.67	16.15	74.00	15.33	PK	Horizo	PASS
2	5150.00	37.81	53.92	16.11	74.00	20.08	PK	Horizo	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5137.59	34.84	50.97	16.13	54.00	3.03	AV	Horizo	PASS
2	5150.00	32.67	48.78	16.11	54.00	5.22	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5110.78	37.68	53.84	16.16	74.00	20.16	PK	Vertic	PASS
2	5150.00	36.48	52.59	16.11	74.00	21.41	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5134.41	28.21	44.35	16.14	54.00	9.65	AV	Vertic	PASS
2	5150.00	27.16	43.27	16.11	54.00	10.73	AV	Vertic	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	39.24	55.70	16.46	74.00	18.30	PK	Horizo	PASS
2	5357.28	42.74	59.23	16.49	74.00	14.77	PK	Horizo	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.69	49.15	16.46	54.00	4.85	AV	Horizo	PASS
2	5365.55	35.01	51.52	16.51	54.00	2.48	AV	Horizo	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.90	49.36	16.46	74.00	24.64	PK	Vertic	PASS
2	5355.42	35.23	51.71	16.48	74.00	22.29	PK	Vertic	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	26.36	42.82	16.46	54.00	11.18	AV	Vertic	PASS
2	5369.91	27.48	44.00	16.52	54.00	10.00	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	40.45	57.62	17.17	68.30	10.68	PK	Horizo	PASS
2	5462.93	44.07	61.27	17.20	68.30	7.03	PK	Horizo	PASS


Transmit at 5530MHz by 802.11ac(80MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.39	34.23	51.31	17.08	54.00	2.69	AV	Horizo	PASS
2	5460.00	31.63	48.80	17.17	54.00	5.20	AV	Horizo	PASS


Transmit at 5530MHz by 802.11ac(80MHz) with Ant1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.21	54.38	17.17	68.30	13.92	PK	Vertic	PASS
2	5466.01	38.51	55.74	17.23	68.30	12.56	PK	Vertic	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5455.74	28.53	45.66	17.13	54.00	8.34	AV	Vertic	PASS
2	5460.00	27.55	44.72	17.17	54.00	9.28	AV	Vertic	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5467.58	41.71	58.96	17.25	68.30	9.34	PK	Horizo	PASS
2	5725.00	39.78	57.76	17.98	68.30	10.54	PK	Horizo	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5440.06	30.10	47.09	16.99	54.00	6.91	AV	Horizo	PASS
2	5460.00	27.70	44.87	17.17	54.00	9.13	AV	Horizo	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5468.83	38.38	55.64	17.26	68.30	12.66	PK	Vertic	PASS
2	5725.00	36.42	54.40	17.98	68.30	13.90	PK	Vertic	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.44	27.82	44.90	17.08	54.00	9.10	AV	Vertic	PASS
2	5460.00	27.06	44.23	17.17	54.00	9.77	AV	Vertic	PASS

Transmit at 5745MHz by 802.11a with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.30	37.64	55.37	17.73	68.30	12.93	PK	Horizo	PASS
2	5661.40	42.14	59.93	17.79	76.76	16.83	PK	Horizo	PASS
3	5702.03	50.25	68.15	17.90	105.87	37.72	PK	Horizo	PASS
4	5724.29	63.43	81.40	17.97	120.68	39.28	PK	Horizo	PASS
5	5858.35	38.94	57.48	18.54	109.96	52.48	PK	Horizo	PASS
6	5885.98	38.71	57.40	18.69	97.15	39.75	PK	Horizo	PASS
7	5918.80	38.65	57.51	18.86	72.87	15.36	PK	Horizo	PASS
8	5941.88	38.23	57.20	18.97	68.30	11.10	PK	Horizo	PASS

Transmit at 5745MHz by 802.11a with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5634.26	37.27	54.98	17.71	68.30	13.32	PK	Vertic	PASS
2	5687.08	37.19	55.05	17.86	95.77	40.72	PK	Vertic	PASS
3	5702.68	41.70	59.61	17.91	106.05	46.44	PK	Vertic	PASS
4	5723.48	53.58	71.55	17.97	118.82	47.27	PK	Vertic	PASS
5	5860.46	38.79	57.35	18.56	109.37	52.02	PK	Vertic	PASS
6	5866.80	38.51	57.10	18.59	107.59	50.49	PK	Vertic	PASS
7	5909.70	38.36	57.18	18.82	79.59	22.41	PK	Vertic	PASS
8	5937.98	38.83	57.79	18.96	68.30	10.51	PK	Vertic	PASS

Transmit at 5825MHz by 802.11a with Ant1


Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5633.29	37.26	54.97	17.71	68.30	13.33	PK	Horizo	PASS
2	5645.48	37.24	54.98	17.74	68.30	13.32	PK	Horizo	PASS
3	5676.84	37.81	55.64	17.83	88.20	32.56	PK	Horizo	PASS
4	5712.26	37.73	55.67	17.94	108.74	53.07	PK	Horizo	PASS
5	5852.50	58.26	76.77	18.51	116.60	39.83	PK	Horizo	PASS
6	5874.93	48.62	67.25	18.63	105.32	38.07	PK	Horizo	PASS
7	5887.28	42.06	60.77	18.71	96.19	35.42	PK	Horizo	PASS
8	5932.45	38.51	57.44	18.93	68.30	10.86	PK	Horizo	PASS


Transmit at 5825MHz by 802.11a with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.33	37.54	55.27	17.73	68.30	13.03	PK	Vertic	PASS
2	5663.68	38.09	55.88	17.79	78.45	22.57	PK	Vertic	PASS
3	5692.44	37.29	55.16	17.87	99.72	44.56	PK	Vertic	PASS
4	5713.08	37.46	55.40	17.94	108.96	53.56	PK	Vertic	PASS
5	5852.18	48.97	67.48	18.51	117.34	49.86	PK	Vertic	PASS
6	5869.73	40.01	58.62	18.61	106.78	48.16	PK	Vertic	PASS
7	5911.16	38.11	56.94	18.83	78.51	21.57	PK	Vertic	PASS
8	5934.08	38.97	57.91	18.94	68.30	10.39	PK	Vertic	PASS


Transmit at 5745MHz by 802.11n(20MHz) with Ant1
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5628.90	38.23	55.93	17.70	68.30	12.37	PK	Horizo	PASS
2	5668.88	40.56	58.37	17.81	82.31	23.94	PK	Horizo	PASS
3	5691.14	46.19	64.06	17.87	98.77	34.71	PK	Horizo	PASS
4	5723.80	63.66	81.63	17.97	119.56	37.93	PK	Horizo	PASS
5	5852.99	38.53	57.04	18.51	115.49	58.45	PK	Horizo	PASS
6	5879.48	38.52	57.18	18.66	101.98	44.80	PK	Horizo	PASS
7	5894.43	38.30	57.04	18.74	90.89	33.85	PK	Horizo	PASS
8	5929.53	38.75	57.67	18.92	68.30	10.63	PK	Horizo	PASS

Transmit at 5745MHz by 802.11n(20MHz) with Ant1
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.80	37.78	55.52	17.74	68.30	12.78	PK	Vertic	PASS
2	5671.48	37.24	55.06	17.82	84.23	29.17	PK	Vertic	PASS
3	5703.49	40.37	58.28	17.91	106.28	48.00	PK	Vertic	PASS
4	5723.64	53.18	71.15	17.97	119.19	48.04	PK	Vertic	PASS
5	5859.16	38.90	57.44	18.54	109.73	52.29	PK	Vertic	PASS
6	5887.44	38.51	57.22	18.71	96.07	38.85	PK	Vertic	PASS
7	5929.69	38.04	56.96	18.92	68.30	11.34	PK	Vertic	PASS
8	5943.66	38.17	57.16	18.99	68.30	11.14	PK	Vertic	PASS

Transmit at 5825MHz by 802.11n(20MHz) with Ant1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5649.21	37.76	55.51	17.75	68.30	12.79	PK	Horizo	PASS
2	5683.18	36.77	54.62	17.85	92.89	38.27	PK	Horizo	PASS
3	5697.64	37.52	55.41	17.89	103.56	48.15	PK	Horizo	PASS
4	5716.81	38.32	56.28	17.96	110.01	53.73	PK	Horizo	PASS
5	5851.36	57.36	75.86	18.50	119.19	43.33	PK	Horizo	PASS
6	5873.79	51.30	69.93	18.63	105.64	35.71	PK	Horizo	PASS
7	5893.61	40.16	58.90	18.74	91.49	32.59	PK	Horizo	PASS
8	5936.68	38.47	57.42	18.95	68.30	10.88	PK	Horizo	PASS

Transmit at 5825MHz by 802.11n(20MHz) with Ant1
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5630.36	37.45	55.15	17.70	68.30	13.15	PK	Vertic	PASS
2	5685.45	37.98	55.84	17.86	94.57	38.73	PK	Vertic	PASS
3	5709.34	38.45	56.38	17.93	107.92	51.54	PK	Vertic	PASS
4	5720.71	38.64	56.60	17.96	112.53	55.93	PK	Vertic	PASS
5	5852.01	46.66	65.17	18.51	117.71	52.54	PK	Vertic	PASS
6	5868.91	41.76	60.36	18.60	107.00	46.64	PK	Vertic	PASS
7	5898.65	38.12	56.89	18.77	87.76	30.87	PK	Vertic	PASS
8	5945.78	38.82	57.81	18.99	68.30	10.49	PK	Vertic	PASS


Transmit at 5755MHz by 802.11n(40MHz) with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5648.08	43.94	61.69	17.75	68.30	6.61	PK	Horizo	PASS
2	5672.29	47.26	65.08	17.82	84.83	19.75	PK	Horizo	PASS
3	5697.31	54.40	72.29	17.89	103.32	31.03	PK	Horizo	PASS
4	5719.25	64.76	82.72	17.96	110.69	27.97	PK	Horizo	PASS
5	5853.15	48.60	67.11	18.51	115.12	48.01	PK	Horizo	PASS
6	5873.46	42.94	61.57	18.63	105.73	44.16	PK	Horizo	PASS
7	5885.98	41.84	60.53	18.69	97.15	36.62	PK	Horizo	PASS
8	5916.36	42.12	60.97	18.85	74.67	13.70	PK	Horizo	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5657.50	36.76	54.54	17.78	73.87	19.33	PK	Vertic	PASS
2	5674.89	39.02	56.85	17.83	86.76	29.91	PK	Vertic	PASS
3	5687.73	41.37	59.23	17.86	96.25	37.02	PK	Vertic	PASS
4	5718.76	57.01	74.97	17.96	110.55	35.58	PK	Vertic	PASS
5	5852.99	39.03	57.54	18.51	115.49	57.95	PK	Vertic	PASS
6	5880.94	37.78	56.45	18.67	100.89	44.44	PK	Vertic	PASS
7	5934.40	37.80	56.74	18.94	68.30	11.56	PK	Vertic	PASS
8	5948.38	37.77	56.78	19.01	68.30	11.52	PK	Vertic	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5653.60	41.13	58.90	17.77	70.97	12.07	PK	Horizo	PASS
2	5681.88	43.42	61.27	17.85	91.93	30.66	PK	Horizo	PASS
3	5699.75	46.83	64.73	17.90	105.12	40.39	PK	Horizo	PASS
4	5718.76	50.30	68.26	17.96	110.55	42.29	PK	Horizo	PASS
5	5851.20	53.60	72.10	18.50	119.56	47.46	PK	Horizo	PASS
6	5871.51	52.98	71.59	18.61	106.28	34.69	PK	Horizo	PASS
7	5909.38	45.57	64.39	18.82	79.83	15.44	PK	Horizo	PASS
8	5929.85	44.67	63.59	18.92	68.30	4.71	PK	Horizo	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5633.45	37.61	55.32	17.71	68.30	12.98	PK	Vertic	PASS
2	5691.79	37.58	55.45	17.87	99.25	43.80	PK	Vertic	PASS
3	5713.08	38.62	56.56	17.94	108.96	52.40	PK	Vertic	PASS
4	5723.31	39.80	57.77	17.97	118.45	60.68	PK	Vertic	PASS
5	5858.35	42.87	61.41	18.54	109.96	48.55	PK	Vertic	PASS
6	5876.71	43.00	61.64	18.64	104.03	42.39	PK	Vertic	PASS
7	5907.43	38.14	56.95	18.81	81.27	24.32	PK	Vertic	PASS
8	5927.90	38.67	57.58	18.91	68.30	10.72	PK	Vertic	PASS


Transmit at 5775MHz by 802.11ac(80MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.40	45.70	63.41	17.71	68.30	4.89	PK	Horizo	PASS
2	5655.23	46.67	64.44	17.77	72.18	7.74	PK	Horizo	PASS
3	5683.99	59.17	77.03	17.86	93.49	16.46	PK	Horizo	PASS
4	5719.09	58.89	76.85	17.96	110.64	33.79	PK	Horizo	PASS
5	5861.76	56.12	74.68	18.56	109.00	34.32	PK	Horizo	PASS
6	5875.58	56.44	75.08	18.64	104.87	29.79	PK	Horizo	PASS
7	5916.69	43.31	62.17	18.86	74.43	12.26	PK	Horizo	PASS
8	5942.20	39.20	58.17	18.97	68.30	10.13	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1



Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5642.55	37.08	54.82	17.74	68.30	13.48	PK	Vertic	PASS
2	5677.65	46.54	64.37	17.83	88.80	24.43	PK	Vertic	PASS
3	5689.51	49.37	67.24	17.87	97.57	30.33	PK	Vertic	PASS
4	5715.51	50.81	68.76	17.95	109.65	40.89	PK	Vertic	PASS
5	5866.15	46.25	64.83	18.58	107.78	42.95	PK	Vertic	PASS
6	5880.29	40.58	59.24	18.66	101.37	42.13	PK	Vertic	PASS
7	5915.88	38.40	57.25	18.85	75.03	17.78	PK	Vertic	PASS
8	5948.21	38.23	57.24	19.01	68.30	11.06	PK	Vertic	PASS

Note: Level = Reading + Factor


Dynamic Frequency Selection

DFS Detection Thresholds


Test Result

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11AC80SISO	5290	Type0	-62.11	-62.00	PASS
11AC80SISO	5530	Type0	-62.30	-62.00	PASS

Test Graphs



11AC80SISO-5290-Type0-PASS




11AC80SISO-5530-Type0-PASS


Channel Move Time and Channel Closing Transmission Time Test Result

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80SISO	5290	200+0	200+60	181.9	10000	PASS
11AC80SISO	5530	200+3.9	200+60	206.6	10000	PASS

Test Graphs



11AC80SISO-5290-Type0-PASS



11AC80SISO-5530-Type0-PASS




Non-Occupancy Period


Test Result

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11AC80SISO	5290	see test graph	≥1800	PASS
11AC80SISO	5530	see test graph	≥1800	PASS

Test Graphs



11AC80SISO-5290-Type0-PASS



11AC80SISO-5530-Type0-PASS

The End