


Transmit at 5180MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5144.89	30.54	46.66	16.12	54.00	7.34	AV	Horizo	PASS
2	5150.00	29.68	45.79	16.11	54.00	8.21	AV	Horizo	PASS



Transmit at 5180MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5022.85	38.02	54.03	16.01	74.00	19.97	PK	Vertic	PASS
2	5150.00	35.16	51.27	16.11	74.00	22.73	PK	Vertic	PASS



Transmit at 5180MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.91	28.15	44.27	16.12	54.00	9.73	AV	Vertic	PASS
2	5150.00	27.79	43.90	16.11	54.00	10.10	AV	Vertic	PASS

Transmit at 5320MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.26	49.72	16.46	74.00	24.28	PK	Horizo	PASS
2	5360.63	36.80	53.30	16.50	74.00	20.70	PK	Horizo	PASS

Transmit at 5320MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	28.24	44.70	16.46	54.00	9.30	AV	Horizo	PASS
2	5351.46	30.52	46.98	16.46	54.00	7.02	AV	Horizo	PASS

Transmit at 5320MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.65	49.11	16.46	74.00	24.89	PK	Vertic	PASS
2	5379.56	36.02	52.57	16.55	74.00	21.43	PK	Vertic	PASS



Transmit at 5320MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.61	42.07	16.46	54.00	11.93	AV	Vertic	PASS
2	5351.68	26.84	43.30	16.46	54.00	10.70	AV	Vertic	PASS

Transmit at 5500MHz by 802.11a with Ant1+2

Test Graph




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	38.39	55.56	17.17	68.30	12.74	PK	Horizo	PASS
2	5462.27	40.64	57.83	17.19	68.30	10.47	PK	Horizo	PASS



Transmit at 5500MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5459.04	30.55	47.72	17.17	54.00	6.28	AV	Horizo	PASS
2	5460.00	29.23	46.40	17.17	54.00	7.60	AV	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.37	54.54	17.17	68.30	13.76	PK	Vertic	PASS
2	5464.29	38.51	55.72	17.21	68.30	12.58	PK	Vertic	PASS

Transmit at 5500MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5451.12	28.15	45.24	17.09	54.00	8.76	AV	Vertic	PASS
2	5460.00	27.67	44.84	17.17	54.00	9.16	AV	Vertic	PASS

Transmit at 5700MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	38.60	56.57	17.97	68.30	11.73	PK	Horizo	PASS
2	5726.50	39.70	57.69	17.99	68.30	10.61	PK	Horizo	PASS

Transmit at 5700MHz by 802.11a with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	36.13	54.10	17.97	68.30	14.20	PK	Vertic	PASS
2	5731.85	38.38	56.38	18.00	68.30	11.92	PK	Vertic	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5134.63	38.69	54.82	16.13	74.00	19.18	PK	Horizo	PASS
2	5150.00	37.73	53.84	16.11	74.00	20.16	PK	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5144.12	29.70	45.82	16.12	54.00	8.18	AV	Horizo	PASS
2	5150.00	28.58	44.69	16.11	54.00	9.31	AV	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5133.68	38.47	54.61	16.14	74.00	19.39	PK	Vertic	PASS
2	5150.00	35.85	51.96	16.11	74.00	22.04	PK	Vertic	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5130.06	28.26	44.39	16.13	54.00	9.61	AV	Vertic	PASS
2	5150.00	27.76	43.87	16.11	54.00	10.13	AV	Vertic	PASS

Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5350.00	33.87	50.33	16.46	74.00	23.67	PK	Horizo	PASS
2	5358.34	37.97	54.46	16.49	74.00	19.54	PK	Horizo	PASS

Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.42	43.88	16.46	54.00	10.12	AV	Horizo	PASS
2	5352.53	29.95	46.42	16.47	54.00	7.58	AV	Horizo	PASS



Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.31	47.77	16.46	74.00	26.23	PK	Vertic	PASS
2	5350.48	36.71	53.17	16.46	74.00	20.83	PK	Vertic	PASS

Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.28	41.74	16.46	54.00	12.26	AV	Vertic	PASS
2	5351.89	26.68	43.14	16.46	54.00	10.86	AV	Vertic	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	38.55	55.72	17.17	68.30	12.58	PK	Horizo	PASS
2	5468.13	41.40	58.65	17.25	68.30	9.65	PK	Horizo	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5455.18	29.98	47.11	17.13	54.00	6.89	AV	Horizo	PASS
2	5460.00	28.76	45.93	17.17	54.00	8.07	AV	Horizo	PASS



Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.70	53.87	17.17	68.30	14.43	PK	Vertic	PASS
2	5465.04	38.83	56.05	17.22	68.30	12.25	PK	Vertic	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.66	27.97	45.09	17.12	54.00	8.91	AV	Vertic	PASS
2	5460.00	27.45	44.62	17.17	54.00	9.38	AV	Vertic	PASS

Transmit at 5700MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	37.17	55.14	17.97	68.30	13.16	PK	Horizo	PASS
2	5736.05	39.04	57.06	18.02	68.30	11.24	PK	Horizo	PASS

Transmit at 5700MHz by 802.11n(20MHz) with Ant1+2


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	36.67	54.64	17.97	68.30	13.66	PK	Vertic	PASS
2	5726.25	37.76	55.75	17.99	68.30	12.55	PK	Vertic	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5116.46	38.10	54.25	16.15	74.00	19.75	PK	Horizo	PASS
2	5150.00	35.09	51.20	16.11	74.00	22.80	PK	Horizo	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5131.99	29.02	45.16	16.14	54.00	8.84	AV	Horizo	PASS
2	5150.00	28.32	44.43	16.11	54.00	9.57	AV	Horizo	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5060.10	38.34	54.42	16.08	74.00	19.58	PK	Vertic	PASS
2	5150.00	34.78	50.89	16.11	74.00	23.11	PK	Vertic	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5140.24	28.09	44.22	16.13	54.00	9.78	AV	Vertic	PASS
2	5150.00	27.60	43.71	16.11	54.00	10.29	AV	Vertic	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.24	49.70	16.46	74.00	24.30	PK	Horizo	PASS
2	5379.00	37.15	53.70	16.55	74.00	20.30	PK	Horizo	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	28.05	44.51	16.46	54.00	9.49	AV	Horizo	PASS
2	5363.91	28.71	45.22	16.51	54.00	8.78	AV	Horizo	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.49	48.95	16.46	74.00	25.05	PK	Vertic	PASS
2	5379.42	35.55	52.10	16.55	74.00	21.90	PK	Vertic	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5350.00	25.26	41.72	16.46	54.00	12.28	AV	Vertic	PASS
2	5382.37	26.49	43.04	16.55	54.00	10.96	AV	Vertic	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5460.00	37.98	55.15	17.17	68.30	13.15	PK	Horizo	PASS
2	5466.04	40.27	57.50	17.23	68.30	10.80	PK	Horizo	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5455.80	29.23	46.36	17.13	54.00	7.64	AV	Horizo	PASS
2	5460.00	27.97	45.14	17.17	54.00	8.86	AV	Horizo	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5460.00	36.37	53.54	17.17	68.30	14.76	PK	Vertic	PASS
2	5464.84	38.42	55.64	17.22	68.30	12.66	PK	Vertic	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.99	27.92	45.08	17.16	54.00	8.92	AV	Vertic	PASS
2	5460.00	26.95	44.12	17.17	54.00	9.88	AV	Vertic	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.12	54.38	17.26	68.30	13.92	PK	Horizo	PASS
2	5725.00	35.84	53.82	17.98	68.30	14.48	PK	Horizo	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.73	27.83	44.99	17.16	54.00	9.01	AV	Horizo	PASS
2	5460.00	27.11	44.28	17.17	54.00	9.72	AV	Horizo	PASS



Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	36.63	53.89	17.26	68.30	14.41	PK	Vertic	PASS
2	5725.00	35.85	53.83	17.98	68.30	14.47	PK	Vertic	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5457.54	27.66	44.80	17.14	54.00	9.20	AV	Vertic	PASS
2	5460.00	26.98	44.15	17.17	54.00	9.85	AV	Vertic	PASS



Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5036.04	38.56	54.59	16.03	74.00	19.41	PK	Horizo	PASS
2	5150.00	35.26	51.37	16.11	74.00	22.63	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5129.97	29.13	45.26	16.13	54.00	8.74	AV	Horizo	PASS
2	5150.00	28.51	44.62	16.11	54.00	9.38	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5136.09	38.13	54.26	16.13	74.00	19.74	PK	Vertic	PASS
2	5150.00	36.41	52.52	16.11	74.00	21.48	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.00	28.28	44.40	16.12	54.00	9.60	AV	Vertic	PASS
2	5150.00	27.60	43.71	16.11	54.00	10.29	AV	Vertic	PASS



Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5350.00	33.80	50.26	16.46	74.00	23.74	PK	Horizo	PASS
2	5361.66	36.92	53.42	16.50	74.00	20.58	PK	Horizo	PASS

Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	26.79	43.25	16.46	54.00	10.75	AV	Horizo	PASS
2	5353.61	28.44	44.92	16.48	54.00	9.08	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.97	48.43	16.46	74.00	25.57	PK	Vertic	PASS
2	5378.04	35.57	52.11	16.54	74.00	21.89	PK	Vertic	PASS



Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.23	41.69	16.46	54.00	12.31	AV	Vertic	PASS
2	5371.59	26.36	42.89	16.53	54.00	11.11	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5460.00	37.10	54.27	17.17	68.30	14.03	PK	Horizo	PASS
2	5464.45	39.78	56.99	17.21	68.30	11.31	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5442.64	29.50	46.51	17.01	54.00	7.49	AV	Horizo	PASS
2	5460.00	27.71	44.88	17.17	54.00	9.12	AV	Horizo	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.52	54.69	17.17	68.30	13.61	PK	Vertic	PASS
2	5467.17	38.87	56.11	17.24	68.30	12.19	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5459.28	28.13	45.30	17.17	54.00	8.70	AV	Vertic	PASS
2	5460.00	26.74	43.91	17.17	54.00	10.09	AV	Vertic	PASS

Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5725.00	36.23	54.20	17.97	68.30	14.10	PK	Horizo	PASS
2	5742.95	39.08	57.11	18.03	68.30	11.19	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	36.80	54.77	17.97	68.30	13.53	PK	Vertic	PASS
2	5754.90	39.39	57.46	18.07	68.30	10.84	PK	Vertic	PASS



Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5007.21	38.97	54.95	15.98	74.00	19.05	PK	Horizo	PASS
2	5150.00	35.45	51.56	16.11	74.00	22.44	PK	Horizo	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5130.57	28.62	44.75	16.13	54.00	9.25	AV	Horizo	PASS
2	5150.00	28.69	44.80	16.11	54.00	9.20	AV	Horizo	PASS



Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5147.34	37.77	53.89	16.12	74.00	20.11	PK	Vertic	PASS
2	5150.00	34.58	50.69	16.11	74.00	23.31	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5141.84	28.03	44.16	16.13	54.00	9.84	AV	Vertic	PASS
2	5150.00	27.47	43.58	16.11	54.00	10.42	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.59	50.05	16.46	74.00	23.95	PK	Horizo	PASS
2	5380.04	35.95	52.50	16.55	74.00	21.50	PK	Horizo	PASS

Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.59	44.05	16.46	54.00	9.95	AV	Horizo	PASS
2	5353.64	28.29	44.77	16.48	54.00	9.23	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.10	48.56	16.46	74.00	25.44	PK	Vertic	PASS
2	5353.69	36.00	52.48	16.48	74.00	21.52	PK	Vertic	PASS

Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.29	41.75	16.46	54.00	12.25	AV	Vertic	PASS
2	5357.02	26.98	43.47	16.49	54.00	10.53	AV	Vertic	PASS

Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.42	54.59	17.17	68.30	13.71	PK	Horizo	PASS
2	5461.18	40.08	57.26	17.18	68.30	11.04	PK	Horizo	PASS

Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5452.76	28.94	46.04	17.10	54.00	7.96	AV	Horizo	PASS
2	5460.00	27.69	44.86	17.17	54.00	9.14	AV	Horizo	PASS

Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.14	54.31	17.17	68.30	13.99	PK	Vertic	PASS
2	5466.58	38.54	55.77	17.23	68.30	12.53	PK	Vertic	PASS

Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5454.02	28.17	45.29	17.12	54.00	8.71	AV	Vertic	PASS
2	5460.00	27.56	44.73	17.17	54.00	9.27	AV	Vertic	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	36.70	53.96	17.26	68.30	14.34	PK	Horizo	PASS
2	5725.00	35.91	53.89	17.98	68.30	14.41	PK	Horizo	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5454.84	27.94	45.06	17.12	54.00	8.94	AV	Horizo	PASS
2	5460.00	27.66	44.83	17.17	54.00	9.17	AV	Horizo	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.06	54.32	17.26	68.30	13.98	PK	Vertic	PASS
2	5725.00	36.42	54.40	17.98	68.30	13.90	PK	Vertic	PASS



Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5453.39	27.68	44.79	17.11	54.00	9.21	AV	Vertic	PASS
2	5460.00	27.00	44.17	17.17	54.00	9.83	AV	Vertic	PASS



Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5142.47	38.49	54.61	16.12	74.00	19.39	PK	Horizo	PASS
2	5150.00	36.42	52.53	16.11	74.00	21.47	PK	Horizo	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.47	29.50	45.62	16.12	54.00	8.38	AV	Horizo	PASS
2	5150.00	28.92	45.03	16.11	54.00	8.97	AV	Horizo	PASS



Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5106.19	38.49	54.65	16.16	74.00	19.35	PK	Vertic	PASS
2	5150.00	34.34	50.45	16.11	74.00	23.55	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5134.03	28.21	44.35	16.14	54.00	9.65	AV	Vertic	PASS
2	5150.00	27.35	43.46	16.11	54.00	10.54	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.36	49.82	16.46	74.00	24.18	PK	Horizo	PASS
2	5362.17	37.97	54.47	16.50	74.00	19.53	PK	Horizo	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	28.17	44.63	16.46	54.00	9.37	AV	Horizo	PASS
2	5361.20	29.22	45.72	16.50	54.00	8.28	AV	Horizo	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.71	49.17	16.46	74.00	24.83	PK	Vertic	PASS
2	5364.69	35.29	51.80	16.51	74.00	22.20	PK	Vertic	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5350.00	25.57	42.03	16.46	54.00	11.97	AV	Vertic	PASS
2	5370.17	26.27	42.79	16.52	54.00	11.21	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	38.64	55.81	17.17	68.30	12.49	PK	Horizo	PASS
2	5468.80	39.78	57.04	17.26	68.30	11.26	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5459.89	29.66	46.83	17.17	54.00	7.17	AV	Horizo	PASS
2	5460.00	27.57	44.74	17.17	54.00	9.26	AV	Horizo	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.59	53.76	17.17	68.30	14.54	PK	Vertic	PASS
2	5464.11	38.35	55.56	17.21	68.30	12.74	PK	Vertic	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5454.78	27.86	44.98	17.12	54.00	9.02	AV	Vertic	PASS
2	5460.00	27.04	44.21	17.17	54.00	9.79	AV	Vertic	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5466.62	38.10	55.33	17.23	68.30	12.97	PK	Horizo	PASS
2	5725.00	36.73	54.71	17.98	68.30	13.59	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5446.18	27.72	44.76	17.04	54.00	9.24	AV	Horizo	PASS
2	5460.00	26.93	44.10	17.17	54.00	9.90	AV	Horizo	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5463.71	38.88	56.09	17.21	68.30	12.21	PK	Vertic	PASS
2	5725.00	36.63	54.61	17.98	68.30	13.69	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5452.61	27.82	44.92	17.10	54.00	9.08	AV	Vertic	PASS
2	5460.00	26.70	43.87	17.17	54.00	10.13	AV	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5139.29	39.60	55.73	16.13	74.00	18.27	PK	Horizo	PASS
2	5150.00	35.83	51.94	16.11	74.00	22.06	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.34	30.45	46.57	16.12	54.00	7.43	AV	Horizo	PASS
2	5150.00	29.53	45.64	16.11	54.00	8.36	AV	Horizo	PASS



Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5099.27	37.85	54.01	16.16	74.00	19.99	PK	Vertic	PASS
2	5150.00	36.31	52.42	16.11	74.00	21.58	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5138.60	28.29	44.42	16.13	54.00	9.58	AV	Vertic	PASS
2	5150.00	27.25	43.36	16.11	54.00	10.64	AV	Vertic	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.10	52.56	16.46	74.00	21.44	PK	Horizo	PASS
2	5359.76	37.20	53.70	16.50	74.00	20.30	PK	Horizo	PASS



Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5350.00	29.47	45.93	16.46	54.00	8.07	AV	Horizo	PASS
2	5357.98	29.37	45.86	16.49	54.00	8.14	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.97	49.43	16.46	74.00	24.57	PK	Vertic	PASS
2	5351.55	35.90	52.36	16.46	74.00	21.64	PK	Vertic	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.21	41.67	16.46	54.00	12.33	AV	Vertic	PASS
2	5353.82	26.49	42.97	16.48	54.00	11.03	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5460.00	37.58	54.75	17.17	68.30	13.55	PK	Horizo	PASS
2	5469.04	40.67	57.93	17.26	68.30	10.37	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5457.62	30.14	47.28	17.14	54.00	6.72	AV	Horizo	PASS
2	5460.00	29.11	46.28	17.17	54.00	7.72	AV	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.63	53.80	17.17	68.30	14.50	PK	Vertic	PASS
2	5467.65	39.53	56.78	17.25	68.30	11.52	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.06	27.81	44.97	17.16	54.00	9.03	AV	Vertic	PASS
2	5460.00	26.86	44.03	17.17	54.00	9.97	AV	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	37.80	55.77	17.97	68.30	12.53	PK	Horizo	PASS
2	5727.35	39.06	57.05	17.99	68.30	11.25	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	35.67	53.64	17.97	68.30	14.66	PK	Vertic	PASS
2	5736.15	38.39	56.41	18.02	68.30	11.89	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5144.06	38.46	54.58	16.12	74.00	19.42	PK	Horizo	PASS
2	5150.00	35.76	51.87	16.11	74.00	22.13	PK	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.79	29.41	45.53	16.12	54.00	8.47	AV	Horizo	PASS
2	5150.00	28.53	44.64	16.11	54.00	9.36	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5006.85	37.71	53.69	15.98	74.00	20.31	PK	Vertic	PASS
2	5150.00	35.26	51.37	16.11	74.00	22.63	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.43	28.62	44.74	16.12	54.00	9.26	AV	Vertic	PASS
2	5150.00	27.50	43.61	16.11	54.00	10.39	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5350.00	33.29	49.75	16.46	74.00	24.25	PK	Horizo	PASS
2	5383.12	37.30	53.86	16.56	74.00	20.14	PK	Horizo	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5350.00	28.09	44.55	16.46	54.00	9.45	AV	Horizo	PASS
2	5362.80	28.78	45.28	16.50	54.00	8.72	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.97	49.43	16.46	74.00	24.57	PK	Vertic	PASS
2	5378.08	36.74	53.28	16.54	74.00	20.72	PK	Vertic	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5350.00	25.36	41.82	16.46	54.00	12.18	AV	Vertic	PASS
2	5378.93	26.51	43.06	16.55	54.00	10.94	AV	Vertic	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.50	54.67	17.17	68.30	13.63	PK	Horizo	PASS
2	5465.98	41.64	58.87	17.23	68.30	9.43	PK	Horizo	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.47	29.41	46.57	17.16	54.00	7.43	AV	Horizo	PASS
2	5460.00	28.10	45.27	17.17	54.00	8.73	AV	Horizo	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.09	54.26	17.17	68.30	14.04	PK	Vertic	PASS
2	5464.72	38.50	55.72	17.22	68.30	12.58	PK	Vertic	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5455.19	27.67	44.80	17.13	54.00	9.20	AV	Vertic	PASS
2	5460.00	27.58	44.75	17.17	54.00	9.25	AV	Vertic	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.18	54.44	17.26	68.30	13.86	PK	Horizo	PASS
2	5725.00	35.82	53.80	17.98	68.30	14.50	PK	Horizo	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5450.53	27.79	44.87	17.08	54.00	9.13	AV	Horizo	PASS
2	5460.00	26.80	43.97	17.17	54.00	10.03	AV	Horizo	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	36.87	54.13	17.26	68.30	14.17	PK	Vertic	PASS
2	5725.00	35.79	53.77	17.98	68.30	14.53	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5455.20	27.78	44.91	17.13	54.00	9.09	AV	Vertic	PASS
2	5460.00	26.62	43.79	17.17	54.00	10.21	AV	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5108.81	37.74	53.90	16.16	74.00	20.10	PK	Horizo	PASS
2	5150.00	35.61	51.72	16.11	74.00	22.28	PK	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5141.63	29.16	45.29	16.13	54.00	8.71	AV	Horizo	PASS
2	5150.00	28.80	44.91	16.11	54.00	9.09	AV	Horizo	PASS



Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5129.06	37.52	53.65	16.13	74.00	20.35	PK	Vertic	PASS
2	5150.00	35.42	51.53	16.11	74.00	22.47	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.16	28.49	44.61	16.12	54.00	9.39	AV	Vertic	PASS
2	5150.00	27.53	43.64	16.11	54.00	10.36	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	34.12	50.58	16.46	74.00	23.42	PK	Horizo	PASS
2	5351.61	35.65	52.11	16.46	74.00	21.89	PK	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.36	43.82	16.46	54.00	10.18	AV	Horizo	PASS
2	5351.35	28.07	44.53	16.46	54.00	9.47	AV	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.46	47.92	16.46	74.00	26.08	PK	Vertic	PASS
2	5354.92	35.91	52.39	16.48	74.00	21.61	PK	Vertic	PASS



Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.05	41.51	16.46	54.00	12.49	AV	Vertic	PASS
2	5350.20	26.37	42.83	16.46	54.00	11.17	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.97	54.14	17.17	68.30	14.16	PK	Horizo	PASS
2	5465.21	39.06	56.28	17.22	68.30	12.02	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5457.33	28.89	46.03	17.14	54.00	7.97	AV	Horizo	PASS
2	5460.00	27.43	44.60	17.17	54.00	9.40	AV	Horizo	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.68	54.85	17.17	68.30	13.45	PK	Vertic	PASS
2	5467.85	38.08	55.33	17.25	68.30	12.97	PK	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5456.12	27.69	44.82	17.13	54.00	9.18	AV	Vertic	PASS
2	5460.00	26.78	43.95	17.17	54.00	10.05	AV	Vertic	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5468.14	39.20	56.45	17.25	68.30	11.85	PK	Horizo	PASS
2	5725.00	35.75	53.73	17.98	68.30	14.57	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5452.45	27.67	44.77	17.10	54.00	9.23	AV	Horizo	PASS
2	5460.00	27.60	44.77	17.17	54.00	9.23	AV	Horizo	PASS