







11AX20SISO-Ant1-5200-PASS




11AX20SISO-Ant1-5240-PASS




11AX20SISO-Ant1-5260-PASS




11AX20SISO-Ant1-5280-PASS




11AX20SISO-Ant1-5320-PASS




11AX20SISO-Ant1-5500-PASS




11AX20SISO-Ant1-5580-PASS




11AX20SISO-Ant1-5700-PASS




11AX20SISO-Ant1-5745-PASS




11AX20SISO-Ant1-5785-PASS




11AX20SISO-Ant1-5825-PASS




11AX40SISO-Ant1-5190-PASS




11AX40SISO-Ant1-5230-PASS




11AX40SISO-Ant1-5270-PASS




11AX40SISO-Ant1-5310-PASS




11AX40SISO-Ant1-5510-PASS




11AX40SISO-Ant1-5550-PASS




11AX40SISO-Ant1-5670-PASS




11AX40SISO-Ant1-5755-PASS




11AX40SISO-Ant1-5795-PASS




11AX80SISO-Ant1-5210-PASS




11AX80SISO-Ant1-5290-PASS



11AX80SISO-Ant1-5530-PASS




11AX80SISO-Ant1-5610-PASS



11AX80SISO-Ant1-5775-PASS


Appendix G: Radiated Emission Band Edge

Transmit at 5180MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.15	45.53	61.65	16.12	74.00	12.35	PK	Horizo	PASS
2	5150.00	44.93	61.04	16.11	74.00	12.96	PK	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.38	36.76	52.88	16.12	54.00	1.12	AV	Horizo	PASS
2	5150.00	34.47	50.58	16.11	54.00	3.42	AV	Horizo	PASS


Transmit at 5180MHz by 802.11a with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.46	38.36	54.48	16.12	74.00	19.52	PK	Vertic	PASS
2	5150.00	36.82	52.93	16.11	74.00	21.07	PK	Vertic	PASS


Transmit at 5180MHz by 802.11a with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.48	28.73	44.85	16.12	54.00	9.15	AV	Vertic	PASS
2	5150.00	28.47	44.58	16.11	54.00	9.42	AV	Vertic	PASS


Transmit at 5320MHz by 802.11a with Ant1



Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5350.00	40.09	56.55	16.46	74.00	17.45	PK	Horizo	PASS
2	5353.05	42.38	58.86	16.48	74.00	15.14	PK	Horizo	PASS


Transmit at 5320MHz by 802.11a with Ant1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.23	51.69	16.46	54.00	2.31	AV	Horizo	PASS
2	5350.26	35.76	52.22	16.46	54.00	1.78	AV	Horizo	PASS

Transmit at 5320MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.19	51.65	16.46	74.00	22.35	PK	Vertic	PASS
2	5373.04	36.26	52.79	16.53	74.00	21.21	PK	Vertic	PASS

Transmit at 5320MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.77	42.23	16.46	54.00	11.77	AV	Vertic	PASS
2	5369.53	26.42	42.94	16.52	54.00	11.06	AV	Vertic	PASS

Transmit at 5500MHz by 802.11a with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	40.06	57.23	17.17	68.30	11.07	PK	Horizo	PASS
2	5469.84	48.29	65.55	17.26	68.30	2.75	PK	Horizo	PASS


Transmit at 5500MHz by 802.11a with Ant1



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5459.54	30.96	48.13	17.17	54.00	5.87	AV	Horizo	PASS
2	5460.00	29.40	46.57	17.17	54.00	7.43	AV	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.62	53.79	17.17	68.30	14.51	PK	Vertic	PASS
2	5462.75	38.73	55.93	17.20	68.30	12.37	PK	Vertic	PASS

Transmit at 5500MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5459.32	27.87	45.04	17.17	54.00	8.96	AV	Vertic	PASS
2	5460.00	26.98	44.15	17.17	54.00	9.85	AV	Vertic	PASS

Transmit at 5700MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	41.03	59.00	17.97	68.30	9.30	PK	Horizo	PASS
2	5728.05	40.90	58.89	17.99	68.30	9.41	PK	Horizo	PASS

Transmit at 5700MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	36.10	54.07	17.97	68.30	14.23	PK	Vertic	PASS
2	5733.20	37.94	55.94	18.00	68.30	12.36	PK	Vertic	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5098.66	41.05	57.21	16.16	74.00	16.79	PK	Horizo	PASS
2	5150.00	42.81	58.92	16.11	74.00	15.08	PK	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5143.43	32.45	48.57	16.12	54.00	5.43	AV	Horizo	PASS
2	5150.00	31.34	47.45	16.11	54.00	6.55	AV	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5135.58	37.92	54.05	16.13	74.00	19.95	PK	Vertic	PASS
2	5150.00	35.31	51.42	16.11	74.00	22.58	PK	Vertic	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5140.32	28.44	44.57	16.13	54.00	9.43	AV	Vertic	PASS
2	5150.00	27.08	43.19	16.11	54.00	10.81	AV	Vertic	PASS


Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	38.20	54.66	16.46	74.00	19.34	PK	Horizo	PASS
2	5356.93	41.45	57.94	16.49	74.00	16.06	PK	Horizo	PASS


Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.34	47.80	16.46	54.00	6.20	AV	Horizo	PASS
2	5350.39	32.21	48.67	16.46	54.00	5.33	AV	Horizo	PASS


Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.95	49.41	16.46	74.00	24.59	PK	Vertic	PASS
2	5362.14	34.93	51.43	16.50	74.00	22.57	PK	Vertic	PASS

Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.09	41.55	16.46	54.00	12.45	AV	Vertic	PASS
2	5359.33	26.18	42.67	16.49	54.00	11.33	AV	Vertic	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	42.85	60.02	17.17	68.30	8.28	PK	Horizo	PASS
2	5467.60	46.97	64.22	17.25	68.30	4.08	PK	Horizo	PASS


Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5456.32	32.35	49.49	17.14	54.00	4.51	AV	Horizo	PASS
2	5460.00	30.03	47.20	17.17	54.00	6.80	AV	Horizo	PASS


Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.66	53.83	17.17	68.30	14.47	PK	Vertic	PASS
2	5460.56	39.32	56.50	17.18	68.30	11.80	PK	Vertic	PASS

Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5457.00	27.89	45.03	17.14	54.00	8.97	AV	Vertic	PASS
2	5460.00	26.73	43.90	17.17	54.00	10.10	AV	Vertic	PASS

Transmit at 5700MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	42.20	60.17	17.97	68.30	8.13	PK	Horizo	PASS
2	5726.00	48.25	66.24	17.99	68.30	2.06	PK	Horizo	PASS

Transmit at 5700MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	36.06	54.03	17.97	68.30	14.27	PK	Vertic	PASS
2	5749.25	38.39	56.45	18.06	68.30	11.85	PK	Vertic	PASS


Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.21	41.10	57.22	16.12	74.00	16.78	PK	Horizo	PASS
2	5150.00	37.87	53.98	16.11	74.00	20.02	PK	Horizo	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.56	33.85	49.97	16.12	54.00	4.03	AV	Horizo	PASS
2	5150.00	32.76	48.87	16.11	54.00	5.13	AV	Horizo	PASS


Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5135.54	38.08	54.21	16.13	74.00	19.79	PK	Vertic	PASS
2	5150.00	35.24	51.35	16.11	74.00	22.65	PK	Vertic	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5143.53	28.75	44.87	16.12	54.00	9.13	AV	Vertic	PASS
2	5150.00	27.82	43.93	16.11	54.00	10.07	AV	Vertic	PASS


Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.23	52.69	16.46	74.00	21.31	PK	Horizo	PASS
2	5350.88	42.27	58.73	16.46	74.00	15.27	PK	Horizo	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.76	48.22	16.46	54.00	5.78	AV	Horizo	PASS
2	5350.20	33.98	50.44	16.46	54.00	3.56	AV	Horizo	PASS


Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.68	48.14	16.46	74.00	25.86	PK	Vertic	PASS
2	5369.50	35.65	52.17	16.52	74.00	21.83	PK	Vertic	PASS

Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.16	41.62	16.46	54.00	12.38	AV	Vertic	PASS
2	5355.28	26.70	43.18	16.48	54.00	10.82	AV	Vertic	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	43.24	60.41	17.17	68.30	7.89	PK	Horizo	PASS
2	5469.40	47.83	65.09	17.26	68.30	3.21	PK	Horizo	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5453.95	32.45	49.57	17.12	54.00	4.43	AV	Horizo	PASS
2	5460.00	31.02	48.19	17.17	54.00	5.81	AV	Horizo	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.38	54.55	17.17	68.30	13.75	PK	Vertic	PASS
2	5468.08	38.75	56.00	17.25	68.30	12.30	PK	Vertic	PASS

Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5455.73	27.64	44.77	17.13	54.00	9.23	AV	Vertic	PASS
2	5460.00	26.85	44.02	17.17	54.00	9.98	AV	Vertic	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	38.05	55.31	17.26	68.30	12.99	PK	Horizo	PASS
2	5725.00	38.66	56.64	17.98	68.30	11.66	PK	Horizo	PASS


Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5457.80	28.57	45.73	17.16	54.00	8.27	AV	Horizo	PASS
2	5460.00	27.01	44.18	17.17	54.00	9.82	AV	Horizo	PASS

Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.47	54.73	17.26	68.30	13.57	PK	Vertic	PASS
2	5725.00	36.02	54.00	17.98	68.30	14.30	PK	Vertic	PASS


Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5439.38	27.83	44.81	16.98	54.00	9.19	AV	Vertic	PASS
2	5460.00	26.96	44.13	17.17	54.00	9.87	AV	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5124.09	39.60	55.74	16.14	74.00	18.26	PK	Horizo	PASS
2	5150.00	39.15	55.26	16.11	74.00	18.74	PK	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.75	32.60	48.72	16.12	54.00	5.28	AV	Horizo	PASS
2	5150.00	31.26	47.37	16.11	54.00	6.63	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5134.69	37.94	54.07	16.13	74.00	19.93	PK	Vertic	PASS
2	5150.00	34.12	50.23	16.11	74.00	23.77	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.13	28.19	44.31	16.12	54.00	9.69	AV	Vertic	PASS
2	5150.00	27.29	43.40	16.11	54.00	10.60	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.30	51.76	16.46	74.00	22.24	PK	Horizo	PASS
2	5356.97	37.80	54.29	16.49	74.00	19.71	PK	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	30.19	46.65	16.46	54.00	7.35	AV	Horizo	PASS
2	5350.46	31.24	47.70	16.46	54.00	6.30	AV	Horizo	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.84	48.30	16.46	74.00	25.70	PK	Vertic	PASS
2	5385.87	35.85	52.42	16.57	74.00	21.58	PK	Vertic	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.07	41.53	16.46	54.00	12.47	AV	Vertic	PASS
2	5385.45	26.55	43.12	16.57	54.00	10.88	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	40.38	57.55	17.17	68.30	10.75	PK	Horizo	PASS
2	5462.20	42.36	59.55	17.19	68.30	8.75	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5453.87	31.79	48.91	17.12	54.00	5.09	AV	Horizo	PASS
2	5460.00	29.63	46.80	17.17	54.00	7.20	AV	Horizo	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.19	53.36	17.17	68.30	14.94	PK	Vertic	PASS
2	5462.86	38.53	55.73	17.20	68.30	12.57	PK	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.32	28.01	45.17	17.16	54.00	8.83	AV	Vertic	PASS
2	5460.00	27.08	44.25	17.17	54.00	9.75	AV	Vertic	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5463.57	39.33	56.54	17.21	68.30	11.76	PK	Horizo	PASS
2	5725.00	36.13	54.11	17.98	68.30	14.19	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.89	28.48	45.61	17.13	54.00	8.39	AV	Horizo	PASS
2	5460.00	27.61	44.78	17.17	54.00	9.22	AV	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5465.79	38.51	55.73	17.22	68.30	12.57	PK	Vertic	PASS
2	5725.00	36.24	54.22	17.98	68.30	14.08	PK	Vertic	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5452.35	27.79	44.89	17.10	54.00	9.11	AV	Vertic	PASS
2	5460.00	26.77	43.94	17.17	54.00	10.06	AV	Vertic	PASS

Transmit at 5745MHz by 802.11a with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.21	38.42	56.14	17.72	68.30	12.16	PK	Horizo	PASS
2	5678.79	39.32	57.16	17.84	89.64	32.48	PK	Horizo	PASS
3	5703.98	43.10	61.01	17.91	106.41	45.40	PK	Horizo	PASS
4	5724.13	55.52	73.49	17.97	120.31	46.82	PK	Horizo	PASS
5	5854.13	38.71	57.22	18.51	112.89	55.67	PK	Horizo	PASS
6	5870.05	38.60	57.21	18.61	106.68	49.47	PK	Horizo	PASS
7	5920.26	38.30	57.17	18.87	71.79	14.62	PK	Horizo	PASS
8	5941.39	39.46	58.43	18.97	68.30	9.87	PK	Horizo	PASS

Transmit at 5745MHz by 802.11a with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5632.64	36.86	54.56	17.70	68.30	13.74	PK	Vertic	PASS
2	5680.58	38.49	56.34	17.85	90.96	34.62	PK	Vertic	PASS
3	5708.85	37.47	55.40	17.93	107.78	52.38	PK	Vertic	PASS
4	5723.48	38.66	56.63	17.97	118.82	62.19	PK	Vertic	PASS
5	5861.11	38.74	57.30	18.56	109.19	51.89	PK	Vertic	PASS
6	5891.01	40.24	58.96	18.72	93.42	34.46	PK	Vertic	PASS
7	5918.48	38.00	56.86	18.86	73.11	16.25	PK	Vertic	PASS
8	5933.10	38.00	56.94	18.94	68.30	11.36	PK	Vertic	PASS

Transmit at 5825MHz by 802.11a with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5627.28	36.97	54.66	17.69	68.30	13.64	PK	Horizo	PASS
2	5661.56	37.21	55.00	17.79	76.89	21.89	PK	Horizo	PASS
3	5698.94	37.95	55.85	17.90	104.52	48.67	PK	Horizo	PASS
4	5712.43	39.09	57.03	17.94	108.78	51.75	PK	Horizo	PASS
5	5853.15	53.04	71.55	18.51	115.12	43.57	PK	Horizo	PASS
6	5864.69	47.26	65.84	18.58	108.19	42.35	PK	Horizo	PASS
7	5900.93	39.30	58.08	18.78	86.08	28.00	PK	Horizo	PASS
8	5948.21	38.27	57.28	19.01	68.30	11.02	PK	Horizo	PASS

Transmit at 5825MHz by 802.11a with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5629.23	37.01	54.71	17.70	68.30	13.59	PK	Vertic	PASS
2	5672.45	37.37	55.19	17.82	84.95	29.76	PK	Vertic	PASS
3	5698.29	37.69	55.59	17.90	104.04	48.45	PK	Vertic	PASS
4	5715.35	37.37	55.32	17.95	109.60	54.28	PK	Vertic	PASS
5	5853.31	38.41	56.92	18.51	114.75	57.83	PK	Vertic	PASS
6	5886.63	38.43	57.12	18.69	96.67	39.55	PK	Vertic	PASS
7	5902.39	38.06	56.85	18.79	84.99	28.14	PK	Vertic	PASS
8	5934.56	38.28	57.22	18.94	68.30	11.08	PK	Vertic	PASS

Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5634.26	41.28	58.99	17.71	68.30	9.31	PK	Horizo	PASS
2	5690.98	42.21	60.08	17.87	98.65	38.57	PK	Horizo	PASS
3	5714.86	48.44	66.38	17.94	109.46	43.08	PK	Horizo	PASS
4	5724.13	53.90	71.87	17.97	120.31	48.44	PK	Horizo	PASS
5	5872.16	40.42	59.04	18.62	106.09	47.05	PK	Horizo	PASS
6	5884.19	38.63	57.32	18.69	98.48	41.16	PK	Horizo	PASS
7	5921.08	38.00	56.88	18.88	71.19	14.31	PK	Horizo	PASS
8	5941.23	38.52	57.49	18.97	68.30	10.81	PK	Horizo	PASS

Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.81	37.14	54.87	17.73	68.30	13.43	PK	Vertic	PASS
2	5684.15	37.10	54.96	17.86	93.61	38.65	PK	Vertic	PASS
3	5716.65	37.68	55.64	17.96	109.96	54.32	PK	Vertic	PASS
4	5723.96	42.15	60.12	17.97	119.94	59.82	PK	Vertic	PASS
5	5851.69	38.14	56.65	18.51	118.45	61.80	PK	Vertic	PASS
6	5872.98	37.95	56.57	18.62	105.87	49.30	PK	Vertic	PASS
7	5903.36	37.75	56.54	18.79	84.27	27.73	PK	Vertic	PASS
8	5939.76	38.63	57.60	18.97	68.30	10.70	PK	Vertic	PASS

Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5627.11	38.08	55.77	17.69	68.30	12.53	PK	Horizo	PASS
2	5664.33	38.44	56.24	17.80	78.93	22.69	PK	Horizo	PASS
3	5689.84	40.31	58.18	17.87	97.81	39.63	PK	Horizo	PASS
4	5721.20	40.53	58.50	17.97	113.64	55.14	PK	Horizo	PASS
5	5853.80	48.25	66.76	18.51	113.64	46.88	PK	Horizo	PASS
6	5862.25	46.07	64.63	18.56	108.87	44.24	PK	Horizo	PASS
7	5910.19	39.23	58.06	18.83	79.23	21.17	PK	Horizo	PASS
8	5926.60	38.86	57.76	18.90	68.30	10.54	PK	Horizo	PASS

Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5650.03	36.92	54.68	17.76	68.32	13.64	PK	Vertic	PASS
2	5671.48	37.49	55.31	17.82	84.23	28.92	PK	Vertic	PASS
3	5703.16	36.76	54.67	17.91	106.19	51.52	PK	Vertic	PASS
4	5715.84	37.90	55.85	17.95	109.74	53.89	PK	Vertic	PASS
5	5852.50	38.32	56.83	18.51	116.60	59.77	PK	Vertic	PASS
6	5895.89	38.10	56.85	18.75	89.81	32.96	PK	Vertic	PASS
7	5925.79	37.99	56.89	18.90	68.30	11.41	PK	Vertic	PASS
8	5944.96	39.22	58.21	18.99	68.30	10.09	PK	Vertic	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5627.60	39.47	57.16	17.69	68.30	11.14	PK	Horizo	PASS
2	5668.71	39.24	57.05	17.81	82.19	25.14	PK	Horizo	PASS
3	5700.56	44.92	62.82	17.90	105.46	42.64	PK	Horizo	PASS
4	5720.06	52.75	70.71	17.96	111.04	40.33	PK	Horizo	PASS
5	5870.05	39.35	57.96	18.61	106.68	48.72	PK	Horizo	PASS
6	5888.58	38.40	57.11	18.71	95.22	38.11	PK	Horizo	PASS
7	5912.30	38.10	56.93	18.83	77.67	20.74	PK	Horizo	PASS
8	5946.91	38.03	57.03	19.00	68.30	11.27	PK	Horizo	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5650.68	37.05	54.81	17.76	68.80	13.99	PK	Vertic	PASS
2	5670.18	37.96	55.78	17.82	83.27	27.49	PK	Vertic	PASS
3	5693.41	37.44	55.33	17.89	100.44	45.11	PK	Vertic	PASS
4	5722.18	41.76	59.73	17.97	115.86	56.13	PK	Vertic	PASS
5	5864.04	38.72	57.30	18.58	108.37	51.07	PK	Vertic	PASS
6	5874.76	38.45	57.08	18.63	105.37	48.29	PK	Vertic	PASS
7	5908.08	38.29	57.10	18.81	80.79	23.69	PK	Vertic	PASS
8	5948.05	38.94	57.95	19.01	68.30	10.35	PK	Vertic	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5627.11	38.09	55.78	17.69	68.30	12.52	PK	Horizo	PASS
2	5665.95	37.82	55.63	17.81	80.14	24.51	PK	Horizo	PASS
3	5701.54	39.01	56.91	17.90	105.73	48.82	PK	Horizo	PASS
4	5720.88	40.85	58.82	17.97	112.90	54.08	PK	Horizo	PASS
5	5851.04	44.54	63.04	18.50	119.93	56.89	PK	Horizo	PASS
6	5869.08	39.17	57.77	18.60	106.96	49.19	PK	Horizo	PASS
7	5903.69	39.32	58.11	18.79	84.03	25.92	PK	Horizo	PASS
8	5947.08	38.50	57.51	19.01	68.30	10.79	PK	Horizo	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.43	37.29	55.04	17.75	68.30	13.26	PK	Vertic	PASS
2	5660.91	36.72	54.51	17.79	76.40	21.89	PK	Vertic	PASS
3	5694.39	37.19	55.08	17.89	101.16	46.08	PK	Vertic	PASS
4	5722.66	38.07	56.04	17.97	116.97	60.93	PK	Vertic	PASS
5	5858.84	38.64	57.18	18.54	109.82	52.64	PK	Vertic	PASS
6	5900.11	38.10	56.87	18.77	86.68	29.81	PK	Vertic	PASS
7	5922.54	38.65	57.53	18.88	70.11	12.58	PK	Vertic	PASS
8	5939.60	38.59	57.56	18.97	68.30	10.74	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.05	37.50	55.22	17.72	68.30	13.08	PK	Horizo	PASS
2	5660.59	38.87	56.65	17.78	76.16	19.51	PK	Horizo	PASS
3	5691.79	40.79	58.66	17.87	99.25	40.59	PK	Horizo	PASS
4	5717.79	44.57	62.53	17.96	110.28	47.75	PK	Horizo	PASS
5	5852.18	39.27	57.78	18.51	117.34	59.56	PK	Horizo	PASS
6	5885.81	39.25	57.94	18.69	97.27	39.33	PK	Horizo	PASS
7	5900.76	38.64	57.41	18.77	86.20	28.79	PK	Horizo	PASS
8	5936.03	38.48	57.43	18.95	68.30	10.87	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.95	37.43	55.16	17.73	68.30	13.14	PK	Vertic	PASS
2	5648.08	36.84	54.59	17.75	68.30	13.71	PK	Vertic	PASS
3	5677.00	36.52	54.35	17.83	88.32	33.97	PK	Vertic	PASS
4	5696.01	37.69	55.58	17.89	102.36	46.78	PK	Vertic	PASS
5	5855.59	38.56	57.09	18.53	110.74	53.65	PK	Vertic	PASS
6	5869.56	38.65	57.26	18.61	106.82	49.56	PK	Vertic	PASS
7	5901.25	38.40	57.18	18.78	85.84	28.66	PK	Vertic	PASS
8	5930.18	38.46	57.38	18.92	68.30	10.92	PK	Vertic	PASS

Note:

1.Level=Reading+Factor .

2. Margin=Limit-Level.

The End