



Transmit at 2412MHz by 802.11b with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2382.80	35.5	35.46	-0.070	54.00	18.54	AV	Vertic	PASS
2	2390.00	33.1	33.01	-0.050	54.00	20.99	AV	Vertic	PASS


Transmit at 2462MHz by 802.11b with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	46.7	46.94	0.270	74.00	27.06	PK	Horizo	PASS
2	2483.97	49.3	49.58	0.270	74.00	24.42	PK	Horizo	PASS

Transmit at 2462MHz by 802.11b with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	48.3	48.59	0.270	74.00	25.41	PK	Vertic	PASS
2	2487.38	50.1	50.35	0.290	74.00	23.65	PK	Vertic	PASS

Transmit at 2462MHz by 802.11b with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	36.6	36.82	0.270	54.00	17.18	AV	Horizo	PASS
2	2491.36	36.9	37.23	0.300	54.00	16.77	AV	Horizo	PASS

Transmit at 2462MHz by 802.11b with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	38.3	38.61	0.270	54.00	15.39	AV	Vertic	PASS
2	2491.22	38.8	39.05	0.300	54.00	14.95	AV	Vertic	PASS

Transmit at 2412MHz by 802.11g with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.41	60.5	60.43	-0.050	74.00	13.57	PK	Horizo	PASS
2	2390.00	59.3	59.20	-0.050	74.00	14.80	PK	Horizo	PASS

Transmit at 2412MHz by 802.11g with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.63	58.5	58.45	-0.050	74.00	15.55	PK	Vertic	PASS
2	2390.00	57.8	57.71	-0.050	74.00	16.29	PK	Vertic	PASS


Transmit at 2412MHz by 802.11g with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.41	42.1	42.01	-0.050	54.00	11.99	AV	Horizo	PASS
2	2390.00	42.4	42.32	-0.050	54.00	11.68	AV	Horizo	PASS

Transmit at 2412MHz by 802.11g with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.41	40.7	40.60	-0.050	54.00	13.40	AV	Vertic	PASS
2	2390.00	42.4	42.34	-0.050	54.00	11.66	AV	Vertic	PASS


Transmit at 2462MHz by 802.11g with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	59.3	59.56	0.270	74.00	14.44	PK	Horizo	PASS
2	2485.50	58.6	58.85	0.290	74.00	15.15	PK	Horizo	PASS


Transmit at 2462MHz by 802.11g with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	59.5	59.78	0.270	74.00	14.22	PK	Vertic	PASS
2	2488.53	60.9	61.14	0.290	74.00	12.86	PK	Vertic	PASS

Transmit at 2462MHz by 802.11g with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	41.8	42.08	0.270	54.00	11.92	AV	Horizo	PASS
2	2484.45	41.7	41.94	0.270	54.00	12.06	AV	Horizo	PASS

Transmit at 2462MHz by 802.11g with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	44.5	44.72	0.270	54.00	9.28	AV	Vertic	PASS
2	2485.07	44.5	44.74	0.280	54.00	9.26	AV	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2388.85	56.6	56.51	-0.060	74.00	17.49	PK	Horizo	PASS
2	2390.00	55.1	55.07	-0.050	74.00	18.93	PK	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.52	56.8	56.76	-0.050	74.00	17.24	PK	Vertic	PASS
2	2390.00	55.4	55.30	-0.050	74.00	18.70	PK	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2386.72	38.5	38.47	-0.060	54.00	15.53	AV	Horizo	PASS
2	2390.00	41.9	41.89	-0.050	54.00	12.11	AV	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2380.56	35.3	35.21	-0.080	54.00	18.79	AV	Vertic	PASS
2	2390.00	40.8	40.71	-0.050	54.00	13.29	AV	Vertic	PASS


Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	49.7	50.00	0.270	74.00	24.00	PK	Horizo	PASS
2	2484.02	52.5	52.75	0.270	74.00	21.25	PK	Horizo	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	48.9	49.12	0.270	74.00	24.88	PK	Vertic	PASS
2	2484.21	50.1	50.35	0.270	74.00	23.65	PK	Vertic	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	39.0	39.28	0.270	54.00	14.72	AV	Horizo	PASS
2	2484.93	39.1	39.35	0.280	54.00	14.65	AV	Horizo	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2




Data List

NO	Freque ncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	2483.50	38.5	38.79	0.270	54.00	15.21	AV	Vertic	PASS
2	2485.55	38.1	38.42	0.290	54.00	15.58	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2388.62	55.0	54.93	-0.060	74.00	19.07	PK	Horizo	PASS
2	2390.00	54.9	54.82	-0.050	74.00	19.18	PK	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2388.51	54.6	54.57	-0.060	74.00	19.43	PK	Vertic	PASS
2	2390.00	56.9	56.80	-0.050	74.00	17.20	PK	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2386.16	38.7	38.68	-0.060	54.00	15.32	AV	Horizo	PASS
2	2390.00	42.5	42.43	-0.050	54.00	11.57	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2387.73	38.6	38.55	-0.060	54.00	15.45	AV	Vertic	PASS
2	2390.00	41.4	41.37	-0.050	54.00	12.63	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	57.6	57.84	0.270	74.00	16.16	PK	Horizo	PASS
2	2484.21	57.9	58.17	0.270	74.00	15.83	PK	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	57.7	57.95	0.270	74.00	16.05	PK	Vertic	PASS
2	2484.54	56.5	56.79	0.270	74.00	17.21	PK	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	44.2	44.42	0.270	54.00	9.58	AV	Horizo	PASS
2	2485.02	42.3	42.57	0.280	54.00	11.43	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	43.1	43.37	0.270	54.00	10.63	AV	Vertic	PASS
2	2484.74	42.2	42.51	0.270	54.00	11.49	AV	Vertic	PASS

Transmit at 2412MHz by 802.be(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2388.18	63.9	63.82	-0.060	74.00	10.18	PK	Horizo	PASS
2	2390.00	61.7	61.65	-0.050	74.00	12.35	PK	Horizo	PASS

Transmit at 2412MHz by 802.be(20MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.07	64.9	64.80	-0.060	74.00	9.20	PK	Vertic	PASS
2	2390.00	61.3	61.27	-0.050	74.00	12.73	PK	Vertic	PASS

Transmit at 2412MHz by 802.be(20MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2387.84	45.1	45.04	-0.060	54.00	8.96	AV	Horizo	PASS
2	2390.00	46.4	46.30	-0.050	54.00	7.70	AV	Horizo	PASS

Transmit at 2412MHz by 802.be(20MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2388.18	43.8	43.74	-0.060	54.00	10.26	AV	Vertic	PASS
2	2390.00	44.3	44.24	-0.050	54.00	9.76	AV	Vertic	PASS


Transmit at 2462MHz by 802.be(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	67.5	67.75	0.270	74.00	6.25	PK	Horizo	PASS
2	2484.06	70.0	70.31	0.270	74.00	3.69	PK	Horizo	PASS

Transmit at 2462MHz by 802.be(20MHz) with Ant1+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	67.8	68.10	0.270	74.00	5.90	PK	Vertic	PASS
2	2483.97	71.6	71.86	0.270	74.00	2.14	PK	Vertic	PASS

Transmit at 2462MHz by 802.be(20MHz) with Ant1+2



Data List									
NO	Freque ncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	2483.50	49.7	49.98	0.270	54.00	4.02	AV	Horizo	PASS
2	2484.21	50.4	50.68	0.270	54.00	3.32	AV	Horizo	PASS


Transmit at 2462MHz by 802.be(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	49.3	49.58	0.270	54.00	4.42	AV	Vertic	PASS
2	2484.64	48.6	48.83	0.270	54.00	5.17	AV	Vertic	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2379.43	49.1	48.97	-0.080	74.00	25.03	PK	Horizo	PASS
2	2390.00	48.3	48.29	-0.050	74.00	25.71	PK	Horizo	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.60	49.5	49.45	-0.050	74.00	24.55	PK	Vertic	PASS
2	2390.00	47.8	47.70	-0.050	74.00	26.30	PK	Vertic	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.07	35.9	35.84	-0.060	54.00	18.16	AV	Horizo	PASS
2	2390.00	36.5	36.47	-0.050	54.00	17.53	AV	Horizo	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2386.43	34.6	34.56	-0.060	54.00	19.44	AV	Vertic	PASS
2	2390.00	35.0	34.94	-0.050	54.00	19.06	AV	Vertic	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	48.0	48.23	0.270	74.00	25.77	PK	Horizo	PASS
2	2484.36	50.6	50.86	0.270	74.00	23.14	PK	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	47.3	47.58	0.270	74.00	26.42	PK	Vertic	PASS
2	2486.13	49.3	49.54	0.290	74.00	24.46	PK	Vertic	PASS


Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	38.3	38.55	0.270	54.00	15.45	AV	Horizo	PASS
2	2484.43	38.4	38.64	0.270	54.00	15.36	AV	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	37.6	37.88	0.270	54.00	16.12	AV	Vertic	PASS
2	2485.11	37.7	37.96	0.280	54.00	16.04	AV	Vertic	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.20	50.8	50.78	-0.060	74.00	23.22	PK	Horizo	PASS
2	2390.00	49.4	49.31	-0.050	74.00	24.69	PK	Horizo	PASS


Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2388.28	49.3	49.22	-0.060	74.00	24.78	PK	Vertic	PASS
2	2390.00	49.3	49.29	-0.050	74.00	24.71	PK	Vertic	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2386.69	34.9	34.87	-0.060	54.00	19.13	AV	Horizo	PASS
2	2390.00	36.1	36.08	-0.050	54.00	17.92	AV	Horizo	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2388.14	34.4	34.37	-0.060	54.00	19.63	AV	Vertic	PASS
2	2390.00	34.5	34.46	-0.050	54.00	19.54	AV	Vertic	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	49.1	49.38	0.270	74.00	24.62	PK	Horizo	PASS
2	2484.77	51.2	51.45	0.270	74.00	22.55	PK	Horizo	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	51.1	51.35	0.270	74.00	22.65	PK	Vertic	PASS
2	2485.72	51.9	52.19	0.290	74.00	21.81	PK	Vertic	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	37.8	38.05	0.270	54.00	15.95	AV	Horizo	PASS
2	2484.22	38.1	38.33	0.270	54.00	15.67	AV	Horizo	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	38.1	38.33	0.270	54.00	15.67	AV	Vertic	PASS
2	2485.99	38.7	38.94	0.290	54.00	15.06	AV	Vertic	PASS

Transmit at 2422MHz by 802.11be(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2379.83	49.4	49.36	-0.080	74.00	24.64	PK	Horizo	PASS
2	2390.00	49.2	49.13	-0.050	74.00	24.87	PK	Horizo	PASS

Transmit at 2422MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2383.39	49.1	49.01	-0.070	74.00	24.99	PK	Vertic	PASS
2	2390.00	48.6	48.52	-0.050	74.00	25.48	PK	Vertic	PASS

Transmit at 2422MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2384.84	35.0	34.92	-0.060	54.00	19.08	AV	Horizo	PASS
2	2390.00	35.9	35.84	-0.050	54.00	18.16	AV	Horizo	PASS

Transmit at 2422MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2378.24	32.5	32.39	-0.080	54.00	21.61	AV	Vertic	PASS
2	2390.00	34.2	34.12	-0.050	54.00	19.88	AV	Vertic	PASS

Transmit at 2452MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	50.1	50.40	0.270	74.00	23.60	PK	Horizo	PASS
2	2484.70	50.8	51.03	0.270	74.00	22.97	PK	Horizo	PASS

Transmit at 2452MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	50.5	50.75	0.270	74.00	23.25	PK	Vertic	PASS
2	2484.50	52.6	52.82	0.270	74.00	21.18	PK	Vertic	PASS

Transmit at 2452MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	37.8	38.09	0.270	54.00	15.91	AV	Horizo	PASS
2	2484.77	38.0	38.29	0.270	54.00	15.71	AV	Horizo	PASS

Transmit at 2452MHz by 802.11be(40MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	38.1	38.35	0.270	54.00	15.65	AV	Vertic	PASS
2	2485.99	38.7	38.96	0.290	54.00	15.04	AV	Vertic	PASS


Note: Level = Reading + Factor

Worse case for Part RU:**Transmit at 2412MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2***Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2387.73	61.7	61.59	-0.060	74.00	12.41	PK	Horizo	PASS
2	2390.00	53.4	53.38	-0.050	74.00	20.62	PK	Horizo	PASS

Transmit at 2412MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2387.95	61.2	61.10	-0.060	74.00	12.90	PK	Vertic	PASS
2	2390.00	54.2	54.10	-0.050	74.00	19.90	PK	Vertic	PASS

Transmit at 2412MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2386.50	46.7	46.67	-0.060	54.00	7.33	AV	Horizo	PASS
2	2390.00	40.7	40.66	-0.050	54.00	13.34	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2387.06	42.8	42.74	-0.060	54.00	11.26	AV	Vertic	PASS
2	2390.00	37.1	37.07	-0.050	54.00	16.93	AV	Vertic	PASS


Transmit at 2462MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	58.8	59.09	0.270	74.00	14.91	PK	Horizo	PASS
2	2485.41	56.8	57.07	0.290	74.00	16.93	PK	Horizo	PASS


Transmit at 2462MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	55.0	55.23	0.270	74.00	18.77	PK	Vertic	PASS
2	2484.50	55.8	56.08	0.270	74.00	17.92	PK	Vertic	PASS

Transmit at 2462MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	41.0	41.27	0.270	54.00	12.73	AV	Horizo	PASS
2	2485.84	42.3	42.56	0.290	54.00	11.44	AV	Horizo	PASS


Transmit at 2462MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	38.7	38.94	0.270	54.00	15.06	AV	Vertic	PASS
2	2487.57	39.2	39.51	0.290	54.00	14.49	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.18	54.4	54.32	-0.060	74.00	19.68	PK	Horizo	PASS
2	2390.00	52.1	52.03	-0.050	74.00	21.97	PK	Horizo	PASS

Transmit at 2412MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2387.50	55.3	55.28	-0.060	74.00	18.72	PK	Vertic	PASS
2	2390.00	56.2	56.18	-0.050	74.00	17.82	PK	Vertic	PASS

Transmit at 2412MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2380.56	39.2	39.16	-0.080	54.00	14.84	AV	Horizo	PASS
2	2390.00	45.4	45.35	-0.050	54.00	8.65	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2383.70	36.0	35.95	-0.070	54.00	18.05	AV	Vertic	PASS
2	2390.00	40.8	40.73	-0.050	54.00	13.27	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	58.6	58.82	0.270	74.00	15.18	PK	Horizo	PASS
2	2484.30	59.6	59.83	0.270	74.00	14.17	PK	Horizo	PASS


Transmit at 2462MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	55.0	55.29	0.270	74.00	18.71	PK	Vertic	PASS
2	2484.30	56.1	56.40	0.270	74.00	17.60	PK	Vertic	PASS

Transmit at 2462MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	41.2	41.48	0.270	54.00	12.52	AV	Horizo	PASS
2	2488.48	41.0	41.27	0.290	54.00	12.73	AV	Horizo	PASS


Transmit at 2462MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	38.6	38.91	0.270	54.00	15.09	AV	Vertic	PASS
2	2486.90	38.1	38.39	0.290	54.00	15.61	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2383.25	55.1	55.07	-0.070	74.00	18.93	PK	Horizo	PASS
2	2390.00	62.7	62.66	-0.050	74.00	11.34	PK	Horizo	PASS

Transmit at 2412MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2386.16	51.0	50.91	-0.060	74.00	23.09	PK	Vertic	PASS
2	2390.00	55.0	54.91	-0.050	74.00	19.09	PK	Vertic	PASS

Transmit at 2412MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2381.57	39.2	39.07	-0.080	54.00	14.93	AV	Horizo	PASS
2	2390.00	43.4	43.36	-0.050	54.00	10.64	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2384.37	36.5	36.42	-0.060	54.00	17.58	AV	Vertic	PASS
2	2390.00	38.5	38.40	-0.050	54.00	15.60	AV	Vertic	PASS


Transmit at 2462MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	58.4	58.67	0.270	74.00	15.33	PK	Horizo	PASS
2	2484.40	58.0	58.29	0.270	74.00	15.71	PK	Horizo	PASS

Transmit at 2462MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	54.6	54.84	0.270	74.00	19.16	PK	Vertic	PASS
2	2486.22	55.7	55.95	0.290	74.00	18.05	PK	Vertic	PASS

Transmit at 2462MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	41.7	41.99	0.270	54.00	12.01	AV	Horizo	PASS
2	2486.51	40.8	41.04	0.290	54.00	12.96	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	38.9	39.14	0.270	54.00	14.86	AV	Vertic	PASS
2	2485.55	38.3	38.58	0.290	54.00	15.42	AV	Vertic	PASS

Note: Level = Reading + Factor


Appendix E: Test results of Conducted Spurious Emission

Reference level measurement Test Graphs







11B-Ant1-2462-PASS



11G-Ant1-2412-PASS



11G-Ant1-2437-PASS




11G-Ant1-2462-PASS



11N20SISO-Ant1-2412-PASS



11N20SISO-Ant1-2437-PASS



11N20SISO-Ant1-2462-PASS




11N40SISO-Ant1-2422-PASS




Band edge measurements

Test Graphs





11G-Ant1-2412-PASS



11G-Ant1-2462-PASS




11N20SISO-Ant1-2412-PASS



11N20SISO-Ant1-2462-PASS




11N40SISO-Ant1-2422-PASS




11N40SISO-Ant1-2452-PASS

Conducted Spurious Emission
Test Graphs





11B-Ant1-2437-30~1000-PASS



11B-Ant1-2437-1000~25000-PASS