



Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5117.72	41.2	51.05	9.840	74.00	22.95	PK	Horizo	PASS
2	5150.00	41.4	51.24	9.880	74.00	22.76	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5104.61	40.2	50.01	9.830	74.00	23.99	PK	Vertic	PASS
2	5150.00	40.1	50.00	9.880	74.00	24.00	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5136.01	34.3	44.18	9.870	54.00	9.82	AV	Horizo	PASS
2	5150.00	34.3	44.15	9.880	54.00	9.85	AV	Horizo	PASS




Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5024.66	30.5	40.34	9.810	54.00	13.66	AV	Vertic	PASS
2	5150.00	32.9	42.74	9.880	54.00	11.26	AV	Vertic	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.9	52.85	10.990	68.30	15.45	PK	Horizo	PASS
2	5467.07	44.0	55.02	10.980	68.30	13.28	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	39.5	50.45	10.990	68.30	17.85	PK	Vertic	PASS
2	5467.97	43.2	54.19	10.970	68.30	14.11	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5446.12	31.9	42.94	11.000	54.00	11.06	AV	Horizo	PASS
2	5460.00	30.9	41.87	10.990	54.00	12.13	AV	Horizo	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5447.48	30.9	41.89	11.000	54.00	12.11	AV	Vertic	PASS
2	5460.00	30.4	41.35	10.990	54.00	12.65	AV	Vertic	PASS


Transmit at 5745MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5633.29	43.1	54.32	11.230	68.30	13.98	PK	Horizo	PASS
2	5668.55	46.2	57.58	11.380	82.07	24.49	PK	Horizo	PASS
3	5702.68	58.9	70.38	11.530	106.05	35.67	PK	Horizo	PASS
4	5722.34	68.4	80.04	11.640	116.23	36.19	PK	Horizo	PASS
5	5850.71	41.4	53.51	12.070	120.67	67.16	PK	Horizo	PASS
6	5872.98	41.9	53.96	12.080	105.87	51.91	PK	Horizo	PASS
7	5902.71	39.6	51.71	12.100	84.75	33.04	PK	Horizo	PASS
8	5930.99	39.3	51.53	12.210	68.30	16.77	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	42.1	53.36	11.260	68.30	14.94	PK	Vertic	PASS
2	5669.36	43.0	54.38	11.390	82.67	28.29	PK	Vertic	PASS
3	5702.19	60.1	71.61	11.530	105.91	34.30	PK	Vertic	PASS
4	5724.13	66.4	78.00	11.650	120.31	42.31	PK	Vertic	PASS
5	5854.13	41.6	53.64	12.070	112.89	59.25	PK	Vertic	PASS
6	5882.89	40.2	52.27	12.080	99.44	47.17	PK	Vertic	PASS
7	5906.45	40.7	52.82	12.110	81.99	29.17	PK	Vertic	PASS
8	5937.16	39.4	51.65	12.230	68.30	16.65	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.56	41.6	52.81	11.240	68.30	15.49	PK	Horizo	PASS
2	5664.16	42.4	53.76	11.360	78.81	25.05	PK	Horizo	PASS
3	5706.74	53.1	64.61	11.550	107.19	42.58	PK	Horizo	PASS
4	5722.50	63.5	75.09	11.640	116.60	41.51	PK	Horizo	PASS
5	5852.50	40.9	53.01	12.070	116.60	63.59	PK	Horizo	PASS
6	5879.48	40.2	52.26	12.080	101.98	49.72	PK	Horizo	PASS
7	5906.29	39.7	51.82	12.110	82.11	30.29	PK	Horizo	PASS
8	5928.88	39.2	51.37	12.190	68.30	16.93	PK	Horizo	PASS




Transmit at 5745MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2

Test Graph




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5632.64	41.5	52.73	11.230	68.30	15.57	PK	Vertic	PASS
2	5682.36	42.9	54.37	11.450	92.29	37.92	PK	Vertic	PASS
3	5709.01	51.1	62.67	11.560	107.83	45.16	PK	Vertic	PASS
4	5724.29	61.3	72.94	11.650	120.68	47.74	PK	Vertic	PASS
5	5853.15	39.9	51.98	12.070	115.12	63.14	PK	Vertic	PASS
6	5862.41	39.6	51.62	12.070	108.82	57.20	PK	Vertic	PASS
7	5894.59	38.9	51.03	12.090	90.77	39.74	PK	Vertic	PASS
8	5933.43	39.4	51.65	12.210	68.30	16.65	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5632.96	41.7	52.88	11.230	68.30	15.42	PK	Horizo	PASS
2	5682.53	43.5	54.94	11.450	92.41	37.47	PK	Horizo	PASS
3	5706.09	50.4	61.95	11.550	107.01	45.06	PK	Horizo	PASS
4	5724.61	65.4	77.05	11.650	121.42	44.37	PK	Horizo	PASS
5	5859.81	40.5	52.53	12.070	109.55	57.02	PK	Horizo	PASS
6	5875.09	40.1	52.14	12.080	105.23	53.09	PK	Horizo	PASS
7	5907.26	41.3	53.36	12.110	81.39	28.03	PK	Horizo	PASS
8	5932.13	39.9	52.08	12.210	68.30	16.22	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5633.78	42.1	53.33	11.230	68.30	14.97	PK	Vertic	PASS
2	5674.73	42.6	54.05	11.410	86.64	32.59	PK	Vertic	PASS
3	5706.09	49.7	61.22	11.550	107.01	45.79	PK	Vertic	PASS
4	5724.61	64.9	76.56	11.650	121.42	44.86	PK	Vertic	PASS
5	5850.06	40.0	52.07	12.070	122.16	70.09	PK	Vertic	PASS
6	5868.59	40.3	52.38	12.070	107.09	54.71	PK	Vertic	PASS
7	5903.69	39.0	51.12	12.100	84.03	32.91	PK	Vertic	PASS
8	5943.50	39.0	51.20	12.240	68.30	17.10	PK	Vertic	PASS

Note: Level = Reading + Factor

Appendix H: Test result of Frequency Stability

Test Result

TestMode	Antenna	Frequency[MHz]	Voltage[Vdc]	Temperature(°C)	Deviation(Hz)	Deviation(ppm)	Limit(ppm)	Verdict
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	LV	NT	0.00	0.000000	20	PASS
11A	Ant1	5180	HV	NT	0.00	0.000000	20	PASS
11A	Ant1	5200	NV	NT	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	LV	NT	0.00	0.000000	20	PASS
11A	Ant1	5200	HV	NT	-20000.00	-3.846154	20	PASS
11A	Ant1	5240	NV	NT	0.00	0.000000	20	PASS
11A	Ant1	5240	LV	NT	0.00	0.000000	20	PASS
11A	Ant1	5240	HV	NT	20000.00	3.816794	20	PASS
11A	Ant1	5260	NV	NT	-20000.00	-3.802281	20	PASS
11A	Ant1	5260	LV	NT	-20000.00	-3.802281	20	PASS
11A	Ant1	5260	HV	NT	0.00	0.000000	20	PASS
11A	Ant1	5280	NV	NT	20000.00	3.787879	20	PASS
11A	Ant1	5280	LV	NT	0.00	0.000000	20	PASS
11A	Ant1	5280	HV	NT	0.00	0.000000	20	PASS
11A	Ant1	5320	NV	NT	0.00	0.000000	20	PASS
11A	Ant1	5320	LV	NT	-20000.00	-3.759398	20	PASS
11A	Ant1	5320	HV	NT	-20000.00	-3.759398	20	PASS
11A	Ant1	5500	NV	NT	20000.00	3.636364	20	PASS
11A	Ant1	5500	LV	NT	20000.00	3.636364	20	PASS
11A	Ant1	5500	HV	NT	20000.00	3.636364	20	PASS
11A	Ant1	5580	NV	NT	0.00	0.000000	20	PASS
11A	Ant1	5580	LV	NT	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	HV	NT	-20000.00	-3.584229	20	PASS
11A	Ant1	5700	NV	NT	0.00	0.000000	20	PASS
11A	Ant1	5700	LV	NT	0.00	0.000000	20	PASS
11A	Ant1	5700	HV	NT	-20000.00	-3.508772	20	PASS
11A	Ant1	5745	NV	NT	20000.00	3.481288	20	PASS
11A	Ant1	5745	LV	NT	40000.00	6.962576	20	PASS
11A	Ant1	5745	HV	NT	20000.00	3.481288	20	PASS
11A	Ant1	5785	NV	NT	40000.00	6.914434	20	PASS
11A	Ant1	5785	LV	NT	20000.00	3.457217	20	PASS
11A	Ant1	5785	HV	NT	20000.00	3.457217	20	PASS
11A	Ant1	5825	NV	NT	40000.00	6.866953	20	PASS
11A	Ant1	5825	LV	NT	40000.00	6.866953	20	PASS
11A	Ant1	5825	HV	NT	20000.00	3.433476	20	PASS
11N20SISO	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
11N20SISO	Ant1	5180	LV	NT	-20000.00	-3.861004	20	PASS
11N20SISO	Ant1	5180	HV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5200	NV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5200	LV	NT	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5200	HV	NT	20000.00	3.846154	20	PASS
11N20SISO	Ant1	5240	NV	NT	20000.00	3.816794	20	PASS
11N20SISO	Ant1	5240	LV	NT	20000.00	3.816794	20	PASS
11N20SISO	Ant1	5240	HV	NT	20000.00	3.816794	20	PASS
11N20SISO	Ant1	5260	NV	NT	0.00	0.000000	20	PASS

11N20SISO	Ant1	5260	LV	NT	20000.00	3.802281	20	PASS
11N20SISO	Ant1	5260	HV	NT	-20000.00	-3.802281	20	PASS
11N20SISO	Ant1	5280	NV	NT	20000.00	3.787879	20	PASS
11N20SISO	Ant1	5280	LV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5280	HV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5320	NV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5320	LV	NT	40000.00	7.518797	20	PASS
11N20SISO	Ant1	5320	HV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5500	NV	NT	-40000.00	-7.272727	20	PASS
11N20SISO	Ant1	5500	LV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5500	HV	NT	-20000.00	-3.636364	20	PASS
11N20SISO	Ant1	5580	NV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5580	LV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5580	HV	NT	40000.00	7.168459	20	PASS
11N20SISO	Ant1	5700	NV	NT	-20000.00	-3.508772	20	PASS
11N20SISO	Ant1	5700	LV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5700	HV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5745	NV	NT	20000.00	3.481288	20	PASS
11N20SISO	Ant1	5745	LV	NT	20000.00	3.481288	20	PASS
11N20SISO	Ant1	5745	HV	NT	20000.00	3.481288	20	PASS
11N20SISO	Ant1	5785	NV	NT	40000.00	6.914434	20	PASS
11N20SISO	Ant1	5785	LV	NT	20000.00	3.457217	20	PASS
11N20SISO	Ant1	5785	HV	NT	40000.00	6.914434	20	PASS
11N20SISO	Ant1	5825	NV	NT	20000.00	3.433476	20	PASS
11N20SISO	Ant1	5825	LV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5825	HV	NT	20000.00	3.433476	20	PASS
11N40SISO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	LV	NT	40000.00	7.707129	20	PASS
11N40SISO	Ant1	5190	HV	NT	-40000.00	-7.707129	20	PASS
11N40SISO	Ant1	5230	NV	NT	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	LV	NT	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	HV	NT	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5270	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5270	LV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5270	HV	NT	-40000.00	-7.590133	20	PASS
11N40SISO	Ant1	5310	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5310	LV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5310	HV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5510	NV	NT	-80000.00	-14.519056	20	PASS
11N40SISO	Ant1	5510	LV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5510	HV	NT	-40000.00	-7.259528	20	PASS
11N40SISO	Ant1	5550	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5550	LV	NT	-40000.00	-7.207207	20	PASS
11N40SISO	Ant1	5550	HV	NT	-40000.00	-7.207207	20	PASS
11N40SISO	Ant1	5670	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5670	LV	NT	-40000.00	-7.054674	20	PASS
11N40SISO	Ant1	5670	HV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5755	NV	NT	40000.00	6.950478	20	PASS
11N40SISO	Ant1	5755	LV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5755	HV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5795	NV	NT	0.00	0.000000	20	PASS

11N40SISO	Ant1	5795	LV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5795	HV	NT	-40000.00	-6.902502	20	PASS
11AC20SISO	Ant1	5180	NV	NT	20000.00	3.861004	20	PASS
11AC20SISO	Ant1	5180	LV	NT	20000.00	3.861004	20	PASS
11AC20SISO	Ant1	5180	HV	NT	-20000.00	-3.861004	20	PASS
11AC20SISO	Ant1	5200	NV	NT	40000.00	7.692308	20	PASS
11AC20SISO	Ant1	5200	LV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5200	HV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5240	NV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5240	LV	NT	20000.00	3.816794	20	PASS
11AC20SISO	Ant1	5240	HV	NT	20000.00	3.816794	20	PASS
11AC20SISO	Ant1	5260	NV	NT	20000.00	3.802281	20	PASS
11AC20SISO	Ant1	5260	LV	NT	20000.00	3.802281	20	PASS
11AC20SISO	Ant1	5260	HV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5280	NV	NT	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5280	LV	NT	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5280	HV	NT	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5320	NV	NT	20000.00	3.759398	20	PASS
11AC20SISO	Ant1	5320	LV	NT	40000.00	7.518797	20	PASS
11AC20SISO	Ant1	5320	HV	NT	20000.00	3.759398	20	PASS
11AC20SISO	Ant1	5500	NV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5500	LV	NT	20000.00	3.636364	20	PASS
11AC20SISO	Ant1	5500	HV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5580	NV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5580	LV	NT	20000.00	3.584229	20	PASS
11AC20SISO	Ant1	5580	HV	NT	-40000.00	-7.168459	20	PASS
11AC20SISO	Ant1	5700	NV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5700	LV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5700	HV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5745	NV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5745	LV	NT	20000.00	3.481288	20	PASS
11AC20SISO	Ant1	5745	HV	NT	-20000.00	-3.481288	20	PASS
11AC20SISO	Ant1	5785	NV	NT	-40000.00	-6.914434	20	PASS
11AC20SISO	Ant1	5785	LV	NT	-20000.00	-3.457217	20	PASS
11AC20SISO	Ant1	5785	HV	NT	-20000.00	-3.457217	20	PASS
11AC20SISO	Ant1	5825	NV	NT	-20000.00	-3.433476	20	PASS
11AC20SISO	Ant1	5825	LV	NT	-20000.00	-3.433476	20	PASS
11AC20SISO	Ant1	5825	HV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5190	LV	NT	-40000.00	-7.707129	20	PASS
11AC40SISO	Ant1	5190	HV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5230	NV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5230	LV	NT	40000.00	7.648184	20	PASS
11AC40SISO	Ant1	5230	HV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5270	NV	NT	-40000.00	-7.590133	20	PASS
11AC40SISO	Ant1	5270	LV	NT	-40000.00	-7.590133	20	PASS
11AC40SISO	Ant1	5270	HV	NT	-40000.00	-7.590133	20	PASS
11AC40SISO	Ant1	5310	NV	NT	-40000.00	-7.532957	20	PASS
11AC40SISO	Ant1	5310	LV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5310	HV	NT	-40000.00	-7.532957	20	PASS
11AC40SISO	Ant1	5510	NV	NT	0.00	0.000000	20	PASS

11AC40SISO	Ant1	5510	LV	NT	-40000.00	-7.259528	20	PASS
11AC40SISO	Ant1	5510	HV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5550	NV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5550	LV	NT	-40000.00	-7.207207	20	PASS
11AC40SISO	Ant1	5550	HV	NT	-40000.00	-7.207207	20	PASS
11AC40SISO	Ant1	5670	NV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5670	LV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5670	HV	NT	-40000.00	-7.054674	20	PASS
11AC40SISO	Ant1	5755	NV	NT	-40000.00	-6.950478	20	PASS
11AC40SISO	Ant1	5755	LV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5755	HV	NT	-40000.00	-6.950478	20	PASS
11AC40SISO	Ant1	5795	NV	NT	-40000.00	-6.902502	20	PASS
11AC40SISO	Ant1	5795	LV	NT	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5795	HV	NT	-40000.00	-6.902502	20	PASS
11AC80SISO	Ant1	5210	NV	NT	-80000.00	-15.355086	20	PASS
11AC80SISO	Ant1	5210	LV	NT	-80000.00	-15.355086	20	PASS
11AC80SISO	Ant1	5210	HV	NT	-80000.00	-15.355086	20	PASS
11AC80SISO	Ant1	5290	NV	NT	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5290	LV	NT	-80000.00	-15.122873	20	PASS
11AC80SISO	Ant1	5290	HV	NT	-80000.00	-15.122873	20	PASS
11AC80SISO	Ant1	5530	NV	NT	-80000.00	-14.466546	20	PASS
11AC80SISO	Ant1	5530	LV	NT	-80000.00	-14.466546	20	PASS
11AC80SISO	Ant1	5530	HV	NT	-80000.00	-14.466546	20	PASS
11AC80SISO	Ant1	5610	NV	NT	-80000.00	-14.260250	20	PASS
11AC80SISO	Ant1	5610	LV	NT	-80000.00	-14.260250	20	PASS
11AC80SISO	Ant1	5610	HV	NT	-80000.00	-14.260250	20	PASS
11AC80SISO	Ant1	5775	NV	NT	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5775	LV	NT	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5775	HV	NT	-80000.00	-13.852814	20	PASS
11AC160SISO	Ant1	5250	NV	NT	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5250	LV	NT	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5250	HV	NT	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5570	LV	NT	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5570	HV	NT	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5570	NV	NT	0.00	0.000000	20	PASS
11AX20SISO	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
11AX20SISO	Ant1	5180	LV	NT	-20000.00	-3.861004	20	PASS
11AX20SISO	Ant1	5180	HV	NT	-20000.00	-3.861004	20	PASS
11AX20SISO	Ant1	5200	NV	NT	-40000.00	-7.692308	20	PASS
11AX20SISO	Ant1	5200	LV	NT	-20000.00	-3.846154	20	PASS
11AX20SISO	Ant1	5200	HV	NT	-60000.00	-11.538462	20	PASS
11AX20SISO	Ant1	5240	NV	NT	-40000.00	-7.633588	20	PASS
11AX20SISO	Ant1	5240	LV	NT	-20000.00	-3.816794	20	PASS
11AX20SISO	Ant1	5240	HV	NT	-40000.00	-7.633588	20	PASS
11AX20SISO	Ant1	5260	NV	NT	-40000.00	-7.604563	20	PASS
11AX20SISO	Ant1	5260	LV	NT	-40000.00	-7.604563	20	PASS
11AX20SISO	Ant1	5260	HV	NT	-20000.00	-3.802281	20	PASS
11AX20SISO	Ant1	5280	NV	NT	-40000.00	-7.575758	20	PASS
11AX20SISO	Ant1	5280	LV	NT	-40000.00	-7.575758	20	PASS
11AX20SISO	Ant1	5280	HV	NT	-40000.00	-7.575758	20	PASS
11AX20SISO	Ant1	5320	NV	NT	-20000.00	-3.759398	20	PASS

11AX20SISO	Ant1	5320	LV	NT	-60000.00	-11.278195	20	PASS
11AX20SISO	Ant1	5320	HV	NT	-40000.00	-7.518797	20	PASS
11AX20SISO	Ant1	5500	NV	NT	-60000.00	-10.909091	20	PASS
11AX20SISO	Ant1	5500	LV	NT	-40000.00	-7.272727	20	PASS
11AX20SISO	Ant1	5500	HV	NT	-40000.00	-7.272727	20	PASS
11AX20SISO	Ant1	5580	NV	NT	-60000.00	-10.752688	20	PASS
11AX20SISO	Ant1	5580	LV	NT	-60000.00	-10.752688	20	PASS
11AX20SISO	Ant1	5580	HV	NT	-40000.00	-7.168459	20	PASS
11AX20SISO	Ant1	5700	NV	NT	-40000.00	-7.017544	20	PASS
11AX20SISO	Ant1	5700	LV	NT	-40000.00	-7.017544	20	PASS
11AX20SISO	Ant1	5700	HV	NT	-40000.00	-7.017544	20	PASS
11AX20SISO	Ant1	5745	NV	NT	-60000.00	-10.443864	20	PASS
11AX20SISO	Ant1	5745	LV	NT	-40000.00	-6.962576	20	PASS
11AX20SISO	Ant1	5745	HV	NT	-60000.00	-10.443864	20	PASS
11AX20SISO	Ant1	5785	NV	NT	20000.00	3.457217	20	PASS
11AX20SISO	Ant1	5785	LV	NT	-20000.00	-3.457217	20	PASS
11AX20SISO	Ant1	5785	HV	NT	-20000.00	-3.457217	20	PASS
11AX20SISO	Ant1	5825	NV	NT	-60000.00	-10.300429	20	PASS
11AX20SISO	Ant1	5825	LV	NT	-40000.00	-6.866953	20	PASS
11AX20SISO	Ant1	5825	HV	NT	-40000.00	-6.866953	20	PASS
11AX40SISO	Ant1	5190	NV	NT	-40000.00	-7.707129	20	PASS
11AX40SISO	Ant1	5190	LV	NT	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5190	HV	NT	-80000.00	-15.414258	20	PASS
11AX40SISO	Ant1	5230	NV	NT	-40000.00	-7.648184	20	PASS
11AX40SISO	Ant1	5230	LV	NT	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5230	HV	NT	-40000.00	-7.648184	20	PASS
11AX40SISO	Ant1	5270	NV	NT	-40000.00	-7.590133	20	PASS
11AX40SISO	Ant1	5270	LV	NT	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5270	HV	NT	-40000.00	-7.590133	20	PASS
11AX40SISO	Ant1	5310	NV	NT	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5310	LV	NT	-40000.00	-7.532957	20	PASS
11AX40SISO	Ant1	5310	HV	NT	-40000.00	-7.532957	20	PASS
11AX40SISO	Ant1	5510	NV	NT	-40000.00	-7.259528	20	PASS
11AX40SISO	Ant1	5510	LV	NT	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5510	HV	NT	-80000.00	-14.519056	20	PASS
11AX40SISO	Ant1	5550	NV	NT	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5550	LV	NT	-40000.00	-7.207207	20	PASS
11AX40SISO	Ant1	5550	HV	NT	-40000.00	-7.207207	20	PASS
11AX40SISO	Ant1	5670	NV	NT	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5670	LV	NT	-40000.00	-7.054674	20	PASS
11AX40SISO	Ant1	5670	HV	NT	-40000.00	-7.054674	20	PASS
11AX40SISO	Ant1	5755	NV	NT	-40000.00	-6.950478	20	PASS
11AX40SISO	Ant1	5755	LV	NT	-80000.00	-13.900956	20	PASS
11AX40SISO	Ant1	5755	HV	NT	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5795	NV	NT	-40000.00	-6.902502	20	PASS
11AX40SISO	Ant1	5795	LV	NT	-40000.00	-6.902502	20	PASS
11AX40SISO	Ant1	5795	HV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5210	NV	NT	-80000.00	-15.355086	20	PASS
11AX80SISO	Ant1	5210	LV	NT	80000.00	15.355086	20	PASS
11AX80SISO	Ant1	5210	HV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5290	NV	NT	0.00	0.000000	20	PASS

11AX80SISO	Ant1	5290	LV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5290	HV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5530	NV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5530	LV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5530	HV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5610	NV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5610	LV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5610	HV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5775	NV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5775	LV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5775	HV	NT	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5250	NV	NT	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5250	LV	NT	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5250	HV	NT	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5570	NV	NT	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5570	LV	NT	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5570	HV	NT	0.00	0.000000	20	PASS

TestMode	Antenna	Frequency[MHz]	Voltage[Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-40000.00	-7.722008	20	PASS
11A	Ant1	5180	NV	-20	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	-10	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	0	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	10	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	30	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	40	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	50	0.00	0.000000	20	PASS
11A	Ant1	5200	NV	-30	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	-20	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	-10	0.00	0.000000	20	PASS
11A	Ant1	5200	NV	0	0.00	0.000000	20	PASS
11A	Ant1	5200	NV	10	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	20	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	30	20000.00	3.846154	20	PASS
11A	Ant1	5200	NV	40	0.00	0.000000	20	PASS
11A	Ant1	5200	NV	50	0.00	0.000000	20	PASS
11A	Ant1	5240	NV	-30	20000.00	3.816794	20	PASS
11A	Ant1	5240	NV	-20	0.00	0.000000	20	PASS
11A	Ant1	5240	NV	-10	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	0	20000.00	3.816794	20	PASS
11A	Ant1	5240	NV	10	20000.00	3.816794	20	PASS
11A	Ant1	5240	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5240	NV	30	20000.00	3.816794	20	PASS
11A	Ant1	5240	NV	40	20000.00	3.816794	20	PASS
11A	Ant1	5240	NV	50	20000.00	3.816794	20	PASS
11A	Ant1	5260	NV	-30	0.00	0.000000	20	PASS
11A	Ant1	5260	NV	-20	-20000.00	-3.802281	20	PASS
11A	Ant1	5260	NV	-10	0.00	0.000000	20	PASS

11A	Ant1	5260	NV	0	0.00	0.000000	20	PASS
11A	Ant1	5260	NV	10	0.00	0.000000	20	PASS
11A	Ant1	5260	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5260	NV	30	-20000.00	-3.802281	20	PASS
11A	Ant1	5260	NV	40	0.00	0.000000	20	PASS
11A	Ant1	5260	NV	50	20000.00	3.802281	20	PASS
11A	Ant1	5280	NV	-30	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	NV	-20	20000.00	3.787879	20	PASS
11A	Ant1	5280	NV	-10	20000.00	3.787879	20	PASS
11A	Ant1	5280	NV	0	20000.00	3.787879	20	PASS
11A	Ant1	5280	NV	10	20000.00	3.787879	20	PASS
11A	Ant1	5280	NV	20	20000.00	3.787879	20	PASS
11A	Ant1	5280	NV	30	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	NV	40	40000.00	7.575758	20	PASS
11A	Ant1	5280	NV	50	0.00	0.000000	20	PASS
11A	Ant1	5320	NV	-30	0.00	0.000000	20	PASS
11A	Ant1	5320	NV	-20	20000.00	3.759398	20	PASS
11A	Ant1	5320	NV	-10	0.00	0.000000	20	PASS
11A	Ant1	5320	NV	0	0.00	0.000000	20	PASS
11A	Ant1	5320	NV	10	0.00	0.000000	20	PASS
11A	Ant1	5320	NV	20	20000.00	3.759398	20	PASS
11A	Ant1	5320	NV	30	20000.00	3.759398	20	PASS
11A	Ant1	5320	NV	40	20000.00	3.759398	20	PASS
11A	Ant1	5320	NV	50	0.00	0.000000	20	PASS
11A	Ant1	5500	NV	-30	-20000.00	-3.636364	20	PASS
11A	Ant1	5500	NV	-20	0.00	0.000000	20	PASS
11A	Ant1	5500	NV	-10	0.00	0.000000	20	PASS
11A	Ant1	5500	NV	0	0.00	0.000000	20	PASS
11A	Ant1	5500	NV	10	40000.00	7.272727	20	PASS
11A	Ant1	5500	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5500	NV	30	0.00	0.000000	20	PASS
11A	Ant1	5500	NV	40	0.00	0.000000	20	PASS
11A	Ant1	5500	NV	50	0.00	0.000000	20	PASS
11A	Ant1	5580	NV	-30	0.00	0.000000	20	PASS
11A	Ant1	5580	NV	-20	20000.00	3.584229	20	PASS
11A	Ant1	5580	NV	-10	0.00	0.000000	20	PASS
11A	Ant1	5580	NV	0	0.00	0.000000	20	PASS
11A	Ant1	5580	NV	10	20000.00	3.584229	20	PASS
11A	Ant1	5580	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5580	NV	30	0.00	0.000000	20	PASS
11A	Ant1	5580	NV	40	0.00	0.000000	20	PASS
11A	Ant1	5580	NV	50	0.00	0.000000	20	PASS
11A	Ant1	5700	NV	-30	0.00	0.000000	20	PASS
11A	Ant1	5700	NV	-20	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	-10	0.00	0.000000	20	PASS
11A	Ant1	5700	NV	0	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	10	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5700	NV	30	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	40	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	50	-20000.00	-3.508772	20	PASS

11A	Ant1	5745	NV	-30	40000.00	6.962576	20	PASS
11A	Ant1	5745	NV	-20	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	-10	20000.00	3.481288	20	PASS
11A	Ant1	5745	NV	0	20000.00	3.481288	20	PASS
11A	Ant1	5745	NV	10	60000.00	10.443864	20	PASS
11A	Ant1	5745	NV	20	60000.00	10.443864	20	PASS
11A	Ant1	5745	NV	30	40000.00	6.962576	20	PASS
11A	Ant1	5745	NV	40	40000.00	6.962576	20	PASS
11A	Ant1	5745	NV	50	40000.00	6.962576	20	PASS
11A	Ant1	5785	NV	-30	60000.00	10.371651	20	PASS
11A	Ant1	5785	NV	-20	20000.00	3.457217	20	PASS
11A	Ant1	5785	NV	-10	20000.00	3.457217	20	PASS
11A	Ant1	5785	NV	0	20000.00	3.457217	20	PASS
11A	Ant1	5785	NV	10	0.00	0.000000	20	PASS
11A	Ant1	5785	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5785	NV	30	20000.00	3.457217	20	PASS
11A	Ant1	5785	NV	40	0.00	0.000000	20	PASS
11A	Ant1	5785	NV	50	20000.00	3.457217	20	PASS
11A	Ant1	5825	NV	-30	40000.00	6.866953	20	PASS
11A	Ant1	5825	NV	-20	20000.00	3.433476	20	PASS
11A	Ant1	5825	NV	-10	40000.00	6.866953	20	PASS
11A	Ant1	5825	NV	0	20000.00	3.433476	20	PASS
11A	Ant1	5825	NV	10	40000.00	6.866953	20	PASS
11A	Ant1	5825	NV	20	20000.00	3.433476	20	PASS
11A	Ant1	5825	NV	30	20000.00	3.433476	20	PASS
11A	Ant1	5825	NV	40	0.00	0.000000	20	PASS
11A	Ant1	5825	NV	50	40000.00	6.866953	20	PASS
11N20SISO	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
11N20SISO	Ant1	5180	NV	-20	-20000.00	-3.861004	20	PASS
11N20SISO	Ant1	5180	NV	-10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	NV	0	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	NV	10	-20000.00	-3.861004	20	PASS
11N20SISO	Ant1	5180	NV	20	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	NV	30	-20000.00	-3.861004	20	PASS
11N20SISO	Ant1	5180	NV	40	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	NV	50	20000.00	3.861004	20	PASS
11N20SISO	Ant1	5200	NV	-30	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5200	NV	-20	0.00	0.000000	20	PASS
11N20SISO	Ant1	5200	NV	-10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5200	NV	0	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5200	NV	10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5200	NV	20	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5200	NV	30	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5200	NV	40	0.00	0.000000	20	PASS
11N20SISO	Ant1	5200	NV	50	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5240	NV	-30	0.00	0.000000	20	PASS
11N20SISO	Ant1	5240	NV	-20	0.00	0.000000	20	PASS
11N20SISO	Ant1	5240	NV	-10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5240	NV	0	0.00	0.000000	20	PASS
11N20SISO	Ant1	5240	NV	10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5240	NV	20	0.00	0.000000	20	PASS

11N20SISO	Ant1	5240	NV	30	0.00	0.000000	20	PASS
11N20SISO	Ant1	5240	NV	40	-20000.00	-3.816794	20	PASS
11N20SISO	Ant1	5240	NV	50	20000.00	3.816794	20	PASS
11N20SISO	Ant1	5260	NV	-30	20000.00	3.802281	20	PASS
11N20SISO	Ant1	5260	NV	-20	-20000.00	-3.802281	20	PASS
11N20SISO	Ant1	5260	NV	-10	-20000.00	-3.802281	20	PASS
11N20SISO	Ant1	5260	NV	0	20000.00	3.802281	20	PASS
11N20SISO	Ant1	5260	NV	10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5260	NV	20	20000.00	3.802281	20	PASS
11N20SISO	Ant1	5260	NV	30	0.00	0.000000	20	PASS
11N20SISO	Ant1	5260	NV	40	20000.00	3.802281	20	PASS
11N20SISO	Ant1	5260	NV	50	-20000.00	-3.802281	20	PASS
11N20SISO	Ant1	5280	NV	-30	0.00	0.000000	20	PASS
11N20SISO	Ant1	5280	NV	-20	20000.00	3.787879	20	PASS
11N20SISO	Ant1	5280	NV	-10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5280	NV	0	0.00	0.000000	20	PASS
11N20SISO	Ant1	5280	NV	10	20000.00	3.787879	20	PASS
11N20SISO	Ant1	5280	NV	20	0.00	0.000000	20	PASS
11N20SISO	Ant1	5280	NV	30	20000.00	3.787879	20	PASS
11N20SISO	Ant1	5280	NV	40	0.00	0.000000	20	PASS
11N20SISO	Ant1	5280	NV	50	0.00	0.000000	20	PASS
11N20SISO	Ant1	5320	NV	-30	40000.00	7.518797	20	PASS
11N20SISO	Ant1	5320	NV	-20	40000.00	7.518797	20	PASS
11N20SISO	Ant1	5320	NV	-10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5320	NV	0	0.00	0.000000	20	PASS
11N20SISO	Ant1	5320	NV	10	20000.00	3.759398	20	PASS
11N20SISO	Ant1	5320	NV	20	20000.00	3.759398	20	PASS
11N20SISO	Ant1	5320	NV	30	-20000.00	-3.759398	20	PASS
11N20SISO	Ant1	5320	NV	40	0.00	0.000000	20	PASS
11N20SISO	Ant1	5320	NV	50	20000.00	3.759398	20	PASS
11N20SISO	Ant1	5500	NV	-30	-20000.00	-3.636364	20	PASS
11N20SISO	Ant1	5500	NV	-20	-20000.00	-3.636364	20	PASS
11N20SISO	Ant1	5500	NV	-10	-20000.00	-3.636364	20	PASS
11N20SISO	Ant1	5500	NV	0	0.00	0.000000	20	PASS
11N20SISO	Ant1	5500	NV	10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5500	NV	20	20000.00	3.636364	20	PASS
11N20SISO	Ant1	5500	NV	30	20000.00	3.636364	20	PASS
11N20SISO	Ant1	5500	NV	40	0.00	0.000000	20	PASS
11N20SISO	Ant1	5500	NV	50	0.00	0.000000	20	PASS
11N20SISO	Ant1	5580	NV	-30	-20000.00	-3.584229	20	PASS
11N20SISO	Ant1	5580	NV	-20	0.00	0.000000	20	PASS
11N20SISO	Ant1	5580	NV	-10	-20000.00	-3.584229	20	PASS
11N20SISO	Ant1	5580	NV	0	0.00	0.000000	20	PASS
11N20SISO	Ant1	5580	NV	10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5580	NV	20	0.00	0.000000	20	PASS
11N20SISO	Ant1	5580	NV	30	0.00	0.000000	20	PASS
11N20SISO	Ant1	5580	NV	40	20000.00	3.584229	20	PASS
11N20SISO	Ant1	5580	NV	50	-20000.00	-3.584229	20	PASS
11N20SISO	Ant1	5700	NV	-30	20000.00	3.508772	20	PASS
11N20SISO	Ant1	5700	NV	-20	0.00	0.000000	20	PASS
11N20SISO	Ant1	5700	NV	-10	20000.00	3.508772	20	PASS

11N20SISO	Ant1	5700	NV	0	0.00	0.000000	20	PASS
11N20SISO	Ant1	5700	NV	10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5700	NV	20	0.00	0.000000	20	PASS
11N20SISO	Ant1	5700	NV	30	-20000.00	-3.508772	20	PASS
11N20SISO	Ant1	5700	NV	40	0.00	0.000000	20	PASS
11N20SISO	Ant1	5700	NV	50	0.00	0.000000	20	PASS
11N20SISO	Ant1	5745	NV	-30	40000.00	6.962576	20	PASS
11N20SISO	Ant1	5745	NV	-20	20000.00	3.481288	20	PASS
11N20SISO	Ant1	5745	NV	-10	40000.00	6.962576	20	PASS
11N20SISO	Ant1	5745	NV	0	0.00	0.000000	20	PASS
11N20SISO	Ant1	5745	NV	10	20000.00	3.481288	20	PASS
11N20SISO	Ant1	5745	NV	20	40000.00	6.962576	20	PASS
11N20SISO	Ant1	5745	NV	30	40000.00	6.962576	20	PASS
11N20SISO	Ant1	5745	NV	40	0.00	0.000000	20	PASS
11N20SISO	Ant1	5745	NV	50	40000.00	6.962576	20	PASS
11N20SISO	Ant1	5785	NV	-30	40000.00	6.914434	20	PASS
11N20SISO	Ant1	5785	NV	-20	40000.00	6.914434	20	PASS
11N20SISO	Ant1	5785	NV	-10	40000.00	6.914434	20	PASS
11N20SISO	Ant1	5785	NV	0	0.00	0.000000	20	PASS
11N20SISO	Ant1	5785	NV	10	40000.00	6.914434	20	PASS
11N20SISO	Ant1	5785	NV	20	40000.00	6.914434	20	PASS
11N20SISO	Ant1	5785	NV	30	60000.00	10.371651	20	PASS
11N20SISO	Ant1	5785	NV	40	40000.00	6.914434	20	PASS
11N20SISO	Ant1	5785	NV	50	20000.00	3.457217	20	PASS
11N20SISO	Ant1	5825	NV	-30	20000.00	3.433476	20	PASS
11N20SISO	Ant1	5825	NV	-20	20000.00	3.433476	20	PASS
11N20SISO	Ant1	5825	NV	-10	20000.00	3.433476	20	PASS
11N20SISO	Ant1	5825	NV	0	0.00	0.000000	20	PASS
11N20SISO	Ant1	5825	NV	10	0.00	0.000000	20	PASS
11N20SISO	Ant1	5825	NV	20	40000.00	6.866953	20	PASS
11N20SISO	Ant1	5825	NV	30	40000.00	6.866953	20	PASS
11N20SISO	Ant1	5825	NV	40	40000.00	6.866953	20	PASS
11N20SISO	Ant1	5825	NV	50	20000.00	3.433476	20	PASS
11N40SISO	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	-20	-40000.00	-7.707129	20	PASS
11N40SISO	Ant1	5190	NV	-10	-40000.00	-7.707129	20	PASS
11N40SISO	Ant1	5190	NV	0	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	10	-40000.00	-7.707129	20	PASS
11N40SISO	Ant1	5190	NV	20	-40000.00	-7.707129	20	PASS
11N40SISO	Ant1	5190	NV	30	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	40	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	50	-40000.00	-7.707129	20	PASS
11N40SISO	Ant1	5230	NV	-30	-80000.00	-15.296367	20	PASS
11N40SISO	Ant1	5230	NV	-20	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	-10	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	0	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	10	0.00	0.000000	20	PASS
11N40SISO	Ant1	5230	NV	20	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	30	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	40	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	50	0.00	0.000000	20	PASS

11N40SISO	Ant1	5270	NV	-30	-40000.00	-7.590133	20	PASS
11N40SISO	Ant1	5270	NV	-20	0.00	0.000000	20	PASS
11N40SISO	Ant1	5270	NV	-10	0.00	0.000000	20	PASS
11N40SISO	Ant1	5270	NV	0	-40000.00	-7.590133	20	PASS
11N40SISO	Ant1	5270	NV	10	-40000.00	-7.590133	20	PASS
11N40SISO	Ant1	5270	NV	20	-40000.00	-7.590133	20	PASS
11N40SISO	Ant1	5270	NV	30	-40000.00	-7.590133	20	PASS
11N40SISO	Ant1	5270	NV	40	0.00	0.000000	20	PASS
11N40SISO	Ant1	5270	NV	50	0.00	0.000000	20	PASS
11N40SISO	Ant1	5310	NV	-30	0.00	0.000000	20	PASS
11N40SISO	Ant1	5310	NV	-20	-40000.00	-7.532957	20	PASS
11N40SISO	Ant1	5310	NV	-10	0.00	0.000000	20	PASS
11N40SISO	Ant1	5310	NV	0	0.00	0.000000	20	PASS
11N40SISO	Ant1	5310	NV	10	0.00	0.000000	20	PASS
11N40SISO	Ant1	5310	NV	20	0.00	0.000000	20	PASS
11N40SISO	Ant1	5310	NV	30	0.00	0.000000	20	PASS
11N40SISO	Ant1	5310	NV	40	0.00	0.000000	20	PASS
11N40SISO	Ant1	5310	NV	50	0.00	0.000000	20	PASS
11N40SISO	Ant1	5510	NV	-30	-40000.00	-7.259528	20	PASS
11N40SISO	Ant1	5510	NV	-20	-40000.00	-7.259528	20	PASS
11N40SISO	Ant1	5510	NV	-10	-40000.00	-7.259528	20	PASS
11N40SISO	Ant1	5510	NV	0	-40000.00	-7.259528	20	PASS
11N40SISO	Ant1	5510	NV	10	-40000.00	-7.259528	20	PASS
11N40SISO	Ant1	5510	NV	20	-40000.00	-7.259528	20	PASS
11N40SISO	Ant1	5510	NV	30	-40000.00	-7.259528	20	PASS
11N40SISO	Ant1	5510	NV	40	-40000.00	-7.259528	20	PASS
11N40SISO	Ant1	5510	NV	50	-40000.00	-7.259528	20	PASS
11N40SISO	Ant1	5550	NV	-30	-40000.00	-7.207207	20	PASS
11N40SISO	Ant1	5550	NV	-20	-40000.00	-7.207207	20	PASS
11N40SISO	Ant1	5550	NV	-10	-40000.00	-7.207207	20	PASS
11N40SISO	Ant1	5550	NV	0	0.00	0.000000	20	PASS
11N40SISO	Ant1	5550	NV	10	-40000.00	-7.207207	20	PASS
11N40SISO	Ant1	5550	NV	20	0.00	0.000000	20	PASS
11N40SISO	Ant1	5550	NV	30	-40000.00	-7.207207	20	PASS
11N40SISO	Ant1	5550	NV	40	0.00	0.000000	20	PASS
11N40SISO	Ant1	5550	NV	50	-40000.00	-7.207207	20	PASS
11N40SISO	Ant1	5670	NV	-30	0.00	0.000000	20	PASS
11N40SISO	Ant1	5670	NV	-20	-40000.00	-7.054674	20	PASS
11N40SISO	Ant1	5670	NV	-10	-40000.00	-7.054674	20	PASS
11N40SISO	Ant1	5670	NV	0	-40000.00	-7.054674	20	PASS
11N40SISO	Ant1	5670	NV	10	-40000.00	-7.054674	20	PASS
11N40SISO	Ant1	5670	NV	20	0.00	0.000000	20	PASS
11N40SISO	Ant1	5670	NV	30	-40000.00	-7.054674	20	PASS
11N40SISO	Ant1	5670	NV	40	0.00	0.000000	20	PASS
11N40SISO	Ant1	5670	NV	50	0.00	0.000000	20	PASS
11N40SISO	Ant1	5755	NV	-30	0.00	0.000000	20	PASS
11N40SISO	Ant1	5755	NV	-20	0.00	0.000000	20	PASS
11N40SISO	Ant1	5755	NV	-10	0.00	0.000000	20	PASS
11N40SISO	Ant1	5755	NV	0	-40000.00	-6.950478	20	PASS
11N40SISO	Ant1	5755	NV	10	0.00	0.000000	20	PASS
11N40SISO	Ant1	5755	NV	20	-40000.00	-6.950478	20	PASS

11N40SISO	Ant1	5755	NV	30	0.00	0.000000	20	PASS
11N40SISO	Ant1	5755	NV	40	-40000.00	-6.950478	20	PASS
11N40SISO	Ant1	5755	NV	50	-40000.00	-6.950478	20	PASS
11N40SISO	Ant1	5795	NV	-30	0.00	0.000000	20	PASS
11N40SISO	Ant1	5795	NV	-20	-40000.00	-6.902502	20	PASS
11N40SISO	Ant1	5795	NV	-10	0.00	0.000000	20	PASS
11N40SISO	Ant1	5795	NV	0	-40000.00	-6.902502	20	PASS
11N40SISO	Ant1	5795	NV	10	-40000.00	-6.902502	20	PASS
11N40SISO	Ant1	5795	NV	20	-40000.00	-6.902502	20	PASS
11N40SISO	Ant1	5795	NV	30	-40000.00	-6.902502	20	PASS
11N40SISO	Ant1	5795	NV	40	-40000.00	-6.902502	20	PASS
11N40SISO	Ant1	5795	NV	50	-40000.00	-6.902502	20	PASS
11AC20SISO	Ant1	5180	NV	-30	20000.00	3.861004	20	PASS
11AC20SISO	Ant1	5180	NV	-20	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5180	NV	-10	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5180	NV	0	20000.00	3.861004	20	PASS
11AC20SISO	Ant1	5180	NV	10	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5180	NV	20	20000.00	3.861004	20	PASS
11AC20SISO	Ant1	5180	NV	30	20000.00	3.861004	20	PASS
11AC20SISO	Ant1	5180	NV	40	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5180	NV	50	40000.00	7.722008	20	PASS
11AC20SISO	Ant1	5200	NV	-30	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5200	NV	-20	20000.00	3.846154	20	PASS
11AC20SISO	Ant1	5200	NV	-10	20000.00	3.846154	20	PASS
11AC20SISO	Ant1	5200	NV	0	20000.00	3.846154	20	PASS
11AC20SISO	Ant1	5200	NV	10	20000.00	3.846154	20	PASS
11AC20SISO	Ant1	5200	NV	20	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5200	NV	30	20000.00	3.846154	20	PASS
11AC20SISO	Ant1	5200	NV	40	40000.00	7.692308	20	PASS
11AC20SISO	Ant1	5200	NV	50	20000.00	3.846154	20	PASS
11AC20SISO	Ant1	5240	NV	-30	20000.00	3.816794	20	PASS
11AC20SISO	Ant1	5240	NV	-20	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5240	NV	-10	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5240	NV	0	20000.00	3.816794	20	PASS
11AC20SISO	Ant1	5240	NV	10	20000.00	3.816794	20	PASS
11AC20SISO	Ant1	5240	NV	20	40000.00	7.633588	20	PASS
11AC20SISO	Ant1	5240	NV	30	40000.00	7.633588	20	PASS
11AC20SISO	Ant1	5240	NV	40	40000.00	7.633588	20	PASS
11AC20SISO	Ant1	5240	NV	50	60000.00	11.450382	20	PASS
11AC20SISO	Ant1	5260	NV	-30	20000.00	3.802281	20	PASS
11AC20SISO	Ant1	5260	NV	-20	40000.00	7.604563	20	PASS
11AC20SISO	Ant1	5260	NV	-10	40000.00	7.604563	20	PASS
11AC20SISO	Ant1	5260	NV	0	20000.00	3.802281	20	PASS
11AC20SISO	Ant1	5260	NV	10	20000.00	3.802281	20	PASS
11AC20SISO	Ant1	5260	NV	20	40000.00	7.604563	20	PASS
11AC20SISO	Ant1	5260	NV	30	40000.00	7.604563	20	PASS
11AC20SISO	Ant1	5260	NV	40	40000.00	7.604563	20	PASS
11AC20SISO	Ant1	5260	NV	50	20000.00	3.802281	20	PASS
11AC20SISO	Ant1	5280	NV	-30	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5280	NV	-20	40000.00	7.575758	20	PASS
11AC20SISO	Ant1	5280	NV	-10	20000.00	3.787879	20	PASS

11AC20SISO	Ant1	5280	NV	0	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5280	NV	10	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5280	NV	20	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5280	NV	30	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5280	NV	40	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5280	NV	50	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5320	NV	-30	40000.00	7.518797	20	PASS
11AC20SISO	Ant1	5320	NV	-20	20000.00	3.759398	20	PASS
11AC20SISO	Ant1	5320	NV	-10	20000.00	3.759398	20	PASS
11AC20SISO	Ant1	5320	NV	0	40000.00	7.518797	20	PASS
11AC20SISO	Ant1	5320	NV	10	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5320	NV	20	40000.00	7.518797	20	PASS
11AC20SISO	Ant1	5320	NV	30	20000.00	3.759398	20	PASS
11AC20SISO	Ant1	5320	NV	40	40000.00	7.518797	20	PASS
11AC20SISO	Ant1	5320	NV	50	40000.00	7.518797	20	PASS
11AC20SISO	Ant1	5500	NV	-30	20000.00	3.636364	20	PASS
11AC20SISO	Ant1	5500	NV	-20	20000.00	3.636364	20	PASS
11AC20SISO	Ant1	5500	NV	-10	40000.00	7.272727	20	PASS
11AC20SISO	Ant1	5500	NV	0	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5500	NV	10	20000.00	3.636364	20	PASS
11AC20SISO	Ant1	5500	NV	20	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5500	NV	30	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5500	NV	40	20000.00	3.636364	20	PASS
11AC20SISO	Ant1	5500	NV	50	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5580	NV	-30	-20000.00	-3.584229	20	PASS
11AC20SISO	Ant1	5580	NV	-20	-40000.00	-7.168459	20	PASS
11AC20SISO	Ant1	5580	NV	-10	-40000.00	-7.168459	20	PASS
11AC20SISO	Ant1	5580	NV	0	-20000.00	-3.584229	20	PASS
11AC20SISO	Ant1	5580	NV	10	-60000.00	-10.752688	20	PASS
11AC20SISO	Ant1	5580	NV	20	-20000.00	-3.584229	20	PASS
11AC20SISO	Ant1	5580	NV	30	-20000.00	-3.584229	20	PASS
11AC20SISO	Ant1	5580	NV	40	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5580	NV	50	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5700	NV	-30	20000.00	3.508772	20	PASS
11AC20SISO	Ant1	5700	NV	-20	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5700	NV	-10	40000.00	7.017544	20	PASS
11AC20SISO	Ant1	5700	NV	0	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5700	NV	10	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5700	NV	20	20000.00	3.508772	20	PASS
11AC20SISO	Ant1	5700	NV	30	20000.00	3.508772	20	PASS
11AC20SISO	Ant1	5700	NV	40	-20000.00	-3.508772	20	PASS
11AC20SISO	Ant1	5700	NV	50	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5745	NV	-30	20000.00	3.481288	20	PASS
11AC20SISO	Ant1	5745	NV	-20	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5745	NV	-10	-40000.00	-6.962576	20	PASS
11AC20SISO	Ant1	5745	NV	0	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5745	NV	10	-20000.00	-3.481288	20	PASS
11AC20SISO	Ant1	5745	NV	20	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5745	NV	30	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5745	NV	40	20000.00	3.481288	20	PASS
11AC20SISO	Ant1	5745	NV	50	0.00	0.000000	20	PASS

11AC20SISO	Ant1	5785	NV	-30	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5785	NV	-20	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5785	NV	-10	-20000.00	-3.457217	20	PASS
11AC20SISO	Ant1	5785	NV	0	-20000.00	-3.457217	20	PASS
11AC20SISO	Ant1	5785	NV	10	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5785	NV	20	20000.00	3.457217	20	PASS
11AC20SISO	Ant1	5785	NV	30	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5785	NV	40	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5785	NV	50	-20000.00	-3.457217	20	PASS
11AC20SISO	Ant1	5825	NV	-30	-20000.00	-3.433476	20	PASS
11AC20SISO	Ant1	5825	NV	-20	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5825	NV	-10	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5825	NV	0	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5825	NV	10	-20000.00	-3.433476	20	PASS
11AC20SISO	Ant1	5825	NV	20	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5825	NV	30	-20000.00	-3.433476	20	PASS
11AC20SISO	Ant1	5825	NV	40	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5825	NV	50	-40000.00	-6.866953	20	PASS
11AC40SISO	Ant1	5190	NV	-30	-40000.00	-7.707129	20	PASS
11AC40SISO	Ant1	5190	NV	-20	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5190	NV	-10	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5190	NV	0	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5190	NV	10	-40000.00	-7.707129	20	PASS
11AC40SISO	Ant1	5190	NV	20	-40000.00	-7.707129	20	PASS
11AC40SISO	Ant1	5190	NV	30	40000.00	7.707129	20	PASS
11AC40SISO	Ant1	5190	NV	40	40000.00	7.707129	20	PASS
11AC40SISO	Ant1	5190	NV	50	-40000.00	-7.707129	20	PASS
11AC40SISO	Ant1	5230	NV	-30	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5230	NV	-20	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5230	NV	-10	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5230	NV	0	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5230	NV	10	-40000.00	-7.648184	20	PASS
11AC40SISO	Ant1	5230	NV	20	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5230	NV	30	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5230	NV	40	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5230	NV	50	40000.00	7.648184	20	PASS
11AC40SISO	Ant1	5270	NV	-30	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5270	NV	-20	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5270	NV	-10	-40000.00	-7.590133	20	PASS
11AC40SISO	Ant1	5270	NV	0	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5270	NV	10	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5270	NV	20	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5270	NV	30	-40000.00	-7.590133	20	PASS
11AC40SISO	Ant1	5270	NV	40	-40000.00	-7.590133	20	PASS
11AC40SISO	Ant1	5270	NV	50	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5310	NV	-30	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5310	NV	-20	40000.00	7.532957	20	PASS
11AC40SISO	Ant1	5310	NV	-10	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5310	NV	0	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5310	NV	10	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5310	NV	20	-40000.00	-7.532957	20	PASS

11AC40SISO	Ant1	5310	NV	30	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5310	NV	40	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5310	NV	50	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5510	NV	-30	-40000.00	-7.259528	20	PASS
11AC40SISO	Ant1	5510	NV	-20	-40000.00	-7.259528	20	PASS
11AC40SISO	Ant1	5510	NV	-10	40000.00	7.259528	20	PASS
11AC40SISO	Ant1	5510	NV	0	-40000.00	-7.259528	20	PASS
11AC40SISO	Ant1	5510	NV	10	-40000.00	-7.259528	20	PASS
11AC40SISO	Ant1	5510	NV	20	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5510	NV	30	-40000.00	-7.259528	20	PASS
11AC40SISO	Ant1	5510	NV	40	-40000.00	-7.259528	20	PASS
11AC40SISO	Ant1	5510	NV	50	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5550	NV	-30	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5550	NV	-20	-40000.00	-7.207207	20	PASS
11AC40SISO	Ant1	5550	NV	-10	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5550	NV	0	-40000.00	-7.207207	20	PASS
11AC40SISO	Ant1	5550	NV	10	-80000.00	-14.414414	20	PASS
11AC40SISO	Ant1	5550	NV	20	-40000.00	-7.207207	20	PASS
11AC40SISO	Ant1	5550	NV	30	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5550	NV	40	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5550	NV	50	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5670	NV	-30	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5670	NV	-20	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5670	NV	-10	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5670	NV	0	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5670	NV	10	-40000.00	-7.054674	20	PASS
11AC40SISO	Ant1	5670	NV	20	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5670	NV	30	40000.00	7.054674	20	PASS
11AC40SISO	Ant1	5670	NV	40	-40000.00	-7.054674	20	PASS
11AC40SISO	Ant1	5670	NV	50	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5755	NV	-30	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5755	NV	-20	-40000.00	-6.950478	20	PASS
11AC40SISO	Ant1	5755	NV	-10	-40000.00	-6.950478	20	PASS
11AC40SISO	Ant1	5755	NV	0	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5755	NV	10	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5755	NV	20	-40000.00	-6.950478	20	PASS
11AC40SISO	Ant1	5755	NV	30	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5755	NV	40	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5755	NV	50	-40000.00	-6.950478	20	PASS
11AC40SISO	Ant1	5795	NV	-30	-40000.00	-6.902502	20	PASS
11AC40SISO	Ant1	5795	NV	-20	40000.00	6.902502	20	PASS
11AC40SISO	Ant1	5795	NV	-10	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5795	NV	0	40000.00	6.902502	20	PASS
11AC40SISO	Ant1	5795	NV	10	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5795	NV	20	0.00	0.000000	20	PASS
11AC40SISO	Ant1	5795	NV	30	-40000.00	-6.902502	20	PASS
11AC40SISO	Ant1	5795	NV	40	-40000.00	-6.902502	20	PASS
11AC40SISO	Ant1	5795	NV	50	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5210	NV	-30	-80000.00	-15.355086	20	PASS
11AC80SISO	Ant1	5210	NV	-20	-80000.00	-15.355086	20	PASS
11AC80SISO	Ant1	5210	NV	-10	0.00	0.000000	20	PASS

11AC80SISO	Ant1	5210	NV	0	-80000.00	-15.355086	20	PASS
11AC80SISO	Ant1	5210	NV	10	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5210	NV	20	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5210	NV	30	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5210	NV	40	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5210	NV	50	-80000.00	-15.355086	20	PASS
11AC80SISO	Ant1	5290	NV	-30	-80000.00	-15.122873	20	PASS
11AC80SISO	Ant1	5290	NV	-20	-80000.00	-15.122873	20	PASS
11AC80SISO	Ant1	5290	NV	-10	-80000.00	-15.122873	20	PASS
11AC80SISO	Ant1	5290	NV	0	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5290	NV	10	-80000.00	-15.122873	20	PASS
11AC80SISO	Ant1	5290	NV	20	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5290	NV	30	-80000.00	-15.122873	20	PASS
11AC80SISO	Ant1	5290	NV	40	-80000.00	-15.122873	20	PASS
11AC80SISO	Ant1	5290	NV	50	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5530	NV	-30	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5530	NV	-20	-80000.00	-14.466546	20	PASS
11AC80SISO	Ant1	5530	NV	-10	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5530	NV	0	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5530	NV	10	-80000.00	-14.466546	20	PASS
11AC80SISO	Ant1	5530	NV	20	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5530	NV	30	-80000.00	-14.466546	20	PASS
11AC80SISO	Ant1	5530	NV	40	-80000.00	-14.466546	20	PASS
11AC80SISO	Ant1	5530	NV	50	-80000.00	-14.466546	20	PASS
11AC80SISO	Ant1	5610	NV	-30	-80000.00	-14.260250	20	PASS
11AC80SISO	Ant1	5610	NV	-20	-80000.00	-14.260250	20	PASS
11AC80SISO	Ant1	5610	NV	-10	-80000.00	-14.260250	20	PASS
11AC80SISO	Ant1	5610	NV	0	-80000.00	-14.260250	20	PASS
11AC80SISO	Ant1	5610	NV	10	-80000.00	-14.260250	20	PASS
11AC80SISO	Ant1	5610	NV	20	-80000.00	-14.260250	20	PASS
11AC80SISO	Ant1	5610	NV	30	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5610	NV	40	-80000.00	-14.260250	20	PASS
11AC80SISO	Ant1	5610	NV	50	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5775	NV	-30	-80000.00	-13.852814	20	PASS
11AC80SISO	Ant1	5775	NV	-20	-80000.00	-13.852814	20	PASS
11AC80SISO	Ant1	5775	NV	-10	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5775	NV	0	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5775	NV	10	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5775	NV	20	-80000.00	-13.852814	20	PASS
11AC80SISO	Ant1	5775	NV	30	-80000.00	-13.852814	20	PASS
11AC80SISO	Ant1	5775	NV	40	-80000.00	-13.852814	20	PASS
11AC80SISO	Ant1	5775	NV	50	-80000.00	-13.852814	20	PASS
11AC160SISO	Ant1	5250	NV	-30	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5250	NV	-20	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5250	NV	-10	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5250	NV	0	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5250	NV	10	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5250	NV	20	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5250	NV	30	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5250	NV	40	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5250	NV	50	0.00	0.000000	20	PASS

11AC160SISO	Ant1	5570	NV	-30	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5570	NV	-20	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5570	NV	-10	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5570	NV	0	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5570	NV	10	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5570	NV	20	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5570	NV	30	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5570	NV	40	0.00	0.000000	20	PASS
11AC160SISO	Ant1	5570	NV	50	0.00	0.000000	20	PASS
11AX20SISO	Ant1	5180	NV	-30	-40000.00	-7.722008	20	PASS
11AX20SISO	Ant1	5180	NV	-20	-20000.00	-3.861004	20	PASS
11AX20SISO	Ant1	5180	NV	-10	-20000.00	-3.861004	20	PASS
11AX20SISO	Ant1	5180	NV	0	-40000.00	-7.722008	20	PASS
11AX20SISO	Ant1	5180	NV	10	-40000.00	-7.722008	20	PASS
11AX20SISO	Ant1	5180	NV	20	-40000.00	-7.722008	20	PASS
11AX20SISO	Ant1	5180	NV	30	-20000.00	-3.861004	20	PASS
11AX20SISO	Ant1	5180	NV	40	-20000.00	-3.861004	20	PASS
11AX20SISO	Ant1	5180	NV	50	-40000.00	-7.722008	20	PASS
11AX20SISO	Ant1	5200	NV	-30	-40000.00	-7.692308	20	PASS
11AX20SISO	Ant1	5200	NV	-20	-40000.00	-7.692308	20	PASS
11AX20SISO	Ant1	5200	NV	-10	-40000.00	-7.692308	20	PASS
11AX20SISO	Ant1	5200	NV	0	-40000.00	-7.692308	20	PASS
11AX20SISO	Ant1	5200	NV	10	-100000.00	-19.230769	20	PASS
11AX20SISO	Ant1	5200	NV	20	-40000.00	-7.692308	20	PASS
11AX20SISO	Ant1	5200	NV	30	-40000.00	-7.692308	20	PASS
11AX20SISO	Ant1	5200	NV	40	-40000.00	-7.692308	20	PASS
11AX20SISO	Ant1	5200	NV	50	-40000.00	-7.692308	20	PASS
11AX20SISO	Ant1	5240	NV	-30	-40000.00	-7.633588	20	PASS
11AX20SISO	Ant1	5240	NV	-20	-20000.00	-3.816794	20	PASS
11AX20SISO	Ant1	5240	NV	-10	-20000.00	-3.816794	20	PASS
11AX20SISO	Ant1	5240	NV	0	-20000.00	-3.816794	20	PASS
11AX20SISO	Ant1	5240	NV	10	-20000.00	-3.816794	20	PASS
11AX20SISO	Ant1	5240	NV	20	-40000.00	-7.633588	20	PASS
11AX20SISO	Ant1	5240	NV	30	-60000.00	-11.450382	20	PASS
11AX20SISO	Ant1	5240	NV	40	-60000.00	-11.450382	20	PASS
11AX20SISO	Ant1	5240	NV	50	-40000.00	-7.633588	20	PASS
11AX20SISO	Ant1	5260	NV	-30	-40000.00	-7.604563	20	PASS
11AX20SISO	Ant1	5260	NV	-20	-40000.00	-7.604563	20	PASS
11AX20SISO	Ant1	5260	NV	-10	-20000.00	-3.802281	20	PASS
11AX20SISO	Ant1	5260	NV	0	-20000.00	-3.802281	20	PASS
11AX20SISO	Ant1	5260	NV	10	-40000.00	-7.604563	20	PASS
11AX20SISO	Ant1	5260	NV	20	-20000.00	-3.802281	20	PASS
11AX20SISO	Ant1	5260	NV	30	-40000.00	-7.604563	20	PASS
11AX20SISO	Ant1	5260	NV	40	-40000.00	-7.604563	20	PASS
11AX20SISO	Ant1	5260	NV	50	-20000.00	-3.802281	20	PASS
11AX20SISO	Ant1	5280	NV	-30	-40000.00	-7.575758	20	PASS
11AX20SISO	Ant1	5280	NV	-20	-40000.00	-7.575758	20	PASS
11AX20SISO	Ant1	5280	NV	-10	-40000.00	-7.575758	20	PASS
11AX20SISO	Ant1	5280	NV	0	-40000.00	-7.575758	20	PASS
11AX20SISO	Ant1	5280	NV	10	-40000.00	-7.575758	20	PASS
11AX20SISO	Ant1	5280	NV	20	-40000.00	-7.575758	20	PASS

11AX20SISO	Ant1	5280	NV	30	-40000.00	-7.575758	20	PASS
11AX20SISO	Ant1	5280	NV	40	-40000.00	-7.575758	20	PASS
11AX20SISO	Ant1	5280	NV	50	-20000.00	-3.787879	20	PASS
11AX20SISO	Ant1	5320	NV	-30	-40000.00	-7.518797	20	PASS
11AX20SISO	Ant1	5320	NV	-20	-40000.00	-7.518797	20	PASS
11AX20SISO	Ant1	5320	NV	-10	-20000.00	-3.759398	20	PASS
11AX20SISO	Ant1	5320	NV	0	-60000.00	-11.278195	20	PASS
11AX20SISO	Ant1	5320	NV	10	-60000.00	-11.278195	20	PASS
11AX20SISO	Ant1	5320	NV	20	-40000.00	-7.518797	20	PASS
11AX20SISO	Ant1	5320	NV	30	-20000.00	-3.759398	20	PASS
11AX20SISO	Ant1	5320	NV	40	-40000.00	-7.518797	20	PASS
11AX20SISO	Ant1	5320	NV	50	-40000.00	-7.518797	20	PASS
11AX20SISO	Ant1	5500	NV	-30	-40000.00	-7.272727	20	PASS
11AX20SISO	Ant1	5500	NV	-20	-40000.00	-7.272727	20	PASS
11AX20SISO	Ant1	5500	NV	-10	-60000.00	-10.909091	20	PASS
11AX20SISO	Ant1	5500	NV	0	-20000.00	-3.636364	20	PASS
11AX20SISO	Ant1	5500	NV	10	-40000.00	-7.272727	20	PASS
11AX20SISO	Ant1	5500	NV	20	-40000.00	-7.272727	20	PASS
11AX20SISO	Ant1	5500	NV	30	-20000.00	-3.636364	20	PASS
11AX20SISO	Ant1	5500	NV	40	-20000.00	-3.636364	20	PASS
11AX20SISO	Ant1	5500	NV	50	-60000.00	-10.909091	20	PASS
11AX20SISO	Ant1	5580	NV	-30	-20000.00	-3.584229	20	PASS
11AX20SISO	Ant1	5580	NV	-20	-60000.00	-10.752688	20	PASS
11AX20SISO	Ant1	5580	NV	-10	-60000.00	-10.752688	20	PASS
11AX20SISO	Ant1	5580	NV	0	-40000.00	-7.168459	20	PASS
11AX20SISO	Ant1	5580	NV	10	-40000.00	-7.168459	20	PASS
11AX20SISO	Ant1	5580	NV	20	-40000.00	-7.168459	20	PASS
11AX20SISO	Ant1	5580	NV	30	-40000.00	-7.168459	20	PASS
11AX20SISO	Ant1	5580	NV	40	-20000.00	-3.584229	20	PASS
11AX20SISO	Ant1	5580	NV	50	-40000.00	-7.168459	20	PASS
11AX20SISO	Ant1	5700	NV	-30	-60000.00	-10.526316	20	PASS
11AX20SISO	Ant1	5700	NV	-20	-60000.00	-10.526316	20	PASS
11AX20SISO	Ant1	5700	NV	-10	-60000.00	-10.526316	20	PASS
11AX20SISO	Ant1	5700	NV	0	-60000.00	-10.526316	20	PASS
11AX20SISO	Ant1	5700	NV	10	-60000.00	-10.526316	20	PASS
11AX20SISO	Ant1	5700	NV	20	-20000.00	-3.508772	20	PASS
11AX20SISO	Ant1	5700	NV	30	-20000.00	-3.508772	20	PASS
11AX20SISO	Ant1	5700	NV	40	-40000.00	-7.017544	20	PASS
11AX20SISO	Ant1	5700	NV	50	-20000.00	-3.508772	20	PASS
11AX20SISO	Ant1	5745	NV	-30	-20000.00	-3.481288	20	PASS
11AX20SISO	Ant1	5745	NV	-20	-40000.00	-6.962576	20	PASS
11AX20SISO	Ant1	5745	NV	-10	-20000.00	-3.481288	20	PASS
11AX20SISO	Ant1	5745	NV	0	-40000.00	-6.962576	20	PASS
11AX20SISO	Ant1	5745	NV	10	-20000.00	-3.481288	20	PASS
11AX20SISO	Ant1	5745	NV	20	-40000.00	-6.962576	20	PASS
11AX20SISO	Ant1	5745	NV	30	-20000.00	-3.481288	20	PASS
11AX20SISO	Ant1	5745	NV	40	-40000.00	-6.962576	20	PASS
11AX20SISO	Ant1	5745	NV	50	-40000.00	-6.962576	20	PASS
11AX20SISO	Ant1	5785	NV	-30	-40000.00	-6.914434	20	PASS
11AX20SISO	Ant1	5785	NV	-20	-40000.00	-6.914434	20	PASS
11AX20SISO	Ant1	5785	NV	-10	-40000.00	-6.914434	20	PASS

11AX20SISO	Ant1	5785	NV	0	-40000.00	-6.914434	20	PASS
11AX20SISO	Ant1	5785	NV	10	-60000.00	-10.371651	20	PASS
11AX20SISO	Ant1	5785	NV	20	-20000.00	-3.457217	20	PASS
11AX20SISO	Ant1	5785	NV	30	-20000.00	-3.457217	20	PASS
11AX20SISO	Ant1	5785	NV	40	-20000.00	-3.457217	20	PASS
11AX20SISO	Ant1	5785	NV	50	-20000.00	-3.457217	20	PASS
11AX20SISO	Ant1	5825	NV	-30	-40000.00	-6.866953	20	PASS
11AX20SISO	Ant1	5825	NV	-20	-20000.00	-3.433476	20	PASS
11AX20SISO	Ant1	5825	NV	-10	-20000.00	-3.433476	20	PASS
11AX20SISO	Ant1	5825	NV	0	-60000.00	-10.300429	20	PASS
11AX20SISO	Ant1	5825	NV	10	-40000.00	-6.866953	20	PASS
11AX20SISO	Ant1	5825	NV	20	-60000.00	-10.300429	20	PASS
11AX20SISO	Ant1	5825	NV	30	-40000.00	-6.866953	20	PASS
11AX20SISO	Ant1	5825	NV	40	-60000.00	-10.300429	20	PASS
11AX20SISO	Ant1	5825	NV	50	-40000.00	-6.866953	20	PASS
11AX40SISO	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5190	NV	-20	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5190	NV	-10	-40000.00	-7.707129	20	PASS
11AX40SISO	Ant1	5190	NV	0	-40000.00	-7.707129	20	PASS
11AX40SISO	Ant1	5190	NV	10	-40000.00	-7.707129	20	PASS
11AX40SISO	Ant1	5190	NV	20	-40000.00	-7.707129	20	PASS
11AX40SISO	Ant1	5190	NV	30	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5190	NV	40	-40000.00	-7.707129	20	PASS
11AX40SISO	Ant1	5190	NV	50	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5230	NV	-30	-40000.00	-7.648184	20	PASS
11AX40SISO	Ant1	5230	NV	-20	-40000.00	-7.648184	20	PASS
11AX40SISO	Ant1	5230	NV	-10	-40000.00	-7.648184	20	PASS
11AX40SISO	Ant1	5230	NV	0	-40000.00	-7.648184	20	PASS
11AX40SISO	Ant1	5230	NV	10	-40000.00	-7.648184	20	PASS
11AX40SISO	Ant1	5230	NV	20	-40000.00	-7.648184	20	PASS
11AX40SISO	Ant1	5230	NV	30	-40000.00	-7.648184	20	PASS
11AX40SISO	Ant1	5230	NV	40	-40000.00	-7.648184	20	PASS
11AX40SISO	Ant1	5230	NV	50	-40000.00	-7.648184	20	PASS
11AX40SISO	Ant1	5270	NV	-30	-80000.00	-15.180266	20	PASS
11AX40SISO	Ant1	5270	NV	-20	-40000.00	-7.590133	20	PASS
11AX40SISO	Ant1	5270	NV	-10	-40000.00	-7.590133	20	PASS
11AX40SISO	Ant1	5270	NV	0	-40000.00	-7.590133	20	PASS
11AX40SISO	Ant1	5270	NV	10	-40000.00	-7.590133	20	PASS
11AX40SISO	Ant1	5270	NV	20	-40000.00	-7.590133	20	PASS
11AX40SISO	Ant1	5270	NV	30	-40000.00	-7.590133	20	PASS
11AX40SISO	Ant1	5270	NV	40	-40000.00	-7.590133	20	PASS
11AX40SISO	Ant1	5270	NV	50	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5310	NV	-30	-80000.00	-15.065913	20	PASS
11AX40SISO	Ant1	5310	NV	-20	-40000.00	-7.532957	20	PASS
11AX40SISO	Ant1	5310	NV	-10	-40000.00	-7.532957	20	PASS
11AX40SISO	Ant1	5310	NV	0	-40000.00	-7.532957	20	PASS
11AX40SISO	Ant1	5310	NV	10	-40000.00	-7.532957	20	PASS
11AX40SISO	Ant1	5310	NV	20	-40000.00	-7.532957	20	PASS
11AX40SISO	Ant1	5310	NV	30	-40000.00	-7.532957	20	PASS
11AX40SISO	Ant1	5310	NV	40	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5310	NV	50	0.00	0.000000	20	PASS

11AX40SISO	Ant1	5510	NV	-30	-40000.00	-7.259528	20	PASS
11AX40SISO	Ant1	5510	NV	-20	-40000.00	-7.259528	20	PASS
11AX40SISO	Ant1	5510	NV	-10	-40000.00	-7.259528	20	PASS
11AX40SISO	Ant1	5510	NV	0	-40000.00	-7.259528	20	PASS
11AX40SISO	Ant1	5510	NV	10	-80000.00	-14.519056	20	PASS
11AX40SISO	Ant1	5510	NV	20	-40000.00	-7.259528	20	PASS
11AX40SISO	Ant1	5510	NV	30	-40000.00	-7.259528	20	PASS
11AX40SISO	Ant1	5510	NV	40	-40000.00	-7.259528	20	PASS
11AX40SISO	Ant1	5510	NV	50	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5550	NV	-30	-40000.00	-7.207207	20	PASS
11AX40SISO	Ant1	5550	NV	-20	-40000.00	-7.207207	20	PASS
11AX40SISO	Ant1	5550	NV	-10	-40000.00	-7.207207	20	PASS
11AX40SISO	Ant1	5550	NV	0	-40000.00	-7.207207	20	PASS
11AX40SISO	Ant1	5550	NV	10	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5550	NV	20	-40000.00	-7.207207	20	PASS
11AX40SISO	Ant1	5550	NV	30	-40000.00	-7.207207	20	PASS
11AX40SISO	Ant1	5550	NV	40	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5550	NV	50	-40000.00	-7.207207	20	PASS
11AX40SISO	Ant1	5670	NV	-30	-40000.00	-7.054674	20	PASS
11AX40SISO	Ant1	5670	NV	-20	-40000.00	-7.054674	20	PASS
11AX40SISO	Ant1	5670	NV	-10	-40000.00	-7.054674	20	PASS
11AX40SISO	Ant1	5670	NV	0	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5670	NV	10	-40000.00	-7.054674	20	PASS
11AX40SISO	Ant1	5670	NV	20	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5670	NV	30	-40000.00	-7.054674	20	PASS
11AX40SISO	Ant1	5670	NV	40	-40000.00	-7.054674	20	PASS
11AX40SISO	Ant1	5670	NV	50	-80000.00	-14.109347	20	PASS
11AX40SISO	Ant1	5755	NV	-30	-40000.00	-6.950478	20	PASS
11AX40SISO	Ant1	5755	NV	-20	-40000.00	-6.950478	20	PASS
11AX40SISO	Ant1	5755	NV	-10	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5755	NV	0	-40000.00	-6.950478	20	PASS
11AX40SISO	Ant1	5755	NV	10	-80000.00	-13.900956	20	PASS
11AX40SISO	Ant1	5755	NV	20	-40000.00	-6.950478	20	PASS
11AX40SISO	Ant1	5755	NV	30	-80000.00	-13.900956	20	PASS
11AX40SISO	Ant1	5755	NV	40	-40000.00	-6.950478	20	PASS
11AX40SISO	Ant1	5755	NV	50	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5795	NV	-30	-40000.00	-6.902502	20	PASS
11AX40SISO	Ant1	5795	NV	-20	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5795	NV	-10	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5795	NV	0	-40000.00	-6.902502	20	PASS
11AX40SISO	Ant1	5795	NV	10	-40000.00	-6.902502	20	PASS
11AX40SISO	Ant1	5795	NV	20	0.00	0.000000	20	PASS
11AX40SISO	Ant1	5795	NV	30	-40000.00	-6.902502	20	PASS
11AX40SISO	Ant1	5795	NV	40	-40000.00	-6.902502	20	PASS
11AX40SISO	Ant1	5795	NV	50	-40000.00	-6.902502	20	PASS
11AX80SISO	Ant1	5210	NV	-30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5210	NV	-20	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5210	NV	-10	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5210	NV	0	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5210	NV	10	-80000.00	-15.355086	20	PASS
11AX80SISO	Ant1	5210	NV	20	0.00	0.000000	20	PASS

11AX80SISO	Ant1	5210	NV	30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5210	NV	40	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5210	NV	50	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5290	NV	-30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5290	NV	-20	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5290	NV	-10	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5290	NV	0	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5290	NV	10	80000.00	15.122873	20	PASS
11AX80SISO	Ant1	5290	NV	20	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5290	NV	30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5290	NV	40	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5290	NV	50	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5530	NV	-30	-80000.00	-14.466546	20	PASS
11AX80SISO	Ant1	5530	NV	-20	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5530	NV	-10	-80000.00	-14.466546	20	PASS
11AX80SISO	Ant1	5530	NV	0	-80000.00	-14.466546	20	PASS
11AX80SISO	Ant1	5530	NV	10	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5530	NV	20	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5530	NV	30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5530	NV	40	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5530	NV	50	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5610	NV	-30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5610	NV	-20	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5610	NV	-10	-80000.00	-14.260250	20	PASS
11AX80SISO	Ant1	5610	NV	0	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5610	NV	10	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5610	NV	20	-80000.00	-14.260250	20	PASS
11AX80SISO	Ant1	5610	NV	30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5610	NV	40	-80000.00	-14.260250	20	PASS
11AX80SISO	Ant1	5610	NV	50	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5775	NV	-30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5775	NV	-20	80000.00	13.852814	20	PASS
11AX80SISO	Ant1	5775	NV	-10	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5775	NV	0	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5775	NV	10	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5775	NV	20	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5775	NV	30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5775	NV	40	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5775	NV	50	-80000.00	-13.852814	20	PASS
11AX160SISO	Ant1	5250	NV	-30	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5250	NV	-20	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5250	NV	-10	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5250	NV	0	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5250	NV	10	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5250	NV	20	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5250	NV	30	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5250	NV	40	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5250	NV	50	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5570	NV	-30	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5570	NV	-20	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5570	NV	-10	0.00	0.000000	20	PASS

11AX160SISO	Ant1	5570	NV	0	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5570	NV	10	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5570	NV	20	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5570	NV	30	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5570	NV	40	0.00	0.000000	20	PASS
11AX160SISO	Ant1	5570	NV	50	0.00	0.000000	20	PASS
11BE20SISO	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
11BE20SISO	Ant1	5180	LV	NT	-40000.00	-7.722008	20	PASS
11BE20SISO	Ant1	5180	HV	NT	0.00	0.000000	20	PASS
11BE20SISO	Ant1	5200	NV	NT	-60000.00	-11.538462	20	PASS
11BE20SISO	Ant1	5200	LV	NT	-20000.00	-3.846154	20	PASS
11BE20SISO	Ant1	5200	HV	NT	-40000.00	-7.692308	20	PASS
11BE20SISO	Ant1	5240	NV	NT	-60000.00	-11.450382	20	PASS
11BE20SISO	Ant1	5240	LV	NT	-40000.00	-7.633588	20	PASS
11BE20SISO	Ant1	5240	HV	NT	-20000.00	-3.816794	20	PASS
11BE20SISO	Ant1	5260	NV	NT	-40000.00	-7.604563	20	PASS
11BE20SISO	Ant1	5260	LV	NT	-20000.00	-3.802281	20	PASS
11BE20SISO	Ant1	5260	HV	NT	-40000.00	-7.604563	20	PASS
11BE20SISO	Ant1	5280	NV	NT	-60000.00	-11.363636	20	PASS
11BE20SISO	Ant1	5280	LV	NT	-20000.00	-3.787879	20	PASS
11BE20SISO	Ant1	5280	HV	NT	-40000.00	-7.575758	20	PASS
11BE20SISO	Ant1	5320	NV	NT	-40000.00	-7.518797	20	PASS
11BE20SISO	Ant1	5320	LV	NT	-20000.00	-3.759398	20	PASS
11BE20SISO	Ant1	5320	HV	NT	-40000.00	-7.518797	20	PASS
11BE20SISO	Ant1	5500	NV	NT	-60000.00	-10.909091	20	PASS
11BE20SISO	Ant1	5500	LV	NT	-20000.00	-3.636364	20	PASS
11BE20SISO	Ant1	5500	HV	NT	-40000.00	-7.272727	20	PASS
11BE20SISO	Ant1	5580	NV	NT	-40000.00	-7.168459	20	PASS
11BE20SISO	Ant1	5580	LV	NT	-40000.00	-7.168459	20	PASS
11BE20SISO	Ant1	5580	HV	NT	-40000.00	-7.168459	20	PASS
11BE20SISO	Ant1	5700	NV	NT	-20000.00	-3.508772	20	PASS
11BE20SISO	Ant1	5700	LV	NT	-20000.00	-3.508772	20	PASS
11BE20SISO	Ant1	5700	HV	NT	0.00	0.000000	20	PASS
11BE20SISO	Ant1	5745	NV	NT	-20000.00	-3.481288	20	PASS
11BE20SISO	Ant1	5745	LV	NT	-20000.00	-3.481288	20	PASS
11BE20SISO	Ant1	5745	HV	NT	-20000.00	-3.481288	20	PASS
11BE20SISO	Ant1	5785	NV	NT	-40000.00	-6.914434	20	PASS
11BE20SISO	Ant1	5785	LV	NT	-40000.00	-6.914434	20	PASS
11BE20SISO	Ant1	5785	HV	NT	-40000.00	-6.914434	20	PASS
11BE20SISO	Ant1	5825	NV	NT	-40000.00	-6.866953	20	PASS
11BE20SISO	Ant1	5825	LV	NT	-40000.00	-6.866953	20	PASS
11BE20SISO	Ant1	5825	HV	NT	-40000.00	-6.866953	20	PASS
11BE40SISO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5190	LV	NT	-40000.00	-7.707129	20	PASS
11BE40SISO	Ant1	5190	HV	NT	-40000.00	-7.707129	20	PASS
11BE40SISO	Ant1	5230	NV	NT	-40000.00	-7.648184	20	PASS
11BE40SISO	Ant1	5230	LV	NT	-40000.00	-7.648184	20	PASS
11BE40SISO	Ant1	5230	HV	NT	-40000.00	-7.648184	20	PASS
11BE40SISO	Ant1	5270	NV	NT	-40000.00	-7.590133	20	PASS
11BE40SISO	Ant1	5270	LV	NT	-40000.00	-7.590133	20	PASS
11BE40SISO	Ant1	5270	HV	NT	40000.00	7.590133	20	PASS

11BE40SISO	Ant1	5310	NV	NT	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5310	LV	NT	-40000.00	-7.532957	20	PASS
11BE40SISO	Ant1	5310	HV	NT	-40000.00	-7.532957	20	PASS
11BE40SISO	Ant1	5510	NV	NT	-80000.00	-14.519056	20	PASS
11BE40SISO	Ant1	5510	LV	NT	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5510	HV	NT	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5550	NV	NT	-40000.00	-7.207207	20	PASS
11BE40SISO	Ant1	5550	LV	NT	-80000.00	-14.414414	20	PASS
11BE40SISO	Ant1	5550	HV	NT	-40000.00	-7.207207	20	PASS
11BE40SISO	Ant1	5670	NV	NT	-40000.00	-7.054674	20	PASS
11BE40SISO	Ant1	5670	LV	NT	-40000.00	-7.054674	20	PASS
11BE40SISO	Ant1	5670	HV	NT	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5755	NV	NT	-40000.00	-6.950478	20	PASS
11BE40SISO	Ant1	5755	LV	NT	-40000.00	-6.950478	20	PASS
11BE40SISO	Ant1	5755	HV	NT	-40000.00	-6.950478	20	PASS
11BE40SISO	Ant1	5795	NV	NT	-40000.00	-6.902502	20	PASS
11BE40SISO	Ant1	5795	LV	NT	-80000.00	-13.805004	20	PASS
11BE40SISO	Ant1	5795	HV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5210	NV	NT	-80000.00	-15.355086	20	PASS
11BE80SISO	Ant1	5210	LV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5210	HV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	NV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	LV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	HV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5530	NV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5530	LV	NT	-80000.00	-14.466546	20	PASS
11BE80SISO	Ant1	5530	HV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5610	NV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5610	LV	NT	-80000.00	-14.260250	20	PASS
11BE80SISO	Ant1	5610	HV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	NV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	LV	NT	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	HV	NT	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	NV	NT	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	LV	NT	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	HV	NT	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	NV	NT	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	LV	NT	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	HV	NT	0.00	0.000000	20	PASS

TestMode	Antenna	Frequency[MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11BE20SISO	Ant1	5180	NV	-30	-60000.00	-11.583012	20	PASS
11BE20SISO	Ant1	5180	NV	-20	-40000.00	-7.722008	20	PASS
11BE20SISO	Ant1	5180	NV	-10	-40000.00	-7.722008	20	PASS
11BE20SISO	Ant1	5180	NV	0	-20000.00	-3.861004	20	PASS
11BE20SISO	Ant1	5180	NV	10	-100000.00	-19.305019	20	PASS
11BE20SISO	Ant1	5180	NV	20	-40000.00	-7.722008	20	PASS
11BE20SISO	Ant1	5180	NV	30	-20000.00	-3.861004	20	PASS
11BE20SISO	Ant1	5180	NV	40	-20000.00	-3.861004	20	PASS
11BE20SISO	Ant1	5180	NV	50	-40000.00	-7.722008	20	PASS

11BE20SISO	Ant1	5200	NV	-30	-20000.00	-3.846154	20	PASS
11BE20SISO	Ant1	5200	NV	-20	-60000.00	-11.538462	20	PASS
11BE20SISO	Ant1	5200	NV	-10	-40000.00	-7.692308	20	PASS
11BE20SISO	Ant1	5200	NV	0	-40000.00	-7.692308	20	PASS
11BE20SISO	Ant1	5200	NV	10	-40000.00	-7.692308	20	PASS
11BE20SISO	Ant1	5200	NV	20	-20000.00	-3.846154	20	PASS
11BE20SISO	Ant1	5200	NV	30	-40000.00	-7.692308	20	PASS
11BE20SISO	Ant1	5200	NV	40	-20000.00	-3.846154	20	PASS
11BE20SISO	Ant1	5200	NV	50	-40000.00	-7.692308	20	PASS
11BE20SISO	Ant1	5240	NV	-30	0.00	0.000000	20	PASS
11BE20SISO	Ant1	5240	NV	-20	-80000.00	-15.267176	20	PASS
11BE20SISO	Ant1	5240	NV	-10	-40000.00	-7.633588	20	PASS
11BE20SISO	Ant1	5240	NV	0	-40000.00	-7.633588	20	PASS
11BE20SISO	Ant1	5240	NV	10	-40000.00	-7.633588	20	PASS
11BE20SISO	Ant1	5240	NV	20	-20000.00	-3.816794	20	PASS
11BE20SISO	Ant1	5240	NV	30	-40000.00	-7.633588	20	PASS
11BE20SISO	Ant1	5240	NV	40	-20000.00	-3.816794	20	PASS
11BE20SISO	Ant1	5240	NV	50	-40000.00	-7.633588	20	PASS
11BE20SISO	Ant1	5260	NV	-30	-40000.00	-7.604563	20	PASS
11BE20SISO	Ant1	5260	NV	-20	-60000.00	-11.406844	20	PASS
11BE20SISO	Ant1	5260	NV	-10	-20000.00	-3.802281	20	PASS
11BE20SISO	Ant1	5260	NV	0	-40000.00	-7.604563	20	PASS
11BE20SISO	Ant1	5260	NV	10	-20000.00	-3.802281	20	PASS
11BE20SISO	Ant1	5260	NV	20	-40000.00	-7.604563	20	PASS
11BE20SISO	Ant1	5260	NV	30	-20000.00	-3.802281	20	PASS
11BE20SISO	Ant1	5260	NV	40	-40000.00	-7.604563	20	PASS
11BE20SISO	Ant1	5260	NV	50	-20000.00	-3.802281	20	PASS
11BE20SISO	Ant1	5280	NV	-30	-40000.00	-7.575758	20	PASS
11BE20SISO	Ant1	5280	NV	-20	-80000.00	-15.151515	20	PASS
11BE20SISO	Ant1	5280	NV	-10	-40000.00	-7.575758	20	PASS
11BE20SISO	Ant1	5280	NV	0	-40000.00	-7.575758	20	PASS
11BE20SISO	Ant1	5280	NV	10	-20000.00	-3.787879	20	PASS
11BE20SISO	Ant1	5280	NV	20	-20000.00	-3.787879	20	PASS
11BE20SISO	Ant1	5280	NV	30	-40000.00	-7.575758	20	PASS
11BE20SISO	Ant1	5280	NV	40	-40000.00	-7.575758	20	PASS
11BE20SISO	Ant1	5280	NV	50	-20000.00	-3.787879	20	PASS
11BE20SISO	Ant1	5320	NV	-30	-40000.00	-7.518797	20	PASS
11BE20SISO	Ant1	5320	NV	-20	-20000.00	-3.759398	20	PASS
11BE20SISO	Ant1	5320	NV	-10	-40000.00	-7.518797	20	PASS
11BE20SISO	Ant1	5320	NV	0	-20000.00	-3.759398	20	PASS
11BE20SISO	Ant1	5320	NV	10	-40000.00	-7.518797	20	PASS
11BE20SISO	Ant1	5320	NV	20	-20000.00	-3.759398	20	PASS
11BE20SISO	Ant1	5320	NV	30	-40000.00	-7.518797	20	PASS
11BE20SISO	Ant1	5320	NV	40	-20000.00	-3.759398	20	PASS
11BE20SISO	Ant1	5320	NV	50	-60000.00	-11.278195	20	PASS
11BE20SISO	Ant1	5500	NV	-30	-20000.00	-3.636364	20	PASS
11BE20SISO	Ant1	5500	NV	-20	-40000.00	-7.272727	20	PASS
11BE20SISO	Ant1	5500	NV	-10	-20000.00	-3.636364	20	PASS
11BE20SISO	Ant1	5500	NV	0	-40000.00	-7.272727	20	PASS
11BE20SISO	Ant1	5500	NV	10	-60000.00	-10.909091	20	PASS
11BE20SISO	Ant1	5500	NV	20	-40000.00	-7.272727	20	PASS

11BE20SISO	Ant1	5500	NV	30	-20000.00	-3.636364	20	PASS
11BE20SISO	Ant1	5500	NV	40	-20000.00	-3.636364	20	PASS
11BE20SISO	Ant1	5500	NV	50	-40000.00	-7.272727	20	PASS
11BE20SISO	Ant1	5580	NV	-30	-40000.00	-7.168459	20	PASS
11BE20SISO	Ant1	5580	NV	-20	-20000.00	-3.584229	20	PASS
11BE20SISO	Ant1	5580	NV	-10	-60000.00	-10.752688	20	PASS
11BE20SISO	Ant1	5580	NV	0	-60000.00	-10.752688	20	PASS
11BE20SISO	Ant1	5580	NV	10	-40000.00	-7.168459	20	PASS
11BE20SISO	Ant1	5580	NV	20	-40000.00	-7.168459	20	PASS
11BE20SISO	Ant1	5580	NV	30	-40000.00	-7.168459	20	PASS
11BE20SISO	Ant1	5580	NV	40	-40000.00	-7.168459	20	PASS
11BE20SISO	Ant1	5580	NV	50	-20000.00	-3.584229	20	PASS
11BE20SISO	Ant1	5700	NV	-30	-20000.00	-3.508772	20	PASS
11BE20SISO	Ant1	5700	NV	-20	-40000.00	-7.017544	20	PASS
11BE20SISO	Ant1	5700	NV	-10	-20000.00	-3.508772	20	PASS
11BE20SISO	Ant1	5700	NV	0	-40000.00	-7.017544	20	PASS
11BE20SISO	Ant1	5700	NV	10	-20000.00	-3.508772	20	PASS
11BE20SISO	Ant1	5700	NV	20	-40000.00	-7.017544	20	PASS
11BE20SISO	Ant1	5700	NV	30	-20000.00	-3.508772	20	PASS
11BE20SISO	Ant1	5700	NV	40	-20000.00	-3.508772	20	PASS
11BE20SISO	Ant1	5700	NV	50	-60000.00	-10.526316	20	PASS
11BE20SISO	Ant1	5745	NV	-30	-40000.00	-6.962576	20	PASS
11BE20SISO	Ant1	5745	NV	-20	-40000.00	-6.962576	20	PASS
11BE20SISO	Ant1	5745	NV	-10	-40000.00	-6.962576	20	PASS
11BE20SISO	Ant1	5745	NV	0	-40000.00	-6.962576	20	PASS
11BE20SISO	Ant1	5745	NV	10	-60000.00	-10.443864	20	PASS
11BE20SISO	Ant1	5745	NV	20	-20000.00	-3.481288	20	PASS
11BE20SISO	Ant1	5745	NV	30	-40000.00	-6.962576	20	PASS
11BE20SISO	Ant1	5745	NV	40	-40000.00	-6.962576	20	PASS
11BE20SISO	Ant1	5745	NV	50	-60000.00	-10.443864	20	PASS
11BE20SISO	Ant1	5785	NV	-30	-40000.00	-6.914434	20	PASS
11BE20SISO	Ant1	5785	NV	-20	-20000.00	-3.457217	20	PASS
11BE20SISO	Ant1	5785	NV	-10	-20000.00	-3.457217	20	PASS
11BE20SISO	Ant1	5785	NV	0	-40000.00	-6.914434	20	PASS
11BE20SISO	Ant1	5785	NV	10	-20000.00	-3.457217	20	PASS
11BE20SISO	Ant1	5785	NV	20	-20000.00	-3.457217	20	PASS
11BE20SISO	Ant1	5785	NV	30	-60000.00	-10.371651	20	PASS
11BE20SISO	Ant1	5785	NV	40	-20000.00	-3.457217	20	PASS
11BE20SISO	Ant1	5785	NV	50	-20000.00	-3.457217	20	PASS
11BE20SISO	Ant1	5825	NV	-30	-40000.00	-6.866953	20	PASS
11BE20SISO	Ant1	5825	NV	-20	-40000.00	-6.866953	20	PASS
11BE20SISO	Ant1	5825	NV	-10	-40000.00	-6.866953	20	PASS
11BE20SISO	Ant1	5825	NV	0	-20000.00	-3.433476	20	PASS
11BE20SISO	Ant1	5825	NV	10	-40000.00	-6.866953	20	PASS
11BE20SISO	Ant1	5825	NV	20	-40000.00	-6.866953	20	PASS
11BE20SISO	Ant1	5825	NV	30	-40000.00	-6.866953	20	PASS
11BE20SISO	Ant1	5825	NV	40	-60000.00	-10.300429	20	PASS
11BE20SISO	Ant1	5825	NV	50	-60000.00	-10.300429	20	PASS
11BE40SISO	Ant1	5190	NV	-30	-40000.00	-7.707129	20	PASS
11BE40SISO	Ant1	5190	NV	-20	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5190	NV	-10	0.00	0.000000	20	PASS

11BE40SISO	Ant1	5190	NV	0	-80000.00	-15.414258	20	PASS
11BE40SISO	Ant1	5190	NV	10	-40000.00	-7.707129	20	PASS
11BE40SISO	Ant1	5190	NV	20	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5190	NV	30	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5190	NV	40	-40000.00	-7.707129	20	PASS
11BE40SISO	Ant1	5190	NV	50	-40000.00	-7.707129	20	PASS
11BE40SISO	Ant1	5230	NV	-30	-40000.00	-7.648184	20	PASS
11BE40SISO	Ant1	5230	NV	-20	-40000.00	-7.648184	20	PASS
11BE40SISO	Ant1	5230	NV	-10	-40000.00	-7.648184	20	PASS
11BE40SISO	Ant1	5230	NV	0	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5230	NV	10	-40000.00	-7.648184	20	PASS
11BE40SISO	Ant1	5230	NV	20	-40000.00	-7.648184	20	PASS
11BE40SISO	Ant1	5230	NV	30	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5230	NV	40	-40000.00	-7.648184	20	PASS
11BE40SISO	Ant1	5230	NV	50	-40000.00	-7.648184	20	PASS
11BE40SISO	Ant1	5270	NV	-30	-40000.00	-7.590133	20	PASS
11BE40SISO	Ant1	5270	NV	-20	-40000.00	-7.590133	20	PASS
11BE40SISO	Ant1	5270	NV	-10	-40000.00	-7.590133	20	PASS
11BE40SISO	Ant1	5270	NV	0	-40000.00	-7.590133	20	PASS
11BE40SISO	Ant1	5270	NV	10	-40000.00	-7.590133	20	PASS
11BE40SISO	Ant1	5270	NV	20	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5270	NV	30	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5270	NV	40	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5270	NV	50	-80000.00	-15.180266	20	PASS
11BE40SISO	Ant1	5310	NV	-30	-40000.00	-7.532957	20	PASS
11BE40SISO	Ant1	5310	NV	-20	-40000.00	-7.532957	20	PASS
11BE40SISO	Ant1	5310	NV	-10	-40000.00	-7.532957	20	PASS
11BE40SISO	Ant1	5310	NV	0	-40000.00	-7.532957	20	PASS
11BE40SISO	Ant1	5310	NV	10	-40000.00	-7.532957	20	PASS
11BE40SISO	Ant1	5310	NV	20	-40000.00	-7.532957	20	PASS
11BE40SISO	Ant1	5310	NV	30	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5310	NV	40	-40000.00	-7.532957	20	PASS
11BE40SISO	Ant1	5310	NV	50	-40000.00	-7.532957	20	PASS
11BE40SISO	Ant1	5510	NV	-30	-40000.00	-7.259528	20	PASS
11BE40SISO	Ant1	5510	NV	-20	-40000.00	-7.259528	20	PASS
11BE40SISO	Ant1	5510	NV	-10	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5510	NV	0	-40000.00	-7.259528	20	PASS
11BE40SISO	Ant1	5510	NV	10	-40000.00	-7.259528	20	PASS
11BE40SISO	Ant1	5510	NV	20	-40000.00	-7.259528	20	PASS
11BE40SISO	Ant1	5510	NV	30	-40000.00	-7.259528	20	PASS
11BE40SISO	Ant1	5510	NV	40	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5510	NV	50	-40000.00	-7.259528	20	PASS
11BE40SISO	Ant1	5550	NV	-30	-80000.00	-14.414414	20	PASS
11BE40SISO	Ant1	5550	NV	-20	-40000.00	-7.207207	20	PASS
11BE40SISO	Ant1	5550	NV	-10	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5550	NV	0	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5550	NV	10	-40000.00	-7.207207	20	PASS
11BE40SISO	Ant1	5550	NV	20	-40000.00	-7.207207	20	PASS
11BE40SISO	Ant1	5550	NV	30	-40000.00	-7.207207	20	PASS
11BE40SISO	Ant1	5550	NV	40	-40000.00	-7.207207	20	PASS
11BE40SISO	Ant1	5550	NV	50	-40000.00	-7.207207	20	PASS

11BE40SISO	Ant1	5670	NV	-30	-40000.00	-7.054674	20	PASS
11BE40SISO	Ant1	5670	NV	-20	-40000.00	-7.054674	20	PASS
11BE40SISO	Ant1	5670	NV	-10	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5670	NV	0	-40000.00	-7.054674	20	PASS
11BE40SISO	Ant1	5670	NV	10	-40000.00	-7.054674	20	PASS
11BE40SISO	Ant1	5670	NV	20	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5670	NV	30	-40000.00	-7.054674	20	PASS
11BE40SISO	Ant1	5670	NV	40	-40000.00	-7.054674	20	PASS
11BE40SISO	Ant1	5670	NV	50	-40000.00	-7.054674	20	PASS
11BE40SISO	Ant1	5755	NV	-30	-40000.00	-6.950478	20	PASS
11BE40SISO	Ant1	5755	NV	-20	-40000.00	-6.950478	20	PASS
11BE40SISO	Ant1	5755	NV	-10	-40000.00	-6.950478	20	PASS
11BE40SISO	Ant1	5755	NV	0	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5755	NV	10	-40000.00	-6.950478	20	PASS
11BE40SISO	Ant1	5755	NV	20	-80000.00	-13.900956	20	PASS
11BE40SISO	Ant1	5755	NV	30	-40000.00	-6.950478	20	PASS
11BE40SISO	Ant1	5755	NV	40	-40000.00	-6.950478	20	PASS
11BE40SISO	Ant1	5755	NV	50	0.00	0.000000	20	PASS
11BE40SISO	Ant1	5795	NV	-30	-40000.00	-6.902502	20	PASS
11BE40SISO	Ant1	5795	NV	-20	-40000.00	-6.902502	20	PASS
11BE40SISO	Ant1	5795	NV	-10	-40000.00	-6.902502	20	PASS
11BE40SISO	Ant1	5795	NV	0	-40000.00	-6.902502	20	PASS
11BE40SISO	Ant1	5795	NV	10	-80000.00	-13.805004	20	PASS
11BE40SISO	Ant1	5795	NV	20	-40000.00	-6.902502	20	PASS
11BE40SISO	Ant1	5795	NV	30	-40000.00	-6.902502	20	PASS
11BE40SISO	Ant1	5795	NV	40	-40000.00	-6.902502	20	PASS
11BE40SISO	Ant1	5795	NV	50	-40000.00	-6.902502	20	PASS
11BE80SISO	Ant1	5210	NV	-30	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5210	NV	-20	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5210	NV	-10	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5210	NV	0	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5210	NV	10	-80000.00	-15.355086	20	PASS
11BE80SISO	Ant1	5210	NV	20	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5210	NV	30	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5210	NV	40	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5210	NV	50	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	NV	-30	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	NV	-20	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	NV	-10	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	NV	0	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	NV	10	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	NV	20	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	NV	30	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	NV	40	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5290	NV	50	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5530	NV	-30	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5530	NV	-20	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5530	NV	-10	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5530	NV	0	-80000.00	-14.466546	20	PASS
11BE80SISO	Ant1	5530	NV	10	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5530	NV	20	-80000.00	-14.466546	20	PASS


11BE80SISO	Ant1	5530	NV	30	80000.00	14.466546	20	PASS
11BE80SISO	Ant1	5530	NV	40	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5530	NV	50	-80000.00	-14.466546	20	PASS
11BE80SISO	Ant1	5610	NV	-30	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5610	NV	-20	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5610	NV	-10	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5610	NV	0	-80000.00	-14.260250	20	PASS
11BE80SISO	Ant1	5610	NV	10	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5610	NV	20	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5610	NV	30	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5610	NV	40	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5610	NV	50	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	NV	-30	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	NV	-20	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	NV	-10	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	NV	0	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	NV	10	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	NV	20	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	NV	30	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	NV	40	0.00	0.000000	20	PASS
11BE80SISO	Ant1	5775	NV	50	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	NV	-30	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	NV	-20	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	NV	-10	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	NV	0	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	NV	10	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	NV	20	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	NV	30	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	NV	40	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5250	NV	50	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	NV	-30	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	NV	-20	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	NV	-10	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	NV	0	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	NV	10	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	NV	20	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	NV	30	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	NV	40	0.00	0.000000	20	PASS
11BE160SISO	Ant1	5570	NV	50	0.00	0.000000	20	PASS

Appendix I: Dynamic Frequency Selection

DFS Detection Thresholds
Test Result

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11AC160SISO	5250	Type0	-62.28	-62.00	PASS
11AC160SISO	5570	Type0	-62.10	-62.00	PASS


Test Graphs



Channel Move Time and Channel Closing Transmission Time
Test Result

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC160SISO	5250	200+29.9	200+60	380.6	10000	PASS
11AC160SISO	5570	200+40.3	200+60	436.5	10000	PASS

Test Graphs




Non-Occupancy Period

Test Result

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11AC160SISO	5250	see test graph	≥1800	PASS
11AC160SISO	5570	see test graph	≥1800	PASS

Test Graphs



The End