



Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	40.6	45.81	5.180	74.00	28.19	PK	Horizo	PASS
2	11590.00	30.8	35.97	5.180	54.00	18.03	AV	Horizo	PASS
3	17385.00	37.4	48.92	11.490	68.30	19.38	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	40.8	45.99	5.180	74.00	28.01	PK	Vertic	PASS
2	11590.00	30.8	35.97	5.180	54.00	18.03	AV	Vertic	PASS
3	17385.00	35.6	47.13	11.490	68.30	21.17	PK	Vertic	PASS

Transmit at 5190MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.6	43.78	2.170	68.30	24.52	PK	Horizo	PASS
2	15570.00	35.9	46.00	10.100	74.00	28.00	PK	Horizo	PASS
3	15570.00	28.2	38.31	10.100	54.00	15.69	AV	Horizo	PASS


Transmit at 5190MHz by 802.11be(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.4	43.57	2.170	68.30	24.73	PK	Vertic	PASS
2	15570.00	36.1	46.18	10.100	74.00	27.82	PK	Vertic	PASS
3	15570.00	27.4	37.54	10.100	54.00	16.46	AV	Vertic	PASS


Transmit at 5230MHz by 802.11be(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.6	43.83	2.260	68.30	24.47	PK	Horizo	PASS
2	15690.00	35.9	46.34	10.480	74.00	27.66	PK	Horizo	PASS
3	15690.00	27.2	37.71	10.480	54.00	16.29	AV	Horizo	PASS

Transmit at 5230MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.1	43.39	2.260	68.30	24.91	PK	Vertic	PASS
2	15690.00	35.8	46.24	10.480	74.00	27.76	PK	Vertic	PASS
3	15690.00	27.4	37.87	10.480	54.00	16.13	AV	Vertic	PASS


Transmit at 5270MHz by 802.11be(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	41.5	43.80	2.280	68.30	24.50	PK	Horizo	PASS
2	15810.00	28.0	38.23	10.220	54.00	15.77	AV	Horizo	PASS
3	15810.00	37.7	47.96	10.220	74.00	26.04	PK	Horizo	PASS

Transmit at 5270MHz by 802.11be(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.8	43.04	2.280	68.30	25.26	PK	Vertic	PASS
2	15810.00	36.5	46.69	10.220	74.00	27.31	PK	Vertic	PASS
3	15810.00	27.8	38.05	10.220	54.00	15.95	AV	Vertic	PASS

Transmit at 5310MHz by 802.11be(40MHz) with Ant1+2
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	40.9	43.17	2.310	74.00	30.83	PK	Horizo	PASS
2	10620.00	31.8	34.11	2.310	54.00	19.89	AV	Horizo	PASS
3	15930.00	35.0	45.34	10.300	74.00	28.66	PK	Horizo	PASS
4	15930.00	26.4	36.74	10.300	54.00	17.26	AV	Horizo	PASS

Transmit at 5310MHz by 802.11be(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	39.7	42.05	2.310	74.00	31.95	PK	Vertic	PASS
2	10620.00	32.4	34.67	2.310	54.00	19.33	AV	Vertic	PASS
3	15930.00	35.7	46.04	10.300	74.00	27.96	PK	Vertic	PASS
4	15930.00	26.6	36.94	10.300	54.00	17.06	AV	Vertic	PASS

Transmit at 5510MHz by 802.11be(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.8	43.73	2.940	74.00	30.27	PK	Horizo	PASS
2	11020.00	32.0	34.95	2.940	54.00	19.05	AV	Horizo	PASS
3	16530.00	36.0	46.21	10.260	68.30	22.09	PK	Horizo	PASS

Transmit at 5510MHz by 802.11be(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.5	43.46	2.940	74.00	30.54	PK	Vertic	PASS
2	11020.00	32.5	35.41	2.940	54.00	18.59	AV	Vertic	PASS
3	16530.00	34.9	45.16	10.260	68.30	23.14	PK	Vertic	PASS

Transmit at 5550MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	38.9	43.11	4.180	74.00	30.89	PK	Horizo	PASS
2	11100.00	30.6	34.73	4.180	54.00	19.27	AV	Horizo	PASS
3	16650.00	35.7	46.00	10.350	68.30	22.30	PK	Horizo	PASS


Transmit at 5550MHz by 802.11be(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	39.7	43.87	4.180	74.00	30.13	PK	Vertic	PASS
2	11100.00	30.5	34.64	4.180	54.00	19.36	AV	Vertic	PASS
3	16650.00	35.8	46.12	10.350	68.30	22.18	PK	Vertic	PASS

Transmit at 5670MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	41.9	46.39	4.460	74.00	27.61	PK	Horizo	PASS
2	11340.00	30.7	35.15	4.460	54.00	18.85	AV	Horizo	PASS
3	17010.00	35.0	45.71	10.740	68.30	22.59	PK	Horizo	PASS


Transmit at 5670MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	39.8	44.28	4.460	74.00	29.72	PK	Vertic	PASS
2	11340.00	30.7	35.19	4.460	54.00	18.81	AV	Vertic	PASS
3	17010.00	34.6	45.30	10.740	68.30	23.00	PK	Vertic	PASS




Transmit at 5755MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	39.5	44.46	4.920	74.00	29.54	PK	Horizo	PASS
2	11510.00	31.6	36.54	4.920	54.00	17.46	AV	Horizo	PASS
3	17265.00	36.9	48.15	11.210	68.30	20.15	PK	Horizo	PASS


Transmit at 5755MHz by 802.11be(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	40.2	45.09	4.920	74.00	28.91	PK	Vertic	PASS
2	11510.00	31.7	36.64	4.920	54.00	17.36	AV	Vertic	PASS
3	17265.00	37.4	48.61	11.210	68.30	19.69	PK	Vertic	PASS

Transmit at 5795MHz by 802.11be(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	41.1	46.24	5.180	74.00	27.76	PK	Horizo	PASS
2	11590.00	31.2	36.40	5.180	54.00	17.60	AV	Horizo	PASS
3	17385.00	36.9	48.42	11.490	68.30	19.88	PK	Horizo	PASS

Transmit at 5795MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	41.6	46.74	5.180	74.00	27.26	PK	Vertic	PASS
2	11590.00	31.3	36.49	5.180	54.00	17.51	AV	Vertic	PASS
3	17385.00	36.1	47.60	11.490	68.30	20.70	PK	Vertic	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	41.4	43.55	2.180	68.30	24.75	PK	Horizo	PASS
2	15630.00	36.0	46.28	10.290	74.00	27.72	PK	Horizo	PASS
3	15630.00	27.8	38.11	10.290	54.00	15.89	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	40.7	42.87	2.180	68.30	25.43	PK	Vertic	PASS
2	15630.00	37.7	47.97	10.290	74.00	26.03	PK	Vertic	PASS
3	15630.00	28.4	38.68	10.290	54.00	15.32	AV	Vertic	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	41.7	43.91	2.210	68.30	24.39	PK	Horizo	PASS
2	15870.00	36.9	47.05	10.200	74.00	26.95	PK	Horizo	PASS
3	15870.00	28.3	38.51	10.200	54.00	15.49	AV	Horizo	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	41.0	43.16	2.210	68.30	25.14	PK	Vertic	PASS
2	15870.00	37.9	48.08	10.200	74.00	25.92	PK	Vertic	PASS
3	15870.00	28.0	38.18	10.200	54.00	15.82	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	41.5	45.09	3.560	74.00	28.91	PK	Horizo	PASS
2	11060.00	32.6	36.11	3.560	54.00	17.89	AV	Horizo	PASS
3	16590.00	36.1	46.50	10.380	68.30	21.80	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequenc y [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	40.7	44.27	3.560	74.00	29.73	PK	Vertic	PASS
2	11060.00	32.3	35.87	3.560	54.00	18.13	AV	Vertic	PASS
3	16590.00	36.5	46.88	10.380	68.30	21.42	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	39.7	44.18	4.480	74.00	29.82	PK	Horizo	PASS
2	11220.00	31.5	35.95	4.480	54.00	18.05	AV	Horizo	PASS
3	16830.00	36.6	47.38	10.810	68.30	20.92	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	40.4	44.92	4.480	74.00	29.08	PK	Vertic	PASS
2	11220.00	31.6	36.10	4.480	54.00	17.90	AV	Vertic	PASS
3	16830.00	37.5	48.29	10.810	68.30	20.01	PK	Vertic	PASS


Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.7	45.75	5.050	74.00	28.25	PK	Horizo	PASS
2	11550.00	31.6	36.67	5.050	54.00	17.33	AV	Horizo	PASS
3	17325.00	36.9	48.17	11.300	68.30	20.13	PK	Horizo	PASS


Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	41.0	46.03	5.050	74.00	27.97	PK	Vertic	PASS
2	11550.00	31.4	36.46	5.050	54.00	17.54	AV	Vertic	PASS
3	17325.00	37.5	48.82	11.300	68.30	19.48	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	41.6	43.74	2.180	68.30	24.56	PK	Horizo	PASS
2	15630.00	38.2	48.53	10.290	74.00	25.47	PK	Horizo	PASS
3	15630.00	28.6	38.84	10.290	54.00	15.16	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	41.4	43.59	2.180	68.30	24.71	PK	Vertic	PASS
2	15630.00	37.5	47.82	10.290	74.00	26.18	PK	Vertic	PASS
3	15630.00	28.3	38.63	10.290	54.00	15.37	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	42.0	44.21	2.210	68.30	24.09	PK	Horizo	PASS
2	15870.00	36.9	47.14	10.200	74.00	26.86	PK	Horizo	PASS
3	15870.00	27.7	37.90	10.200	54.00	16.10	AV	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	42.1	44.32	2.210	68.30	23.98	PK	Vertic	PASS
2	15870.00	36.6	46.83	10.200	74.00	27.17	PK	Vertic	PASS
3	15870.00	28.1	38.28	10.200	54.00	15.72	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	41.0	44.52	3.560	74.00	29.48	PK	Horizo	PASS
2	11060.00	32.9	36.49	3.560	54.00	17.51	AV	Horizo	PASS
3	16590.00	37.6	47.98	10.380	68.30	20.32	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	40.8	44.40	3.560	74.00	29.60	PK	Vertic	PASS
2	11060.00	32.5	36.01	3.560	54.00	17.99	AV	Vertic	PASS
3	16590.00	36.4	46.80	10.380	68.30	21.50	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	40.0	44.47	4.480	74.00	29.53	PK	Horizo	PASS
2	11220.00	31.7	36.22	4.480	54.00	17.78	AV	Horizo	PASS
3	16830.00	37.4	48.23	10.810	68.30	20.07	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	40.3	44.79	4.480	74.00	29.21	PK	Vertic	PASS
2	11220.00	31.6	36.09	4.480	54.00	17.91	AV	Vertic	PASS
3	16830.00	37.0	47.84	10.810	68.30	20.46	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	41.1	46.14	5.050	74.00	27.86	PK	Horizo	PASS
2	11550.00	32.0	37.06	5.050	54.00	16.94	AV	Horizo	PASS
3	17325.00	36.8	48.06	11.300	68.30	20.24	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.2	45.22	5.050	74.00	28.78	PK	Vertic	PASS
2	11550.00	31.5	36.53	5.050	54.00	17.47	AV	Vertic	PASS
3	17325.00	36.8	48.09	11.300	68.30	20.21	PK	Vertic	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	40.5	42.70	2.180	68.30	25.60	PK	Horizo	PASS
2	15630.00	34.5	44.75	10.290	74.00	29.25	PK	Horizo	PASS
3	15630.00	26.5	36.75	10.290	54.00	17.25	AV	Horizo	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	40.0	42.21	2.180	68.30	26.09	PK	Vertic	PASS
2	15630.00	35.2	45.46	10.290	74.00	28.54	PK	Vertic	PASS
3	15630.00	26.7	36.99	10.290	54.00	17.01	AV	Vertic	PASS

Transmit at 5290MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	42.4	44.61	2.210	68.30	23.69	PK	Horizo	PASS
2	15870.00	36.8	46.96	10.200	74.00	27.04	PK	Horizo	PASS
3	15870.00	27.7	37.94	10.200	54.00	16.06	AV	Horizo	PASS

Transmit at 5290MHz by 802.11be(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	42.3	44.54	2.210	68.30	23.76	PK	Vertic	PASS
2	15870.00	35.8	46.02	10.200	74.00	27.98	PK	Vertic	PASS
3	15870.00	27.7	37.87	10.200	54.00	16.13	AV	Vertic	PASS


Transmit at 5530MHz by 802.11be(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	41.3	44.89	3.560	74.00	29.11	PK	Horizo	PASS
2	11060.00	32.5	36.10	3.560	54.00	17.90	AV	Horizo	PASS
3	16590.00	36.2	46.58	10.380	68.30	21.72	PK	Horizo	PASS

Transmit at 5530MHz by 802.11be(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	41.6	45.18	3.560	74.00	28.82	PK	Vertic	PASS
2	11060.00	32.2	35.79	3.560	54.00	18.21	AV	Vertic	PASS
3	16590.00	36.2	46.56	10.380	68.30	21.74	PK	Vertic	PASS

Transmit at 5610MHz by 802.11be(80MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	40.3	44.75	4.480	74.00	29.25	PK	Horizo	PASS
2	11220.00	31.4	35.90	4.480	54.00	18.10	AV	Horizo	PASS
3	16830.00	36.7	47.49	10.810	68.30	20.81	PK	Horizo	PASS




Transmit at 5610MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	39.8	44.28	4.480	74.00	29.72	PK	Vertic	PASS
2	11220.00	31.6	36.03	4.480	54.00	17.97	AV	Vertic	PASS
3	16830.00	37.0	47.82	10.810	68.30	20.48	PK	Vertic	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.6	45.69	5.050	74.00	28.31	PK	Horizo	PASS
2	11550.00	31.7	36.70	5.050	54.00	17.30	AV	Horizo	PASS
3	17325.00	35.5	46.81	11.300	68.30	21.49	PK	Horizo	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.5	45.56	5.050	74.00	28.44	PK	Vertic	PASS
2	11550.00	31.7	36.76	5.050	54.00	17.24	AV	Vertic	PASS
3	17325.00	35.8	47.11	11.300	68.30	21.19	PK	Vertic	PASS

Transmit at 5250MHz by 802.11ac(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	43.4	45.72	2.340	68.30	22.58	PK	Horizo	PASS
2	15750.00	36.4	46.71	10.360	74.00	27.29	PK	Horizo	PASS
3	15750.00	28.5	38.87	10.360	54.00	15.13	AV	Horizo	PASS

Transmit at 5250MHz by 802.11ac(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	41.5	43.88	2.340	68.30	24.42	PK	Vertic	PASS
2	15750.00	37.6	47.92	10.360	74.00	26.08	PK	Vertic	PASS
3	15750.00	28.8	39.20	10.360	54.00	14.80	AV	Vertic	PASS

Transmit at 5570MHz by 802.11ac(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	41.3	45.61	4.320	74.00	28.39	PK	Horizo	PASS
2	11140.00	32.6	36.87	4.320	54.00	17.13	AV	Horizo	PASS
3	16710.00	35.9	46.28	10.340	68.30	22.02	PK	Horizo	PASS


Transmit at 5570MHz by 802.11ac(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	41.1	45.37	4.320	74.00	28.63	PK	Vertic	PASS
2	11140.00	31.8	36.15	4.320	54.00	17.85	AV	Vertic	PASS
3	16710.00	36.4	46.69	10.340	68.30	21.61	PK	Vertic	PASS

Transmit at 5250MHz by 802.11ax(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	42.4	44.72	2.340	68.30	23.58	PK	Horizo	PASS
2	15750.00	36.9	47.25	10.360	74.00	26.75	PK	Horizo	PASS
3	15750.00	27.7	38.02	10.360	54.00	15.98	AV	Horizo	PASS


Transmit at 5250MHz by 802.11ax(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	42.2	44.50	2.340	68.30	23.80	PK	Vertic	PASS
2	15750.00	38.5	48.87	10.360	74.00	25.13	PK	Vertic	PASS
3	15750.00	28.9	39.29	10.360	54.00	14.71	AV	Vertic	PASS

Transmit at 5570MHz by 802.11ax(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	39.9	44.17	4.320	74.00	29.83	PK	Horizo	PASS
2	11140.00	32.0	36.27	4.320	54.00	17.73	AV	Horizo	PASS
3	16710.00	36.8	47.09	10.340	68.30	21.21	PK	Horizo	PASS

Transmit at 5570MHz by 802.11ax(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	41.3	45.61	4.320	74.00	28.39	PK	Vertic	PASS
2	11140.00	31.8	36.11	4.320	54.00	17.89	AV	Vertic	PASS
3	16710.00	37.2	47.57	10.340	68.30	20.73	PK	Vertic	PASS

Transmit at 5250MHz by 802.11be(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	43.0	45.33	2.340	68.30	22.97	PK	Horizo	PASS
2	15750.00	36.5	46.85	10.360	74.00	27.15	PK	Horizo	PASS
3	15750.00	27.8	38.17	10.360	54.00	15.83	AV	Horizo	PASS


Transmit at 5250MHz by 802.11be(160MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	43.3	45.64	2.340	68.30	22.66	PK	Vertic	PASS
2	15750.00	37.1	47.45	10.360	74.00	26.55	PK	Vertic	PASS
3	15750.00	28.0	38.35	10.360	54.00	15.65	AV	Vertic	PASS


Transmit at 5570MHz by 802.11be(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	40.5	44.78	4.320	74.00	29.22	PK	Horizo	PASS
2	11140.00	32.4	36.69	4.320	54.00	17.31	AV	Horizo	PASS
3	16710.00	36.3	46.62	10.340	68.30	21.68	PK	Horizo	PASS

Transmit at 5570MHz by 802.11be(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	40.5	44.78	4.320	74.00	29.22	PK	Vertic	PASS
2	11140.00	31.6	35.91	4.320	54.00	18.09	AV	Vertic	PASS
3	16710.00	37.3	47.66	10.340	68.30	20.64	PK	Vertic	PASS

Transmit at 5180MHz by 802.11a with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	41.64	14.2	28.34	14.100	40.00	11.66	PK	Horizo	PASS
2	91.11	17.6	28.93	11.310	43.50	14.57	PK	Horizo	PASS
3	211.63	14.0	26.23	12.260	43.50	17.27	PK	Horizo	PASS
4	349.86	14.3	29.74	15.490	46.00	16.26	PK	Horizo	PASS
5	557.20	15.4	34.09	18.680	46.00	11.91	PK	Horizo	PASS
6	885.06	16.5	39.14	22.660	46.00	6.86	PK	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	49.16	19.8	34.51	14.750	40.00	5.49	PK	Vertic	PASS
2	96.45	17.1	29.16	12.110	43.50	14.34	PK	Vertic	PASS
3	181.32	16.6	27.19	10.620	43.50	16.31	PK	Vertic	PASS
4	288.51	13.8	27.65	13.890	46.00	18.35	PK	Vertic	PASS
5	514.76	15.3	33.23	17.920	46.00	12.77	PK	Vertic	PASS
6	876.57	17.3	39.94	22.610	46.00	6.06	PK	Vertic	PASS

Part RU worse case:**Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2***Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	41.8	43.98	2.200	68.30	24.32	PK	Horizo	PASS
2	15540.00	35.5	45.54	10.000	74.00	28.46	PK	Horizo	PASS
3	15540.00	26.9	36.91	10.000	54.00	17.09	AV	Horizo	PASS


Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	42.0	44.19	2.200	68.30	24.11	PK	Vertic	PASS
2	15540.00	35.9	45.87	10.000	74.00	28.13	PK	Vertic	PASS
3	15540.00	27.8	37.84	10.000	54.00	16.16	AV	Vertic	PASS

Transmit at 5260MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	42.9	45.17	2.310	68.30	23.13	PK	Horizo	PASS
2	15780.00	35.9	46.20	10.280	74.00	27.80	PK	Horizo	PASS
3	15780.00	27.4	37.71	10.280	54.00	16.29	AV	Horizo	PASS

Transmit at 5260MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	40.6	42.90	2.310	68.30	25.40	PK	Vertic	PASS
2	15780.00	35.7	45.95	10.280	74.00	28.05	PK	Vertic	PASS
3	15780.00	26.9	37.19	10.280	54.00	16.81	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.3	42.93	2.630	74.00	31.07	PK	Horizo	PASS
2	11000.00	31.6	34.20	2.630	54.00	19.80	AV	Horizo	PASS
3	16500.00	34.1	44.28	10.200	68.30	24.02	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.0	42.64	2.630	74.00	31.36	PK	Vertic	PASS
2	11000.00	31.5	34.11	2.630	54.00	19.89	AV	Vertic	PASS
3	16500.00	34.4	44.58	10.200	68.30	23.72	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	39.7	44.58	4.870	74.00	29.42	PK	Horizo	PASS
2	11490.00	30.6	35.43	4.870	54.00	18.57	AV	Horizo	PASS
3	17235.00	35.2	46.35	11.200	68.30	21.95	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	40.9	45.72	4.870	74.00	28.28	PK	Vertic	PASS
2	11490.00	30.9	35.80	4.870	54.00	18.20	AV	Vertic	PASS
3	17235.00	36.0	47.16	11.200	68.30	21.14	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	41.0	43.16	2.200	68.30	25.14	PK	Horizo	PASS
2	15540.00	36.4	46.40	10.000	74.00	27.60	PK	Horizo	PASS
3	15540.00	26.3	36.32	10.000	54.00	17.68	AV	Horizo	PASS


Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	42.7	44.93	2.200	68.30	23.37	PK	Vertic	PASS
2	15540.00	36.1	46.08	10.000	74.00	27.92	PK	Vertic	PASS
3	15540.00	26.9	36.92	10.000	54.00	17.08	AV	Vertic	PASS

Transmit at 5260MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	42.4	44.71	2.310	68.30	23.59	PK	Horizo	PASS
2	15780.00	37.1	47.42	10.280	74.00	26.58	PK	Horizo	PASS
3	15780.00	26.7	36.97	10.280	54.00	17.03	AV	Horizo	PASS

Transmit at 5260MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	40.8	43.13	2.310	68.30	25.17	PK	Vertic	PASS
2	15780.00	35.1	45.38	10.280	74.00	28.62	PK	Vertic	PASS
3	15780.00	26.8	37.11	10.280	54.00	16.89	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.2	42.81	2.630	74.00	31.19	PK	Horizo	PASS
2	11000.00	31.5	34.16	2.630	54.00	19.84	AV	Horizo	PASS
3	16500.00	35.0	45.24	10.200	68.30	23.06	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	39.8	42.39	2.630	74.00	31.61	PK	Vertic	PASS
2	11000.00	31.6	34.19	2.630	54.00	19.81	AV	Vertic	PASS
3	16500.00	34.1	44.27	10.200	68.30	24.03	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	40.2	45.06	4.870	74.00	28.94	PK	Horizo	PASS
2	11490.00	31.4	36.27	4.870	54.00	17.73	AV	Horizo	PASS
3	17235.00	35.1	46.30	11.200	68.30	22.00	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	40.4	45.24	4.870	74.00	28.76	PK	Vertic	PASS
2	11490.00	31.1	35.96	4.870	54.00	18.04	AV	Vertic	PASS
3	17235.00	35.5	46.71	11.200	68.30	21.59	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	41.3	43.45	2.200	68.30	24.85	PK	Horizo	PASS
2	15540.00	36.2	46.16	10.000	74.00	27.84	PK	Horizo	PASS
3	15540.00	26.6	36.62	10.000	54.00	17.38	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	42.1	44.32	2.200	68.30	23.98	PK	Vertic	PASS
2	15540.00	35.5	45.48	10.000	74.00	28.52	PK	Vertic	PASS
3	15540.00	27.2	37.20	10.000	54.00	16.80	AV	Vertic	PASS

Transmit at 5260MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	41.1	43.45	2.310	68.30	24.85	PK	Horizo	PASS
2	15780.00	35.5	45.78	10.280	74.00	28.22	PK	Horizo	PASS
3	15780.00	27.6	37.83	10.280	54.00	16.17	AV	Horizo	PASS

Transmit at 5260MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	40.3	42.61	2.310	68.30	25.69	PK	Vertic	PASS
2	15780.00	35.6	45.89	10.280	74.00	28.11	PK	Vertic	PASS
3	15780.00	27.0	37.28	10.280	54.00	16.72	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	41.2	43.85	2.630	74.00	30.15	PK	Horizo	PASS
2	11000.00	31.3	33.95	2.630	54.00	20.05	AV	Horizo	PASS
3	16500.00	33.7	43.92	10.200	68.30	24.38	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	39.9	42.52	2.630	74.00	31.48	PK	Vertic	PASS
2	11000.00	31.8	34.45	2.630	54.00	19.55	AV	Vertic	PASS
3	16500.00	34.2	44.35	10.200	68.30	23.95	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	40.0	44.88	4.870	74.00	29.12	PK	Horizo	PASS
2	11490.00	31.2	36.05	4.870	54.00	17.95	AV	Horizo	PASS
3	17235.00	34.2	45.38	11.200	68.30	22.92	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	41.3	46.14	4.870	74.00	27.86	PK	Vertic	PASS
2	11490.00	31.2	36.04	4.870	54.00	17.96	AV	Vertic	PASS
3	17235.00	35.7	46.88	11.200	68.30	21.42	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2




Data List									
NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	38.25	14.4	27.99	13.630	40.00	12.01	PK	Horizo	PASS
2	78.26	18.5	28.40	9.890	40.00	11.60	PK	Horizo	PASS
3	104.69	22.5	34.91	12.460	43.50	8.59	PK	Horizo	PASS
4	193.93	19.8	31.29	11.520	43.50	12.21	PK	Horizo	PASS
5	284.14	18.5	32.35	13.810	46.00	13.65	PK	Horizo	PASS
6	480.08	19.6	36.93	17.320	46.00	9.07	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	38.25	14.4	28.06	13.630	40.00	11.94	PK	Vertic	PASS
2	75.59	17.6	27.62	10.020	40.00	12.38	PK	Vertic	PASS
3	104.69	22.9	35.33	12.460	43.50	8.17	PK	Vertic	PASS
4	196.60	19.3	31.02	11.700	43.50	12.48	PK	Vertic	PASS
5	480.08	19.5	36.79	17.320	46.00	9.21	PK	Vertic	PASS
6	862.02	17.6	40.06	22.490	46.00	5.94	PK	Vertic	PASS


Note:

1. Level = Reading + Factor
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. All test data above 18GHz are noise base, so no data shown in this report.
4. In the report, below 1G, only the verification test is carried out for the worst channel of 1~18G worst mode.
5. The below 1G test data was measured on the worst-case configuration selected from each transmission mode on the low and high channel.

HANYANG Antenna:**Transmit at 5180MHz by 802.11a with Ant1+2***Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	43.4	45.56	2.200	68.30	22.74	PK	Horizo	PASS
2	15540.00	38.0	48.01	10.000	74.00	25.99	PK	Horizo	PASS
3	15540.00	28.2	38.22	10.000	54.00	15.78	AV	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	42.2	44.42	2.200	68.30	23.88	PK	Vertic	PASS
2	15540.00	37.6	47.58	10.000	74.00	26.42	PK	Vertic	PASS
3	15540.00	29.0	39.01	10.000	54.00	14.99	AV	Vertic	PASS

Transmit at 5200MHz by 802.11a with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10400.00	43.2	45.34	2.140	68.30	22.96	PK	Horizo	PASS
2	15600.00	37.2	47.43	10.200	74.00	26.57	PK	Horizo	PASS
3	15600.00	27.8	38.02	10.200	54.00	15.98	AV	Horizo	PASS

Transmit at 5200MHz by 802.11a with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10400.00	42.9	45.07	2.140	68.30	23.23	PK	Vertic	PASS
2	15600.00	36.5	46.72	10.200	74.00	27.28	PK	Vertic	PASS
3	15600.00	28.3	38.50	10.200	54.00	15.50	AV	Vertic	PASS

Transmit at 5240MHz by 802.11a with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	41.9	44.17	2.300	68.30	24.13	PK	Horizo	PASS
2	15720.00	36.5	46.91	10.450	74.00	27.09	PK	Horizo	PASS
3	15720.00	28.1	38.54	10.450	54.00	15.46	AV	Horizo	PASS