



Transmit at 5755MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	39.7	44.61	4.920	74.00	29.39	PK	Vertic	PASS
2	11510.00	31.0	35.95	4.920	54.00	18.05	AV	Vertic	PASS
3	17265.00	35.7	46.94	11.210	68.30	21.36	PK	Vertic	PASS


Transmit at 5795MHz by 802.11be(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.6	44.79	5.180	74.00	29.21	PK	Horizo	PASS
2	11590.00	30.9	36.10	5.180	54.00	17.90	AV	Horizo	PASS
3	17385.00	34.9	46.37	11.490	68.30	21.93	PK	Horizo	PASS

Transmit at 5795MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.4	44.58	5.180	74.00	29.42	PK	Vertic	PASS
2	11590.00	31.0	36.14	5.180	54.00	17.86	AV	Vertic	PASS
3	17385.00	35.3	46.77	11.490	68.30	21.53	PK	Vertic	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	40.9	43.08	2.180	68.30	25.22	PK	Horizo	PASS
2	15630.00	34.7	44.99	10.290	74.00	29.01	PK	Horizo	PASS
3	15630.00	26.6	36.86	10.290	54.00	17.14	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	40.8	42.96	2.180	68.30	25.34	PK	Vertic	PASS
2	15630.00	35.0	45.26	10.290	74.00	28.74	PK	Vertic	PASS
3	15630.00	26.6	36.88	10.290	54.00	17.12	AV	Vertic	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	41.7	43.86	2.210	68.30	24.44	PK	Horizo	PASS
2	15870.00	35.1	45.31	10.200	74.00	28.69	PK	Horizo	PASS
3	15870.00	27.2	37.37	10.200	54.00	16.63	AV	Horizo	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	40.4	42.65	2.210	68.30	25.65	PK	Vertic	PASS
2	15870.00	36.1	46.25	10.200	74.00	27.75	PK	Vertic	PASS
3	15870.00	27.7	37.93	10.200	54.00	16.07	AV	Vertic	PASS


Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	40.0	43.55	3.560	74.00	30.45	PK	Horizo	PASS
2	11060.00	32.2	35.72	3.560	54.00	18.28	AV	Horizo	PASS
3	16590.00	35.2	45.60	10.380	68.30	22.70	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	39.9	43.49	3.560	74.00	30.51	PK	Vertic	PASS
2	11060.00	31.3	34.89	3.560	54.00	19.11	AV	Vertic	PASS
3	16590.00	35.9	46.31	10.380	68.30	21.99	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	39.7	44.15	4.480	74.00	29.85	PK	Horizo	PASS
2	11220.00	30.8	35.28	4.480	54.00	18.72	AV	Horizo	PASS
3	16830.00	37.4	48.23	10.810	68.30	20.07	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	39.3	43.75	4.480	74.00	30.25	PK	Vertic	PASS
2	11220.00	31.1	35.62	4.480	54.00	18.38	AV	Vertic	PASS
3	16830.00	35.8	46.57	10.810	68.30	21.73	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.4	45.46	5.050	74.00	28.54	PK	Horizo	PASS
2	11550.00	31.1	36.14	5.050	54.00	17.86	AV	Horizo	PASS
3	17325.00	36.7	48.02	11.300	68.30	20.28	PK	Horizo	PASS


Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.5	45.53	5.050	74.00	28.47	PK	Vertic	PASS
2	11550.00	31.9	36.91	5.050	54.00	17.09	AV	Vertic	PASS
3	17325.00	35.8	47.11	11.300	68.30	21.19	PK	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	40.6	42.74	2.180	68.30	25.56	PK	Horizo	PASS
2	15630.00	35.7	45.94	10.290	74.00	28.06	PK	Horizo	PASS
3	15630.00	26.6	36.91	10.290	54.00	17.09	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	40.8	42.97	2.180	68.30	25.33	PK	Vertic	PASS
2	15630.00	35.8	46.12	10.290	74.00	27.88	PK	Vertic	PASS
3	15630.00	27.0	37.30	10.290	54.00	16.70	AV	Vertic	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	40.6	42.78	2.210	68.30	25.52	PK	Horizo	PASS
2	15870.00	34.6	44.81	10.200	74.00	29.19	PK	Horizo	PASS
3	15870.00	27.1	37.30	10.200	54.00	16.70	AV	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	41.9	44.13	2.210	68.30	24.17	PK	Vertic	PASS
2	15870.00	35.1	45.28	10.200	74.00	28.72	PK	Vertic	PASS
3	15870.00	27.6	37.82	10.200	54.00	16.18	AV	Vertic	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	40.6	44.13	3.560	74.00	29.87	PK	Horizo	PASS
2	11060.00	31.1	34.68	3.560	54.00	19.32	AV	Horizo	PASS
3	16590.00	36.1	46.52	10.380	68.30	21.78	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	40.0	43.53	3.560	74.00	30.47	PK	Vertic	PASS
2	11060.00	31.5	35.04	3.560	54.00	18.96	AV	Vertic	PASS
3	16590.00	35.3	45.71	10.380	68.30	22.59	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	31.3	35.79	4.480	54.00	18.21	AV	Horizo	PASS
2	11220.00	39.8	44.31	4.480	74.00	29.69	PK	Horizo	PASS
3	16830.00	36.2	47.03	10.810	68.30	21.27	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	39.5	43.97	4.480	74.00	30.03	PK	Vertic	PASS
2	11220.00	30.7	35.19	4.480	54.00	18.81	AV	Vertic	PASS
3	16830.00	35.1	45.95	10.810	68.30	22.35	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.3	45.30	5.050	74.00	28.70	PK	Horizo	PASS
2	11550.00	32.3	37.31	5.050	54.00	16.69	AV	Horizo	PASS
3	17325.00	35.2	46.46	11.300	68.30	21.84	PK	Horizo	PASS


Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.1	45.16	5.050	74.00	28.84	PK	Vertic	PASS
2	11550.00	30.5	35.56	5.050	54.00	18.44	AV	Vertic	PASS
3	17325.00	35.5	46.78	11.300	68.30	21.52	PK	Vertic	PASS


Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	40.5	42.71	2.180	68.30	25.59	PK	Horizo	PASS
2	15630.00	36.2	46.45	10.290	74.00	27.55	PK	Horizo	PASS
3	15630.00	27.1	37.36	10.290	54.00	16.64	AV	Horizo	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	42.3	44.51	2.180	68.30	23.79	PK	Vertic	PASS
2	15630.00	26.5	36.81	10.290	54.00	17.19	AV	Vertic	PASS
3	15630.00	36.0	46.30	10.290	74.00	27.70	PK	Vertic	PASS

Transmit at 5290MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	40.6	42.81	2.210	68.30	25.49	PK	Horizo	PASS
2	15870.00	35.7	45.88	10.200	74.00	28.12	PK	Horizo	PASS
3	15870.00	26.8	37.03	10.200	54.00	16.97	AV	Horizo	PASS

Transmit at 5290MHz by 802.11be(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	40.6	42.85	2.210	68.30	25.45	PK	Vertic	PASS
2	15870.00	36.3	46.48	10.200	74.00	27.52	PK	Vertic	PASS
3	15870.00	26.9	37.13	10.200	54.00	16.87	AV	Vertic	PASS


Transmit at 5530MHz by 802.11be(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	39.8	43.33	3.560	74.00	30.67	PK	Horizo	PASS
2	11060.00	31.5	35.08	3.560	54.00	18.92	AV	Horizo	PASS
3	16590.00	35.2	45.54	10.380	68.30	22.76	PK	Horizo	PASS

Transmit at 5530MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	39.9	43.41	3.560	74.00	30.59	PK	Vertic	PASS
2	11060.00	31.6	35.15	3.560	54.00	18.85	AV	Vertic	PASS
3	16590.00	34.6	45.00	10.380	68.30	23.30	PK	Vertic	PASS

Transmit at 5610MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	41.0	45.52	4.480	74.00	28.48	PK	Horizo	PASS
2	11220.00	31.2	35.69	4.480	54.00	18.31	AV	Horizo	PASS
3	16830.00	37.2	48.02	10.810	68.30	20.28	PK	Horizo	PASS

Transmit at 5610MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	40.0	44.45	4.480	74.00	29.55	PK	Vertic	PASS
2	11220.00	31.5	36.02	4.480	54.00	17.98	AV	Vertic	PASS
3	16830.00	38.0	48.81	10.810	68.30	19.49	PK	Vertic	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	41.4	46.40	5.050	74.00	27.60	PK	Horizo	PASS
2	11550.00	31.3	36.32	5.050	54.00	17.68	AV	Horizo	PASS
3	17325.00	35.8	47.10	11.300	68.30	21.20	PK	Horizo	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.6	45.67	5.050	74.00	28.33	PK	Vertic	PASS
2	11550.00	31.4	36.47	5.050	54.00	17.53	AV	Vertic	PASS
3	17325.00	36.5	47.79	11.300	68.30	20.51	PK	Vertic	PASS


Transmit at 5250MHz by 802.11ac(160MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	42.1	44.45	2.340	68.30	23.85	PK	Horizo	PASS
2	15750.00	35.8	46.17	10.360	74.00	27.83	PK	Horizo	PASS
3	15750.00	27.6	37.95	10.360	54.00	16.05	AV	Horizo	PASS


Transmit at 5250MHz by 802.11ac(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	42.0	44.31	2.340	68.30	23.99	PK	Vertic	PASS
2	15750.00	37.3	47.61	10.360	74.00	26.39	PK	Vertic	PASS
3	15750.00	27.2	37.59	10.360	54.00	16.41	AV	Vertic	PASS

Transmit at 5570MHz by 802.11ac(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	39.4	43.71	4.320	74.00	30.29	PK	Horizo	PASS
2	11140.00	32.3	36.58	4.320	54.00	17.42	AV	Horizo	PASS
3	16710.00	35.7	46.04	10.340	68.30	22.26	PK	Horizo	PASS


Transmit at 5570MHz by 802.11ac(160MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	40.5	44.86	4.320	74.00	29.14	PK	Vertic	PASS
2	11140.00	31.2	35.52	4.320	54.00	18.48	AV	Vertic	PASS
3	16710.00	36.4	46.70	10.340	68.30	21.60	PK	Vertic	PASS


Transmit at 5250MHz by 802.11ax(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	42.0	44.30	2.340	68.30	24.00	PK	Horizo	PASS
2	15750.00	35.8	46.20	10.360	74.00	27.80	PK	Horizo	PASS
3	15750.00	27.8	38.13	10.360	54.00	15.87	AV	Horizo	PASS

Transmit at 5250MHz by 802.11ax(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	41.6	43.95	2.340	68.30	24.35	PK	Vertic	PASS
2	15750.00	36.0	46.38	10.360	74.00	27.62	PK	Vertic	PASS
3	15750.00	27.5	37.86	10.360	54.00	16.14	AV	Vertic	PASS


Transmit at 5570MHz by 802.11ax(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	39.9	44.21	4.320	74.00	29.79	PK	Horizo	PASS
2	11140.00	31.7	36.02	4.320	54.00	17.98	AV	Horizo	PASS
3	16710.00	37.9	48.19	10.340	68.30	20.11	PK	Horizo	PASS

Transmit at 5570MHz by 802.11ax(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	40.4	44.75	4.320	74.00	29.25	PK	Vertic	PASS
2	11140.00	31.5	35.81	4.320	54.00	18.19	AV	Vertic	PASS
3	16710.00	36.3	46.62	10.340	68.30	21.68	PK	Vertic	PASS


Transmit at 5250MHz by 802.11be(160MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	41.6	43.89	2.340	68.30	24.41	PK	Horizo	PASS
2	15750.00	36.7	47.08	10.360	74.00	26.92	PK	Horizo	PASS
3	15750.00	27.4	37.75	10.360	54.00	16.25	AV	Horizo	PASS

Transmit at 5250MHz by 802.11be(160MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10500.00	41.8	44.12	2.340	68.30	24.18	PK	Vertic	PASS
2	15750.00	27.1	37.47	10.360	54.00	16.53	AV	Vertic	PASS
3	15750.00	35.9	46.30	10.360	74.00	27.70	PK	Vertic	PASS

Transmit at 5570MHz by 802.11be(160MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	40.3	44.57	4.320	74.00	29.43	PK	Horizo	PASS
2	11140.00	31.6	35.95	4.320	54.00	18.05	AV	Horizo	PASS
3	16710.00	35.9	46.25	10.340	68.30	22.05	PK	Horizo	PASS


Transmit at 5570MHz by 802.11be(160MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11140.00	39.0	43.30	4.320	74.00	30.70	PK	Vertic	PASS
2	11140.00	31.1	35.40	4.320	54.00	18.60	AV	Vertic	PASS
3	16710.00	36.3	46.59	10.340	68.30	21.71	PK	Vertic	PASS


Transmit at 5180MHz by 802.11a with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	37.03	14.3	27.76	13.460	40.00	12.24	PK	Horizo	PASS
2	75.59	18.4	28.40	10.020	40.00	11.60	PK	Horizo	PASS
3	108.09	23.0	35.28	12.310	43.50	8.22	PK	Horizo	PASS
4	206.06	18.7	30.76	12.110	43.50	12.74	PK	Horizo	PASS
5	276.87	18.4	32.19	13.780	46.00	13.81	PK	Horizo	PASS
6	480.08	20.3	37.57	17.320	46.00	8.43	PK	Horizo	PASS




Transmit at 5180MHz by 802.11a with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	35.58	13.4	26.63	13.250	40.00	13.37	PK	Vertic	PASS
2	67.83	17.5	28.30	10.800	40.00	11.70	PK	Vertic	PASS
3	104.69	22.7	35.19	12.460	43.50	8.31	PK	Vertic	PASS
4	193.45	19.3	30.73	11.470	43.50	12.77	PK	Vertic	PASS
5	234.19	19.7	32.53	12.850	46.00	13.47	PK	Vertic	PASS
6	480.08	19.5	36.80	17.320	46.00	9.20	PK	Vertic	PASS

Part RU worse case:
Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	41.8	44.03	2.200	68.30	24.27	PK	Horizo	PASS
2	15540.00	27.6	37.64	10.000	54.00	16.36	AV	Horizo	PASS
3	15540.00	36.5	46.51	10.000	74.00	27.49	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10343.54	49.7	51.94	2.230	68.30	16.36	PK	Vertic	PASS
2	15540.00	37.2	47.21	10.000	74.00	26.79	PK	Vertic	PASS
3	15540.00	28.0	38.03	10.000	54.00	15.97	AV	Vertic	PASS




Transmit at 5260MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	40.8	43.10	2.310	68.30	25.20	PK	Horizo	PASS
2	15780.00	36.5	46.74	10.280	74.00	27.26	PK	Horizo	PASS
3	15780.00	27.5	37.81	10.280	54.00	16.19	AV	Horizo	PASS

Transmit at 5260MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	41.0	43.29	2.310	68.30	25.01	PK	Vertic	PASS
2	15780.00	36.1	46.38	10.280	74.00	27.62	PK	Vertic	PASS
3	15780.00	28.6	38.88	10.280	54.00	15.12	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.2	42.80	2.630	74.00	31.20	PK	Horizo	PASS
2	11000.00	32.5	35.11	2.630	54.00	18.89	AV	Horizo	PASS
3	16500.00	34.9	45.10	10.200	68.30	23.20	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.6	43.18	2.630	74.00	30.82	PK	Vertic	PASS
2	11000.00	31.9	34.55	2.630	54.00	19.45	AV	Vertic	PASS
3	16500.00	35.6	45.78	10.200	68.30	22.52	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11472.42	45.1	49.90	4.830	74.00	24.10	PK	Horizo	PASS
2	11473.33	34.5	39.29	4.830	54.00	14.71	AV	Horizo	PASS
3	17235.00	35.9	47.09	11.200	68.30	21.21	PK	Horizo	PASS


Transmit at 5745MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11472.42	45.2	50.05	4.830	74.00	23.95	PK	Vertic	PASS
2	11473.33	35.5	40.29	4.830	54.00	13.71	AV	Vertic	PASS
3	17235.00	36.0	47.24	11.200	68.30	21.06	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	42.3	44.48	2.200	68.30	23.82	PK	Horizo	PASS
2	15540.00	36.3	46.30	10.000	74.00	27.70	PK	Horizo	PASS
3	15540.00	28.0	38.00	10.000	54.00	16.00	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	41.2	43.39	2.200	68.30	24.91	PK	Vertic	PASS
2	15540.00	36.4	46.40	10.000	74.00	27.60	PK	Vertic	PASS
3	15540.00	27.8	37.79	10.000	54.00	16.21	AV	Vertic	PASS


Transmit at 5260MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	41.7	43.98	2.310	68.30	24.32	PK	Horizo	PASS
2	15780.00	36.7	47.00	10.280	74.00	27.00	PK	Horizo	PASS
3	15780.00	28.0	38.31	10.280	54.00	15.69	AV	Horizo	PASS

Transmit at 5260MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	41.9	44.23	2.310	68.30	24.07	PK	Vertic	PASS
2	15780.00	35.7	46.00	10.280	74.00	28.00	PK	Vertic	PASS
3	15780.00	27.9	38.18	10.280	54.00	15.82	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.3	42.95	2.630	74.00	31.05	PK	Horizo	PASS
2	11000.00	32.1	34.68	2.630	54.00	19.32	AV	Horizo	PASS
3	16500.00	34.1	44.34	10.200	68.30	23.96	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.8	43.46	2.630	74.00	30.54	PK	Vertic	PASS
2	11000.00	31.9	34.51	2.630	54.00	19.49	AV	Vertic	PASS
3	16500.00	35.3	45.48	10.200	68.30	22.82	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11476.54	46.8	51.67	4.850	74.00	22.33	PK	Horizo	PASS
2	11490.00	32.2	37.05	4.870	54.00	16.95	AV	Horizo	PASS
3	17235.00	36.4	47.63	11.200	68.30	20.67	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 52-37 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11475.17	40.9	45.70	4.850	54.00	8.30	AV	Vertic	PASS
2	11477.46	52.8	57.65	4.850	74.00	16.35	PK	Vertic	PASS
3	17235.00	36.3	47.47	11.200	68.30	20.83	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	41.8	43.96	2.200	68.30	24.34	PK	Horizo	PASS
2	15540.00	36.6	46.58	10.000	74.00	27.42	PK	Horizo	PASS
3	15540.00	28.0	37.98	10.000	54.00	16.02	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	41.3	43.53	2.200	68.30	24.77	PK	Vertic	PASS
2	15540.00	36.3	46.34	10.000	74.00	27.66	PK	Vertic	PASS
3	15540.00	28.0	37.99	10.000	54.00	16.01	AV	Vertic	PASS

Transmit at 5260MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	42.1	44.42	2.310	68.30	23.88	PK	Horizo	PASS
2	15780.00	37.1	47.41	10.280	74.00	26.59	PK	Horizo	PASS
3	15780.00	27.4	37.68	10.280	54.00	16.32	AV	Horizo	PASS

Transmit at 5260MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	41.5	43.81	2.310	68.30	24.49	PK	Vertic	PASS
2	15780.00	36.3	46.58	10.280	74.00	27.42	PK	Vertic	PASS
3	15780.00	27.7	37.96	10.280	54.00	16.04	AV	Vertic	PASS


Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.9	43.49	2.630	74.00	30.51	PK	Horizo	PASS
2	11000.00	31.5	34.11	2.630	54.00	19.89	AV	Horizo	PASS
3	16500.00	35.0	45.22	10.200	68.30	23.08	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.4	43.01	2.630	74.00	30.99	PK	Vertic	PASS
2	11000.00	31.7	34.29	2.630	54.00	19.71	AV	Vertic	PASS
3	16500.00	34.3	44.52	10.200	68.30	23.78	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	41.3	46.18	4.870	74.00	27.82	PK	Horizo	PASS
2	11490.00	31.0	35.91	4.870	54.00	18.09	AV	Horizo	PASS
3	17235.00	35.8	47.01	11.200	68.30	21.29	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax (20MHz) RU 106-53 with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11482.96	36.0	40.81	4.860	54.00	13.19	AV	Vertic	PASS
2	11483.88	45.3	50.20	4.860	74.00	23.80	PK	Vertic	PASS
3	17235.00	36.2	47.42	11.200	68.30	20.88	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	39.22	15.1	28.85	13.780	40.00	11.15	PK	Horizo	PASS
2	76.32	19.1	29.08	9.970	40.00	10.92	PK	Horizo	PASS
3	104.69	22.7	35.18	12.460	43.50	8.32	PK	Horizo	PASS
4	193.93	19.2	30.67	11.520	43.50	12.83	PK	Horizo	PASS
5	253.10	18.6	32.01	13.400	46.00	13.99	PK	Horizo	PASS
6	731.80	16.0	37.27	21.250	46.00	8.73	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax (20MHz) RU 26-0 with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.06	13.3	26.57	13.320	40.00	13.43	PK	Vertic	PASS
2	65.89	15.9	27.18	11.310	40.00	12.82	PK	Vertic	PASS
3	95.96	21.4	33.40	12.040	43.50	10.10	PK	Vertic	PASS
4	194.66	18.7	30.28	11.570	43.50	13.22	PK	Vertic	PASS
5	274.20	18.4	32.16	13.750	46.00	13.84	PK	Vertic	PASS
6	480.08	19.9	37.21	17.320	46.00	8.79	PK	Vertic	PASS

Note:

1. Level = Reading + Factor
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. All test data above 18GHz are noise base, so no data shown in this report.
4. In the report, below 1G, only the verification test is carried out for the worst channel of 1~18G worst mode.
5. The below 1G test data was measured on the worst-case configuration selected from each transmission mode on the low and high channel.

Appendix B: Test result of Emission bandwidth and occupied bandwidth

Emission Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	20.080	5170.920	5191.000	---	---
11A	Ant1	5200	18.640	5190.520	5209.160	---	---
11A	Ant1	5240	18.240	5230.880	5249.120	---	---
11A	Ant1	5260	18.280	5250.880	5269.160	---	---
11A	Ant1	5280	18.120	5271.080	5289.200	---	---
11A	Ant1	5320	19.760	5309.480	5329.240	---	---
11A	Ant1	5500	20.680	5490.000	5510.680	---	---
11A	Ant1	5580	18.040	5571.040	5589.080	---	---
11A	Ant1	5700	19.520	5690.120	5709.640	---	---
11A	Ant1	5745	27.200	5731.840	5759.040	---	---
11A	Ant1	5785	27.640	5771.440	5799.080	---	---
11A	Ant1	5825	30.240	5810.800	5841.040	---	---
11N20SISO	Ant1	5180	20.640	5168.920	5189.560	---	---
11N20SISO	Ant1	5200	21.080	5188.480	5209.560	---	---
11N20SISO	Ant1	5240	18.920	5230.520	5249.440	---	---
11N20SISO	Ant1	5260	18.920	5250.600	5269.520	---	---
11N20SISO	Ant1	5280	18.760	5270.640	5289.400	---	---
11N20SISO	Ant1	5320	20.240	5310.200	5330.440	---	---
11N20SISO	Ant1	5500	21.320	5488.560	5509.880	---	---
11N20SISO	Ant1	5580	19.000	5570.520	5589.520	---	---
11N20SISO	Ant1	5700	20.560	5688.880	5709.440	---	---
11N20SISO	Ant1	5745	32.840	5728.800	5761.640	---	---
11N20SISO	Ant1	5785	32.160	5769.120	5801.280	---	---
11N20SISO	Ant1	5825	35.680	5806.960	5842.640	---	---
11N40SISO	Ant1	5190	38.400	5170.880	5209.280	---	---
11N40SISO	Ant1	5230	38.320	5210.720	5249.040	---	---
11N40SISO	Ant1	5270	38.320	5250.880	5289.200	---	---
11N40SISO	Ant1	5310	38.640	5290.640	5329.280	---	---
11N40SISO	Ant1	5510	39.920	5489.440	5529.360	---	---
11N40SISO	Ant1	5550	38.240	5530.880	5569.120	---	---
11N40SISO	Ant1	5670	38.320	5650.960	5689.280	---	---
11N40SISO	Ant1	5755	38.320	5735.800	5774.120	---	---
11N40SISO	Ant1	5795	38.640	5775.800	5814.440	---	---
11AC20SISO	Ant1	5180	20.800	5170.400	5191.200	---	---
11AC20SISO	Ant1	5200	22.120	5188.400	5210.520	---	---
11AC20SISO	Ant1	5240	18.760	5230.600	5249.360	---	---
11AC20SISO	Ant1	5260	18.840	5250.560	5269.400	---	---
11AC20SISO	Ant1	5280	18.760	5270.560	5289.320	---	---
11AC20SISO	Ant1	5320	22.040	5307.680	5329.720	---	---
11AC20SISO	Ant1	5500	19.240	5490.560	5509.800	---	---
11AC20SISO	Ant1	5580	18.840	5570.600	5589.440	---	---
11AC20SISO	Ant1	5700	18.880	5690.560	5709.440	---	---
11AC20SISO	Ant1	5745	20.680	5735.640	5756.320	---	---
11AC20SISO	Ant1	5785	18.880	5775.560	5794.440	---	---
11AC20SISO	Ant1	5825	18.840	5815.520	5834.360	---	---
11AC40SISO	Ant1	5190	38.320	5170.880	5209.200	---	---

11AC40SISO	Ant1	5230	38.240	5210.880	5249.120	---	---
11AC40SISO	Ant1	5270	38.320	5250.880	5289.200	---	---
11AC40SISO	Ant1	5310	42.640	5286.960	5329.600	---	---
11AC40SISO	Ant1	5510	38.800	5490.560	5529.360	---	---
11AC40SISO	Ant1	5550	38.240	5530.960	5569.200	---	---
11AC40SISO	Ant1	5670	38.800	5650.880	5689.680	---	---
11AC40SISO	Ant1	5755	38.480	5735.880	5774.360	---	---
11AC40SISO	Ant1	5795	38.160	5775.960	5814.120	---	---
11AC80SISO	Ant1	5210	100.320	5167.120	5267.440	---	---
11AC80SISO	Ant1	5290	106.400	5224.880	5331.280	---	---
11AC80SISO	Ant1	5530	105.760	5485.840	5591.600	---	---
11AC80SISO	Ant1	5610	96.800	5570.480	5667.280	---	---
11AC80SISO	Ant1	5775	78.880	5735.640	5814.520	---	---
11AC160SISO	Ant1	5250	163.840	5169.680	5333.520	---	---
11AC160SISO	Ant1	5250_UNII-1	80.32	5169.680	5250	---	---
11AC160SISO	Ant1	5250_UNII-2A	83.52	5250	5333.520	---	---
11AC160SISO	Ant1	5570	163.200	5489.680	5652.880	---	---
11AX20SISO	Ant1	5180	19.760	5170.120	5189.880	---	---
11AX20SISO	Ant1	5200	21.120	5189.520	5210.640	---	---
11AX20SISO	Ant1	5240	19.800	5230.080	5249.880	---	---
11AX20SISO	Ant1	5260	19.840	5250.120	5269.960	---	---
11AX20SISO	Ant1	5280	19.760	5270.120	5289.880	---	---
11AX20SISO	Ant1	5320	19.960	5309.960	5329.920	---	---
11AX20SISO	Ant1	5500	19.880	5490.080	5509.960	---	---
11AX20SISO	Ant1	5580	19.880	5570.040	5589.920	---	---
11AX20SISO	Ant1	5700	20.000	5689.960	5709.960	---	---
11AX20SISO	Ant1	5745	19.760	5735.120	5754.880	---	---
11AX20SISO	Ant1	5785	19.800	5775.080	5794.880	---	---
11AX20SISO	Ant1	5825	22.120	5813.920	5836.040	---	---
11AX40SISO	Ant1	5190	39.200	5170.400	5209.600	---	---
11AX40SISO	Ant1	5230	39.520	5210.160	5249.680	---	---
11AX40SISO	Ant1	5270	39.360	5250.400	5289.760	---	---
11AX40SISO	Ant1	5310	39.280	5290.400	5329.680	---	---
11AX40SISO	Ant1	5510	39.280	5490.320	5529.600	---	---
11AX40SISO	Ant1	5550	39.520	5530.160	5569.680	---	---
11AX40SISO	Ant1	5670	39.360	5650.320	5689.680	---	---
11AX40SISO	Ant1	5755	39.440	5735.320	5774.760	---	---
11AX40SISO	Ant1	5795	39.360	5775.320	5814.680	---	---
11AX80SISO	Ant1	5210	96.960	5167.920	5264.880	---	---
11AX80SISO	Ant1	5290	97.760	5232.240	5330.000	---	---
11AX80SISO	Ant1	5530	98.720	5487.600	5586.320	---	---
11AX80SISO	Ant1	5610	90.560	5562.320	5652.880	---	---
11AX80SISO	Ant1	5775	85.120	5733.240	5818.360	---	---
11AX160SISO	Ant1	5250	163.200	5169.040	5332.240	---	---
11AX160SISO	Ant1	5250_UNII-1	80.96	5169.040	5250	---	---
11AX160SISO	Ant1	5250_UNII-2A	82.24	5250	5332.240	---	---
11AX160SISO	Ant1	5570	165.120	5489.040	5654.160	---	---
11BE20SISO	Ant1	5180	19.760	5170.040	5189.800	---	---
11BE20SISO	Ant1	5200	19.840	5190.040	5209.880	---	---
11BE20SISO	Ant1	5240	19.800	5230.120	5249.920	---	---
11BE20SISO	Ant1	5260	19.760	5250.080	5269.840	---	---


11BE20SISO	Ant1	5280	19.800	5270.120	5289.920	---	---
11BE20SISO	Ant1	5320	20.840	5310.080	5330.920	---	---
11BE20SISO	Ant1	5500	19.840	5490.080	5509.920	---	---
11BE20SISO	Ant1	5580	19.760	5570.160	5589.920	---	---
11BE20SISO	Ant1	5700	19.800	5690.120	5709.920	---	---
11BE20SISO	Ant1	5745	19.800	5735.080	5754.880	---	---
11BE20SISO	Ant1	5785	19.760	5775.120	5794.880	---	---
11BE20SISO	Ant1	5825	19.680	5815.120	5834.800	---	---
11BE40SISO	Ant1	5190	39.280	5170.400	5209.680	---	---
11BE40SISO	Ant1	5230	39.440	5210.240	5249.680	---	---
11BE40SISO	Ant1	5270	39.200	5250.400	5289.600	---	---
11BE40SISO	Ant1	5310	40.080	5289.680	5329.760	---	---
11BE40SISO	Ant1	5510	39.840	5490.240	5530.080	---	---
11BE40SISO	Ant1	5550	39.200	5530.400	5569.600	---	---
11BE40SISO	Ant1	5670	44.800	5650.320	5695.120	---	---
11BE40SISO	Ant1	5755	39.600	5735.320	5774.920	---	---
11BE40SISO	Ant1	5795	39.520	5775.320	5814.840	---	---
11BE80SISO	Ant1	5210	95.680	5166.640	5262.320	---	---
11BE80SISO	Ant1	5290	97.920	5232.400	5330.320	---	---
11BE80SISO	Ant1	5530	93.600	5488.400	5582.000	---	---
11BE80SISO	Ant1	5610	80.000	5570.000	5650.000	---	---
11BE80SISO	Ant1	5775	80.000	5735.000	5815.000	---	---
11BE160SISO	Ant1	5250	166.400	5167.760	5334.160	---	---
11BE160SISO	Ant1	5250_UNII-1	82.24	5167.760	5250	---	---
11BE160SISO	Ant1	5250_UNII-2A	84.16	5250	5334.160	---	---
11BE160SISO	Ant1	5570	165.120	5487.760	5652.880	---	---

Test Graphs






11A-Ant1-5240



11A-Ant1-5260




11A-Ant1-5280



11A-Ant1-5320



11A-Ant1-5500



11A-Ant1-5580



11A-Ant1-5700



11A-Ant1-5745