

Appendix-B NR Band n2

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	BW	Modulation	CH	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n2	15	5	DFT-BPSK	L	Inner_1RB_Left	22.25	23.55	33	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Right	22.28	23.58	33	PASS
n2	15	5	DFT-BPSK	L	Inner_Full	22.35	23.65	33	PASS
n2	15	5	DFT-BPSK	L	Outer_Full	22.3	23.6	33	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Left	22.85	24.15	33	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Right	22.88	24.18	33	PASS
n2	15	5	DFT-QPSK	L	Inner_Full	22.89	24.19	33	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	22.33	23.63	33	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Left	22.33	23.63	33	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Right	22.34	23.64	33	PASS
n2	15	5	DFT-16QAM	L	Inner_Full	22.56	23.86	33	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	21.4	22.7	33	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Left	21.06	22.36	33	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Right	21.06	22.36	33	PASS
n2	15	5	DFT-64QAM	L	Inner_Full	21.02	22.32	33	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	20.94	22.24	33	PASS
n2	15	5	DFT-256QAM	L	Inner_1RB_Left	18.63	19.93	33	PASS
n2	15	5	DFT-256QAM	L	Inner_1RB_Right	18.65	19.95	33	PASS
n2	15	5	DFT-256QAM	L	Inner_Full	18.98	20.28	33	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	18.97	20.27	33	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Left	22.9	24.2	33	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Right	22.85	24.15	33	PASS
n2	15	5	DFT-BPSK	M	Inner_Full	22.86	24.16	33	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	22.9	24.2	33	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Left	22.84	24.14	33	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Right	22.83	24.13	33	PASS
n2	15	5	DFT-QPSK	M	Inner_Full	22.92	24.22	33	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	22.41	23.71	33	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Left	22.31	23.61	33	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Right	22.3	23.6	33	PASS
n2	15	5	DFT-16QAM	M	Inner_Full	22.56	23.86	33	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	21.39	22.69	33	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Left	21.11	22.41	33	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Right	21.07	22.37	33	PASS
n2	15	5	DFT-64QAM	M	Inner_Full	21.04	22.34	33	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	20.9	22.2	33	PASS
n2	15	5	DFT-256QAM	M	Inner_1RB_Left	18.48	19.78	33	PASS

n2	15	5	DFT-256QAM	M	Inner_1RB_Right	18.42	19.72	33	PASS
n2	15	5	DFT-256QAM	M	Inner_Full	18.94	20.24	33	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	18.9	20.2	33	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Left	22.98	24.28	33	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Right	22.96	24.26	33	PASS
n2	15	5	DFT-BPSK	H	Inner_Full	23.09	24.39	33	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	23.02	24.32	33	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Left	22.97	24.27	33	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Right	22.94	24.24	33	PASS
n2	15	5	DFT-QPSK	H	Inner_Full	23	24.3	33	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	22.47	23.77	33	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Left	22.44	23.74	33	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Right	22.5	23.8	33	PASS
n2	15	5	DFT-16QAM	H	Inner_Full	22.64	23.94	33	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	21.52	22.82	33	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Left	21.22	22.52	33	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Right	21.2	22.5	33	PASS
n2	15	5	DFT-64QAM	H	Inner_Full	21.1	22.4	33	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	21.05	22.35	33	PASS
n2	15	5	DFT-256QAM	H	Inner_1RB_Left	18.48	19.78	33	PASS
n2	15	5	DFT-256QAM	H	Inner_1RB_Right	18.49	19.79	33	PASS
n2	15	5	DFT-256QAM	H	Inner_Full	19.03	20.33	33	PASS
n2	15	5	DFT-256QAM	H	Outer_Full	19	20.3	33	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Left	22.94	24.24	33	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Right	22.96	24.26	33	PASS
n2	15	10	DFT-BPSK	L	Inner_Full	22.93	24.23	33	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	22.95	24.25	33	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Left	22.88	24.18	33	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Right	22.89	24.19	33	PASS
n2	15	10	DFT-QPSK	L	Inner_Full	23	24.3	33	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	22.53	23.83	33	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Left	22.34	23.64	33	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Right	22.39	23.69	33	PASS
n2	15	10	DFT-16QAM	L	Inner_Full	22.54	23.84	33	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	21.49	22.79	33	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Left	21.17	22.47	33	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Right	21.33	22.63	33	PASS
n2	15	10	DFT-64QAM	L	Inner_Full	21.03	22.33	33	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	21.09	22.39	33	PASS
n2	15	10	DFT-256QAM	L	Inner_1RB_Left	18.45	19.75	33	PASS
n2	15	10	DFT-256QAM	L	Inner_1RB_Right	18.45	19.75	33	PASS
n2	15	10	DFT-256QAM	L	Inner_Full	18.93	20.23	33	PASS
n2	15	10	DFT-256QAM	L	Outer_Full	18.94	20.24	33	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Left	23.01	24.31	33	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Right	22.86	24.16	33	PASS

n2	15	10	DFT-BPSK	M	Inner_Full	22.95	24.25	33	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	22.92	24.22	33	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Left	22.91	24.21	33	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Right	22.85	24.15	33	PASS
n2	15	10	DFT-QPSK	M	Inner_Full	22.92	24.22	33	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	22.48	23.78	33	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Left	22.43	23.73	33	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Right	22.29	23.59	33	PASS
n2	15	10	DFT-16QAM	M	Inner_Full	22.47	23.77	33	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	21.44	22.74	33	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Left	21.1	22.4	33	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Right	20.97	22.27	33	PASS
n2	15	10	DFT-64QAM	M	Inner_Full	20.87	22.17	33	PASS
n2	15	10	DFT-64QAM	M	Outer_Full	20.83	22.13	33	PASS
n2	15	10	DFT-256QAM	M	Inner_1RB_Left	18.35	19.65	33	PASS
n2	15	10	DFT-256QAM	M	Inner_1RB_Right	18.3	19.6	33	PASS
n2	15	10	DFT-256QAM	M	Inner_Full	18.82	20.12	33	PASS
n2	15	10	DFT-256QAM	M	Outer_Full	18.95	20.25	33	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Left	23.06	24.36	33	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Right	23.05	24.35	33	PASS
n2	15	10	DFT-BPSK	H	Inner_Full	23.08	24.38	33	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	23.01	24.31	33	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Left	23	24.3	33	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Right	23.05	24.35	33	PASS
n2	15	10	DFT-QPSK	H	Inner_Full	23.11	24.41	33	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	22.58	23.88	33	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Left	22.49	23.79	33	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Right	22.56	23.86	33	PASS
n2	15	10	DFT-16QAM	H	Inner_Full	22.49	23.79	33	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	21.41	22.71	33	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Left	21.17	22.47	33	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Right	21.24	22.54	33	PASS
n2	15	10	DFT-64QAM	H	Inner_Full	20.95	22.25	33	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	21	22.3	33	PASS
n2	15	10	DFT-256QAM	H	Inner_1RB_Left	18.39	19.69	33	PASS
n2	15	10	DFT-256QAM	H	Inner_1RB_Right	18.37	19.67	33	PASS
n2	15	10	DFT-256QAM	H	Inner_Full	18.89	20.19	33	PASS
n2	15	10	DFT-256QAM	H	Outer_Full	19.01	20.31	33	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Left	22.99	24.29	33	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Right	23.04	24.34	33	PASS
n2	15	15	DFT-BPSK	L	Inner_Full	23.09	24.39	33	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	23.03	24.33	33	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Left	22.95	24.25	33	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Right	23.04	24.34	33	PASS
n2	15	15	DFT-QPSK	L	Inner_Full	23	24.3	33	PASS

n2	15	15	DFT-QPSK	L	Outer_Full	22.68	23.98	33	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Left	22.42	23.72	33	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Right	22.5	23.8	33	PASS
n2	15	15	DFT-16QAM	L	Inner_Full	22.55	23.85	33	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	21.52	22.82	33	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Left	21.16	22.46	33	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Right	21.2	22.5	33	PASS
n2	15	15	DFT-64QAM	L	Inner_Full	21.09	22.39	33	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	21.08	22.38	33	PASS
n2	15	15	DFT-256QAM	L	Inner_1RB_Left	18.41	19.71	33	PASS
n2	15	15	DFT-256QAM	L	Inner_1RB_Right	18.37	19.67	33	PASS
n2	15	15	DFT-256QAM	L	Inner_Full	18.97	20.27	33	PASS
n2	15	15	DFT-256QAM	L	Outer_Full	18.9	20.2	33	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Left	22.99	24.29	33	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Right	22.92	24.22	33	PASS
n2	15	15	DFT-BPSK	M	Inner_Full	22.96	24.26	33	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	23	24.3	33	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Left	23	24.3	33	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Right	22.93	24.23	33	PASS
n2	15	15	DFT-QPSK	M	Inner_Full	23.02	24.32	33	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	22.41	23.71	33	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Left	22.51	23.81	33	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Right	22.35	23.65	33	PASS
n2	15	15	DFT-16QAM	M	Inner_Full	22.49	23.79	33	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	21.47	22.77	33	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Left	21.19	22.49	33	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Right	21.01	22.31	33	PASS
n2	15	15	DFT-64QAM	M	Inner_Full	21.02	22.32	33	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	20.93	22.23	33	PASS
n2	15	15	DFT-256QAM	M	Inner_1RB_Left	18.46	19.76	33	PASS
n2	15	15	DFT-256QAM	M	Inner_1RB_Right	18.25	19.55	33	PASS
n2	15	15	DFT-256QAM	M	Inner_Full	18.92	20.22	33	PASS
n2	15	15	DFT-256QAM	M	Outer_Full	18.82	20.12	33	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Left	22.96	24.26	33	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Right	23.06	24.36	33	PASS
n2	15	15	DFT-BPSK	H	Inner_Full	22.99	24.29	33	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	22.94	24.24	33	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Left	22.99	24.29	33	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Right	23.06	24.36	33	PASS
n2	15	15	DFT-QPSK	H	Inner_Full	23.03	24.33	33	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	22.46	23.76	33	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Left	22.47	23.77	33	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Right	22.56	23.86	33	PASS
n2	15	15	DFT-16QAM	H	Inner_Full	22.59	23.89	33	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	21.51	22.81	33	PASS

n2	15	15	DFT-64QAM	H	Inner_1RB_Left	21.15	22.45	33	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Right	21.23	22.53	33	PASS
n2	15	15	DFT-64QAM	H	Inner_Full	21.04	22.34	33	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	21.07	22.37	33	PASS
n2	15	15	DFT-256QAM	H	Inner_1RB_Left	18.44	19.74	33	PASS
n2	15	15	DFT-256QAM	H	Inner_1RB_Right	18.33	19.63	33	PASS
n2	15	15	DFT-256QAM	H	Inner_Full	18.99	20.29	33	PASS
n2	15	15	DFT-256QAM	H	Outer_Full	18.97	20.27	33	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Left	22.99	24.29	33	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Right	23.05	24.35	33	PASS
n2	15	20	DFT-BPSK	L	Inner_Full	23.11	24.41	33	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	23.08	24.38	33	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Left	23.03	24.33	33	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Right	23.09	24.39	33	PASS
n2	15	20	DFT-QPSK	L	Inner_Full	23.08	24.38	33	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	22.52	23.82	33	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Left	22.52	23.82	33	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Right	22.61	23.91	33	PASS
n2	15	20	DFT-16QAM	L	Inner_Full	22.52	23.82	33	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	21.49	22.79	33	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Left	21.22	22.52	33	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Right	21.1	22.4	33	PASS
n2	15	20	DFT-64QAM	L	Inner_Full	21.07	22.37	33	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	21	22.3	33	PASS
n2	15	20	DFT-256QAM	L	Inner_1RB_Left	18.33	19.63	33	PASS
n2	15	20	DFT-256QAM	L	Inner_1RB_Right	18.24	19.54	33	PASS
n2	15	20	DFT-256QAM	L	Inner_Full	18.98	20.28	33	PASS
n2	15	20	DFT-256QAM	L	Outer_Full	19.06	20.36	33	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Left	23.04	24.34	33	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Right	22.86	24.16	33	PASS
n2	15	20	DFT-BPSK	M	Inner_Full	22.97	24.27	33	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	22.89	24.19	33	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Left	23.03	24.33	33	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Right	22.83	24.13	33	PASS
n2	15	20	DFT-QPSK	M	Inner_Full	22.96	24.26	33	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	22.4	23.7	33	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Left	22.43	23.73	33	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Right	22.22	23.52	33	PASS
n2	15	20	DFT-16QAM	M	Inner_Full	22.53	23.83	33	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	21.42	22.72	33	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Left	21.26	22.56	33	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Right	21.17	22.47	33	PASS
n2	15	20	DFT-64QAM	M	Inner_Full	21.08	22.38	33	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	20.85	22.15	33	PASS
n2	15	20	DFT-256QAM	M	Inner_1RB_Left	18.43	19.73	33	PASS

n2	15	20	DFT-256QAM	M	Inner_1RB_Right	18.2	19.5	33	PASS
n2	15	20	DFT-256QAM	M	Inner_Full	18.97	20.27	33	PASS
n2	15	20	DFT-256QAM	M	Outer_Full	18.98	20.28	33	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Left	22.93	24.23	33	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Right	23.06	24.36	33	PASS
n2	15	20	DFT-BPSK	H	Inner_Full	23.04	24.34	33	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	22.98	24.28	33	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Left	22.95	24.25	33	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Right	23.04	24.34	33	PASS
n2	15	20	DFT-QPSK	H	Inner_Full	23.09	24.39	33	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	22.46	23.76	33	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Left	22.41	23.71	33	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Right	22.45	23.75	33	PASS
n2	15	20	DFT-16QAM	H	Inner_Full	22.43	23.73	33	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	21.46	22.76	33	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Left	21.09	22.39	33	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Right	21.12	22.42	33	PASS
n2	15	20	DFT-64QAM	H	Inner_Full	20.99	22.29	33	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	20.89	22.19	33	PASS
n2	15	20	DFT-256QAM	H	Inner_1RB_Left	18.22	19.52	33	PASS
n2	15	20	DFT-256QAM	H	Inner_1RB_Right	18.15	19.45	33	PASS
n2	15	20	DFT-256QAM	H	Inner_Full	18.94	20.24	33	PASS
n2	15	20	DFT-256QAM	H	Outer_Full	19.04	20.34	33	PASS

Peak-to-Average Ratio for SA


Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (dB)	Limit (dB)	Verdict
n2	15	5	DFT-BPSK	L	Outer_Full	4.02	≤13	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	4.57	≤13	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	5.72	≤13	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	6.2	≤13	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	6.43	≤13	PASS
n2	15	5	CP-QPSK	L	Outer_Full	6.7	≤13	PASS
n2	15	5	CP-16QAM	L	Outer_Full	6.79	≤13	PASS
n2	15	5	CP-64QAM	L	Outer_Full	7.22	≤13	PASS
n2	15	5	CP-256QAM	L	Outer_Full	8.51	≤13	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	4.32	≤13	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	5.12	≤13	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	6.14	≤13	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	6.52	≤13	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	6.52	≤13	PASS
n2	15	5	CP-QPSK	M	Outer_Full	7.19	≤13	PASS
n2	15	5	CP-16QAM	M	Outer_Full	7.26	≤13	PASS
n2	15	5	CP-64QAM	M	Outer_Full	7.71	≤13	PASS
n2	15	5	CP-256QAM	M	Outer_Full	8.57	≤13	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	3.85	≤13	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	4.43	≤13	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	5.51	≤13	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	5.98	≤13	PASS
n2	15	5	DFT-256QAM	H	Outer_Full	6.56	≤13	PASS
n2	15	5	CP-QPSK	H	Outer_Full	6.51	≤13	PASS
n2	15	5	CP-16QAM	H	Outer_Full	7.19	≤13	PASS
n2	15	5	CP-64QAM	H	Outer_Full	7.68	≤13	PASS
n2	15	5	CP-256QAM	H	Outer_Full	8.63	≤13	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	4.27	≤13	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	4.89	≤13	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	5.93	≤13	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	6.25	≤13	PASS
n2	15	10	DFT-256QAM	L	Outer_Full	6.63	≤13	PASS
n2	15	10	CP-QPSK	L	Outer_Full	7.18	≤13	PASS
n2	15	10	CP-16QAM	L	Outer_Full	7.12	≤13	PASS
n2	15	10	CP-64QAM	L	Outer_Full	7.47	≤13	PASS
n2	15	10	CP-256QAM	L	Outer_Full	8.72	≤13	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	4.43	≤13	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	5.09	≤13	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	6.17	≤13	PASS


n2	15	10	DFT-64QAM	M	Outer_Full	6.4	≤13	PASS
n2	15	10	DFT-256QAM	M	Outer_Full	6.65	≤13	PASS
n2	15	10	CP-QPSK	M	Outer_Full	7.38	≤13	PASS
n2	15	10	CP-16QAM	M	Outer_Full	7.32	≤13	PASS
n2	15	10	CP-64QAM	M	Outer_Full	7.73	≤13	PASS
n2	15	10	CP-256QAM	M	Outer_Full	8.78	≤13	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	4.36	≤13	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	5.1	≤13	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	6.09	≤13	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	6.38	≤13	PASS
n2	15	10	DFT-256QAM	H	Outer_Full	6.68	≤13	PASS
n2	15	10	CP-QPSK	H	Outer_Full	7.27	≤13	PASS
n2	15	10	CP-16QAM	H	Outer_Full	7.19	≤13	PASS
n2	15	10	CP-64QAM	H	Outer_Full	7.62	≤13	PASS
n2	15	10	CP-256QAM	H	Outer_Full	8.82	≤13	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	4.11	≤13	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	5.37	≤13	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	5.82	≤13	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	6.22	≤13	PASS
n2	15	15	DFT-256QAM	L	Outer_Full	6.65	≤13	PASS
n2	15	15	CP-QPSK	L	Outer_Full	7.01	≤13	PASS
n2	15	15	CP-16QAM	L	Outer_Full	6.98	≤13	PASS
n2	15	15	CP-64QAM	L	Outer_Full	7.66	≤13	PASS
n2	15	15	CP-256QAM	L	Outer_Full	8.47	≤13	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	7.66	≤13	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	5.19	≤13	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	5.49	≤13	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	6.09	≤13	PASS
n2	15	15	DFT-256QAM	M	Outer_Full	6.64	≤13	PASS
n2	15	15	CP-QPSK	M	Outer_Full	6.68	≤13	PASS
n2	15	15	CP-16QAM	M	Outer_Full	7.35	≤13	PASS
n2	15	15	CP-64QAM	M	Outer_Full	7.88	≤13	PASS
n2	15	15	CP-256QAM	M	Outer_Full	8.55	≤13	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	4.35	≤13	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	5.09	≤13	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	6.03	≤13	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	6.42	≤13	PASS
n2	15	15	DFT-256QAM	H	Outer_Full	6.8	≤13	PASS
n2	15	15	CP-QPSK	H	Outer_Full	7.17	≤13	PASS
n2	15	15	CP-16QAM	H	Outer_Full	7.21	≤13	PASS
n2	15	15	CP-64QAM	H	Outer_Full	7.74	≤13	PASS
n2	15	15	CP-256QAM	H	Outer_Full	8.65	≤13	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	3.9	≤13	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	4.69	≤13	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	5.8	≤13	PASS


n2	15	20	DFT-64QAM	L	Outer_Full	6.14	≤13	PASS
n2	15	20	DFT-256QAM	L	Outer_Full	6.7	≤13	PASS
n2	15	20	CP-QPSK	L	Outer_Full	6.78	≤13	PASS
n2	15	20	CP-16QAM	L	Outer_Full	6.88	≤13	PASS
n2	15	20	CP-64QAM	L	Outer_Full	7.22	≤13	PASS
n2	15	20	CP-256QAM	L	Outer_Full	8.57	≤13	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	4.44	≤13	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	5.25	≤13	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	5.61	≤13	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	6.43	≤13	PASS
n2	15	20	DFT-256QAM	M	Outer_Full	6.78	≤13	PASS
n2	15	20	CP-QPSK	M	Outer_Full	7.31	≤13	PASS
n2	15	20	CP-16QAM	M	Outer_Full	7.36	≤13	PASS
n2	15	20	CP-64QAM	M	Outer_Full	7.74	≤13	PASS
n2	15	20	CP-256QAM	M	Outer_Full	8.62	≤13	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	4.46	≤13	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	5.18	≤13	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	6.1	≤13	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	6.38	≤13	PASS
n2	15	20	DFT-256QAM	H	Outer_Full	6.85	≤13	PASS
n2	15	20	CP-QPSK	H	Outer_Full	7.18	≤13	PASS
n2	15	20	CP-16QAM	H	Outer_Full	7.23	≤13	PASS
n2	15	20	CP-64QAM	H	Outer_Full	7.59	≤13	PASS
n2	15	20	CP-256QAM	H	Outer_Full	8.61	≤13	PASS


Test Graphs



















































26dB Bandwidth and Occupied Bandwidth for SA**Test Result**


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n2	15	5	DFT-BPSK	L	Outer_Full	4.4713	5.020	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	4.4787	4.973	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	4.4786	5.087	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	4.4662	5.014	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	4.4802	5.091	PASS
n2	15	5	CP-QPSK	L	Outer_Full	4.4708	5.088	PASS
n2	15	5	CP-16QAM	L	Outer_Full	4.5159	5.150	PASS
n2	15	5	CP-64QAM	L	Outer_Full	4.4771	5.141	PASS
n2	15	5	CP-256QAM	L	Outer_Full	4.4810	5.191	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	4.4684	4.973	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	4.4704	4.905	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	4.4794	4.987	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	4.4707	4.977	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	4.4888	5.073	PASS
n2	15	5	CP-QPSK	M	Outer_Full	4.4892	5.156	PASS
n2	15	5	CP-16QAM	M	Outer_Full	4.5021	5.141	PASS
n2	15	5	CP-64QAM	M	Outer_Full	4.4894	5.216	PASS
n2	15	5	CP-256QAM	M	Outer_Full	4.4783	5.135	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	4.4603	5.006	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	4.4704	4.960	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	4.4839	5.129	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	4.4765	5.005	PASS
n2	15	5	DFT-256QAM	H	Outer_Full	4.4753	5.050	PASS
n2	15	5	CP-QPSK	H	Outer_Full	4.4867	5.096	PASS
n2	15	5	CP-16QAM	H	Outer_Full	4.4854	5.185	PASS
n2	15	5	CP-64QAM	H	Outer_Full	4.4850	5.130	PASS
n2	15	5	CP-256QAM	H	Outer_Full	4.4793	5.196	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	8.8954	9.575	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	8.9236	9.584	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	8.9389	9.607	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	8.9241	9.596	PASS
n2	15	10	DFT-256QAM	L	Outer_Full	8.9159	9.549	PASS
n2	15	10	CP-QPSK	L	Outer_Full	9.2751	10.11	PASS
n2	15	10	CP-16QAM	L	Outer_Full	9.2626	9.999	PASS
n2	15	10	CP-64QAM	L	Outer_Full	9.2709	10.01	PASS
n2	15	10	CP-256QAM	L	Outer_Full	9.2991	10.10	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	8.9130	9.606	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	8.9276	9.675	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	8.9586	9.739	PASS


n2	15	10	DFT-64QAM	M	Outer_Full	8.9418	9.628	PASS
n2	15	10	DFT-256QAM	M	Outer_Full	8.9218	9.662	PASS
n2	15	10	CP-QPSK	M	Outer_Full	9.2808	10.08	PASS
n2	15	10	CP-16QAM	M	Outer_Full	9.2688	10.02	PASS
n2	15	10	CP-64QAM	M	Outer_Full	9.2843	10.01	PASS
n2	15	10	CP-256QAM	M	Outer_Full	9.3053	10.08	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	8.9029	9.521	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	8.9290	9.650	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	8.9434	9.719	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	8.9321	9.616	PASS
n2	15	10	DFT-256QAM	H	Outer_Full	8.9218	9.645	PASS
n2	15	10	CP-QPSK	H	Outer_Full	9.2698	10.10	PASS
n2	15	10	CP-16QAM	H	Outer_Full	9.2710	10.02	PASS
n2	15	10	CP-64QAM	H	Outer_Full	9.2702	10.03	PASS
n2	15	10	CP-256QAM	H	Outer_Full	9.2860	10.00	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	13.391	14.35	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	13.382	14.24	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	13.399	14.22	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	13.377	14.21	PASS
n2	15	15	DFT-256QAM	L	Outer_Full	13.396	14.28	PASS
n2	15	15	CP-QPSK	L	Outer_Full	14.060	14.88	PASS
n2	15	15	CP-16QAM	L	Outer_Full	14.075	14.92	PASS
n2	15	15	CP-64QAM	L	Outer_Full	14.096	14.97	PASS
n2	15	15	CP-256QAM	L	Outer_Full	14.069	14.94	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	13.418	14.26	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	13.400	14.27	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	13.415	14.39	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	13.402	14.23	PASS
n2	15	15	DFT-256QAM	M	Outer_Full	13.421	14.17	PASS
n2	15	15	CP-QPSK	M	Outer_Full	14.096	14.98	PASS
n2	15	15	CP-16QAM	M	Outer_Full	14.111	15.04	PASS
n2	15	15	CP-64QAM	M	Outer_Full	14.122	15.01	PASS
n2	15	15	CP-256QAM	M	Outer_Full	14.087	14.98	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	13.404	14.31	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	13.398	14.26	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	13.425	14.26	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	13.399	14.20	PASS
n2	15	15	DFT-256QAM	H	Outer_Full	13.433	14.31	PASS
n2	15	15	CP-QPSK	H	Outer_Full	14.075	15.03	PASS
n2	15	15	CP-16QAM	H	Outer_Full	14.095	14.97	PASS
n2	15	15	CP-64QAM	H	Outer_Full	14.097	14.99	PASS
n2	15	15	CP-256QAM	H	Outer_Full	14.101	15.03	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	17.819	18.84	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	17.816	18.78	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	17.823	18.73	PASS


n2	15	20	DFT-64QAM	L	Outer_Full	17.830	18.85	PASS
n2	15	20	DFT-256QAM	L	Outer_Full	17.820	18.68	PASS
n2	15	20	CP-QPSK	L	Outer_Full	18.868	19.92	PASS
n2	15	20	CP-16QAM	L	Outer_Full	18.914	19.98	PASS
n2	15	20	CP-64QAM	L	Outer_Full	18.898	19.87	PASS
n2	15	20	CP-256QAM	L	Outer_Full	18.931	19.95	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	17.873	18.92	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	17.867	18.85	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	17.869	18.79	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	17.876	18.79	PASS
n2	15	20	DFT-256QAM	M	Outer_Full	17.862	18.74	PASS
n2	15	20	CP-QPSK	M	Outer_Full	18.910	19.95	PASS
n2	15	20	CP-16QAM	M	Outer_Full	18.958	20.02	PASS
n2	15	20	CP-64QAM	M	Outer_Full	18.919	19.98	PASS
n2	15	20	CP-256QAM	M	Outer_Full	18.964	20.05	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	17.880	18.95	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	17.861	18.84	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	17.875	18.91	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	17.889	18.84	PASS
n2	15	20	DFT-256QAM	H	Outer_Full	17.867	18.73	PASS
n2	15	20	CP-QPSK	H	Outer_Full	18.938	19.97	PASS
n2	15	20	CP-16QAM	H	Outer_Full	18.943	20.05	PASS
n2	15	20	CP-64QAM	H	Outer_Full	18.930	19.91	PASS
n2	15	20	CP-256QAM	H	Outer_Full	18.961	20.03	PASS


Test Graphs

















NTNV-n2-PC3-15-10-L-DFT-64QAM-Outer_Full-Ant1-PASS



NTNV-n2-PC3-15-10-L-DFT-256QAM-Outer_Full-Ant1-PASS




NTNV-n2-PC3-15-10-L-CP-QPSK-Outer_Full-Ant1-PASS






NTNV-n2-PC3-15-10-L-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n2-PC3-15-10-L-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n2-PC3-15-10-L-CP-256QAM-Outer_Full-Ant1-PASS







NTNV-n2-PC3-15-10-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n2-PC3-15-10-M-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n2-PC3-15-10-M-CP-256QAM-Outer_Full-Ant1-PASS



NTNV-n2-PC3-15-10-H-DFT-BPSK-Outer_Full-Ant1-PASS



NTNV-n2-PC3-15-10-H-DFT-QPSK-Outer_Full-Ant1-PASS



NTNV-n2-PC3-15-10-H-DFT-16QAM-Outer_Full-Ant1-PASS

