

Appendix-B NR Band n66

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	BW	Modulation	CH	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n66	15	5	DFT-BPSK	L	Inner_1RB_Left	23.24	24.14	30	PASS
n66	15	5	DFT-BPSK	L	Inner_1RB_Right	23.17	24.07	30	PASS
n66	15	5	DFT-BPSK	L	Inner_Full	23.2	24.1	30	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	22.67	23.57	30	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Left	23.17	24.07	30	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Right	23.19	24.09	30	PASS
n66	15	5	DFT-QPSK	L	Inner_Full	23.36	24.26	30	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	22.35	23.25	30	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Left	22.19	23.09	30	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Right	22.24	23.14	30	PASS
n66	15	5	DFT-16QAM	L	Inner_Full	22.37	23.27	30	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	21.26	22.16	30	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Left	20.88	21.78	30	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Right	20.85	21.75	30	PASS
n66	15	5	DFT-64QAM	L	Inner_Full	20.84	21.74	30	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	20.7	21.6	30	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Left	18.16	19.06	30	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Right	18.21	19.11	30	PASS
n66	15	5	DFT-256QAM	L	Inner_Full	18.78	19.68	30	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	18.71	19.61	30	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Left	23.19	24.09	30	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Right	23.19	24.09	30	PASS
n66	15	5	DFT-BPSK	M	Inner_Full	23.24	24.14	30	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	22.73	23.63	30	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Left	23.19	24.09	30	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Right	23.19	24.09	30	PASS
n66	15	5	DFT-QPSK	M	Inner_Full	23.29	24.19	30	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	22.2	23.1	30	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Left	22.22	23.12	30	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Right	22.24	23.14	30	PASS
n66	15	5	DFT-16QAM	M	Inner_Full	22.32	23.22	30	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	21.23	22.13	30	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Left	20.9	21.8	30	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Right	20.91	21.81	30	PASS
n66	15	5	DFT-64QAM	M	Inner_Full	20.84	21.74	30	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	20.68	21.58	30	PASS
n66	15	5	DFT-256QAM	M	Inner_1RB_Left	18.2	19.1	30	PASS

n66	15	5	DFT-256QAM	M	Inner_1RB_Right	18.17	19.07	30	PASS
n66	15	5	DFT-256QAM	M	Inner_Full	18.72	19.62	30	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	18.68	19.58	30	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Left	23.08	23.98	30	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Right	23.08	23.98	30	PASS
n66	15	5	DFT-BPSK	H	Inner_Full	23.2	24.1	30	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	22.14	23.04	30	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Left	23.08	23.98	30	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Right	23.1	24	30	PASS
n66	15	5	DFT-QPSK	H	Inner_Full	23.13	24.03	30	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	22.15	23.05	30	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Left	22.18	23.08	30	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Right	22.13	23.03	30	PASS
n66	15	5	DFT-16QAM	H	Inner_Full	22.26	23.16	30	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	21.1	22	30	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Left	20.7	21.6	30	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Right	20.82	21.72	30	PASS
n66	15	5	DFT-64QAM	H	Inner_Full	20.62	21.52	30	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	20.52	21.42	30	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Left	18.06	18.96	30	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Right	18.1	19	30	PASS
n66	15	5	DFT-256QAM	H	Inner_Full	18.65	19.55	30	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	18.48	19.38	30	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Left	23.24	24.14	30	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Right	23.27	24.17	30	PASS
n66	15	10	DFT-BPSK	L	Inner_Full	23.38	24.28	30	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	22.76	23.66	30	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Left	23.36	24.26	30	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Right	23.26	24.16	30	PASS
n66	15	10	DFT-QPSK	L	Inner_Full	23.3	24.2	30	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	22.33	23.23	30	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Left	22.15	23.05	30	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Right	22.29	23.19	30	PASS
n66	15	10	DFT-16QAM	L	Inner_Full	22.4	23.3	30	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	21.24	22.14	30	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Left	20.86	21.76	30	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Right	20.97	21.87	30	PASS
n66	15	10	DFT-64QAM	L	Inner_Full	20.79	21.69	30	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	20.86	21.76	30	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Left	18.13	19.03	30	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Right	18.19	19.09	30	PASS
n66	15	10	DFT-256QAM	L	Inner_Full	18.73	19.63	30	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	18.76	19.66	30	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Left	23.25	24.15	30	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Right	23.21	24.11	30	PASS

n66	15	10	DFT-BPSK	M	Inner_Full	23.26	24.16	30	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	22.73	23.63	30	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Left	23.2	24.1	30	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Right	23.18	24.08	30	PASS
n66	15	10	DFT-QPSK	M	Inner_Full	23.24	24.14	30	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	22.18	23.08	30	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Left	22.28	23.18	30	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Right	22.21	23.11	30	PASS
n66	15	10	DFT-16QAM	M	Inner_Full	22.27	23.17	30	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	21.21	22.11	30	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Left	20.84	21.74	30	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Right	20.8	21.7	30	PASS
n66	15	10	DFT-64QAM	M	Inner_Full	20.68	21.58	30	PASS
n66	15	10	DFT-64QAM	M	Outer_Full	20.74	21.64	30	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Left	18.15	19.05	30	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Right	18.29	19.19	30	PASS
n66	15	10	DFT-256QAM	M	Inner_Full	18.67	19.57	30	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	18.71	19.61	30	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Left	23.03	23.93	30	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Right	23.14	24.04	30	PASS
n66	15	10	DFT-BPSK	H	Inner_Full	23.13	24.03	30	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	22.6	23.5	30	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Left	23.1	24	30	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Right	23.01	23.91	30	PASS
n66	15	10	DFT-QPSK	H	Inner_Full	23.06	23.96	30	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	22.06	22.96	30	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Left	22.12	23.02	30	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Right	22.14	23.04	30	PASS
n66	15	10	DFT-16QAM	H	Inner_Full	22.15	23.05	30	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	21.06	21.96	30	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Left	20.72	21.62	30	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Right	20.82	21.72	30	PASS
n66	15	10	DFT-64QAM	H	Inner_Full	20.54	21.44	30	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	20.58	21.48	30	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Left	18.05	18.95	30	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Right	18.06	18.96	30	PASS
n66	15	10	DFT-256QAM	H	Inner_Full	18.47	19.37	30	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	18.56	19.46	30	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Left	23.2	24.1	30	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Right	23.16	24.06	30	PASS
n66	15	15	DFT-BPSK	L	Inner_Full	23.3	24.2	30	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	22.74	23.64	30	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Left	23.17	24.07	30	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Right	23.24	24.14	30	PASS
n66	15	15	DFT-QPSK	L	Inner_Full	23.21	24.11	30	PASS

n66	15	15	DFT-QPSK	L	Outer_Full	22.2	23.1	30	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Left	22.19	23.09	30	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Right	22.1	23	30	PASS
n66	15	15	DFT-16QAM	L	Inner_Full	22.29	23.19	30	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	21.25	22.15	30	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Left	20.89	21.79	30	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Right	20.79	21.69	30	PASS
n66	15	15	DFT-64QAM	L	Inner_Full	20.75	21.65	30	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	20.72	21.62	30	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Left	18.4	19.3	30	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Right	18.14	19.04	30	PASS
n66	15	15	DFT-256QAM	L	Inner_Full	18.63	19.53	30	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	18.64	19.54	30	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Left	23.15	24.05	30	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Right	23.11	24.01	30	PASS
n66	15	15	DFT-BPSK	M	Inner_Full	23.26	24.16	30	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	22.74	23.64	30	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Left	23.2	24.1	30	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Right	23.18	24.08	30	PASS
n66	15	15	DFT-QPSK	M	Inner_Full	23.25	24.15	30	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	22.17	23.07	30	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Left	22.14	23.04	30	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Right	22.21	23.11	30	PASS
n66	15	15	DFT-16QAM	M	Inner_Full	22.24	23.14	30	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	21.25	22.15	30	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Left	20.81	21.71	30	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Right	20.79	21.69	30	PASS
n66	15	15	DFT-64QAM	M	Inner_Full	20.81	21.71	30	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	20.73	21.63	30	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Left	18.12	19.02	30	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Right	18.06	18.96	30	PASS
n66	15	15	DFT-256QAM	M	Inner_Full	18.67	19.57	30	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	18.63	19.53	30	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Left	23.03	23.93	30	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Right	23.04	23.94	30	PASS
n66	15	15	DFT-BPSK	H	Inner_Full	23.08	23.98	30	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	22.55	23.45	30	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Left	23.07	23.97	30	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Right	23.05	23.95	30	PASS
n66	15	15	DFT-QPSK	H	Inner_Full	23.02	23.92	30	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	22.04	22.94	30	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Left	22.09	22.99	30	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Right	22.09	22.99	30	PASS
n66	15	15	DFT-16QAM	H	Inner_Full	22.12	23.02	30	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	21.11	22.01	30	PASS

n66	15	15	DFT-64QAM	H	Inner_1RB_Left	20.87	21.77	30	PASS
n66	15	15	DFT-64QAM	H	Inner_1RB_Right	20.67	21.57	30	PASS
n66	15	15	DFT-64QAM	H	Inner_Full	20.57	21.47	30	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	20.59	21.49	30	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Left	17.94	18.84	30	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Right	17.93	18.83	30	PASS
n66	15	15	DFT-256QAM	H	Inner_Full	18.49	19.39	30	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	18.54	19.44	30	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Left	23.22	24.12	30	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Right	23.18	24.08	30	PASS
n66	15	20	DFT-BPSK	L	Inner_Full	23.23	24.13	30	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	22.81	23.71	30	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Left	23.22	24.12	30	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Right	23.18	24.08	30	PASS
n66	15	20	DFT-QPSK	L	Inner_Full	23.19	24.09	30	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	22.23	23.13	30	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Left	22.17	23.07	30	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Right	22.03	22.93	30	PASS
n66	15	20	DFT-16QAM	L	Inner_Full	22.17	23.07	30	PASS
n66	15	20	DFT-16QAM	L	Outer_Full	21.13	22.03	30	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Left	20.89	21.79	30	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Right	20.74	21.64	30	PASS
n66	15	20	DFT-64QAM	L	Inner_Full	20.72	21.62	30	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	20.66	21.56	30	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Left	18.05	18.95	30	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Right	17.99	18.89	30	PASS
n66	15	20	DFT-256QAM	L	Inner_Full	18.68	19.58	30	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	18.66	19.56	30	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Left	23.12	24.02	30	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Right	23.15	24.05	30	PASS
n66	15	20	DFT-BPSK	M	Inner_Full	23.22	24.12	30	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	22.71	23.61	30	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Left	23.22	24.12	30	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Right	23.14	24.04	30	PASS
n66	15	20	DFT-QPSK	M	Inner_Full	23.24	24.14	30	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	22.17	23.07	30	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Left	22.22	23.12	30	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Right	22.18	23.08	30	PASS
n66	15	20	DFT-16QAM	M	Inner_Full	22.22	23.12	30	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	21.19	22.09	30	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Left	20.79	21.69	30	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Right	20.85	21.75	30	PASS
n66	15	20	DFT-64QAM	M	Inner_Full	20.79	21.69	30	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	20.73	21.63	30	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Left	18.11	19.01	30	PASS

n66	15	20	DFT-256QAM	M	Inner_1RB_Right	17.87	18.77	30	PASS
n66	15	20	DFT-256QAM	M	Inner_Full	18.69	19.59	30	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	18.67	19.57	30	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Left	23.02	23.92	30	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Right	23.18	24.08	30	PASS
n66	15	20	DFT-BPSK	H	Inner_Full	23.11	24.01	30	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	22.5	23.4	30	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Left	23.1	24	30	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Right	23.06	23.96	30	PASS
n66	15	20	DFT-QPSK	H	Inner_Full	23.03	23.93	30	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	22.09	22.99	30	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Left	22.09	22.99	30	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Right	21.98	22.88	30	PASS
n66	15	20	DFT-16QAM	H	Inner_Full	22.05	22.95	30	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	21.11	22.01	30	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Left	20.76	21.66	30	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Right	20.54	21.44	30	PASS
n66	15	20	DFT-64QAM	H	Inner_Full	20.59	21.49	30	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	20.59	21.49	30	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Left	17.96	18.86	30	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Right	17.93	18.83	30	PASS
n66	15	20	DFT-256QAM	H	Inner_Full	18.5	19.4	30	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	18.56	19.46	30	PASS

Peak-to-Average Ratio for SA


Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
n66	15	5	DFT-BPSK	L	Outer_Full	4.01	≤13dB	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	4.67	≤13dB	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	5.83	≤13dB	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	6.3	≤13dB	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	6.48	≤13dB	PASS
n66	15	5	CP-QPSK	L	Outer_Full	7.14	≤13dB	PASS
n66	15	5	CP-16QAM	L	Outer_Full	7.21	≤13dB	PASS
n66	15	5	CP-64QAM	L	Outer_Full	7.69	≤13dB	PASS
n66	15	5	CP-256QAM	L	Outer_Full	8.51	≤13dB	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	4.37	≤13dB	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	4.99	≤13dB	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	6.13	≤13dB	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	6.53	≤13dB	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	6.59	≤13dB	PASS
n66	15	5	CP-QPSK	M	Outer_Full	7.05	≤13dB	PASS
n66	15	5	CP-16QAM	M	Outer_Full	7.14	≤13dB	PASS
n66	15	5	CP-64QAM	M	Outer_Full	7.65	≤13dB	PASS
n66	15	5	CP-256QAM	M	Outer_Full	8.59	≤13dB	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	4.33	≤13dB	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	4.94	≤13dB	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	6.08	≤13dB	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	6.52	≤13dB	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	6.62	≤13dB	PASS
n66	15	5	CP-QPSK	H	Outer_Full	7.04	≤13dB	PASS
n66	15	5	CP-16QAM	H	Outer_Full	7.11	≤13dB	PASS
n66	15	5	CP-64QAM	H	Outer_Full	7.61	≤13dB	PASS
n66	15	5	CP-256QAM	H	Outer_Full	8.66	≤13dB	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	4.37	≤13dB	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	5.08	≤13dB	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	6.11	≤13dB	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	6.42	≤13dB	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	6.64	≤13dB	PASS
n66	15	10	CP-QPSK	L	Outer_Full	7.27	≤13dB	PASS
n66	15	10	CP-16QAM	L	Outer_Full	7.21	≤13dB	PASS
n66	15	10	CP-64QAM	L	Outer_Full	7.64	≤13dB	PASS
n66	15	10	CP-256QAM	L	Outer_Full	8.73	≤13dB	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	4.32	≤13dB	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	4.98	≤13dB	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	6	≤13dB	PASS
n66	15	10	DFT-64QAM	M	Outer_Full	6.38	≤13dB	PASS


n66	15	10	DFT-256QAM	M	Outer_Full	6.69	≤13dB	PASS
n66	15	10	CP-QPSK	M	Outer_Full	7.22	≤13dB	PASS
n66	15	10	CP-16QAM	M	Outer_Full	7.13	≤13dB	PASS
n66	15	10	CP-64QAM	M	Outer_Full	7.55	≤13dB	PASS
n66	15	10	CP-256QAM	M	Outer_Full	8.74	≤13dB	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	4.32	≤13dB	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	5.02	≤13dB	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	6.05	≤13dB	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	6.38	≤13dB	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	8.45	≤13dB	PASS
n66	15	10	CP-QPSK	H	Outer_Full	7.19	≤13dB	PASS
n66	15	10	CP-16QAM	H	Outer_Full	7.09	≤13dB	PASS
n66	15	10	CP-64QAM	H	Outer_Full	7.48	≤13dB	PASS
n66	15	10	CP-256QAM	H	Outer_Full	8.8	≤13dB	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	4.5	≤13dB	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	5.25	≤13dB	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	6.16	≤13dB	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	6.53	≤13dB	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	6.7	≤13dB	PASS
n66	15	15	CP-QPSK	L	Outer_Full	7.43	≤13dB	PASS
n66	15	15	CP-16QAM	L	Outer_Full	7.35	≤13dB	PASS
n66	15	15	CP-64QAM	L	Outer_Full	7.97	≤13dB	PASS
n66	15	15	CP-256QAM	L	Outer_Full	8.47	≤13dB	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	4.37	≤13dB	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	5.08	≤13dB	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	5.98	≤13dB	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	6.44	≤13dB	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	6.78	≤13dB	PASS
n66	15	15	CP-QPSK	M	Outer_Full	7.17	≤13dB	PASS
n66	15	15	CP-16QAM	M	Outer_Full	7.14	≤13dB	PASS
n66	15	15	CP-64QAM	M	Outer_Full	7.75	≤13dB	PASS
n66	15	15	CP-256QAM	M	Outer_Full	8.5	≤13dB	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	4.52	≤13dB	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	5.23	≤13dB	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	6.11	≤13dB	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	6.55	≤13dB	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	6.83	≤13dB	PASS
n66	15	15	CP-QPSK	H	Outer_Full	7.29	≤13dB	PASS
n66	15	15	CP-16QAM	H	Outer_Full	7.28	≤13dB	PASS
n66	15	15	CP-64QAM	H	Outer_Full	7.84	≤13dB	PASS
n66	15	15	CP-256QAM	H	Outer_Full	8.56	≤13dB	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	4.43	≤13dB	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	5.2	≤13dB	PASS
n66	15	20	DFT-16QAM	L	Outer_Full	6.16	≤13dB	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	6.45	≤13dB	PASS


n66	15	20	DFT-256QAM	L	Outer_Full	6.74	≤13dB	PASS
n66	15	20	CP-QPSK	L	Outer_Full	7.31	≤13dB	PASS
n66	15	20	CP-16QAM	L	Outer_Full	7.39	≤13dB	PASS
n66	15	20	CP-64QAM	L	Outer_Full	7.76	≤13dB	PASS
n66	15	20	CP-256QAM	L	Outer_Full	8.54	≤13dB	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	4.34	≤13dB	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	5.05	≤13dB	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	6.04	≤13dB	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	6.38	≤13dB	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	6.83	≤13dB	PASS
n66	15	20	CP-QPSK	M	Outer_Full	7.17	≤13dB	PASS
n66	15	20	CP-16QAM	M	Outer_Full	7.12	≤13dB	PASS
n66	15	20	CP-64QAM	M	Outer_Full	7.48	≤13dB	PASS
n66	15	20	CP-256QAM	M	Outer_Full	8.55	≤13dB	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	4.61	≤13dB	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	5.29	≤13dB	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	6.19	≤13dB	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	6.47	≤13dB	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	6.87	≤13dB	PASS
n66	15	20	CP-QPSK	H	Outer_Full	7.38	≤13dB	PASS
n66	15	20	CP-16QAM	H	Outer_Full	7.33	≤13dB	PASS
n66	15	20	CP-64QAM	H	Outer_Full	7.67	≤13dB	PASS
n66	15	20	CP-256QAM	H	Outer_Full	8.58	≤13dB	PASS


Test Graphs



















































26dB Bandwidth and Occupied Bandwidth for SA**Test Result**


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n66	15	5	DFT-BPSK	L	Outer_Full	4.4699	5.009	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	4.4677	4.899	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	4.4826	5.091	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	4.4688	4.957	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	4.4833	5.049	PASS
n66	15	5	CP-QPSK	L	Outer_Full	4.4975	5.125	PASS
n66	15	5	CP-16QAM	L	Outer_Full	4.4834	5.116	PASS
n66	15	5	CP-64QAM	L	Outer_Full	4.4947	5.162	PASS
n66	15	5	CP-256QAM	L	Outer_Full	4.4758	5.115	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	4.4671	5.047	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	4.4740	4.972	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	4.4832	5.129	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	4.4707	4.968	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	4.4800	5.047	PASS
n66	15	5	CP-QPSK	M	Outer_Full	4.4892	5.158	PASS
n66	15	5	CP-16QAM	M	Outer_Full	4.4804	5.083	PASS
n66	15	5	CP-64QAM	M	Outer_Full	4.4889	5.189	PASS
n66	15	5	CP-256QAM	M	Outer_Full	4.4774	5.112	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	4.4721	5.054	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	4.4755	4.922	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	4.4846	5.142	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	4.4806	4.973	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	4.4821	5.026	PASS
n66	15	5	CP-QPSK	H	Outer_Full	4.4980	5.090	PASS
n66	15	5	CP-16QAM	H	Outer_Full	4.4808	5.136	PASS
n66	15	5	CP-64QAM	H	Outer_Full	4.4904	5.143	PASS
n66	15	5	CP-256QAM	H	Outer_Full	4.4810	5.124	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	8.9039	9.584	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	8.9180	9.610	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	8.9491	9.655	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	8.9309	9.610	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	8.9322	9.716	PASS
n66	15	10	CP-QPSK	L	Outer_Full	9.2731	10.14	PASS
n66	15	10	CP-16QAM	L	Outer_Full	9.2736	10.09	PASS
n66	15	10	CP-64QAM	L	Outer_Full	9.2734	10.02	PASS
n66	15	10	CP-256QAM	L	Outer_Full	9.2804	10.06	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	8.9035	9.609	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	8.9248	9.615	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	8.9416	9.599	PASS


n66	15	10	DFT-64QAM	M	Outer_Full	8.9373	9.637	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	8.9155	9.571	PASS
n66	15	10	CP-QPSK	M	Outer_Full	9.2840	10.09	PASS
n66	15	10	CP-16QAM	M	Outer_Full	9.2801	10.08	PASS
n66	15	10	CP-64QAM	M	Outer_Full	9.2795	10.08	PASS
n66	15	10	CP-256QAM	M	Outer_Full	9.2963	10.06	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	8.9117	9.644	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	8.9312	9.696	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	8.9512	9.731	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	8.9470	9.639	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	8.9225	9.672	PASS
n66	15	10	CP-QPSK	H	Outer_Full	9.2812	10.16	PASS
n66	15	10	CP-16QAM	H	Outer_Full	9.2797	10.10	PASS
n66	15	10	CP-64QAM	H	Outer_Full	9.2859	10.03	PASS
n66	15	10	CP-256QAM	H	Outer_Full	9.2762	9.975	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	13.392	14.18	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	13.416	14.27	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	13.425	14.35	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	13.392	14.22	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	13.407	14.18	PASS
n66	15	15	CP-QPSK	L	Outer_Full	14.080	15.06	PASS
n66	15	15	CP-16QAM	L	Outer_Full	14.114	15.07	PASS
n66	15	15	CP-64QAM	L	Outer_Full	14.113	14.99	PASS
n66	15	15	CP-256QAM	L	Outer_Full	14.074	15.00	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	13.410	14.33	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	13.407	14.29	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	13.434	14.39	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	13.403	14.24	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	13.419	14.22	PASS
n66	15	15	CP-QPSK	M	Outer_Full	14.094	15.01	PASS
n66	15	15	CP-16QAM	M	Outer_Full	14.116	15.01	PASS
n66	15	15	CP-64QAM	M	Outer_Full	14.115	15.04	PASS
n66	15	15	CP-256QAM	M	Outer_Full	14.116	15.08	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	13.407	14.25	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	13.419	14.35	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	13.418	14.22	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	13.402	14.22	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	13.437	14.35	PASS
n66	15	15	CP-QPSK	H	Outer_Full	14.094	15.01	PASS
n66	15	15	CP-16QAM	H	Outer_Full	14.109	15.10	PASS
n66	15	15	CP-64QAM	H	Outer_Full	14.134	15.06	PASS
n66	15	15	CP-256QAM	H	Outer_Full	14.123	15.09	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	17.855	18.89	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	17.852	18.82	PASS
n66	15	20	DFT-16QAM	L	Outer_Full	17.874	18.88	PASS


n66	15	20	DFT-64QAM	L	Outer_Full	17.867	18.80	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	17.841	18.75	PASS
n66	15	20	CP-QPSK	L	Outer_Full	18.897	20.00	PASS
n66	15	20	CP-16QAM	L	Outer_Full	18.919	20.00	PASS
n66	15	20	CP-64QAM	L	Outer_Full	18.890	19.94	PASS
n66	15	20	CP-256QAM	L	Outer_Full	18.984	19.98	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	17.880	18.98	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	17.862	18.87	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	17.863	18.86	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	17.874	18.78	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	17.859	18.77	PASS
n66	15	20	CP-QPSK	M	Outer_Full	18.939	19.91	PASS
n66	15	20	CP-16QAM	M	Outer_Full	18.941	20.13	PASS
n66	15	20	CP-64QAM	M	Outer_Full	18.941	19.93	PASS
n66	15	20	CP-256QAM	M	Outer_Full	18.981	20.09	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	17.870	18.89	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	17.853	18.89	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	17.870	18.82	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	17.887	18.81	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	17.863	18.77	PASS
n66	15	20	CP-QPSK	H	Outer_Full	18.925	20.04	PASS
n66	15	20	CP-16QAM	H	Outer_Full	18.944	20.15	PASS
n66	15	20	CP-64QAM	H	Outer_Full	18.916	19.92	PASS
n66	15	20	CP-256QAM	H	Outer_Full	18.972	20.05	PASS

Test Graphs











NTNV-n66-PC3-15-5-H-DFT-BPSK-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-5-H-DFT-QPSK-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-5-H-DFT-16QAM-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-5-H-DFT-64QAM-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-5-H-DFT-256QAM-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-5-H-CP-QPSK-Outer_Full-Ant1-PASS







NTNV-n66-PC3-15-10-L-DFT-64QAM-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-10-L-DFT-256QAM-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-10-L-CP-QPSK-Outer_Full-Ant1-PASS



NTNV-n66-PC3-15-10-L-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-10-L-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-10-L-CP-256QAM-Outer_Full-Ant1-PASS







NTNV-n66-PC3-15-10-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-10-M-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-10-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-10-H-DFT-BPSK-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-10-H-DFT-QPSK-Outer_Full-Ant1-PASS




NTNV-n66-PC3-15-10-H-DFT-16QAM-Outer_Full-Ant1-PASS




NTVN-n66-PC3-15-10-H-DFT-64QAM-Outer_Full-Ant1-PASS




NTVN-n66-PC3-15-10-H-DFT-256QAM-Outer_Full-Ant1-PASS




NTVN-n66-PC3-15-10-H-CP-QPSK-Outer_Full-Ant1-PASS



NTVN-n66-PC3-15-10-H-CP-16QAM-Outer_Full-Ant1-PASS



NTVN-n66-PC3-15-10-H-CP-64QAM-Outer_Full-Ant1-PASS



NTVN-n66-PC3-15-10-H-CP-256QAM-Outer_Full-Ant1-PASS