


Band Edge


5.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	16.02	30	13.98	Pass	401
849	850	0.1	RMS	849	-33.91	-13	20.91	Pass	401
850	860	0.1	RMS	850.05	-41.48	-13	28.48	Pass	401



5.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	843.375	-1.16	30	31.16	Pass	401
849	850	0.1	RMS	849	-39.36	-13	26.36	Pass	401
850	860	0.1	RMS	850.1	-45.04	-13	32.04	Pass	401



6. LTE_Band7


6.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2491.768	-47.57	-25	22.57	Pass	401
2494	2496	1	RMS	2496	-43.61	-13	30.61	Pass	401
2496	2499	1	RMS	2499	-36.84	-10	26.84	Pass	4
2499	2500	0.1	RMS	2499.998	-30.06	-10	20.06	Pass	401
2500	2505	0.1	RMS	2500.438	16.83	30	13.17	Pass	401




6.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2492.575	-44.05	-25	19.05	Pass	401
2494	2496	1	RMS	2496	-36.44	-13	23.44	Pass	401
2496	2499	1	RMS	2499	-25.76	-10	15.76	Pass	4
2499	2500	0.1	RMS	2500	-31.88	-10	21.88	Pass	401
2500	2505	0.1	RMS	2501.95	2.73	30	27.27	Pass	401




6.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2491.863	-47.84	-25	22.84	Pass	401
2494	2496	1	RMS	2495.99	-46.65	-13	33.65	Pass	401
2496	2499	1	RMS	2499	-38.46	-10	28.46	Pass	4
2499	2500	0.1	RMS	2500	-31.02	-10	21.02	Pass	401
2500	2505	0.1	RMS	2500.413	16.18	30	13.82	Pass	401




6.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-43	-25	18	Pass	401
2494	2496	1	RMS	2495.985	-37.66	-13	24.66	Pass	401
2496	2499	1	RMS	2499	-27.18	-10	17.18	Pass	4
2499	2500	0.1	RMS	2500	-33.59	-10	23.59	Pass	401
2500	2505	0.1	RMS	2502.35	1.77	30	28.23	Pass	401




6.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.738	16.92	30	13.08	Pass	401
2570	2571	0.051	RMS	2570	-15.95	-10	5.95	Pass*	401
2571	2575	1	RMS	2571	-31.39	-10	21.39	Pass	5
2575	2576	1	RMS	2575	-45.64	-13	32.64	Pass	401
2576	2595	1	RMS	2578.375	-48.68	-25	23.68	Pass	401




6.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.763	2.8	30	27.2	Pass	401
2570	2571	0.1	RMS	2570	-25.19	-10	15.19	Pass	401
2571	2575	1	RMS	2571	-26.82	-10	16.82	Pass	5
2575	2576	1	RMS	2575.14	-35.88	-13	22.88	Pass	401
2576	2595	1	RMS	2576	-39.27	-25	14.27	Pass	401




6.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.738	15.94	30	14.06	Pass	401
2570	2571	0.1	RMS	2570	-15.33	-10	5.33	Pass*	11
2571	2575	1	RMS	2571	-35.09	-10	25.09	Pass	5
2575	2576	1	RMS	2575.003	-47.37	-13	34.37	Pass	401
2576	2595	1	RMS	2578.423	-52.53	-25	27.53	Pass	401




6.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.3	2.02	30	27.98	Pass	401
2570	2571	0.1	RMS	2570.003	-25.68	-10	15.68	Pass	401
2571	2575	1	RMS	2571	-29.06	-10	19.06	Pass	5
2575	2576	1	RMS	2575.003	-39.38	-13	26.38	Pass	401
2576	2595	1	RMS	2576	-42.13	-25	17.13	Pass	401




6.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.063	-51.11	-25	26.11	Pass	401
2490	2496	1	RMS	2496	-43.13	-13	30.13	Pass	401
2496	2499	1	RMS	2499	-36.24	-10	26.24	Pass	4
2499	2500	0.2	RMS	2500	-30.2	-10	20.2	Pass	401
2500	2510	0.1	RMS	2500.675	17.23	30	12.77	Pass	401




6.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-46.58	-25	21.58	Pass	401
2490	2496	1	RMS	2496	-32.58	-13	19.58	Pass	401
2496	2499	1	RMS	2499	-29.78	-10	19.78	Pass	4
2499	2500	0.2	RMS	2499.993	-33.34	-10	23.34	Pass	401
2500	2510	0.1	RMS	2504.375	-0.04	30	30.04	Pass	401




6.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.063	-51.01	-25	26.01	Pass	401
2490	2496	1	RMS	2496	-44.34	-13	31.34	Pass	401
2496	2499	1	RMS	2499	-37.2	-10	27.2	Pass	4
2499	2500	0.2	RMS	2500	-31.29	-10	21.29	Pass	401
2500	2510	0.1	RMS	2500.675	16.19	30	13.81	Pass	401




6.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-44.47	-25	19.47	Pass	401
2490	2496	1	RMS	2496	-33.49	-13	20.49	Pass	401
2496	2499	1	RMS	2499	-30.92	-10	20.92	Pass	4
2499	2500	0.2	RMS	2500	-34.81	-10	24.81	Pass	401
2500	2510	0.1	RMS	2504.05	-1.01	30	31.01	Pass	401



6.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.5	17.19	30	12.81	Pass	401
2570	2571	0.2	RMS	2570	-20.5	-10	10.5	Pass	401
2571	2575	1	RMS	2571	-35.43	-10	25.43	Pass	5
2575	2580	1	RMS	2578.275	-40.56	-13	27.56	Pass	401
2580	2595	1	RMS	2587.088	-44.33	-25	19.33	Pass	401




6.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2563.9	0.17	30	29.83	Pass	401
2570	2571	0.2	RMS	2570	-31.22	-10	21.22	Pass	401
2571	2575	1	RMS	2571	-29.32	-10	19.32	Pass	5
2575	2580	1	RMS	2575.013	-32.65	-13	19.65	Pass	401
2580	2595	1	RMS	2580.075	-41.39	-25	16.39	Pass	401




6.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.5	16.44	30	13.56	Pass	401
2570	2571	0.2	RMS	2570	-21.34	-10	11.34	Pass	401
2571	2575	1	RMS	2571	-36.1	-10	26.1	Pass	5
2575	2580	1	RMS	2578.15	-41.6	-13	28.6	Pass	401
2580	2595	1	RMS	2587.088	-45.48	-25	20.48	Pass	401




6.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2564.425	-0.93	30	30.93	Pass	401
2570	2571	0.2	RMS	2570.003	-33.15	-10	23.15	Pass	401
2571	2575	1	RMS	2571	-32.18	-10	22.18	Pass	5
2575	2580	1	RMS	2575.1	-35.74	-13	22.74	Pass	401
2580	2595	1	RMS	2580.075	-44.11	-25	19.11	Pass	401




6.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.6	-42.06	-25	17.06	Pass	401
2490	2496	1	RMS	2494.305	-41.49	-13	28.49	Pass	401
2496	2499	1	RMS	2499	-37.56	-10	27.56	Pass	4
2499	2500	0.3	RMS	2500	-29.1	-10	19.1	Pass	401
2500	2515	0.1	RMS	2500.938	17.33	30	12.67	Pass	401




6.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.03	-25	12.03	Pass	401
2490	2496	1	RMS	2493.675	-32.35	-13	19.35	Pass	401
2496	2499	1	RMS	2498	-31.08	-10	21.08	Pass	4
2499	2500	0.3	RMS	2500	-35.03	-10	25.03	Pass	401
2500	2515	0.1	RMS	2506.488	-1.9	30	31.9	Pass	401




6.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.563	-44.35	-25	19.35	Pass	401
2490	2496	1	RMS	2494.26	-44.75	-13	31.75	Pass	401
2496	2499	1	RMS	2499	-38.38	-10	28.38	Pass	4
2499	2500	0.3	RMS	2500	-30.37	-10	20.37	Pass	401
2500	2515	0.1	RMS	2500.938	15.94	30	14.06	Pass	401




6.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.05	-25	14.05	Pass	401
2490	2496	1	RMS	2496	-33.47	-13	20.47	Pass	401
2496	2499	1	RMS	2498	-32.08	-10	22.08	Pass	4
2499	2500	0.3	RMS	2500	-36.21	-10	26.21	Pass	401
2500	2515	0.1	RMS	2506.563	-2.74	30	32.74	Pass	401



6.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.25	16.96	30	13.04	Pass	401
2570	2571	0.3	RMS	2570.003	-21.61	-10	11.61	Pass	401
2571	2575	1	RMS	2571	-35.14	-10	25.14	Pass	5
2575	2585	1	RMS	2582.55	-39.23	-13	26.23	Pass	401
2585	2595	1	RMS	2588.9	-55.24	-25	30.24	Pass	401




6.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2561.9	-1.37	30	31.37	Pass	401
2570	2571	0.3	RMS	2570.003	-31.3	-10	21.3	Pass	401
2571	2575	1	RMS	2571	-28.26	-10	18.26	Pass	5
2575	2585	1	RMS	2575	-31.09	-13	18.09	Pass	401
2585	2595	1	RMS	2585.225	-44.61	-25	19.61	Pass	401



6.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.25	16.61	30	13.39	Pass	401
2570	2571	0.3	RMS	2570.005	-22.1	-10	12.1	Pass	401
2571	2575	1	RMS	2571	-35.55	-10	25.55	Pass	5
2575	2585	1	RMS	2582.65	-39.99	-13	26.99	Pass	401
2585	2595	1	RMS	2589.45	-55.24	-25	30.24	Pass	401




6.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2561.188	-2.62	30	32.62	Pass	401
2570	2571	0.3	RMS	2570	-34.78	-10	24.78	Pass	401
2571	2575	1	RMS	2571	-33.11	-10	23.11	Pass	5
2575	2585	1	RMS	2575.025	-35.73	-13	22.73	Pass	401
2585	2595	1	RMS	2585.375	-47.61	-25	22.61	Pass	401




6.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.363	-40.93	-25	15.93	Pass	401
2490	2496	1	RMS	2492.28	-42.68	-13	29.68	Pass	401
2496	2499	1	RMS	2499	-40.73	-10	30.73	Pass	4
2499	2500	0.51	RMS	2500	-28.1	-10	18.1	Pass	401
2500	2520	0.1	RMS	2501.15	16.96	30	13.04	Pass	401




6.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.03	-25	10.03	Pass	16
2490	2496	1	RMS	2495.895	-32.79	-13	19.79	Pass	401
2496	2499	1	RMS	2499	-32.23	-10	22.23	Pass	4
2499	2500	0.51	RMS	2499.998	-33.02	-10	23.02	Pass	401
2500	2520	0.1	RMS	2512.7	-2.8	30	32.8	Pass	401




6.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.363	-42.77	-25	17.77	Pass	401
2490	2496	1	RMS	2492.205	-43.88	-13	30.88	Pass	401
2496	2499	1	RMS	2499	-40.91	-10	30.91	Pass	4
2499	2500	0.51	RMS	2499.998	-27.97	-10	17.97	Pass	401
2500	2520	0.1	RMS	2501.2	16.26	30	13.74	Pass	401




6.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.26	-25	11.26	Pass	401
2490	2496	1	RMS	2496	-34.46	-13	21.46	Pass	401
2496	2499	1	RMS	2499	-33.63	-10	23.63	Pass	4
2499	2500	0.51	RMS	2500	-34.88	-10	24.88	Pass	401
2500	2520	0.1	RMS	2513	-4.03	30	34.03	Pass	401



6.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2569	16.72	30	13.28	Pass	401
2570	2571	0.51	RMS	2570	-22.58	-10	12.58	Pass	401
2571	2575	1	RMS	2571	-38.57	-10	28.57	Pass	5
2575	2590	1	RMS	2577.813	-41.28	-13	28.28	Pass	401
2590	2595	1	RMS	2594.263	-55.36	-25	30.36	Pass	401




6.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2561.6	-2.42	30	32.42	Pass	401
2570	2571	0.51	RMS	2570.053	-30.46	-10	20.46	Pass	401
2571	2575	1	RMS	2571	-30.04	-10	20.04	Pass	5
2575	2590	1	RMS	2575.45	-31.85	-13	18.85	Pass	401
2590	2595	1	RMS	2590.088	-48.99	-25	23.99	Pass	401



6.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2569	15.91	30	14.09	Pass	401
2570	2571	0.51	RMS	2570	-22.56	-10	12.56	Pass	401
2571	2575	1	RMS	2571	-36.36	-10	26.36	Pass	5
2575	2590	1	RMS	2577.888	-42.75	-13	29.75	Pass	401
2590	2595	1	RMS	2590.663	-55.34	-25	30.34	Pass	401



6.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2561.1	-3.58	30	33.58	Pass	401
2570	2571	0.51	RMS	2570.003	-33.66	-10	23.66	Pass	401
2571	2575	1	RMS	2571	-33.08	-10	23.08	Pass	5
2575	2590	1	RMS	2575	-35.22	-13	22.22	Pass	401
2590	2595	1	RMS	2590.138	-50.5	-25	25.5	Pass	401



7. LTE_Band12


7.1 LTE Band Edge_Part22-24-27(NTLV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.4	-13	19.4	Pass	401
698.9	699	0.03	RMS	699	-28.08	-13	15.08	Pass	401
699	701	0.1	RMS	699.275	16.56	30	13.44	Pass	401



7.2 LTE Band Edge_Part22-24-27(NTLV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.95	-13	20.95	Pass	401
698.9	699	0.03	RMS	699	-34.84	-13	21.84	Pass	401
699	701	0.1	RMS	699.315	8.01	30	21.99	Pass	401




7.3 LTE Band Edge_Part22-24-27(NTLV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.49	-13	20.49	Pass	401
698.9	699	0.03	RMS	698.999	-30.56	-13	17.56	Pass	401
699	701	0.1	RMS	699.275	15.54	30	14.46	Pass	401




7.4 LTE Band Edge_Part22-24-27(NTLV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-36.47	-13	23.47	Pass	401
698.9	699	0.03	RMS	699	-36.62	-13	23.62	Pass	401
699	701	0.1	RMS	700.145	7.15	30	22.85	Pass	401




7.5 LTE Band Edge_Part22-24-27(NTLV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.78	16.22	30	13.78	Pass	401
716	716.1	0.03	RMS	716	-23.66	-13	10.66	Pass	5
716.1	725	0.1	RMS	716.1	-27.34	-13	14.34	Pass	401




7.6 LTE Band Edge_Part22-24-27(NTLV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.46	7.88	30	22.12	Pass	401
716	716.1	0.03	RMS	716	-29.6	-13	16.6	Pass	401
716.1	725	0.1	RMS	716.1	-33.11	-13	20.11	Pass	401




7.7 LTE Band Edge_Part22-24-27(NTLV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.77	16.02	30	13.98	Pass	401
716	716.1	0.03	RMS	716	-22.76	-13	9.76	Pass	401
716.1	725	0.1	RMS	716.1	-27.39	-13	14.39	Pass	401




7.8 LTE Band Edge_Part22-24-27(NTLV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.355	7.26	30	22.74	Pass	401
716	716.1	0.03	RMS	716	-30.75	-13	17.75	Pass	401
716.1	725	0.1	RMS	716.1	-33.59	-13	20.59	Pass	401




7.9 LTE Band Edge_Part22-24-27(NTLV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.21	-13	18.21	Pass	401
698.9	698.985	0.03	RMS	698.985	-29.05	-13	16.05	Pass	401
699	702	0.1	RMS	699.27	16.58	30	13.42	Pass	401




7.10 LTE Band Edge_Part22-24-27(NTLV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-37.93	-13	24.93	Pass	401
698.9	699	0.03	RMS	699	-35.42	-13	22.42	Pass	401
699	702	0.1	RMS	700.448	4.31	30	25.69	Pass	401




7.11 LTE Band Edge_Part22-24-27(NTLV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.24	-13	20.24	Pass	401
698.9	699	0.03	RMS	699	-29.98	-13	16.98	Pass	401
699	702	0.1	RMS	699.263	15.49	30	14.51	Pass	401




7.12 LTE Band Edge_Part22-24-27(NTLV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-38.61	-13	25.61	Pass	401
698.9	699	0.03	RMS	699	-37.41	-13	24.41	Pass	401
699	702	0.1	RMS	700.2	3.37	30	26.63	Pass	401




7.13 LTE Band Edge_Part22-24-27(NTLV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.798	16.6	30	13.4	Pass	401
716.015	716.1	0.03	RMS	716.015	-24.56	-13	11.56	Pass	4
716.1	725	0.1	RMS	716.1	-26.1	-13	13.1	Pass	401




7.14 LTE Band Edge_Part22-24-27(NTLV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	714.898	4.16	30	25.84	Pass	401
716	716.1	0.03	RMS	716	-31.56	-13	18.56	Pass	401
716.1	725	0.1	RMS	716.1	-35.59	-13	22.59	Pass	401




7.15 LTE Band Edge_Part22-24-27(NTLV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.783	15.61	30	14.39	Pass	401
716.015	716.1	0.03	RMS	716.015	-25.44	-13	12.44	Pass	401
716.1	725	0.1	RMS	716.1	-28.57	-13	15.57	Pass	401




7.16 LTE Band Edge_Part22-24-27(NTLV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	714.635	2.87	30	27.13	Pass	401
716	716.1	0.03	RMS	716	-31.71	-13	18.71	Pass	401
716.1	725	0.1	RMS	716.1	-36.13	-13	23.13	Pass	401




7.17 LTE Band Edge_Part22-24-27(NTLV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-34.52	-13	21.52	Pass	401
698.9	699	0.03	RMS	699	-32.08	-13	19.08	Pass	401
699	704	0.1	RMS	699.35	16.08	30	13.92	Pass	401




7.18 LTE Band Edge_Part22-24-27(NTLV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-38.37	-13	25.37	Pass	401
698.9	699	0.03	RMS	699	-38.06	-13	25.06	Pass	401
699	704	0.1	RMS	700.713	2.29	30	27.71	Pass	401




7.19 LTE Band Edge_Part22-24-27(NTLV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-36.82	-13	23.82	Pass	401
698.9	699	0.03	RMS	699	-33.19	-13	20.19	Pass	401
699	704	0.1	RMS	699.375	15.28	30	14.72	Pass	401




7.20 LTE Band Edge_Part22-24-27(NTLV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-39.6	-13	26.6	Pass	401
698.9	699	0.03	RMS	698.999	-39.5	-13	26.5	Pass	401
699	704	0.1	RMS	700.713	1.27	30	28.73	Pass	401



7.21 LTE Band Edge_Part22-24-27(NTLV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.688	16.19	30	13.81	Pass	401
716	716.1	0.03	RMS	716	-27	-13	14	Pass	401
716.1	725	0.1	RMS	716.1	-31.1	-13	18.1	Pass	401




7.22 LTE Band Edge_Part22-24-27(NTLV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.9	2	30	28	Pass	401
716	716.1	0.03	RMS	716	-35.63	-13	22.63	Pass	401
716.1	725	0.1	RMS	716.1	-36.17	-13	23.17	Pass	401



7.23 LTE Band Edge_Part22-24-27(NTLV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.688	15.62	30	14.38	Pass	401
716	716.1	0.03	RMS	716	-26.96	-13	13.96	Pass	401
716.1	725	0.1	RMS	716.1	-31.12	-13	18.12	Pass	401




7.24 LTE Band Edge_Part22-24-27(NTLV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.313	1.09	30	28.91	Pass	401
716	716.1	0.03	RMS	716	-36.53	-13	23.53	Pass	401
716.1	725	0.1	RMS	716.1	-36.81	-13	23.81	Pass	401




7.25 LTE Band Edge_Part22-24-27(NTLV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-41.78	-13	28.78	Pass	401
698.9	699	0.03	RMS	699	-42.73	-13	29.73	Pass	401
699	709	0.1	RMS	699.6	16.5	30	13.5	Pass	401




7.26 LTE Band Edge_Part22-24-27(NTLV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-40.37	-13	27.37	Pass	401
698.9	699	0.03	RMS	698.996	-42.86	-13	29.86	Pass	401
699	709	0.1	RMS	707	-0.85	30	30.85	Pass	401




7.27 LTE Band Edge_Part22-24-27(NTLV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-43.1	-13	30.1	Pass	401
698.9	699	0.03	RMS	698.999	-43.44	-13	30.44	Pass	401
699	709	0.1	RMS	699.625	15.17	30	14.83	Pass	401




7.28 LTE Band Edge_Part22-24-27(NTLV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-41.95	-13	28.95	Pass	401
698.9	699	0.03	RMS	698.999	-44.87	-13	31.87	Pass	401
699	709	0.1	RMS	707.425	-1.82	30	31.82	Pass	401




7.29 LTE Band Edge_Part22-24-27(NTLV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	16.2	30	13.8	Pass	401
716	716.1	0.03	RMS	716	-41.36	-13	28.36	Pass	401
716.1	725	0.1	RMS	717.101	-39.16	-13	26.16	Pass	401




7.30 LTE Band Edge_Part22-24-27(NTLV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	709.85	-0.64	30	30.64	Pass	401
716	716.1	0.03	RMS	716	-43.4	-13	30.4	Pass	401
716.1	725	0.1	RMS	716.1	-40.59	-13	27.59	Pass	401




7.31 LTE Band Edge_Part22-24-27(NTLV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	15.51	30	14.49	Pass	401
716	716.1	0.03	RMS	716.001	-41.73	-13	28.73	Pass	401
716.1	725	0.1	RMS	716.1	-42.78	-13	29.78	Pass	401



7.32 LTE Band Edge_Part22-24-27(NTLV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	710.4	-1.69	30	31.69	Pass	401
716	716.1	0.03	RMS	716.002	-44.57	-13	31.57	Pass	401
716.1	725	0.1	RMS	716.1	-41.51	-13	28.51	Pass	401



8. LTE_Band13


8.1 LTE Band Edge_Part22-24-27(NTLV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.85	-62.63	-35	27.63	Pass	1201
775	775.9	0.1	RMS	775.828	-40.2	-13	27.2	Pass	401
775.9	776	0.03	RMS	775.949	-49.65	-13	36.65	Pass	401
776	788	0.1	RMS	777.35	16.17	30	13.83	Pass	401




8.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	773.75	-56.97	-35	21.97	Pass	1201
775	775.9	0.1	RMS	775.88	-45.19	-13	32.19	Pass	401
775.9	776	0.03	RMS	775.93	-49.57	-13	36.57	Pass	401
776	788	0.1	RMS	778.67	2.08	30	27.92	Pass	401



8.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.95	-63.44	-35	28.44	Pass	1201
775	775.9	0.1	RMS	775.716	-42.43	-13	29.43	Pass	401
775.9	776	0.03	RMS	775.903	-50.99	-13	37.99	Pass	401
776	788	0.1	RMS	777.38	15.15	30	14.85	Pass	401



8.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.97	-56.63	-35	21.63	Pass	1201
775	775.9	0.1	RMS	775.893	-44.6	-13	31.6	Pass	401
775.9	776	0.03	RMS	775.993	-48.39	-13	35.39	Pass	401
776	788	0.1	RMS	779.24	1.28	30	28.72	Pass	401

