


Band Edge


8.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.68	16.04	30	13.96	Pass	401
788	788.1	0.03	RMS	788.078	-51.12	-13	38.12	Pass	401
788.1	793	0.1	RMS	788.333	-42.23	-13	29.23	Pass	401
793	805	0.01	RMS	795.34	-70.21	-35	35.21	Pass	1201




8.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	784.76	2.18	30	27.82	Pass	401
788	788.1	0.03	RMS	788.06	-51.2	-13	38.2	Pass	401
788.1	793	0.1	RMS	788.1	-46.98	-13	33.98	Pass	401
793	805	0.01	RMS	794.21	-66.59	-35	31.59	Pass	1201




8.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.68	15.08	30	14.92	Pass	401
788	788.1	0.03	RMS	788.012	-52.76	-13	39.76	Pass	401
788.1	793	0.1	RMS	788.357	-43.63	-13	30.63	Pass	401
793	805	0.01	RMS	795.38	-71.85	-35	36.85	Pass	1201




8.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	785.36	1.29	30	28.71	Pass	401
788	788.1	0.03	RMS	788.025	-50.33	-13	37.33	Pass	401
788.1	793	0.1	RMS	788.1	-45.59	-13	32.59	Pass	401
793	805	0.01	RMS	793.17	-66.82	-35	31.82	Pass	1201




8.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.96	-62.71	-35	27.71	Pass	1201
775	775.9	0.1	RMS	775.9	-40.92	-13	27.92	Pass	401
775.9	776	0.03	RMS	775.947	-43.4	-13	30.4	Pass	401
776	788	0.1	RMS	777.62	16.44	30	13.56	Pass	401




8.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.96	-59.79	-35	24.79	Pass	1201
775	775.9	0.1	RMS	775.893	-48.82	-13	35.82	Pass	401
775.9	776	0.03	RMS	775.999	-53.23	-13	40.23	Pass	401
776	788	0.1	RMS	785.03	-0.77	30	30.77	Pass	401




8.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.97	-63.88	-35	28.88	Pass	1201
775	775.9	0.1	RMS	775.889	-41.72	-13	28.72	Pass	401
775.9	776	0.03	RMS	775.961	-40.92	-13	27.92	Pass	401
776	788	0.1	RMS	777.62	15.38	30	14.62	Pass	401




8.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.97	-57.65	-35	22.65	Pass	1201
775	775.9	0.1	RMS	775.9	-47.87	-13	34.87	Pass	401
775.9	776	0.03	RMS	775.975	-52.1	-13	39.1	Pass	401
776	788	0.1	RMS	783.65	-1.99	30	31.99	Pass	401




8.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.44	16.24	30	13.76	Pass	401
788	788.1	0.03	RMS	788.032	-44.21	-13	31.21	Pass	401
788.1	793	0.1	RMS	788.125	-41.39	-13	28.39	Pass	401
793	805	0.01	RMS	795.26	-75.32	-35	40.32	Pass	1201




8.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	788.1	0.03	RMS	788.011	-52.75	-13	39.75	Pass	401
788.1	793	0.1	RMS	788.1	-48.65	-13	35.65	Pass	401
793	805	0.01	RMS	795.37	-66.16	-35	31.16	Pass	1201




8.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.44	15.26	30	14.74	Pass	401
788	788.1	0.03	RMS	788.074	-45.43	-13	32.43	Pass	401
788.1	793	0.1	RMS	788.1	-42.73	-13	29.73	Pass	401
793	805	0.01	RMS	795.27	-75.61	-35	40.61	Pass	1201



8.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	788.1	0.03	RMS	788.034	-52.48	-13	39.48	Pass	401
788.1	793	0.1	RMS	788.112	-47.56	-13	34.56	Pass	401
793	805	0.01	RMS	795.34	-67.14	-35	32.14	Pass	1201



9. LTE_Band17


9.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-35.55	-13	22.55	Pass	401
703.9	704	0.03	RMS	703.999	-31.81	-13	18.81	Pass	401
704	709	0.1	RMS	704.363	16.28	30	13.72	Pass	401




9.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-39.46	-13	26.46	Pass	401
703.9	704	0.03	RMS	704	-39.64	-13	26.64	Pass	401
704	709	0.1	RMS	707.325	2.18	30	27.82	Pass	401




9.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-36.69	-13	23.69	Pass	401
703.9	704	0.03	RMS	704	-33.09	-13	20.09	Pass	401
704	709	0.1	RMS	704.35	15.76	30	14.24	Pass	401




9.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-39.79	-13	26.79	Pass	401
703.9	704	0.03	RMS	704	-39.8	-13	26.8	Pass	401
704	709	0.1	RMS	708.013	1.02	30	28.98	Pass	401



9.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.675	16.05	30	13.95	Pass	401
716	716.1	0.03	RMS	716.001	-26.87	-13	13.87	Pass	401
716.1	725	0.1	RMS	716.1	-31.46	-13	18.46	Pass	401




9.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.7	2.06	30	27.94	Pass	401
716	716.1	0.03	RMS	716.001	-35.56	-13	22.56	Pass	401
716.1	725	0.1	RMS	716.1	-36.19	-13	23.19	Pass	401



9.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.688	15.39	30	14.61	Pass	401
716	716.1	0.03	RMS	716.001	-28.34	-13	15.34	Pass	401
716.1	725	0.1	RMS	716.1	-32.5	-13	19.5	Pass	401




9.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.225	1.24	30	28.76	Pass	401
716	716.1	0.03	RMS	716	-35.98	-13	22.98	Pass	401
716.1	725	0.1	RMS	716.1	-36.8	-13	23.8	Pass	401




9.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-41.28	-13	28.28	Pass	401
703.9	704	0.03	RMS	703.998	-42.81	-13	29.81	Pass	401
704	714	0.1	RMS	704.6	16.65	30	13.35	Pass	401




9.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-40.24	-13	27.24	Pass	401
703.9	704	0.03	RMS	703.998	-42.79	-13	29.79	Pass	401
704	714	0.1	RMS	708.275	-0.25	30	30.25	Pass	401




9.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.031	-42.34	-13	29.34	Pass	401
703.9	704	0.03	RMS	704	-43.28	-13	30.28	Pass	401
704	714	0.1	RMS	704.625	15.38	30	14.62	Pass	401




9.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-41.72	-13	28.72	Pass	401
703.9	704	0.03	RMS	703.999	-44.9	-13	31.9	Pass	401
704	714	0.1	RMS	708.05	-1.36	30	31.36	Pass	401




9.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	16.43	30	13.57	Pass	401
716	716.1	0.03	RMS	716	-40.65	-13	27.65	Pass	401
716.1	725	0.1	RMS	716.1	-41.77	-13	28.77	Pass	401




9.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	709.875	-0.52	30	30.52	Pass	401
716	716.1	0.03	RMS	716.001	-43.39	-13	30.39	Pass	401
716.1	725	0.1	RMS	716.1	-40.45	-13	27.45	Pass	401




9.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.45	16.05	30	13.95	Pass	401
716	716.1	0.03	RMS	716	-40.87	-13	27.87	Pass	401
716.1	725	0.1	RMS	716.1	-41.98	-13	28.98	Pass	401



9.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	710.1	-1.61	30	31.61	Pass	401
716	716.1	0.03	RMS	716.002	-44.51	-13	31.51	Pass	401
716.1	725	0.1	RMS	716.1	-41.71	-13	28.71	Pass	401



11. LTE_Band25


11.1 LTE Band Edge_Part22-24-27(NTLV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.83	-13	23.83	Pass	401
1848	1849	1	RMS	1849	-23.65	-13	10.65	Pass	2
1849	1850	0.02	RMS	1849.415	-32.96	-13	19.96	Pass	401
1850	1852	0.1	RMS	1850.305	17.88	30	12.12	Pass	401




11.2 LTE Band Edge_Part22-24-27(NTLV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.05	-13	19.05	Pass	401
1848	1849	1	RMS	1849	-26.97	-13	13.97	Pass	2
1849	1850	0.02	RMS	1849.995	-33.56	-13	20.56	Pass	401
1850	1852	0.1	RMS	1851.17	9.06	30	20.94	Pass	401




11.3 LTE Band Edge_Part22-24-27(NTLV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.58	-13	24.58	Pass	401
1848	1849	1	RMS	1849	-25.24	-13	12.24	Pass	2
1849	1850	0.02	RMS	1849.43	-35	-13	22	Pass	401
1850	1852	0.1	RMS	1850.325	16.63	30	13.37	Pass	401




11.4 LTE Band Edge_Part22-24-27(NTLV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.41	-13	20.41	Pass	401
1848	1849	1	RMS	1849	-27.57	-13	14.57	Pass	2
1849	1850	0.02	RMS	1849.995	-34.46	-13	21.46	Pass	401
1850	1852	0.1	RMS	1851.18	8.08	30	21.92	Pass	401




11.5 LTE Band Edge_Part22-24-27(NTLV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.815	17.28	30	12.72	Pass	401
1915	1916	0.02	RMS	1915	-17.06	-13	4.06	Pass*	401
1916	1917	1	RMS	1916	-21.71	-13	8.71	Pass	2
1917	1925	1	RMS	1917.02	-36.07	-13	23.07	Pass	401




11.6 LTE Band Edge_Part22-24-27(NTLV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1913.96	9.08	30	20.92	Pass	401
1915	1916	0.02	RMS	1915	-24.14	-13	11.14	Pass	401
1916	1917	1	RMS	1916	-26.91	-13	13.91	Pass	2
1917	1925	1	RMS	1917	-34.02	-13	21.02	Pass	401




11.7 LTE Band Edge_Part22-24-27(NTLV)(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.815	16.76	30	13.24	Pass	401
1915	1916	0.02	RMS	1915	-17.01	-13	4.01	Pass*	401
1916	1917	1	RMS	1916	-22.39	-13	9.39	Pass	2
1917	1925	1	RMS	1917	-36.85	-13	23.85	Pass	401




11.8 LTE Band Edge_Part22-24-27(NTLV)(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.02	8.58	30	21.42	Pass	401
1915	1916	0.02	RMS	1915	-25.22	-13	12.22	Pass	401
1916	1917	1	RMS	1916	-27.27	-13	14.27	Pass	2
1917	1925	1	RMS	1917	-34.83	-13	21.83	Pass	401




11.9 LTE Band Edge_Part22-24-27(NTLV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-31.41	-13	18.41	Pass	401
1848	1849	1	RMS	1848	-31.35	-13	18.35	Pass	2
1849	1850	0.03	RMS	1850	-34.43	-13	21.43	Pass	401
1850	1853	0.1	RMS	1850.3	17.57	30	12.43	Pass	401




11.10 LTE Band Edge_Part22-24-27(NTLV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.12	-13	16.12	Pass	401
1848	1849	1	RMS	1849	-26.4	-13	13.4	Pass	2
1849	1850	0.03	RMS	1849.998	-35.89	-13	22.89	Pass	401
1850	1853	0.1	RMS	1852.768	5.35	30	24.65	Pass	401




11.11 LTE Band Edge_Part22-24-27(NTLV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.88	-33.01	-13	20.01	Pass	401
1848	1849	1	RMS	1848	-32.98	-13	19.98	Pass	2
1849	1850	0.03	RMS	1850	-34.45	-13	21.45	Pass	401
1850	1853	0.1	RMS	1850.315	16.57	30	13.43	Pass	401




11.12 LTE Band Edge_Part22-24-27(NTLV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.94	-13	16.94	Pass	401
1848	1849	1	RMS	1849	-26.31	-13	13.31	Pass	2
1849	1850	0.03	RMS	1849.998	-36.8	-13	23.8	Pass	401
1850	1853	0.1	RMS	1852.49	4.54	30	25.46	Pass	401



11.13 LTE Band Edge_Part22-24-27(NTLV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.82	17.42	30	12.58	Pass	401
1915	1916	0.03	RMS	1915	-14.25	-13	1.25	Pass*	401
1916	1917	1	RMS	1917	-31.07	-13	18.07	Pass	2
1917	1925	1	RMS	1917.28	-31.13	-13	18.13	Pass	401




11.14 LTE Band Edge_Part22-24-27(NTLV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.14	5.49	30	24.51	Pass	401
1915	1916	0.03	RMS	1915	-25.86	-13	12.86	Pass	401
1916	1917	1	RMS	1916	-27.53	-13	14.53	Pass	2
1917	1925	1	RMS	1917	-31.31	-13	18.31	Pass	401



11.15 LTE Band Edge_Part22-24-27(NTLV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.828	16.48	30	13.52	Pass	401
1915	1916	0.03	RMS	1915	-15.14	-13	2.14	Pass*	35
1916	1917	1	RMS	1917	-32.28	-13	19.28	Pass	2
1917	1925	1	RMS	1917.28	-32.28	-13	19.28	Pass	401




11.16 LTE Band Edge_Part22-24-27(NTLV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.51	4.85	30	25.15	Pass	401
1915	1916	0.03	RMS	1915	-26.43	-13	13.43	Pass	401
1916	1917	1	RMS	1916	-27.79	-13	14.79	Pass	2
1917	1925	1	RMS	1917	-31.97	-13	18.97	Pass	401




11.17 LTE Band Edge_Part22-24-27(NTLV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.12	-36.67	-13	23.67	Pass	401
1848	1849	1	RMS	1849	-34.46	-13	21.46	Pass	2
1849	1850	0.051	RMS	1850	-30.76	-13	17.76	Pass	401
1850	1855	0.1	RMS	1850.4	17.35	30	12.65	Pass	401




11.18 LTE Band Edge_Part22-24-27(NTLV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.45	-13	16.45	Pass	401
1848	1849	1	RMS	1849	-28.27	-13	15.27	Pass	2
1849	1850	0.051	RMS	1850	-35.27	-13	22.27	Pass	401
1850	1855	0.1	RMS	1852.813	3.22	30	26.78	Pass	401




11.19 LTE Band Edge_Part22-24-27(NTLV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.74	-13	24.74	Pass	401
1848	1849	1	RMS	1849	-35.74	-13	22.74	Pass	2
1849	1850	0.051	RMS	1850	-33.09	-13	20.09	Pass	401
1850	1855	0.1	RMS	1850.413	16.25	30	13.75	Pass	401




11.20 LTE Band Edge_Part22-24-27(NTLV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.99	-13	15.99	Pass	401
1848	1849	1	RMS	1849	-27.67	-13	14.67	Pass	2
1849	1850	0.051	RMS	1849.998	-36.11	-13	23.11	Pass	401
1850	1855	0.1	RMS	1853.375	2.33	30	27.67	Pass	401




11.21 LTE Band Edge_Part22-24-27(NTLV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.713	17.11	30	12.89	Pass	401
1915	1916	0.051	RMS	1915	-19.13	-13	6.13	Pass	401
1916	1917	1	RMS	1916	-35.04	-13	22.04	Pass	2
1917	1925	1	RMS	1919	-36.78	-13	23.78	Pass	401




11.22 LTE Band Edge_Part22-24-27(NTLV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1911.95	3.42	30	26.58	Pass	401
1915	1916	0.051	RMS	1915	-29.88	-13	16.88	Pass	401
1916	1917	1	RMS	1916	-28.24	-13	15.24	Pass	2
1917	1925	1	RMS	1917	-30.86	-13	17.86	Pass	401



11.23 LTE Band Edge_Part22-24-27(NTLV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.725	16.47	30	13.53	Pass	401
1915	1916	0.051	RMS	1915	-18.85	-13	5.85	Pass*	401
1916	1917	1	RMS	1916	-35.6	-13	22.6	Pass	2
1917	1925	1	RMS	1919.02	-37.68	-13	24.68	Pass	401




11.24 LTE Band Edge_Part22-24-27(NTLV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1912.338	2.49	30	27.51	Pass	401
1915	1916	0.051	RMS	1915	-30.72	-13	17.72	Pass	401
1916	1917	1	RMS	1916	-28.98	-13	15.98	Pass	2
1917	1925	1	RMS	1917	-31.4	-13	18.4	Pass	401




11.25 LTE Band Edge_Part22-24-27(NTLV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.8	-13	25.8	Pass	401
1848	1849	1	RMS	1849	-34.33	-13	21.33	Pass	2
1849	1850	0.1	RMS	1850	-37.03	-13	24.03	Pass	401
1850	1860	0.1	RMS	1850.65	17.48	30	12.52	Pass	401




11.26 LTE Band Edge_Part22-24-27(NTLV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-30.24	-13	17.24	Pass	401
1848	1849	1	RMS	1849	-29.54	-13	16.54	Pass	2
1849	1850	0.1	RMS	1849.993	-35.28	-13	22.28	Pass	401
1850	1860	0.1	RMS	1854.3	0.28	30	29.72	Pass	401




11.27 LTE Band Edge_Part22-24-27(NTLV)(Subtest:27, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.63	-13	26.63	Pass	401
1848	1849	1	RMS	1849	-34.75	-13	21.75	Pass	2
1849	1850	0.1	RMS	1849.998	-37.83	-13	24.83	Pass	401
1850	1860	0.1	RMS	1850.65	16.78	30	13.22	Pass	401




11.28 LTE Band Edge_Part22-24-27(NTLV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.21	-13	17.21	Pass	401
1848	1849	1	RMS	1849	-29.7	-13	16.7	Pass	2
1849	1850	0.1	RMS	1849.998	-36.69	-13	23.69	Pass	401
1850	1860	0.1	RMS	1855.075	-0.69	30	30.69	Pass	401



11.29 LTE Band Edge_Part22-24-27(NTLV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.475	17.26	30	12.74	Pass	401
1915	1916	0.1	RMS	1915	-29.5	-13	16.5	Pass	401
1916	1917	1	RMS	1916	-35.11	-13	22.11	Pass	2
1917	1925	1	RMS	1917.02	-38.83	-13	25.83	Pass	401




11.30 LTE Band Edge_Part22-24-27(NTLV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1911.425	0.64	30	29.36	Pass	401
1915	1916	0.1	RMS	1915	-34.36	-13	21.36	Pass	401
1916	1917	1	RMS	1916	-30.97	-13	17.97	Pass	2
1917	1925	1	RMS	1917	-32.41	-13	19.41	Pass	401




11.31 LTE Band Edge_Part22-24-27(NTLV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.475	16.66	30	13.34	Pass	401
1915	1916	0.1	RMS	1915	-29.99	-13	16.99	Pass	401
1916	1917	1	RMS	1916	-35.51	-13	22.51	Pass	2
1917	1925	1	RMS	1917	-39.58	-13	26.58	Pass	401




11.32 LTE Band Edge_Part22-24-27(NTLV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1910.725	-0.41	30	30.41	Pass	401
1915	1916	0.1	RMS	1915.003	-35.67	-13	22.67	Pass	401
1916	1917	1	RMS	1916	-31.25	-13	18.25	Pass	2
1917	1925	1	RMS	1917	-32.38	-13	19.38	Pass	401




11.33 LTE Band Edge_Part22-24-27(NTLV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.49	-13	26.49	Pass	401
1848	1849	1	RMS	1849	-34.07	-13	21.07	Pass	2
1849	1850	0.15	RMS	1850	-34.21	-13	21.21	Pass	401
1850	1865	0.1	RMS	1850.9	17.49	30	12.51	Pass	401




11.34 LTE Band Edge_Part22-24-27(NTLV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.56	-29.61	-13	16.61	Pass	401
1848	1849	1	RMS	1848	-29.96	-13	16.96	Pass	2
1849	1850	0.15	RMS	1850	-35.07	-13	22.07	Pass	401
1850	1865	0.1	RMS	1858.175	-1.38	30	31.38	Pass	401




11.35 LTE Band Edge_Part22-24-27(NTLV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.23	-13	27.23	Pass	401
1848	1849	1	RMS	1849	-34.71	-13	21.71	Pass	2
1849	1850	0.15	RMS	1850	-34.67	-13	21.67	Pass	401
1850	1865	0.1	RMS	1850.9	16.64	30	13.36	Pass	401




11.36 LTE Band Edge_Part22-24-27(NTLV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.6	-30.17	-13	17.17	Pass	401
1848	1849	1	RMS	1848	-30.44	-13	17.44	Pass	2
1849	1850	0.15	RMS	1849.995	-36.96	-13	23.96	Pass	401
1850	1865	0.1	RMS	1856.525	-2.29	30	32.29	Pass	401




11.37 LTE Band Edge_Part22-24-27(NTLV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.213	17.49	30	12.51	Pass	401
1915	1916	0.15	RMS	1915	-29.01	-13	16.01	Pass	401
1916	1917	1	RMS	1916	-33.58	-13	20.58	Pass	2
1917	1925	1	RMS	1917	-39.94	-13	26.94	Pass	401




11.38 LTE Band Edge_Part22-24-27(NTLV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1910.763	-1.11	30	31.11	Pass	401
1915	1916	0.15	RMS	1915	-35.24	-13	22.24	Pass	401
1916	1917	1	RMS	1916	-31.88	-13	18.88	Pass	2
1917	1925	1	RMS	1917.66	-32.09	-13	19.09	Pass	401




11.39 LTE Band Edge_Part22-24-27(NTLV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.213	16.86	30	13.14	Pass	401
1915	1916	0.15	RMS	1915.003	-29.22	-13	16.22	Pass	401
1916	1917	1	RMS	1916	-35.46	-13	22.46	Pass	2
1917	1925	1	RMS	1917	-40.75	-13	27.75	Pass	401




11.40 LTE Band Edge_Part22-24-27(NTLV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1910.5	-1.94	30	31.94	Pass	401
1915	1916	0.15	RMS	1915	-36.97	-13	23.97	Pass	401
1916	1917	1	RMS	1916	-32.87	-13	19.87	Pass	2
1917	1925	1	RMS	1917.54	-32.95	-13	19.95	Pass	401



11.41 LTE Band Edge_Part22-24-27(NTLV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.84	-13	27.84	Pass	401
1848	1849	1	RMS	1849	-35.77	-13	22.77	Pass	2
1849	1850	0.2	RMS	1849.998	-36.81	-13	23.81	Pass	401
1850	1870	0.1	RMS	1851.15	17.26	30	12.74	Pass	401



11.42 LTE Band Edge_Part22-24-27(NTLV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-31.48	-13	18.48	Pass	401
1848	1849	1	RMS	1849	-30.98	-13	17.98	Pass	2
1849	1850	0.2	RMS	1849.998	-35.75	-13	22.75	Pass	401
1850	1870	0.1	RMS	1859.05	-2.44	30	32.44	Pass	401

