


Band Edge


11.43 LTE Band Edge_Part22-24-27(NTLV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.58	-13	28.58	Pass	401
1848	1849	1	RMS	1849	-36.46	-13	23.46	Pass	2
1849	1850	0.2	RMS	1849.475	-36.84	-13	23.84	Pass	401
1850	1870	0.1	RMS	1851.15	16.53	30	13.47	Pass	401




11.44 LTE Band Edge_Part22-24-27(NTLV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.74	-13	18.74	Pass	401
1848	1849	1	RMS	1849	-31.6	-13	18.6	Pass	2
1849	1850	0.2	RMS	1849.998	-36.89	-13	23.89	Pass	401
1850	1870	0.1	RMS	1860.05	-3.22	30	33.22	Pass	401




11.45 LTE Band Edge_Part22-24-27(NTLV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.95	17.4	30	12.6	Pass	401
1915	1916	0.2	RMS	1915	-32.11	-13	19.11	Pass	401
1916	1917	1	RMS	1916	-35.49	-13	22.49	Pass	2
1917	1925	1	RMS	1917	-41.02	-13	28.02	Pass	401




11.46 LTE Band Edge_Part22-24-27(NTLV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1910.75	-2.53	30	32.53	Pass	401
1915	1916	0.2	RMS	1915.005	-36.81	-13	23.81	Pass	401
1916	1917	1	RMS	1916	-33.45	-13	20.45	Pass	2
1917	1925	1	RMS	1917	-34.84	-13	21.84	Pass	401



11.47 LTE Band Edge_Part22-24-27(NTLV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1914	16.03	30	13.97	Pass	401
1915	1916	0.2	RMS	1915.005	-33.01	-13	20.01	Pass	401
1916	1917	1	RMS	1916	-36.57	-13	23.57	Pass	2
1917	1925	1	RMS	1917	-42.05	-13	29.05	Pass	401



11.48 LTE Band Edge_Part22-24-27(NTLV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1910.4	-3.64	30	33.64	Pass	401
1915	1916	0.2	RMS	1915	-38.31	-13	25.31	Pass	401
1916	1917	1	RMS	1916	-34.44	-13	21.44	Pass	2
1917	1925	1	RMS	1917	-35.54	-13	22.54	Pass	401



12. LTE_Band26(part22)


12.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.6	-38.03	-13	25.03	Pass	401
823	824	0.02	RMS	824	-32.51	-13	19.51	Pass	401
824	826	0.1	RMS	824.28	16.84	30	13.16	Pass	401



12.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-41.45	-13	28.45	Pass	401
823	824	0.02	RMS	824	-34.83	-13	21.83	Pass	401
824	826	0.1	RMS	825.14	8.35	30	21.65	Pass	401




12.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.62	-42.6	-13	29.6	Pass	401
823	824	0.02	RMS	824	-34.78	-13	21.78	Pass	401
824	826	0.1	RMS	824.285	15.83	30	14.17	Pass	401




12.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.74	-41.93	-13	28.93	Pass	401
823	824	0.02	RMS	824	-38.82	-13	25.82	Pass	401
824	826	0.1	RMS	825.135	7.21	30	22.79	Pass	401




**12.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.785	16.95	30	13.05	Pass	401
849	850	0.02	RMS	849	-23.13	-13	10.13	Pass	401
850	860	0.1	RMS	850.375	-42.74	-13	29.74	Pass	401




12.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.72	8.61	30	21.39	Pass	401
849	850	0.02	RMS	849	-29.79	-13	16.79	Pass	401
850	860	0.1	RMS	850.175	-42.43	-13	29.43	Pass	401




12.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.78	15.96	30	14.04	Pass	401
849	850	0.02	RMS	849	-24.34	-13	11.34	Pass	401
850	860	0.1	RMS	850.45	-44.17	-13	31.17	Pass	401




**12.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.355	7.57	30	22.43	Pass	401
849	850	0.02	RMS	849	-31.24	-13	18.24	Pass	401
850	860	0.1	RMS	850.1	-41.82	-13	28.82	Pass	401




12.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.6	-42.61	-13	29.61	Pass	401
823	824	0.03	RMS	823.998	-31.07	-13	18.07	Pass	401
824	827	0.1	RMS	824.278	16.82	30	13.18	Pass	401




12.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-36.76	-13	23.76	Pass	401
823	824	0.03	RMS	824	-34.29	-13	21.29	Pass	401
824	827	0.1	RMS	825.44	4.71	30	25.29	Pass	401




12.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.64	-43.81	-13	30.81	Pass	401
823	824	0.03	RMS	824	-32.18	-13	19.18	Pass	401
824	827	0.1	RMS	824.285	15.74	30	14.26	Pass	401




12.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-40.94	-13	27.94	Pass	401
823	824	0.03	RMS	824	-35.75	-13	22.75	Pass	401
824	827	0.1	RMS	825.215	3.91	30	26.09	Pass	401




12.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.79	16.93	30	13.07	Pass	401
849	850	0.03	RMS	849	-20.45	-13	7.45	Pass	401
850	860	0.1	RMS	850.45	-43.78	-13	30.78	Pass	401




12.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.118	4.7	30	25.3	Pass	401
849	850	0.03	RMS	849	-29.89	-13	16.89	Pass	401
850	860	0.1	RMS	850.025	-38.98	-13	25.98	Pass	401




12.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.79	16.02	30	13.98	Pass	401
849	850	0.03	RMS	849	-21.4	-13	8.4	Pass	401
850	860	0.1	RMS	850.425	-44.01	-13	31.01	Pass	401




12.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.48	3.55	30	26.45	Pass	401
849	850	0.03	RMS	849	-30.42	-13	17.42	Pass	401
850	860	0.1	RMS	850	-40.69	-13	27.69	Pass	401




12.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.72	-43.07	-13	30.07	Pass	401
823	824	0.051	RMS	824	-29.96	-13	16.96	Pass	401
824	829	0.1	RMS	824.388	16.52	30	13.48	Pass	401




12.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-37.94	-13	24.94	Pass	401
823	824	0.051	RMS	823.998	-33.96	-13	20.96	Pass	401
824	829	0.1	RMS	825.725	2.54	30	27.46	Pass	401



12.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.72	-44.3	-13	31.3	Pass	401
823	824	0.051	RMS	824	-31.5	-13	18.5	Pass	401
824	829	0.1	RMS	824.388	15.1	30	14.9	Pass	401




12.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-41.14	-13	28.14	Pass	401
823	824	0.051	RMS	824	-36	-13	23	Pass	401
824	829	0.1	RMS	825.725	1.4	30	28.6	Pass	401




12.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.688	16.68	30	13.32	Pass	401
849	850	0.051	RMS	849	-23.72	-13	10.72	Pass	401
850	860	0.1	RMS	850.35	-43.45	-13	30.45	Pass	401




12.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.9	2.66	30	27.34	Pass	401
849	850	0.051	RMS	849.003	-31.95	-13	18.95	Pass	401
850	860	0.1	RMS	850.275	-40.17	-13	27.17	Pass	401




12.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.688	15.86	30	14.14	Pass	401
849	850	0.051	RMS	849	-23.71	-13	10.71	Pass	401
850	860	0.1	RMS	850.35	-43.99	-13	30.99	Pass	401




12.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.288	1.71	30	28.29	Pass	401
849	850	0.051	RMS	849	-32.96	-13	19.96	Pass	401
850	860	0.1	RMS	850.15	-41.25	-13	28.25	Pass	401




12.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-41.89	-13	28.89	Pass	401
823	824	0.1	RMS	824	-36.44	-13	23.44	Pass	401
824	834	0.1	RMS	824.625	16.89	30	13.11	Pass	401




12.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-38.51	-13	25.51	Pass	401
823	824	0.1	RMS	823.988	-34.45	-13	21.45	Pass	401
824	834	0.1	RMS	828.3	-0.35	30	30.35	Pass	401




12.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-42.37	-13	29.37	Pass	401
823	824	0.1	RMS	824	-37.82	-13	24.82	Pass	401
824	834	0.1	RMS	824.625	15.25	30	14.75	Pass	401




12.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-40.11	-13	27.11	Pass	401
823	824	0.1	RMS	823.998	-36.37	-13	23.37	Pass	401
824	834	0.1	RMS	829.7	-1.28	30	31.28	Pass	401




12.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.45	16.88	30	13.12	Pass	401
849	850	0.1	RMS	849	-32.61	-13	19.61	Pass	401
850	860	0.1	RMS	850.075	-41.54	-13	28.54	Pass	401




12.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	842.85	0	30	30	Pass	401
849	850	0.1	RMS	849	-36.27	-13	23.27	Pass	401
850	860	0.1	RMS	850.05	-42.77	-13	29.77	Pass	401




**12.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.45	16.49	30	13.51	Pass	401
849	850	0.1	RMS	849	-33.19	-13	20.19	Pass	401
850	860	0.1	RMS	850.1	-41.67	-13	28.67	Pass	401




12.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	843.4	-0.89	30	30.89	Pass	401
849	850	0.1	RMS	849	-37.75	-13	24.75	Pass	401
850	860	0.1	RMS	850.1	-43.79	-13	30.79	Pass	401




12.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.42	-13	32.42	Pass	401
823	824	0.15	RMS	824	-33.51	-13	20.51	Pass	401
824	839	0.1	RMS	824.863	16.92	30	13.08	Pass	401




12.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.48	-39.13	-13	26.13	Pass	401
823	824	0.15	RMS	823.995	-34.91	-13	21.91	Pass	401
824	839	0.1	RMS	830.413	-2	30	32	Pass	401




12.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-46.21	-13	33.21	Pass	401
823	824	0.15	RMS	823.998	-34.34	-13	21.34	Pass	401
824	839	0.1	RMS	824.863	15.49	30	14.51	Pass	401




12.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.5	-40.96	-13	27.96	Pass	401
823	824	0.15	RMS	823.998	-37.41	-13	24.41	Pass	401
824	839	0.1	RMS	831.2	-2.98	30	32.98	Pass	401




12.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	17.05	30	12.95	Pass	401
849	850	0.15	RMS	849.003	-30.37	-13	17.37	Pass	401
850	860	0.1	RMS	850	-38.19	-13	25.19	Pass	401




12.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	841.013	-1.62	30	31.62	Pass	401
849	850	0.15	RMS	849.008	-37.35	-13	24.35	Pass	401
850	860	0.1	RMS	850.6	-45.22	-13	32.22	Pass	401




12.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	16.3	30	13.7	Pass	401
849	850	0.15	RMS	849	-30.58	-13	17.58	Pass	401
850	860	0.1	RMS	850	-43.87	-13	30.87	Pass	401



12.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	842.7	-2.6	30	32.6	Pass	401
849	850	0.15	RMS	849.003	-39.4	-13	26.4	Pass	401
850	860	0.1	RMS	850	-46.3	-13	33.3	Pass	401



13. LTE_Band66

13.1 LTE Band Edge_Part22-24-27(NTLV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.13	-13	25.13	Pass	401
1708	1709	1	RMS	1709	-28.88	-13	15.88	Pass	2
1709	1710	0.02	RMS	1710	-32.29	-13	19.29	Pass	401
1710	1712	0.1	RMS	1710.315	17.3	30	12.7	Pass	401



13.2 LTE Band Edge_Part22-24-27(NTLV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.77	-13	21.77	Pass	401
1708	1709	1	RMS	1709	-26.55	-13	13.55	Pass	2
1709	1710	0.02	RMS	1709.998	-32.21	-13	19.21	Pass	401
1710	1712	0.1	RMS	1710.495	8.74	30	21.26	Pass	401




13.3 LTE Band Edge_Part22-24-27(NTLV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.86	-13	25.86	Pass	401
1708	1709	1	RMS	1709	-29.83	-13	16.83	Pass	2
1709	1710	0.02	RMS	1710	-34.67	-13	21.67	Pass	401
1710	1712	0.1	RMS	1710.32	16.37	30	13.63	Pass	401




13.4 LTE Band Edge_Part22-24-27(NTLV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.33	-13	23.33	Pass	401
1708	1709	1	RMS	1709	-27.9	-13	14.9	Pass	2
1709	1710	0.02	RMS	1710	-34.03	-13	21.03	Pass	401
1710	1712	0.1	RMS	1710.655	7.99	30	22.01	Pass	401




13.5 LTE Band Edge_Part22-24-27(NTLV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.81	17.69	30	12.31	Pass	401
1780	1781	0.02	RMS	1780	-16.37	-13	3.37	Pass*	401
1781	1782	1	RMS	1781	-22.11	-13	9.11	Pass	2
1782	1790	1	RMS	1782	-35.96	-13	22.96	Pass	401




13.6 LTE Band Edge_Part22-24-27(NTLV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.78	8.97	30	21.03	Pass	401
1780	1781	0.02	RMS	1780	-23.07	-13	10.07	Pass	401
1781	1782	1	RMS	1781	-26.75	-13	13.75	Pass	2
1782	1790	1	RMS	1782	-32.58	-13	19.58	Pass	401




13.7 LTE Band Edge_Part22-24-27(NTLV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.805	16.68	30	13.32	Pass	401
1780	1781	0.02	RMS	1780	-16.19	-13	3.19	Pass*	401
1781	1782	1	RMS	1781	-23.69	-13	10.69	Pass	2
1782	1790	1	RMS	1782	-36.93	-13	23.93	Pass	401




13.8 LTE Band Edge_Part22-24-27(NTLV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.78	8.05	30	21.95	Pass	401
1780	1781	0.02	RMS	1780	-24.37	-13	11.37	Pass	401
1781	1782	1	RMS	1781	-27.36	-13	14.36	Pass	2
1782	1790	1	RMS	1782	-34.08	-13	21.08	Pass	401




13.9 LTE Band Edge_Part22-24-27(NTLV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-34.35	-13	21.35	Pass	401
1708	1709	1	RMS	1708	-34.12	-13	21.12	Pass	2
1709	1710	0.002	RMS	1709.988	-39.62	-13	26.62	Pass	501
1710	1713	0.1	RMS	1710.293	17.36	30	12.64	Pass	401




13.10 LTE Band Edge_Part22-24-27(NTLV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.03	-13	15.03	Pass	401
1708	1709	1	RMS	1709	-24.7	-13	11.7	Pass	2
1709	1710	0.03	RMS	1710	-33.91	-13	20.91	Pass	401
1710	1713	0.1	RMS	1711.5	5.04	30	24.96	Pass	401




13.11 LTE Band Edge_Part22-24-27(NTLV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.84	-35.48	-13	22.48	Pass	401
1708	1709	1	RMS	1708	-35.5	-13	22.5	Pass	2
1709	1710	0.002	RMS	1710	-43.74	-13	30.74	Pass	501
1710	1713	0.1	RMS	1710.308	16.16	30	13.84	Pass	401




13.12 LTE Band Edge_Part22-24-27(NTLV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.5	-13	17.5	Pass	401
1708	1709	1	RMS	1709	-26.41	-13	13.41	Pass	2
1709	1710	0.03	RMS	1709.998	-36.2	-13	23.2	Pass	401
1710	1713	0.1	RMS	1711.253	3.85	30	26.15	Pass	401




13.13 LTE Band Edge_Part22-24-27(NTLV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.813	17.78	30	12.22	Pass	401
1780	1781	0.002	RMS	1780.008	-23.93	-13	10.93	Pass	501
1781	1782	1	RMS	1782	-30.76	-13	17.76	Pass	2
1782	1790	1	RMS	1782.08	-30.27	-13	17.27	Pass	401




13.14 LTE Band Edge_Part22-24-27(NTLV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.125	5.19	30	24.81	Pass	401
1780	1781	0.03	RMS	1780	-26.33	-13	13.33	Pass	35
1781	1782	1	RMS	1781	-24.45	-13	11.45	Pass	2
1782	1790	1	RMS	1782	-28.27	-13	15.27	Pass	401




13.15 LTE Band Edge_Part22-24-27(NTLV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.82	16.81	30	13.19	Pass	401
1780	1781	0.002	RMS	1780.008	-24.12	-13	11.12	Pass	501
1781	1782	1	RMS	1782	-32.45	-13	19.45	Pass	2
1782	1790	1	RMS	1782.26	-32.52	-13	19.52	Pass	401




13.16 LTE Band Edge_Part22-24-27(NTLV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.273	4.09	30	25.91	Pass	401
1780	1781	0.03	RMS	1780	-24.6	-13	11.6	Pass	401
1781	1782	1	RMS	1781	-24.91	-13	11.91	Pass	2
1782	1790	1	RMS	1782	-29.44	-13	16.44	Pass	401




13.17 LTE Band Edge_Part22-24-27(NTLV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.1	-38.53	-13	25.53	Pass	401
1708	1709	1	RMS	1709	-35.36	-13	22.36	Pass	2
1709	1710	0.01	RMS	1710	-38.44	-13	25.44	Pass	401
1710	1715	0.1	RMS	1710.388	16.76	30	13.24	Pass	401




13.18 LTE Band Edge_Part22-24-27(NTLV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.07	-13	16.07	Pass	401
1708	1709	1	RMS	1709	-27.66	-13	14.66	Pass	2
1709	1710	0.051	RMS	1710	-34.38	-13	21.38	Pass	401
1710	1715	0.1	RMS	1711.713	2.96	30	27.04	Pass	401




13.19 LTE Band Edge_Part22-24-27(NTLV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.12	-40.24	-13	27.24	Pass	401
1708	1709	1	RMS	1709	-36.13	-13	23.13	Pass	2
1709	1710	0.01	RMS	1710	-40	-13	27	Pass	401
1710	1715	0.1	RMS	1710.413	16.01	30	13.99	Pass	401




13.20 LTE Band Edge_Part22-24-27(NTLV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-30.01	-13	17.01	Pass	401
1708	1709	1	RMS	1709	-28.24	-13	15.24	Pass	2
1709	1710	0.051	RMS	1710	-35.62	-13	22.62	Pass	401
1710	1715	0.1	RMS	1711.75	1.75	30	28.25	Pass	401



13.21 LTE Band Edge_Part22-24-27(NTLV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.713	17.27	30	12.73	Pass	401
1780	1781	0.01	RMS	1780.005	-25.56	-13	12.56	Pass	401
1781	1782	1	RMS	1781	-35	-13	22	Pass	2
1782	1790	1	RMS	1782	-36.66	-13	23.66	Pass	401




13.22 LTE Band Edge_Part22-24-27(NTLV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.913	3.07	30	26.93	Pass	401
1780	1781	0.051	RMS	1780	-28.1	-13	15.1	Pass	401
1781	1782	1	RMS	1781	-25.95	-13	12.95	Pass	2
1782	1790	1	RMS	1782.04	-27.42	-13	14.42	Pass	401



13.23 LTE Band Edge_Part22-24-27(NTLV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.725	16.57	30	13.43	Pass	401
1780	1781	0.01	RMS	1780.003	-25.6	-13	12.6	Pass	401
1781	1782	1	RMS	1781	-35.57	-13	22.57	Pass	2
1782	1790	1	RMS	1782.02	-37.36	-13	24.36	Pass	401



13.24 LTE Band Edge_Part22-24-27(NTLV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.325	1.98	30	28.02	Pass	401
1780	1781	0.051	RMS	1780.003	-28.83	-13	15.83	Pass	401
1781	1782	1	RMS	1781	-26.37	-13	13.37	Pass	2
1782	1790	1	RMS	1782	-27.91	-13	14.91	Pass	401

