SAR TEST REPORT

Product Name: 5G Smart phone

Model Name: Jelly Max

FCC ID: 2AK6CJELLYMAX

Issued For : Shanghai Unihertz E-Commerce Co., Ltd

Room 308, Building C, 508 Chundong Rd, Minhang district
Shanghai, China 201108

Issued By : Shenzhen LGT Test Service Co., Ltd.

Room 205, Building 13, Zone B, Zhenxiong Industrial Park,
No.177, Renmin West Road, Jinsha, Kengzi Street,
Pingshan District, Shenzhen, Guangdong, China

Report Number: LGT24G077HA03

Sample Received Date: July 11, 2024

Date of Test: July 14, 2024 ~ Aug. 19, 2024

Date of Issue: Aug. 22, 2024

Max. SAR (1g): Head:0.617 W/kg

Body:0.924 W/kg

The test report is effective only with both signature and specialized stamp. This report shall not be reproduced except in full without the written approval of the Laboratory. The results in this report only apply to the tested sample.

Table of Contents

1. General Information **5**

1.1 EUT Description 5

1.2 Test Environment 8

1.3 Test Factory 8

2. Test Standards and Limits **9**

3. SAR Measurement System **10**

3.1 Definition of Specific Absorption Rate (SAR) 10

3.2 SAR System 10

4. Tissue Simulating Liquids **13**

4.1 Simulating Liquids Parameter Check 13

5. SAR System Validation **15**

5.1 Validation System 15

5.2 Validation Result 16

6. SAR Evaluation Procedures **17**

7. EUT Antenna Location Sketch **18**

7.1 SAR test exclusion consider table 19

8. EUT Test Position **28**

8.1 Define Two Imaginary Lines on the Handset 28

8.2 Hotspot mode exposure position condition 29

9. Uncertainty **30**

9.1 Measurement Uncertainty 30

9.2 System validation Uncertainty 31

10. Conducted Power Measurement **32**

10.1 Test Result 32

10.2 Tune up Power 235

11. EUT and Test Setup Photo **246**

11.1 EUT Photos 246

11.2 Setup Photos 249

12. SAR Result Summary **255**

12.1 Head SAR 255

12.2 Body-worn and Hotspot SAR 263

12.3 Repeated SAR 275

12.4 Repeated SAR measurement 275

12.5 Simultaneous Multi-band Transmission Evaluation: 276

13. Equipment List **280**

Appendix A. System Validation Plots 281

Appendix B. SAR Test Plots 323

Appendix C. Probe Calibration and Dipole Calibration Report 419

Revision History

Rev.	Issue Date	Contents
00	Aug. 22, 2024	Initial Issue

TEST REPORT CERTIFICATION

Applicant	Shanghai Unihertz E-Commerce Co., Ltd
Address	Room 308, Building C, 508 Chundong Rd, Minhang district Shanghai, China 201108
Manufacture	Shenzhen OBLUE Communication Technology Co.,Ltd.
Address	Room 702, Hepingdayou industrial and trade industrial park, No. 41, Yonghe Road, Heping Community, Fuhai Street, Baoan District, Shenzhen City, China
Product Name	5G Smart phone
Trademark	Unihertz
Model Name	Jelly Max
Sample number	LGT2407081-3

APPLICABLE STANDARDS	
STANDARD	**TEST RESULTS**
ANSI/IEEE Std. C95.1-1992 FCC 47 CFR Part 2 (2.1093) IEEE 1528: 2013	PASS

Prepared by:

Della He

Della He
Engineer

Approved by:

Vita Li
Manager

SHENZHEN LGT TEST SERVICE CO., LTD.
LGT
领冠检测

1. General Information

Environmental evaluation measurements of specific absorption rate (SAR) distributions in emulated human head and body tissues exposed to radio frequency (RF) radiation from wireless portable devices for compliance with the rules and regulations of the U.S. Federal Communications Commission (FCC).

1.1 EUT Description

Product Name	5G Smart phone
Trademark	Unihertz
Model Name	Jelly Max
Series Model	N/A
Model Difference	N/A
Device Category	Portable
Product stage	Production unit
RF Exposure Environment	General Population / Uncontrolled
Hardware Version	G78_V1.0
Software Version	Jelly Max_20240619
Battery	Model: PBA7840A Capacity: 2000mAh Rated Voltage: 7.74V
Description test modes	SIM 1 and SIM 2 is a chipset unit and tested as single chipset, SIM 1 is used to tested
Modulation Type:	GSM: GSM Voice; GPRS Class 12 WCDMA: RMC, HSDPA, HSUPA Release 6 LTE: QPSK, 16QAM 5G NR: DFT-s-OFDM, CP-OFDM (π/2 shift BPSK, QPSK, 16QAM, 64QAM, 256QAM) 2.4G WLAN: 802.11b(DSSS): CCK, DQPSK, DBPSK 802.11n/g(OFDM): BPSK, QPSK,16-QAM,64-QAM 5G WLAN: 802.11a/n(OFDM): BPSK, QPSK,16-QAM,64-QAM 802.11ac (OFDM): BPSK, QPSK,16-QAM,64-QAM,256-QAM Bluetooth: GFSK +π/4DQPSK+8DPSK BLE: GFSK NFC: FSK
Antenna Specification	GSM/WCDMA/CDMA/LTE/NR: FPC Antenna Bluetooth: FPC Antenna WLAN: FPC Antenna NFC: Coil Antenna
Operating Mode	Maximum continuous output
SIM Card	Support dual-SIM, dual standby, the multiple SIM card with two lines cannot trans mitting at the same time
Hotspot Mode	Support
DTM Mode	Not Support

Frequency Range	GSM 850: 824 ~ 849 MHz PCS 1900: 1850 ~ 1910 MHz WCDMA Band II: 1850 ~ 1910 MHz WCDMA Band IV:1710 ~ 1755 MHz WCDMA Band V: 824 ~ 849 MHz CDMA&EVDO: BC0: 824.70 MHz~ 848.31 MHz BC1: 1851.25 MHz~ 1908.75 MHz LTE Band 2:1850 ~1910MHz LTE Band 4:1710 ~1755MHz LTE Band 5:824 ~ 849MHz LTE Band 7:2500 ~ 2570MHz LTE Band 12:699~716MHz LTE Band 13:777~787MHz LTE Band 17:704 ~ 716MHz LTE Band 25:1850~1915MHz LTE Band 26:814~824MHz/824-849MHz LTE Band 38:2570~2620MHz LTE Band 40:2305~2315MHz/2350-2360MHz LTE Band 41:2496~2690MHz LTE Band 66:1710~1780MHz NR N2:1850 MHz ~ 1910 MHz NR N5:824 MHz ~ 849 MHz NR N7:2500 MHz ~2570 MHz NR N25:1850 MHz ~1915 MHz NR N38:2570 MHz ~2620 MHz NR N41:2496 MHz ~ 2690 MHz NR N66: 1710 MHz ~ 1780MHz NR N77:3450 MHz ~ 3550 MHz, 3700 MHz ~ 3980 MHz NSA: B5+N41 WLAN 802.11b/g/n/ac/ax20: 2412 MHz ~ 2462 MHz WLAN 802.11n/ac/ax40: 2422 MHz ~ 2452 MHz WLAN 802.11a/n20/n40/ac20/ac40/ac80/ax20/ax40/ax80: 5150 ~ 5250 MHz WLAN 802.11a/n20/n40/ac20/ac40/ac80/ax20/ax40/ax80: 5250 ~ 5350 MHz WLAN 802.11a/n20/n40/ac20/ac40/ac80/ax20/ax40/ax80: 5470 ~ 5725 MHz WLAN 802.11a/n20/n40/ac20/ac40/ac80/ax20/ax40/ax80: 5725 ~ 5850 MHz Bluetooth: 2402 ~ 2480 MHz NFC:13.56MHz

Max. Reported SAR(1g):
(Limit:1.6W/kg)
Test distance:
Head:0mm
Body:10mm

Mode	Head (W/ kg)	Body Worn and Hotspot (W/ kg)
GSM 850	0.402	0.924
PCS 1900	0.126	0.274
WCDMA Band II	0.158	0.181
WCDMA Band IV	0.374	0.807
WCDMA Band V	0.385	0.365
CDMA BC0	0.087	0.105
CDMA BC1	0.078	0.074
LTE Band 2	0.320	0.192
LTE Band 4	0.301	0.439
LTE Band 5	0.354	0.588
LTE Band 7	0.175	0.174
LTE Band 12	0.336	0.288
LTE Band 13	0.282	0.496
LTE Band 17	0.273	0.280
LTE Band 25	0.327	0.209
LTE Band 26	0.365	0.735
LTE Band 38	0.121	0.177
LTE Band 40	0.160	0.365

	LTE Band 41	0.122	0.146
	LTE Band 66	0.441	0.796
	2.4G WLAN ANT 1	0.094	0.104
	2.4G WLAN ANT 2	0.102	0.089
	2.4G WLAN MIMO	0.160	0.144
	5.2G WLAN ANT 1	0.132	0.095
	5.2G WLAN ANT 2	0.280	0.236
	5.2G WLAN MIMO	0.462	0.322
	5.3G WLAN ANT 1	0.107	0.159
	5.3G WLAN ANT 2	0.249	0.190
	5.3G WLAN MIMO	0.461	0.345
	5.6G WLAN ANT 1	0.321	0.238
	5.6G WLAN ANT 2	0.257	0.165
	5.6G WLAN MIMO	0.271	0.246
	5.8G WLAN ANT 1	0.368	0.181
	5.8G WLAN ANT 2	0.256	0.250
	5.8G WLAN MIMO	0.617	0.402
	Bluetooth NOTE4	0.059	0.059
	NFC NOTE4	0.0000003	0.0000003
	NR SA N2	0.237	0.344
	NR SA N5	0.573	0.634
	NR SA N7	0.144	0.108
	NR SA N25	0.304	0.364
	NR SA N38	0.124	0.141
	NR SA N41	0.105	0.193
	NR SA N66	0.338	0.275
	NR SA N77	0.265	0.241
	NSA N41+B5	0.459	0.781
1-g Sum SAR		1.190	1.326

Note:
1. The dual SIM card mobile has 2 SIM slots and supports dual SIM dual standby. The WWAN radio transmission will be enabled by either one SIM at a time (Single active)
2. After pre-scan two SIM cards power, we found test result of the SIM1 was the worse, so we chose SIM1 card to perform all tests.
3. The EUT battery must be fully charged and checked periodically during the test to ascertain uniform power
4. The BT and NFC value was Estimated.

EN-DC SAR test summary:

Band	Mode	Head Max SAR (W/Kg)	Head Test sum	Body Max SAR (W/Kg)	Body Test sum
NSA N41+B5	SA N41	0.105	0.459	0.193	0.781
	LTE B5	0.354		0.588	

1.2 Test Environment

Ambient conditions in the SAR laboratory:

Items	Required
Temperature (℃)	18-25
Humidity (%RH)	30-70

1.3 Test Factory

Company Name:	Shenzhen LGT Test Service Co., Ltd.
Address:	Room 205, Building 13, Zone B, Zhenxiong Industrial Park, No.177, Renmin West Road, Jinsha, Kengzi Street, Pingshan District, Shenzhen, Guangdong, China
Accreditation Certificate	FCC Registration No.: 746540
	A2LA Certificate No.: 6727.01
	IC Registration No.: CN0136

2. Test Standards and Limits

No.	Identity	Document Title
1	47 CFR Part 2	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
2	ANSI/IEEE Std. C95.1-1992	IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz
3	IEEE Std. 1528-2013	Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques
4	FCC KDB 447498 D01 v06	Mobile and Portable Device RF Exposure Procedures and Equipment Authorization Policies
5	FCC KDB 865664 D01 v01r04	SAR Measurement 100 MHz to 6 GHz
6	FCC KDB 865664 D02 v01r02	RF Exposure Reporting
7	FCC KDB 941225 D01 v03r01	SAR Measurement Procedures for 3G Devices
8	FCC KDB 941225 D05 v02r05	SAR for LTE Devices
9	FCC KDB 941225 D06 v02r01	Hotspot Mode SAR
10	FCC KDB 648474 D04 v01r03	SAR Evaluation Considerations for Wireless Handsets
11	FCC KDB 248227 D01 Wi-Fi SAR v02r02	SAR Considerations for 802.11 Devices

(A). Limits for Occupational/Controlled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.4	8.0	20.0

(B). Limits for General Population/Uncontrolled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.08	1.6	4.0

NOTE: Whole-Body SAR is averaged over the entire body, partial-body SAR is averaged over any 1 gram of tissue defined as a tissue volume in the shape of a cube. SAR for hands, wrists, feet and ankles is averaged over any 10 grams of tissue defined as a tissue volume in the shape of a cube.

Population/Uncontrolled Environments:

Are defined as locations where there is the exposure of individuals who have no knowledge or control of their exposure.

Occupational/Controlled Environments:

Are defined as locations where there is exposure that may be incurred by people who are aware of the potential for exposure, (i.e. as a result of employment or occupation).

NOTE GENERAL POPULATION/UNCONTROLLED EXPOSURE PARTIAL BODY LIMIT 1.6 W/kg

3. SAR Measurement System

3.1 Definition of Specific Absorption Rate (SAR)

SAR is related to the rate at which energy is absorbed per unit mass in an object exposed to a radio field. The SAR distribution in a biological body is complicated and is usually carried out by experimental techniques or numerical modeling. The standard recommends limits for two tiers of groups, occupational/controlled and general population/uncontrolled, based on a person's awareness and ability to exercise control over his or her exposure. In general, occupational/controlled exposure limits are higher than the limits for general population/uncontrolled.

The SAR definition is the time derivative (rate) of the incremental energy (dW) absorbed by (dissipated in) an incremental mass (dm) contained in a volume element (dv) of a given density (ρ). The equation description is as below:

$$\mathbf{SAR} = \frac{d}{dt}\left(\frac{dW}{dm}\right) = \frac{d}{dt}\left(\frac{dW}{\rho dv}\right)$$

SAR is expressed in units of Watts per kilogram (W/kg) SAR measurement can be related to the electrical field in the tissue by

$$\mathbf{SAR} = \frac{\sigma E^2}{\rho}$$

Where: σ is the conductivity of the tissue;
ρ is the mass density of the tissue and E is the RMS electrical field strength.

3.2 SAR System

MVG SAR System Diagram:



COMOSAR is a system that is able to determine the SAR distribution inside a phantom of human being according to different standards. The COMOSAR system consists of the following items:
- Main computer to control all the system
- 6 axis robot
- Data acquisition system
- Miniature E-field probe
- Phone holder
- Head simulating tissue

The following figure shows the system.

The EUT under test operating at the maximum power level is placed in the phone holder, under the phantom, which is filled with head simulating liquid. The E-Field probe measures the electric field inside the phantom. The OpenSAR software computes the results to give a SAR value in a 1g or 1g mass.

3.2.1 Probe

For the measurements the Specific Dosimetric E-Field Probe SN 04/22 EPGO364 with following specifications is used
- Probe Length: 330 mm
- Length of Individual Dipoles: 2mm
- Maximum external diameter: 8 mm
- Probe Tip External Diameter: 2.5 mm
- Distance between dipole/probe extremity: 1 mm
- Dynamic range: 0.01-100 W/kg
- Probe linearity: 3%
- Axial Isotropy: < 0.10 dB
- Spherical Isotropy: < 0.10 dB
- Calibration range: 600 MHz to 6 GHz for head & body simulating liquid.
-Angle between probe axis (evaluation axis) and surface normal line: less than 30°

Figure 1-MVG COMOSAR Dosimetric E field Probe

3.2.2 Phantom

For the measurements the Specific Anthropomorphic Mannequin (SAM) defined by the IEEE SCC-34/SC2 group is used. The phantom is a polyurethane shell integrated in a wooden table. The thickness of the phantom amounts to 2mm +/- 0.2mm. It enables the dosimetric evaluation of left and right phone usage and includes an additional flat phantom part for the simplified performance check. The phantom set-up includes a cover, which prevents the evaporation of the liquid.

Figure-SN 06/22 SAM 148

Figure-SN 06/22 ELLI 51

3.2.3 Device Holder

The SAR in the phantom is approximately inversely proportional to the square of the distance between the source and the liquid surface. For a source at 5 mm distance, a positioning uncertainty of ± 0.5 mm would produce a SAR uncertainty of ± 20 %. Accurate device positioning is therefore crucial for accurate and repeatable measurements. The positions in which the devices must be measured are defined by the standards.

4. Tissue Simulating Liquids

4.1 Simulating Liquids Parameter Check

The simulating liquids should be checked at the beginning of a series of SAR measurements to determine of the dielectric parameters are within the tolerances of the specified target values

The uncertainty due to the liquid conductivity and permittivity arises from two different sources. The first source of error is the deviation of the liquid conductivity from its target value (max _ 5 %) and the second source of error arises from the measurement procedures used to assess conductivity. The uncertainty shall be assessed using a rectangular probability For 1 g averaging, the maximum weighting coefficient for SAR is 0,5.

IEEE SCC-34/SC-2 RECOMMENDED TISSUE DIELECTRIC PARAMETERS

The head and body tissue dielectric parameters recommended by the IEEE SCC-34/SC-2 have been incorporated in the following table.

Frequency	εr	σ 10g S/m
300	45.3	0.87
450	43.5	0.87
750	41.9	0.89
835	41.5	0.90
900	41.5	0.97
1450	40.5	1.20
1800 to 2000	40.0	1.40
2100	39.8	1.49
2450	39.2	1.80
2600	39.0	1.96
3000	38.5	2.40
3500	37.9	2.91
4000	37.4	3.43
4500	36.8	3.94
5000	36.2	4.45
5200	36.0	4.66
5400	35.8	4.86
5600	35.5	5.07
5800	35.3	5.27

LIQUID MEASUREMENT RESULTS

Date	Ambient		Simulating Liquid		Parameters	Target	Measured	Deviation %	Limited %
	Temp. [°C]	Humidity %	Frequency (MHz)	Temp. [°C]					
2024-07-14	21.7	52	750	21.4	Permittivity	41.90	41.68	-0.53	±5
					Conductivity	0.89	0.88	-1.12	±5
2024-07-15	23.4	59	835	23	Permittivity	41.50	40.94	-1.35	±5
					Conductivity	0.90	0.89	-1.11	±5
2024-08-10	22.4	57	835	22.1	Permittivity	41.50	41.67	0.41	±5
					Conductivity	0.90	0.89	-1.11	±5
2024-07-17	20.7	60	1800	20.3	Permittivity	40.00	40.80	2.00	±5
					Conductivity	1.40	1.41	0.71	±5
2024-08-12	23	41	1800	22.7	Permittivity	40.00	41.13	2.83	±5
					Conductivity	1.40	1.36	-2.86	±5
2024-08-09	22	46	1900	21.7	Permittivity	40.00	40.92	2.30	±5
					Conductivity	1.40	1.43	2.14	±5
2024-07-18	22.8	49	1900	22.5	Permittivity	40.00	40.45	1.13	±5
					Conductivity	1.40	1.43	2.14	±5
2024-08-12	23	41	2300	22.6	Permittivity	39.47	39.42	-0.13	±5
					Conductivity	1.67	1.65	-1.20	±5
2024-08-11	22.6	51	2450	22.3	Permittivity	39.20	40.25	2.68	±5
					Conductivity	1.80	1.84	2.22	±5
2024-07-19	20.3	53	2600	20	Permittivity	39.00	40.38	3.54	±5
					Conductivity	1.96	1.97	0.51	±5
2024-08-08	20.3	51	2600	19.9	Permittivity	39.00	39.47	1.21	±5
					Conductivity	1.96	1.99	1.53	±5
2024-08-13	23.6	54	3700	23.4	Permittivity	37.67	37.82	0.40	±5
					Conductivity	3.12	3.25	4.17	±5
2024-08-13	23.7	54	3900	23.5	Permittivity	37.45	38.12	1.79	±5
					Conductivity	3.32	3.34	0.60	±5
2024-08-14	21.3	50	5200	21.1	Permittivity	36.00	36.57	1.58	±5
					Conductivity	4.66	4.69	0.64	±5
2024-08-18	23.3	45	5200	23	Permittivity	36.00	36.53	1.47	±5
					Conductivity	4.66	4.62	-0.86	±5
2024-08-15	20.8	59	5400	20.5	Permittivity	35.80	36.16	1.01	±5
					Conductivity	4.86	4.85	-0.21	±5
2024-08-18	23.3	45	5400	23	Permittivity	35.80	36.49	1.93	±5
					Conductivity	4.86	4.82	-0.82	±5
2024-08-16	21.5	51	5600	21.1	Permittivity	35.55	36.53	2.76	±5
					Conductivity	5.07	5.06	-0.10	±5
2024-08-19	21.1	41	5600	20.8	Permittivity	35.55	36.27	2.03	±5
					Conductivity	5.07	5.02	-0.89	±5
2024-08-19	21.2	41	5800	20.9	Permittivity	35.30	35.70	1.13	±5
					Conductivity	5.27	5.28	0.19	±5
2024-08-17	21	50	5800	20.7	Permittivity	35.30	35.63	0.93	±5
					Conductivity	5.27	5.30	0.57	±5

5. SAR System Validation

5.1 Validation System

Each MVG system is equipped with one or more system validation kits. These units, together with the predefined measurement procedures within the MVG software, enable the user to conduct the system performance check and system validation. System kit includes a dipole, and dipole device holder.

The system check verifies that the system operates within its specifications. It's performed daily or before every SAR measurement. The system check uses normal SAR measurement in the flat section of the phantom with a matched dipole at a specified distance. The system validation setup is shown as below.



5.2 Validation Result

Comparing to the original SAR value provided by MVG, the validation data should be within its specification of ±10 %.

Date	Freq.	Power	Tested Value	Normalized SAR	Target SAR	Tolerance	Limit
	(MHz)	(mW)	(W/Kg)	(W/kg)	1g(W/kg)	(%)	(%)
2024-07-14	750	100	0.815	8.15	8.27	-1.45	10
2024-07-15	835	100	0.961	9.61	9.75	-1.44	10
2024-08-10	835	100	0.954	9.54	9.75	-2.15	10
2024-07-17	1800	100	3.878	38.78	39.06	-0.72	10
2024-08-12	1800	100	3.939	39.39	39.06	0.84	10
2024-08-09	1900	100	4.128	41.28	40.85	1.05	10
2024-07-18	1900	100	4.048	40.48	40.85	-0.91	10
2024-08-12	2300	100	5.068	50.68	50.94	-0.51	10
2024-08-11	2450	100	5.436	54.36	54.28	0.15	10
2024-07-19	2600	100	5.699	56.99	56.58	0.72	10
2024-08-08	2600	100	5.651	56.51	56.58	-0.12	10
2024-08-13	3700	100	6.997	69.97	69.81	0.23	10
2024-08-13	3900	100	6.975	69.75	69.92	-0.24	10
2024-08-14	5200	100	7.774	77.74	77.64	0.13	10
2024-08-18	5200	100	7.740	77.40	77.64	-0.31	10
2024-08-15	5300	100	8.056	80.56	80.27	0.36	10
2024-08-18	5300	100	8.030	80.30	80.27	0.04	10
2024-08-16	5600	100	7.863	78.63	78.35	0.36	10
2024-08-19	5600	100	7.810	78.10	78.35	-0.32	10
2024-08-19	5800	100	7.503	75.03	74.92	0.15	10
2024-08-17	5800	100	7.483	74.83	74.92	-0.12	10

Note:

1. The tolerance limit of System validation ±10%.
2. The dipole input power (forward power) was 100 mW.
3. The results are normalized to 1 W input power.

6. SAR Evaluation Procedures

The procedure for assessing the average SAR value consists of the following steps:

The following steps are used for each test position

- Establish a call with the maximum output power with a base station simulator. The connection between the mobile and the base station simulator is established via air interface

- Measurement of the local E-field value at a fixed location. This value serves as a reference value for calculating a possible power drift.

- Measurement of the SAR distribution with a grid of 8 to 16mm * 8 to16 mm and a constant distance to the inner surface of the phantom. Since the sensors cannot directly measure at the inner phantom surface, the values between the sensors and the inner phantom surface are extrapolated. With these values the area of the maximum SAR is calculated by an interpolation scheme.

- Around this point, a cube of 30 * 30 * 30 mm or 32 * 32 * 32 mm is assessed by measuring 5 or 8 * 5 or 8*4 or 5 mm. With these data, the peak spatial-average SAR value can be calculated.

➢ Area Scan& Zoom Scan

First Area Scan is used to locate the approximate location(s) of the local peak SAR value(s). The measurement grid within an Area Scan is defined by the grid extent, grid step size and grid offset. Next, in order to determine the EM field distribution in a three-dimensional spatial extension, Zoom Scan is required. The Zoom Scan is performed around the highest E-field value to determine the averaged SAR-distribution over 10 g. Area scan and zoom scan resolution setting follows KDB 865664 D01 quoted below.

When the 1-g SAR of the highest peak is within 2 dB of the SAR limit, additional zoom scans are required for other peaks within 2 dB of the highest peak that have not been included in any zoom scan to ensure there is no increase in SAR.

7. EUT Antenna Location Sketch

It is a 5G Smart phone, support GSM/WCDMA/LTE/NR/WLAN/BT mode.

Top side



Bottom side
(Back view)

Note 1: The antenna information refer the manufacturer provide report, applicable only to the tested sample identified in the report.

ANT	Transmitting antenna located(mm)					
	Back Side	Front Side	Left Side	Right Side	Top Side	Bottom Side
GSM/WCDMA/CDMA/LTE Antenna	<5	<5	8	<5	112	<5
BT/WLAN Antenna 1	<5	<5	35	<5	<5	113
WLAN Antenna 2	<5	<5	52	<5	10	88
5G NR Antenna	<5	<5	<5	24	<5	14
5G N77 Antenna	<5	<5	52	<5	55	48

7.1 SAR test exclusion consider table

The WWAN/WLAN/BT SAR evaluation of Maximum power (dBm) summing tolerance.

	Wireless Interface	GSM850	PCS1900	WCDMA II	WCDMA IV	WCDMA V
Exposure Position	Calculated Frequency (MHz)	848.8	1909.8	1907.6	1752.4	826.4
	Maximum Turn-up power (dBm)	33	30	24	25.17	23
	Maximum rated power(mW)	1995.26	1000.00	251.19	328.85	199.53
Back Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.28	10.85	10.86	11.33	16.50
	Testing required?	YES	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.28	10.85	10.86	11.33	16.50
	Testing required?	YES	YES	YES	YES	YES
Left Edge	Separation distance (mm)	8	8	8	8	8
	exclusion threshold(mW)	26.05	17.37	17.38	18.13	26.40
	Testing required?	YES	YES	YES	YES	YES
Right Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.28	10.85	10.86	11.33	16.50
	Testing required?	YES	YES	YES	YES	YES
Top Edge	Separation distance (mm)	112	112	112	112	112
	exclusion threshold(mW)	513.65	728.54	728.60	733.31	506.58
	Testing required?	YES	YES	NO	NO	NO
Bottom Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.28	10.85	10.86	11.33	16.50
	Testing required?	YES	YES	YES	YES	YES

Exposure Position	Wireless Interface	CDMA BC0	CDMA BC1	LTE Band 2	LTE Band 4	LTE Band 5
	Calculated Frequency (MHz)	836.52	1908.72	1900	1732.5	829
	Maximum Turn-up power (dBm)	33	30	25	24	25
	Maximum rated power(mW)	1995.26	1000.00	316.23	251.19	316.23
Back Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.40	10.86	10.88	11.40	16.47
	Testing required?	YES	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.40	10.86	10.88	11.40	16.47
	Testing required?	YES	YES	YES	YES	YES
Left Edge	Separation distance (mm)	8	8	8	8	8
	exclusion threshold(mW)	26.24	17.37	17.41	18.23	26.36
	Testing required?	YES	YES	YES	YES	YES
Right Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.40	10.86	10.88	11.40	16.47
	Testing required?	YES	YES	YES	YES	YES
Top Edge	Separation distance (mm)	112	112	112	112	112
	exclusion threshold(mW)	509.77	728.57	728.82	733.96	507.40
	Testing required?	YES	YES	NO	NO	NO
Bottom Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.40	10.86	10.88	11.40	16.47
	Testing required?	YES	YES	YES	YES	YES

Exposure Position	Wireless Interface	LTE Band 7	LTE Band 12	LTE Band 13	LTE Band 17	LTE Band 25
	Calculated Frequency (MHz)	2510	782	782	709	1905
	Maximum Turn-up power (dBm)	24.5	25	25	25	25
	Maximum rated power(mW)	281.84	316.23	316.23	316.23	316.23
Back Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.47	16.96	16.96	17.81	10.87
	Testing required?	YES	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.47	16.96	16.96	17.81	10.87
	Testing required?	YES	YES	YES	YES	YES
Left Edge	Separation distance (mm)	8	8	8	8	8
	exclusion threshold(mW)	15.15	27.14	27.14	28.50	17.39
	Testing required?	YES	YES	YES	YES	YES
Right Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.47	16.96	16.96	17.81	10.87
	Testing required?	YES	YES	YES	YES	YES
Top Edge	Separation distance (mm)	112	112	112	112	112
	exclusion threshold(mW)	714.68	492.85	492.85	471.20	728.68
	Testing required?	NO	NO	NO	NO	NO
Bottom Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.47	16.96	16.96	17.81	10.87
	Testing required?	YES	YES	YES	YES	YES

Exposure Position	Wireless Interface	LTE Band 26	LTE Band 38	LTE Band 40	LTE Band 41	LTE Band 66
	Calculated Frequency (MHz)	831.5	2595	2310	2506	1745
	Maximum Turn-up power (dBm)	25	23.5	12	24	24
	Maximum rated power(mW)	316.23	223.87	15.85	251.19	251.19
Back Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.45	9.31	9.87	9.48	11.36
	Testing required?	YES	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.45	9.31	9.87	9.48	11.36
	Testing required?	YES	YES	YES	YES	YES
Left Edge	Separation distance (mm)	8	8	8	8	8
	exclusion threshold(mW)	26.32	14.90	15.79	15.16	18.17
	Testing required?	YES	YES	YES	YES	YES
Right Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.45	9.31	9.87	9.48	11.36
	Testing required?	YES	YES	YES	YES	YES
Top Edge	Separation distance (mm)	112	112	112	112	112
	exclusion threshold(mW)	508.18	713.12	718.69	714.75	733.55
	Testing required?	NO	NO	NO	NO	NO
Bottom Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	16.45	9.31	9.87	9.48	11.36
	Testing required?	YES	YES	YES	YES	YES

Exposure Position	Wireless Interface	BT	2.4G WLAN ANT 1	2.4G WLAN ANT 2	5.2G WLAN ANT 1	5.2G WLAN ANT 2
	Calculated Frequency (MHz)	2441	2462	2412	5240	5180
	Maximum Turn-up power (dBm)	1.5	17.5	17	15.5	18
	Maximum rated power(mW)	1.41	56.23	50.12	35.48	63.10
Back Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.60	9.56	9.66	6.55	6.59
	Testing required?	NO	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.60	9.56	9.66	6.55	6.59
	Testing required?	NO	YES	YES	YES	YES
Left Edge	Separation distance (mm)	35	35	52	35	52
	exclusion threshold(mW)	67.21	66.92	116.58	45.87	85.91
	Testing required?	NO	NO	NO	NO	NO
Right Edge	Separation distance (mm)	5	5	5	5	5
	exclusion threshold(mW)	9.60	9.56	9.66	6.55	6.59
	Testing required?	NO	YES	YES	YES	YES
Top Edge	Separation distance (mm)	5	5	10	5	10
	exclusion threshold(mW)	9.60	9.56	19.32	6.55	13.18
	Testing required?	NO	YES	YES	YES	YES
Bottom Edge	Separation distance (mm)	113	113	88	113	88
	exclusion threshold(mW)	726.01	725.60	476.58	695.53	445.91
	Testing required?	NO	NO	NO	NO	NO

Exposure Position	Wireless Interface	5.3G WLAN ANT 1	5.3G WLAN ANT 2	5.6G WLAN ANT 1	5.6G WLAN ANT 2	5.8G WLAN ANT 1	5.8G WLAN ANT 2
	Calculated Frequency (MHz)	5260	5260	5700	5580	5745	5785
	Maximum Turn-up power (dBm)	16	18	16.5	17	16.5	17
	Maximum rated power(mW)	39.81	63.10	44.67	50.12	44.67	50.12
Back Side	Separation distance (mm)	5	5	5	5	5	5
	exclusion threshold(mW)	6.54	6.54	6.28	6.35	6.26	6.24
	Testing required?	YES	YES	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5	5	5
	exclusion threshold(mW)	6.54	6.54	6.28	6.35	6.26	6.24
	Testing required?	YES	YES	YES	YES	YES	YES
Left Edge	Separation distance (mm)	35	52	35	52	35	52
	exclusion threshold(mW)	45.78	85.40	43.98	83.50	43.81	82.36
	Testing required?	NO	NO	YES	NO	YES	NO
Right Edge	Separation distance (mm)	5	5	5	5	5	5
	exclusion threshold(mW)	6.54	6.54	6.28	6.35	6.26	6.24
	Testing required?	YES	YES	YES	YES	YES	YES
Top Edge	Separation distance (mm)	5	10	5	10	5	10
	exclusion threshold(mW)	6.54	13.08	6.28	12.70	6.26	12.47
	Testing required?	YES	YES	YES	YES	YES	YES
Bottom Edge	Separation distance (mm)	113	88	113	88	113	88
	exclusion threshold(mW)	695.40	445.40	692.83	443.50	692.58	442.36
	Testing required?	NO	NO	NO	NO	NO	NO

Exposure Position	Wireless Interface	SA N2	SA N5	SA N7	SA N25
	Calculated Frequency (MHz)	1860	834	2560	1905
	Maximum Turn-up power (dBm)	24.5	24	24	24.5
	Maximum rated power(mW)	281.84	251.19	251.19	281.84
Back Side	Separation distance (mm)	5	5	5	5
	exclusion threshold(mW)	11.00	16.43	9.38	10.87
	Testing required?	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5
	exclusion threshold(mW)	11.00	16.43	9.38	10.87
	Testing required?	YES	YES	YES	YES
Left Edge	Separation distance (mm)	5	5	5	5
	exclusion threshold(mW)	11.00	16.43	9.38	10.87
	Testing required?	YES	YES	YES	YES
Right Edge	Separation distance (mm)	24	24	24	24
	exclusion threshold(mW)	52.79	78.84	45.00	52.17
	Testing required?	YES	YES	YES	YES
Top Edge	Separation distance (mm)	5	5	5	5
	exclusion threshold(mW)	11.00	16.43	9.38	10.87
	Testing required?	YES	YES	YES	YES
Bottom Edge	Separation distance (mm)	14	14	14	14
	exclusion threshold(mW)	30.80	45.99	26.25	30.43
	Testing required?	YES	YES	YES	YES

	Wireless Interface	SA N38	SA N41	SA N66	SA N77
Exposure Position	Calculated Frequency (MHz)	2590	2640	1712.5	3750
	Maximum Turn-up power (dBm)	24	24.5	24.5	25.5
	Maximum rated power(mW)	251.19	281.84	281.84	354.81
Back Side	Separation distance (mm)	5	5	5	5
	exclusion threshold(mW)	9.32	9.23	11.46	7.75
	Testing required?	YES	YES	YES	YES
Front Side	Separation distance (mm)	5	5	5	5
	exclusion threshold(mW)	9.32	9.23	11.46	7.75
	Testing required?	YES	YES	YES	YES
Left Edge	Separation distance (mm)	5	5	5	52
	exclusion threshold(mW)	9.32	9.23	11.46	97.46
	Testing required?	YES	YES	YES	YES
Right Edge	Separation distance (mm)	24	24	24	5
	exclusion threshold(mW)	44.74	44.31	55.02	7.75
	Testing required?	YES	YES	YES	YES
Top Edge	Separation distance (mm)	5	5	5	55
	exclusion threshold(mW)	9.32	9.23	11.46	127.46
	Testing required?	YES	YES	YES	YES
Bottom Edge	Separation distance (mm)	14	14	14	48
	exclusion threshold(mW)	26.10	25.85	32.09	74.36
	Testing required?	YES	YES	YES	YES

Note:

1. maximum power is the source-based time-average power and represents the maximum RF output power among production units.
2. per KDB 447498 D01, for larger devices, the test separation distance of adjacent edge configuration is determined by the closest separation between the antenna and the user.
3. per KDB 447498 D01, standalone SAR test exclusion threshold is applied; if the distance of the antenna to the user is <25mm,25mm is user to determine SAR exclusion threshold

4. per KDB 447498 D01, the 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distance ≤50mm are determined by:
   [(max.power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]*[√f(GHz）)≤3.0 for 1-g SAR and≤7.5 for10-g extremity SAR ,f(GHz) is the RF channel transmit frequency in GHz. Power and distance are rounded to the nearest mW and mm before calculation.
   The result is rounded to one decimal place for comparison
   For <50mm distance, we just calculate mW of the exclusion threshold value(3.0)to do compare
5. per KDB 447498 D01, at 100 MHz to 6GHz and for test separation distances >50mm, the SAR test exclusion threshold is determined according to the following
   a)[threshold at 50mm in step 1]+(test separation distance -50mm)*(f (MHz)/150)]mW, at 100 MHz to 1500 MHz
   b) [threshold at 50mm in step1]+(test separation distance -50mm) *10]mW at＞1500MHz and≤ 6GHz
6. Per KDB 248227 D01, choose the highest output power channel to test SAR and determine further SAR exclusion 8.for each frequency band ,testing at higher data rates and higher order modulations is not required when the maximum average output power for each of each of these configurations is less than 1/4db higher than those measured at the lower data rate than 11b mode ,thus the SAR can be excluded.

8. EUT Test Position

This EUT was tested in Right Cheek, Right Titled, Left Cheek, Left Titled, Front Face and Rear Face.

8.1 Define Two Imaginary Lines on the Handset

(1) The vertical centerline passes through two points on the front side of the handset the midpoint of the width wt of the handset at the level of the acoustic output, and the midpoint of the width wb of the handset.
(2) The horizontal line is perpendicular to the vertical centerline and passes through the center of the acoustic output. The horizontal line is also tangential to the face of the handset at point A.
(3) The two lines intersect at point A. Note that for many handsets, point A coincides with the center of the acoustic output; however, the acoustic output may be located elsewhere on the horizontal line. Also note that the vertical centerline is not necessarily to the front face of the handset, especially for clamshell handsets, handsets with flip covers, and other irregularly shaped handsets.



Cheek Position
1) To position the device with the vertical center line of the body of the device and the horizontal line crossing the center piece in a plane parallel to the sagittal plane of the phantom. While maintaining the device in this plane, align the vertical center line with the reference plane containing the ear and mouth reference point (M: Mouth, RE: Right Ear, and LE: Left Ear) and align the center of the ear piece with the line RE-LE.
2) To move the device towards the phantom with the ear piece aligned with the line LE-RE until the phone touched the ear. While maintaining the device in the reference plane and maintaining the phone contact with ear, move the bottom of the phone until any point on the front side is in contact with the cheek of the phantom or until contact with the ear is lost



Title Position
(1) To position the device in the “cheek” position described above.
(2) While maintaining the device in the reference plane described above and pivoting against the ear, moves it outward away from the mouth by an angle of 15 degrees or until with the ear is lost.

Body-worn Position Conditions:
Body-worn accessory exposure is typically related to voice mode operations when handsets are carried in body-worn accessories. The body-worn accessory procedures in KDB Publication 447498 D01 should be used to test for body-worn accessory SAR compliance, without a headset connected to it. When the same wireless transmission configuration is used for testing body-worn accessory and hotspot mode SAR, respectively, in voice and data mode, SAR results for the most conservative *test separation distance* configuration may be used to support both SAR conditions. When the *reported* SAR for a body-worn accessory, measured without a headset connected to the handset, is > 1.2 W/kg, the highest *reported* SAR configuration for that wireless mode and frequency band should be repeated for the body-worn accessory with a headset attached to the handset.

8.2 Hotspot mode exposure position condition

For handsets that support hotspot mode operations, with wireless router capabilities and various web browsing function, the relevant hand and body exposure condition are tested according to the hotspot SAR procedures in KDB 941225. A test separation distance of 10 mm is required between the phantom and all surface and edges with a transmitting antenna located within 25 mm form that surface or edge. When form factor of a handset is smaller than 9cm x 5cm, a test separation distance of 5mm (instead of 10mm) is required for testing hotspot mode. When the separate distance required for body-worn accessory testing is larger than or equal to that tested for hotspot mode, in the same wireless mode and for the same surface of the phone, the hotspot mode SAR data may be used to support body-worn accessory SAR compliance for that particular configuration (surface).



9. Uncertainty

9.1 Measurement Uncertainty

The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in IEEE 1528: 2013.This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Uncertainty Component	Tol (+- %)	Prob. Dist.	Div.	Ci (1g)	Ci (10g)	1g Ui (+-%)	10g Ui (+-%)	vi
Measurement System								
Probe calibration	5.8	N	1	1	1	5.8	5.8	∞
Axial Isotropy	3.5	R	$\sqrt{3}$	√0.5	√0.5	1.43	1.43	∞
Hemispherical Isotropy	5.9	R	$\sqrt{3}$	√0.5	√0.5	2.41	2.41	∞
Boundary effect	1	R	$\sqrt{3}$	1	1	0.58	0.58	∞
Linearity	4.7	R	$\sqrt{3}$	1	1	2.71	2.71	∞
System detection limits	1	R	$\sqrt{3}$	1	1	0.58	0.58	∞
Modulation response	3	R	$\sqrt{3}$	1	1	1.73	1.73	∞
Readout Electronics	0.5	N	1	1	1	0.50	0.50	∞
Response Time	0	R	$\sqrt{3}$	1	1	0.00	0.00	∞
Integration Time	1.4	R	$\sqrt{3}$	1	1	1.81	1.81	∞
RF ambient conditions-Noise	3	R	$\sqrt{3}$	1	1	1.73	1.73	∞
RF ambient conditions-reflections	3	R	$\sqrt{3}$	1	1	1.73	1.73	∞
Probe positioner mechanical tolerance	1.4	R	$\sqrt{3}$	1	1	0.81	0.81	∞
Probe positioning with respect to phantom shell	1.4	R	$\sqrt{3}$	1	1	0.81	0.81	∞
Extrapolation, Interpolation and Integration Algoritms for Max, SAR	2.3	R	$\sqrt{3}$	1	1	1.33	1.33	∞
Test sample Related								
Test sample positioning	2.6	N	1	1	1	2.60	2.60	11
Device holder uncertainty	3	N	1	1	1	3.00	3.00	7
Output Power Variation - SAR Drift Measurement	5	R	$\sqrt{3}$	1	1	2.89	2.89	∞
SAR scaling	2	R	$\sqrt{3}$	1	1	1.15	1.15	∞
Phantom and tissue parameters								
Phantom uncertainty (shape and thickness uncertainty)	4	R	$\sqrt{3}$	1	1	2.31	2.31	∞
Uncertainty in SAR correction for deviations in permittivity and conductivity	2	N	1	1	0.84	2.00	1.68	∞
Liquid Conductivity - Measurement Uncertainty)	4	N	1	0.78	0.71	3.12	2.84	5
Liquid Permittivity - Measurement Uncertainty	5	N	1	0.23	0.26	1.15	1.30	5
Liquid Conductivity (Temperature Uncertainty)	2.5	R	$\sqrt{3}$	0.78	0.71	1.13	1.02	∞
Liquid Permittivity (Temperature Uncertainty)	2.5	R	$\sqrt{3}$	0.23	0.26	0.33	0.38	∞
Combined Standard Uncertainty		RSS				10.47	10.34	
Expanded Uncertainty (95% Confidence interval)		K				20.95	20.69	

9.2 System validation Uncertainty

Uncertainty Component	Tol (+- %)	Prob. Dist.	Div.	Ci (1g)	Ci (10g)	1g Ui (+-%)	10g Ui (+-%)	vi
Measurement System								
Probe calibration	5.8	N	1	1	1	5.8	5.8	∞
Axial Isotropy	3.5	R	$\sqrt{3}$	1	1	2.02	2.02	∞
Hemispherical Isotropy	5.9	R	$\sqrt{3}$	0	0	0.00	0.00	∞
Boundary effect	1	R	$\sqrt{3}$	1	1	0.58	0.58	∞
Linearity	4.7	R	$\sqrt{3}$	1	1	0.71	0.71	∞
System detection limits	1	R	$\sqrt{3}$	1	1	0.58	0.58	∞
Modulation response	0	N	$\sqrt{3}$	0	0	0.00	0.00	∞
Readout Electronics	0.5	N	1	1	1	0.50	0.50	∞
Response Time	0	R	$\sqrt{3}$	0	0	0.00	0.00	∞
Integration Time	1.4	R	$\sqrt{3}$	0	0	0.00	0.00	∞
RF ambient conditions-Noise	3	R	$\sqrt{3}$	1	1	1.73	1.73	∞
RF ambient conditions-reflections	3	R	$\sqrt{3}$	1	1	1.73	1.73	∞
Probe positioner mechanical tolerance	1.4	R	$\sqrt{3}$	1	1	0.81	0.81	∞
Probe positioning with respect to phantom shell	1.4	R	$\sqrt{3}$	1	1	0.81	0.81	∞
Extrapolation, Interpolation and Integration Algoritms for Max, SAR	2.3	R	$\sqrt{3}$	1	1	1.33	1.33	∞
Dipole								
Deviation of Experimental Source from Numerical Source	5	N	1	1	1	5.00	5.00	∞
Input Power and SAR Drift Measurement	0.5	R	$\sqrt{3}$	1	1	0.29	0.29	∞
Dipole Axis to Liquid Distance	2	R	$\sqrt{3}$	1	1	1.15	1.15	∞
Phantom and Tissue Parameters								
Phantom uncertainty (shape and thickness uncertainty)	4	R	$\sqrt{3}$	1	1	2.31	2.31	∞
Uncertainty in SAR correction for deviations in permittivity and conductivity	2	N	1	1	0.84	2.00	1.68	∞
Liquid Conductivity - Measurement Uncertainty)	4	N	1	0.78	0.71	3.12	2.84	5
Liquid Permittivity - Measurement Uncertainty	5	N	1	0.23	0.26	1.15	1.30	5
Liquid Conductivity (Temperature Uncertainty)	2.5	R	$\sqrt{3}$	0.78	0.71	1.13	1.02	∞
Liquid Permittivity (Temperature Uncertainty)	2.5	R	$\sqrt{3}$	0.23	0.26	0.33	0.38	∞
Combined Standard Uncertainty		RSS				10.16	10.03	
Expanded Uncertainty (95% Confidence interval)		K				20.32	20.06	

10. Conducted Power Measurement

10.1 Test Result

Burst Average Power (dBm)						
Band	GSM 850			PCS 1900		
Channel	128	190	251	512	661	810
Frequency (MHz)	824.2	836.6	848.8	1850.2	1880.0	1909.8
GSM (GMSK, 1-Slot)	33.14	33.27	33.56	30.12	30.51	30.89
GPRS (GMSK, 1-Slot)	33.09	33.28	33.53	30.09	30.50	30.88
GPRS (GMSK, 2-Slot)	32.78	32.95	33.19	29.69	30.08	30.43
GPRS (GMSK, 3-Slot)	31.24	31.37	31.63	27.96	28.33	28.65
GPRS (GMSK, 4-Slot)	30.17	30.32	30.54	26.87	27.22	27.53
Remark: GPRS, CS4 coding scheme. Multi-Slot Class 8, Support Max 4 downlink, 1 uplink, 5 working link Multi-Slot Class 10, Support Max 4 downlink, 2 uplink, 5 working link Multi-Slot Class 12, Support Max 4 downlink, 4 uplink, 5 working link						

Frame- Average Power(dBm)						
Band	GSM 850			PCS 1900		
Channel	128	190	251	512	661	810
Frequency (MHz)	824.2	836.6	848.8	1850.2	1880.0	1909.8
GSM (GMSK, 1-Slot)	24.11	24.24	24.53	21.09	21.48	21.86
GPRS (GMSK, 1-Slot)	24.06	24.25	24.50	21.06	21.47	21.85
GPRS (GMSK, 2-Slot)	26.76	26.93	27.17	23.67	24.06	24.41
GPRS (GMSK, 3-Slot)	26.98	27.11	27.37	23.70	24.07	24.39
GPRS (GMSK, 4-Slot)	27.16	27.31	27.53	23.86	24.21	24.52
Remark: 1. SAR testing was performed on the maximum frame-averaged power mode. 2. The frame-averaged power is linearly proportion to the slot number configured and it is linearly scaled the maximum Burst - averaged power based on time slots. The calculated method is shown as below: Frame-averaged power = Burst averaged power (1 TX Slot) – 9.03 dB Frame-averaged power = Burst averaged power (2 TX Slots) – 6.02 dB Frame-averaged power = Burst averaged power (3 TX Slots) - 4.26 dB Frame-averaged power = Burst averaged power (4 TX Slots) – 3.01 dB						

WCDMA

Band	WCDMA Band 2			WCDMA Band 4			WCDMA Band 5		
Channel	9262	9400	9538	1312	1450	1513	4132	4182	4233
Frequency (MHz)	1852.4	1880	1907.6	1712.6	1740	1752.4	826.4	836.4	846.6
RMC 12.2Kbps	23.55	23.7	23.93	23.55	23.42	23.64	23.33	23.05	22.96
HSDPA Subtest-1	22.61	22.8	22.99	22.65	22.47	22.68	22.33	22.09	22.01
HSDPA Subtest-2	22.16	22.38	22.47	22.03	22.05	22.13	22.06	21.76	21.57
HSDPA Subtest-3	20.77	21.48	21.67	20.91	21.07	21.23	21.19	20.55	20.63
HSDPA Subtest-4	21.19	21.28	21.65	21.22	20.95	20.91	20.68	20.82	20.24
HSUPA Subtest-1	21.18	22.59	22.82	22.46	22.26	22.47	21.59	21.96	21.87
HSUPA Subtest-2	22.48	22.67	22.87	22.57	22.44	22.55	22.28	22.04	21.87
HSUPA Subtest-3	20.7	21.3	21.75	21.22	21.28	21.44	20.55	20.84	20.57
HSUPA Subtest-4	22.58	22.77	22.99	22.62	22.47	22.64	22.37	22.1	22
HSUPA Subtest-5	21.26	22.16	22.37	21.63	21.72	21.79	20.87	21.17	21.32

According to 3GPP 25.101 sub-clause 6.2.2, the maximum output power is allowed to be reduced by following the table.

Table 6.1A: UE maximum output power with HS-DPCCH and E-DCH

UE Transmit Channel Configuration	CM (db)	MPR (db)
For all combinations of ,DPDCH,DPCCH HS-DPDCH,E-DPDCH and E-DPCCH	0≤ CM≤3.5	MAX(CM-1,0)
Note: CM=1 for βc/βd=12/15, βhs/ βc=24/15.For all other combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference.		

The device supports MPR to solve linearity issues (ACLR or SEM) due to the higher peak-to average ratios (PAR) of the HSUPA signal. This prevents saturating the full range of the TX DAC inside of device and provides a reduced power output to the RF transceiver chip according to the Cubic Metric (a function of the combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH).

When E-DPDCH channels are present the beta gains on those channels are reduced firsts to try to get the power under the allowed limit. If the beta gains are lowered as far as possible, then a hard limiting is applied at the maximum allowed level.

The SW currently recalculates the cubic metric every time the beta gains on the E-DPDCH are reduced. The cubic metric will likely get lower each time this is done .However, there is no reported reduction of maximum output power in the HSUPA mode since the device also provides a compensation for the power back-off by increasing the gain of TX_AGC in the transceiver (PA) device.

The end effect is that the DUT output power is identical to the case where there is no MPR in the device.

CDMA

CDMA BC0		
Mode	Frequency (MHz)	AVG Power
CDMA BC0	824.70	22.59
	836.52	22.63
	848.31	22.33
EVDO BC0	824.70	22.53
	836.52	22.55
	848.31	22.28

CDMA BC1		
Mode	Frequency (MHz)	AVG Power
CDMA BC1	1851.25	22.54
	1880.00	22.74
	1908.75	22.83
EVDO BC1	1851.25	22.46
	1880.00	22.68
	1908.75	22.71

2.4G WLAN

2.4G WIFI					
Mode	Channel Number	Frequency (MHz)	ANT A Power (dBm)	ANT B Power (dBm)	MIMO Power (dBm)
802.11b	1	2412	17.18	16.81	N/A
	7	2437	16.55	16.79	N/A
	11	2462	17.32	16.42	N/A
802.11g	1	2412	15.09	13.72	N/A
	7	2437	14.95	14.43	N/A
	11	2462	14.82	13.67	N/A
802.11n-HT20	1	2412	13.63	12.77	12.75
	7	2437	14.67	13.46	15.83
	11	2462	14.00	12.50	16.08
802.11n-HT40	3	2422	14.62	13.18	12.70
	6	2437	14.27	13.36	16.45
	9	2452	14.36	13.21	14.55
802.11ax-HET20	1	2412	12.34	10.86	12.94
	7	2437	12.58	11.58	12.45
	11	2462	12.23	10.67	11.38
802.11ac-VHT40	3	2422	12.49	11.26	13.26
	6	2437	12.49	11.57	13.05
	9	2452	12.60	11.33	13.04

Bluetooth

BT				
Mode	Channel Number	Frequency (MHz)	Average Power (dBm)	Output Power (mW)
GFSK(1Mbps)	0	2402	-0.05	0.99
	39	2441	1.06	1.28
	78	2480	-1.13	0.77
π/4-QPSK(2Mbps)	0	2402	-0.48	0.90
	39	2441	0.33	1.08
	78	2480	-1.81	0.66
8DPSK(3Mbps)	0	2402	-0.22	0.95
	39	2441	0.77	1.19
	78	2480	-1.29	0.74

BLE

BLE				
Mode	Channel Number	Frequency (MHz)	Average Power (dBm)	Output Power (mW)
GFSK(1Mbps)	0	2402	-0.02	1.00
	19	2440	0.98	1.25
	39	2480	-1.17	0.76
GFSK(2Mbps)	0	2402	-0.11	0.97
	19	2440	0.87	1.22
	39	2480	-1.14	0.77

WLAN (5.2Gband)

5.2G WLAN					
Mode	Channel Number	Frequency (MHz)	ANT A Power (dBm)	ANT B Power (dBm)	MIMO Power (dBm)
802.11a20	36	5180	15.01	17.58	N/A
	40	5200	14.92	16.89	N/A
	48	5240	15.25	16.97	N/A
802.11n-HT20	36	5180	13.17	15.96	15.11
	40	5200	13.26	14.78	15.04
	48	5240	13.97	15.18	15.36
802.11n-HT40	38	5190	12.08	15.34	14.57
	46	5230	14.02	15.23	15.82
802.11ac-VHT20	36	5180	12.12	14.09	13.26
	40	5200	12.05	14.04	13.63
	48	5240	13.02	14.36	13.03
802.11ac-VHT40	38	5190	12.45	14.37	13.67
	46	5230	12.92	14.37	15.07
802.11ac-VHT80	42	5210	12.07	13.39	13.02
802.11ax-HE20	36	5180	11.42	12.81	11.82
	40	5200	11.23	13.2	12.80
	48	5240	11.65	13.4	13.63
802.11ax-HE40	38	5190	11.74	13.64	12.44
	46	5230	11.97	13.47	13.66
802.11ax-HE80	42	5210	11.44	12.85	13

WLAN (5.3G band)

5.3G WLAN					
Mode	Channel Number	Frequency (MHz)	ANT A Power (dBm)	ANT B Power (dBm)	MIMO Power (dBm)
802.11a20	52	5260	15.56	17.54	N/A
	60	5300	14.99	16.89	N/A
	64	5320	15.09	17.03	N/A
802.11n-HT20	52	5260	14.21	15.69	14.37
	60	5300	13.49	14.95	13.81
	64	5320	13.59	15.22	15.59
802.11n-HT40	54	5270	14.04	15.58	15.04
	62	5310	13.38	15.42	14.75
802.11ac-VHT20	52	5260	13.26	14.94	14.11
	60	5300	12.42	14.06	13.41
	64	5320	12.17	13.99	13.57
802.11ac-VHT40	54	5270	13.28	14.52	13.52
	62	5310	12.34	14.14	13.60
802.11ac-VHT80	58	5290	12.35	14.12	13.09
802.11ax-HE20	52	5260	12.24	13.78	14.44
	60	5300	11.34	13.12	12.59
	64	5320	11.65	13.28	13.94
802.11ax-HE40	54	5270	12.03	14.02	13.82
	62	5310	11.50	13.49	13.80
802.11ax-HE80	54	5290	11.49	13.33	12.52

WLAN (5.6G band)

5.6G WLAN					
Mode	Channel Number	Frequency (MHz)	ANT A Power (dBm)	ANT B Power (dBm)	MIMO Power (dBm)
802.11a20	100	5500	15.30	16.10	N/A
	116	5580	15.62	16.89	N/A
	140	5700	16.04	16.64	N/A
802.11n-HT20	100	5500	13.64	13.85	13.93
	116	5580	14.01	14.34	14.74
	140	5700	14.33	14.50	15.27
802.11n-HT40	102	5510	13.49	14.34	13.40
	110	5550	13.62	14.58	15.63
	134	5670	13.89	14.86	15.52
802.11ac-VHT20	100	5500	12.35	13.46	13.20
	116	5580	12.82	13.85	14.05
	140	5700	13.05	13.64	13.20
802.11ac-VHT40	102	5510	12.34	13.23	12.98
	110	5550	12.55	13.25	13.71
	134	5670	13.00	13.46	13.47
802.11ac-VHT80	106	5530	12.12	12.89	13.23
	122	5610	12.90	13.29	12.95
802.11ax-HE20	100	5500	11.66	12.33	12.04
	116	5580	12.01	12.88	14.48
	140	5700	12.12	12.73	14.28
802.11ax-HE40	102	5510	11.52	12.58	13.98
	110	5550	11.57	12.58	12.86
	134	5670	12.21	12.75	13.47
802.11ax-HE80	106	5530	11.35	12.12	12.86
	122	5610	11.84	12.38	12.03

WLAN (5.8G band)

5.8G WLAN					
Mode	Channel Number	Frequency (MHz)	ANT A Power (dBm)	ANT B Power (dBm)	MIMO Power (dBm)
802.11a20	149	5745	16.08	16.66	N/A
	157	5785	15.46	16.84	N/A
	165	5825	15.95	16.68	N/A
802.11n-HT20	149	5745	14.39	14.36	14.27
	157	5785	14.33	14.43	16.11
	165	5825	14.11	14.65	14.51
802.11n-HT40	151	5755	13.93	14.43	14.49
	159	5795	14.14	14.74	15.90
802.11ac-VHT20	149	5745	13.18	13.61	13.48
	157	5785	13.26	13.56	14.51
	165	5825	13.00	13.38	13.34
802.11ac-VHT40	151	5755	12.98	13.63	14.60
	159	5795	13.00	13.53	13.04
802.11ac-VHT80	155	5775	13.18	13.15	13.78
802.11ax-HE20	149	5745	12.42	12.33	12.50
	157	5785	12.45	12.79	14.79
	165	5825	11.88	12.76	13.26
802.11ax-HE40	151	5755	12.18	12.51	13.39
	159	5795	12.28	12.64	12.88
802.11ax-HE80	155	5775	12.42	12.57	13.11

NFC

Field strength(dBuV/m)	ERP(dBm)
53.87	-41.33

Note. The power of this EUT NFC is -41.33dBm (0.0001mW), this power is less than the defined low power exclusion level (Pmax: 39 mW), so NFC is exemption.

LTE Conducted Power

General Note:

1. Anritsu CMW500 base station simulator was used to setup the connection with EUT; the frequency band, channel bandwidth, RB allocation configuration, modulation type are set in the base station simulator to configure EUT transmitting at maximum power and at different configurations which are requested to be reported to FCC, for conducted power measurement and SAR testing.
2. Per KDB 941225 D05, when a properly configured base station simulator is used for the SAR and power measurements, spectrum plots for each RB allocation and offset configuration is not required.
3. Per KDB 941225 D05, start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
4. Per KDB 941225 D05, 50% RB allocation for QPSK SAR testing follows 1RB QPSK allocation procedure.
5. Per KDB 941225 D05, For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ⩽ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
6. Per KDB 941225 D05, 16QAM output power for each RB allocation configuration is > not ½ dB higher than the same configuration in QPSK and the reported SAR for the QPSK configuration is ⩽ 1.45 W/kg; Per KDB 941225 D05, 16QAM SAR testing is not required.
7. Per KDB 941225 D05, Smaller bandwidth output power for each RB allocation configuration is > not ½ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ⩽ 1.45 W/kg; Per KDB 941225 D05, smaller bandwidth SAR testing is not required.

LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.19	24.38	24.69
1.4	1	2		24.24	24.4	24.67
1.4	1	5		24.24	24.39	24.69
1.4	3	0		24.14	24.39	24.63
1.4	3	1		24.13	24.41	24.63
1.4	3	2		24.16	24.39	24.65
1.4	6	0		23.16	23.39	23.66
1.4	1	0	16-QAM	23.38	23.63	23.63
1.4	1	2		23.35	23.6	23.6
1.4	1	5		23.42	23.65	23.67
1.4	3	0		23.33	23.62	23.77
1.4	3	1		23.35	23.62	23.76
1.4	3	2		23.34	23.61	23.78
1.4	6	0		22.35	22.54	22.81
3	1	0	QPSK	24.19	24.39	24.65
3	1	7		24.21	24.38	24.66
3	1	14		24.25	24.32	24.73
3	8	0		23.2	23.4	23.65
3	8	4		23.2	23.4	23.6
3	8	7		23.22	23.36	23.64
3	15	0		23.21	23.37	23.67
3	1	0	16-QAM	23.62	23.66	23.62
3	1	7		23.69	23.64	23.63
3	1	14		23.68	23.58	23.66
3	8	0		22.22	22.45	22.68
3	8	4		22.2	22.42	22.64
3	8	7		22.25	22.39	22.65
3	15	0		22.25	22.34	22.7

LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.27	24.61	24.49
5	1	12		24.55	24.57	24.67
5	1	24		24.67	24.52	24.89
5	12	0		23.44	23.56	23.5
5	12	6		23.57	23.54	23.66
5	12	11		23.74	23.42	23.64
5	25	0		23.59	23.5	23.58
5	1	0	16-QAM	23.6	24.01	23.67
5	1	12		23.89	23.96	23.8
5	1	24		24	23.89	24.02
5	12	0		22.46	22.59	22.46
5	12	6		22.59	22.58	22.61
5	12	11		22.75	22.44	22.63
5	25	0		22.59	22.47	22.58
10	1	0	QPSK	24.24	24.5	24.61
10	1	24		24.35	24.46	24.68
10	1	49		24.55	24.4	24.85
10	25	0		23.32	23.49	23.6
10	25	12		23.35	23.46	23.61
10	25	24		23.45	23.42	23.63
10	50	0		23.38	23.47	23.63
10	1	0	16-QAM	23.65	23.7	23.5
10	1	24		23.76	23.64	23.57
10	1	49		23.93	23.6	23.76
10	25	0		22.31	22.48	22.6
10	25	12		22.35	22.45	22.6
10	25	24		22.44	22.39	22.63
10	50	0		22.36	22.43	22.61

LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	24.4	24.69	24.5
15	1	37		24.56	24.59	24.62
15	1	74		24.8	24.43	24.73
15	36	0		23.34	23.48	23.53
15	36	18		23.44	23.45	23.61
15	36	39		23.57	23.44	23.64
15	75	0		23.49	23.47	23.58
15	1	0	16-QAM	23.37	23.91	23.69
15	1	38		23.61	23.96	23.89
15	1	75		23.79	23.87	24.01
15	36	0		22.32	22.53	22.6
15	36	18		22.4	22.46	22.67
15	36	39		22.53	22.47	22.71
15	75	0		22.52	22.45	22.6
20	1	0	QPSK	24.24	24.43	24.8
20	1	49		24.38	24.43	24.87
20	1	99		24.42	24.4	24.91
20	50	0		23.27	23.48	23.71
20	50	24		23.26	23.43	23.7
20	50	49		23.3	23.43	23.7
20	100	0		23.34	23.49	23.75
20	1	0	16-QAM	23.61	23.83	24.15
20	1	49		23.76	23.81	24.17
20	1	99		23.91	23.73	24.21
20	50	0		22.24	22.53	22.7
20	50	24		22.23	22.46	22.72
20	50	49		22.28	22.46	22.69
20	100	0		22.34	22.44	22.68

LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	23.2	23.14	23.22
1.4	1	2		23.2	23.19	23.21
1.4	1	5		23.19	23.18	23.19
1.4	3	0		23.17	23.18	23.18
1.4	3	1		23.15	23.18	23.19
1.4	3	2		23.16	23.18	23.18
1.4	6	0		22.18	22.2	22.16
1.4	1	0	16-QAM	22.4	22.4	22.13
1.4	1	2		22.39	22.36	22.11
1.4	1	5		22.33	22.47	22.12
1.4	3	0		22.37	22.36	22.3
1.4	3	1		22.34	22.4	22.3
1.4	3	2		22.36	22.38	22.32
1.4	6	0		21.4	21.36	21.31
3	1	0	QPSK	23.27	23.14	23.22
3	1	7		23.2	23.18	23.25
3	1	14		23.18	23.21	23.23
3	8	0		22.18	22.17	22.23
3	8	4		22.13	22.17	22.19
3	8	7		22.14	22.18	22.19
3	15	0		22.14	22.2	22.2
3	1	0	16-QAM	22.61	22.39	22.15
3	1	7		22.55	22.42	22.15
3	1	14		22.54	22.43	22.13
3	8	0		21.2	21.19	21.21
3	8	4		21.17	21.19	21.17
3	8	7		21.16	21.2	21.19
3	15	0		21.21	21.12	21.23

LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	23.3	23.15	23.34
5	1	12		23.27	23.26	23.36
5	1	24		23.24	23.33	23.3
5	12	0		22.18	22.21	22.26
5	12	6		22.15	22.21	22.23
5	12	11		22.13	22.24	22.25
5	25	0		22.21	22.27	22.31
5	1	0	16-QAM	22.66	22.48	22.76
5	1	12		22.65	22.55	22.81
5	1	24		22.58	22.59	22.77
5	12	0		21.17	21.25	21.28
5	12	6		21.14	21.26	21.25
5	12	11		21.12	21.29	21.27
5	25	0		21.21	21.22	21.23
10	1	0	QPSK	23.16	23.19	23.36
10	1	24		23.11	23.32	23.24
10	1	49		23.1	23.45	23.25
10	25	0		22.16	22.21	22.25
10	25	12		22.11	22.23	22.26
10	25	24		22.12	22.29	22.31
10	50	0		22.16	22.26	22.3
10	1	0	16-QAM	22.41	22.07	22.77
10	1	24		22.34	22.2	22.67
10	1	49		22.3	22.35	22.7
10	25	0		21.15	21.18	21.3
10	25	12		21.09	21.19	21.28
10	25	24		21.11	21.27	21.33
10	50	0		21.16	21.23	21.28

LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	23.3	23.06	23.46
15	1	37		23.18	23.29	23.47
15	1	74		23.35	23.47	23.35
15	36	0		22.17	22.23	22.5
15	36	18		22.16	22.35	22.45
15	36	39		22.19	22.41	22.45
15	75	0		22.16	22.31	22.45
15	1	0	16-QAM	22.47	22.42	22.9
15	1	38		22.39	22.63	22.88
15	1	75		22.52	22.73	22.79
15	36	0		21.14	21.25	21.52
15	36	18		21.11	21.34	21.48
15	36	39		21.18	21.43	21.5
15	75	0		21.17	21.3	21.43
20	1	0	QPSK	23.25	23.27	23.43
20	1	49		23.17	23.38	23.35
20	1	99		23.1	23.56	23.27
20	50	0		22.15	22.18	22.39
20	50	24		22.09	22.24	22.32
20	50	49		22.12	22.33	22.32
20	100	0		22.16	22.26	22.4
20	1	0	16-QAM	22.5	22.24	22.83
20	1	49		22.38	22.41	22.79
20	1	99		22.38	22.57	22.71
20	50	0		21.23	21.16	21.42
20	50	24		21.17	21.21	21.34
20	50	49		21.19	21.32	21.37
20	100	0		21.15	21.3	21.42

LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.65	24.28	24.28
1.4	1	2		24.67	24.28	24.31
1.4	1	5		24.65	24.27	24.29
1.4	3	0		24.55	24.28	24.23
1.4	3	1		24.55	24.26	24.23
1.4	3	2		24.56	24.26	24.23
1.4	6	0		23.59	23.27	23.23
1.4	1	0	16-QAM	23.82	23.52	23.18
1.4	1	2		23.77	23.49	23.15
1.4	1	5		23.8	23.53	23.17
1.4	3	0		23.76	23.47	23.4
1.4	3	1		23.76	23.49	23.38
1.4	3	2		23.73	23.48	23.39
1.4	6	0		22.76	22.44	22.44
3	1	0	QPSK	24.63	24.29	24.16
3	1	7		24.56	24.24	24.19
3	1	14		24.57	24.19	24.22
3	8	0		23.56	23.25	23.22
3	8	4		23.5	23.25	23.23
3	8	7		23.5	23.23	23.19
3	15	0		23.57	23.23	23.2
3	1	0	16-QAM	23.52	23.77	23.42
3	1	7		23.54	23.72	23.44
3	1	14		23.45	23.71	23.45
3	8	0		22.59	22.32	22.23
3	8	4		22.53	22.27	22.23
3	8	7		22.52	22.21	22.2
3	15	0		22.61	22.26	22.16

LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.64	24.37	24.37
5	1	12		24.56	24.31	24.39
5	1	24		24.59	24.26	24.38
5	12	0		23.62	23.3	23.21
5	12	6		23.57	23.3	23.26
5	12	11		23.55	23.25	23.29
5	25	0		23.63	23.33	23.26
5	1	0	16-QAM	24.01	23.71	23.77
5	1	12		23.98	23.74	23.83
5	1	24		24	23.66	23.87
5	12	0		22.59	22.37	22.23
5	12	6		22.53	22.34	22.28
5	12	11		22.51	22.27	22.32
5	25	0		22.63	22.27	22.25
10	1	0	QPSK	24.68	24.43	24.3
10	1	24		24.55	24.33	24.23
10	1	49		24.48	24.33	24.39
10	25	0		23.55	23.27	23.35
10	25	12		23.5	23.33	23.3
10	25	24		23.56	23.25	23.41
10	50	0		23.56	23.26	23.34
10	1	0	16-QAM	23.57	23.86	23.5
10	1	24		23.45	23.79	23.48
10	1	49		23.34	23.78	23.57
10	25	0		22.53	22.3	22.3
10	25	12		22.49	22.32	22.26
10	25	24		22.54	22.21	22.4
10	50	0		22.5	22.22	22.39

LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.08	23.75	23.87
5	1	12		24.12	23.8	23.89
5	1	24		24.22	23.78	23.35
5	12	0		23.04	22.78	23
5	12	6		23.06	22.78	22.99
5	12	11		23.1	22.79	22.99
5	25	0		23.13	22.83	23.03
5	1	0	16-QAM	23.44	23.07	23.36
5	1	12		23.41	23.11	23.35
5	1	24		23.46	23.11	23.34
5	12	0		22.04	21.84	22.02
5	12	6		22.05	21.84	21.98
5	12	11		22.1	21.86	21.98
5	25	0		22.14	21.81	22
10	1	0	QPSK	24.04	23.87	23.97
10	1	24		24.12	23.82	23.68
10	1	49		24.04	23.95	23.74
10	25	0		23.13	22.86	23.08
10	25	12		23.16	22.85	23.07
10	25	24		23.16	22.9	23.12
10	50	0		23.13	22.89	23.08
10	1	0	16-QAM	23.38	23.2	23.14
10	1	24		23.43	23.24	23.2
10	1	49		23.38	23.36	23.06
10	25	0		22.13	21.92	22.06
10	25	12		22.2	21.9	22.05
10	25	24		22.18	21.93	22.07
10	50	0		22.15	21.88	22.04

LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	24.19	23.77	23.94
15	1	37		24.25	23.86	23.55
15	1	74		24.24	23.88	23.54
15	36	0		23.08	22.78	23.02
15	36	18		23.11	22.78	23.02
15	36	39		23.13	22.8	23.03
15	75	0		23.12	22.82	23.04
15	1	0	16-QAM	23.22	23.21	23.15
15	1	38		23.31	23.21	23.28
15	1	75		23.28	23.27	23.18
15	36	0		22.07	21.83	22.08
15	36	18		22.1	21.82	22.1
15	36	39		22.12	21.85	22.09
15	75	0		22.18	21.84	22.06
20	1	0	QPSK	24.1	23.77	23.78
20	1	49		24.19	23.75	23.63
20	1	99		24.26	23.81	23.61
20	50	0		23.1	22.81	23.06
20	50	24		23.14	22.8	23.05
20	50	49		23.21	22.84	23.07
20	100	0		23.15	22.83	23.08
20	1	0	16-QAM	23.44	22.99	23.02
20	1	49		23.48	22.97	22.95
20	1	99		23.57	23.07	22.97
20	50	0		22.13	21.81	22.05
20	50	24		22.16	21.8	22.04
20	50	49		22.2	21.84	22.04
20	100	0		22.17	21.86	22.05

LTE Band 12 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.71	24.62	24.55
1.4	1	2		24.76	24.65	24.48
1.4	1	5		24.79	24.62	24.46
1.4	3	0		24.64	24.61	24.54
1.4	3	1		24.68	24.58	24.51
1.4	3	2		24.71	24.6	24.57
1.4	6	0		23.7	23.61	23.55
1.4	1	0	16-QAM	23.88	23.89	23.45
1.4	1	2		23.92	23.83	23.49
1.4	1	5		23.97	23.87	23.48
1.4	3	0		23.87	23.85	23.66
1.4	3	1		23.9	23.83	23.68
1.4	3	2		23.92	23.85	23.67
1.4	6	0		22.89	22.8	22.73
3	1	0	QPSK	24.73	24.61	24.53
3	1	7		24.79	24.6	24.6
3	1	14		24.78	24.61	24.51
3	8	0		23.72	23.63	23.53
3	8	4		23.72	23.61	23.5
3	8	7		23.74	23.64	23.52
3	15	0		23.73	23.64	23.5
3	1	0	16-QAM	24.1	23.89	23.53
3	1	7		24.22	23.88	23.52
3	1	14		24.22	23.87	23.48
3	8	0		22.74	22.63	22.57
3	8	4		22.74	22.61	22.51
3	8	7		22.75	22.63	22.54
3	15	0		22.76	22.57	22.58

LTE Band 12 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.82	24.76	24.82
5	1	12		24.8	24.71	24.73
5	1	24		24.78	24.74	24.66
5	12	0		23.8	23.76	23.64
5	12	6		23.76	23.7	23.67
5	12	11		23.76	23.72	23.62
5	25	0		23.77	23.75	23.63
5	1	0	16-QAM	24.24	24	23.68
5	1	12		24.23	23.9	23.58
5	1	24		24.23	23.94	23.54
5	12	0		22.81	22.74	22.61
5	12	6		22.75	22.67	22.62
5	12	11		22.74	22.73	22.62
5	25	0		22.74	22.76	22.6
10	1	0	QPSK	24.78	24.7	24.71
10	1	24		24.85	24.66	24.72
10	1	49		24.88	24.66	24.75
10	25	0		23.77	23.69	23.62
10	25	12		23.76	23.65	23.58
10	25	24		23.74	23.68	23.57
10	50	0		23.78	23.71	23.6
10	1	0	16-QAM	24.21	24.07	24.15
10	1	24		24.29	24.04	24.11
10	1	49		24.27	24.04	24.06
10	25	0		22.76	22.74	22.63
10	25	12		22.73	22.72	22.61
10	25	24		22.72	22.73	22.59
10	50	0		22.8	22.67	22.58

LTE Band 13 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.62	24.55	24.72
5	1	12		24.63	24.67	24.69
5	1	24		24.62	24.62	24.65
5	12	0		23.66	23.64	23.62
5	12	6		23.63	23.6	23.58
5	12	11		23.64	23.63	23.58
5	25	0		23.6	23.69	23.63
5	1	0	16-QAM	23.97	23.92	24.18
5	1	12		24.09	24.04	24.2
5	1	24		24.09	23.99	24.12
5	12	0		22.66	22.68	22.62
5	12	6		22.61	22.64	22.58
5	12	11		22.64	22.65	22.57
5	25	0		22.63	22.64	22.57
10	1	0	QPSK	/	24.65	/
10	1	24		/	24.68	/
10	1	49		/	24.74	/
10	25	0		/	23.6	/
10	25	12		/	23.59	/
10	25	24		/	23.62	/
10	50	0		/	23.67	/
10	1	0	16-QAM	/	23.98	/
10	1	24		/	24.06	/
10	1	49		/	24.15	/
10	25	0		/	22.58	/
10	25	12		/	22.57	/
10	25	24		/	22.6	/
10	50	0		/	22.66	/

LTE Band 17 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.76	24.68	24.78
5	1	12		24.76	24.73	24.58
5	1	24		24.71	24.74	24.6
5	12	0		23.66	23.67	23.65
5	12	6		23.66	23.65	23.65
5	12	11		23.73	23.7	23.62
5	25	0		23.7	23.67	23.67
5	1	0	16-QAM	23.61	24.13	23.97
5	1	12		23.64	24.17	23.84
5	1	24		23.66	24.05	23.81
5	12	0		22.67	22.69	22.65
5	12	6		22.64	22.7	22.64
5	12	11		22.7	22.69	22.62
5	25	0		22.66	22.66	22.65
10	1	0	QPSK	24.73	24.68	24.8
10	1	24		24.77	24.64	24.73
10	1	49		24.8	24.62	24.76
10	25	0		23.66	23.59	23.64
10	25	12		23.65	23.61	23.62
10	25	24		23.68	23.65	23.58
10	50	0		23.71	23.67	23.63
10	1	0	16-QAM	24.18	24.01	24.17
10	1	24		24.15	24.02	24.11
10	1	49		24.17	23.95	24.03
10	25	0		22.63	22.69	22.63
10	25	12		22.64	22.68	22.61
10	25	24		22.66	22.72	22.57
10	50	0		22.72	22.63	22.59

LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.24	24.46	24.36
1.4	1	2		24.29	24.46	23.96
1.4	1	5		24.31	24.45	23.39
1.4	3	0		24.2	24.46	23.94
1.4	3	1		24.2	24.46	23.77
1.4	3	2		24.23	24.46	23.44
1.4	6	0		23.24	23.47	23.68
1.4	1	0	16-QAM	23.43	23.72	23.79
1.4	1	2		23.43	23.67	23.53
1.4	1	5		23.45	23.72	22.96
1.4	3	0		23.38	23.67	23.92
1.4	3	1		23.38	23.66	23.79
1.4	3	2		23.38	23.67	23.48
1.4	6	0		22.43	22.64	23.07
3	1	0	QPSK	24.27	24.44	24.78
3	1	7		24.29	24.46	24.59
3	1	14		24.31	24.45	23.39
3	8	0		23.28	23.48	23.86
3	8	4		23.28	23.46	23.84
3	8	7		23.27	23.45	23.77
3	15	0		23.27	23.46	23.87
3	1	0	16-QAM	23.65	23.7	23.75
3	1	7		23.71	23.67	23.75
3	1	14		23.73	23.68	23.12
3	8	0		22.3	22.48	22.84
3	8	4		22.26	22.48	22.85
3	8	7		22.3	22.46	22.85
3	15	0		22.32	22.42	22.86

LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.42	24.6	24.74
5	1	12		24.47	24.63	24.87
5	1	24		24.56	24.62	23.46
5	12	0		23.34	23.54	23.82
5	12	6		23.34	23.52	23.85
5	12	11		23.37	23.5	23.85
5	25	0		23.4	23.56	23.87
5	1	0	16-QAM	23.78	23.94	24.1
5	1	12		23.89	24.02	24.12
5	1	24		23.95	23.97	23.59
5	12	0		22.34	22.51	22.88
5	12	6		22.33	22.49	22.91
5	12	11		22.39	22.46	22.9
5	25	0		22.35	22.56	22.85
10	1	0	QPSK	24.28	24.63	24.78
10	1	24		24.38	24.6	24.84
10	1	49		24.55	24.63	23.74
10	25	0		23.35	23.57	23.86
10	25	12		23.39	23.52	23.85
10	25	24		23.51	23.5	23.93
10	50	0		23.45	23.53	23.87
10	1	0	16-QAM	23.54	23.46	24.15
10	1	24		23.59	23.4	24.2
10	1	49		23.78	23.5	23.91
10	25	0		22.35	22.56	22.85
10	25	12		22.38	22.49	22.83
10	25	24		22.49	22.46	22.92
10	50	0		22.44	22.53	22.87

LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	24.33	24.68	24.64
15	1	37		24.58	24.63	24.85
15	1	74		24.74	24.7	24.32
15	36	0		23.48	23.66	23.71
15	36	18		23.64	23.64	23.82
15	36	39		23.79	23.57	23.91
15	75	0		23.64	23.62	23.81
15	1	0	16-QAM	23.61	24.1	23.8
15	1	38		23.9	24.06	23.98
15	1	75		24.05	24.03	24.06
15	36	0		22.52	22.69	22.67
15	36	18		22.67	22.67	22.8
15	36	39		22.8	22.61	22.9
15	75	0		22.63	22.59	22.78
20	1	0	QPSK	24.4	24.57	24.8
20	1	49		24.6	24.57	24.97
20	1	99		24.71	24.56	24.07
20	50	0		23.39	23.56	23.79
20	50	24		23.5	23.55	23.8
20	50	49		23.62	23.53	23.9
20	100	0		23.53	23.54	23.84
20	1	0	16-QAM	23.8	23.79	23.81
20	1	49		23.96	23.77	23.97
20	1	99		24.05	23.81	24.04
20	50	0		22.44	22.64	22.77
20	50	24		22.54	22.63	22.8
20	50	49		22.66	22.59	22.89
20	100	0		22.54	22.58	22.88

LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.64	24.62	24.72
1.4	1	2		24.67	24.63	24.74
1.4	1	5		24.66	24.63	24.76
1.4	3	0		24.54	24.64	24.65
1.4	3	1		24.56	24.63	24.65
1.4	3	2		24.57	24.62	24.65
1.4	6	0		23.59	23.65	23.64
1.4	1	0	16-QAM	23.81	23.85	23.59
1.4	1	2		23.8	23.86	23.56
1.4	1	5		23.8	23.87	23.62
1.4	3	0		23.78	23.87	23.81
1.4	3	1		23.77	23.86	23.8
1.4	3	2		23.76	23.89	23.81
1.4	6	0		22.77	22.83	22.83
3	1	0	QPSK	24.55	24.56	24.7
3	1	7		24.58	24.6	24.73
3	1	14		24.54	24.64	24.77
3	8	0		23.56	23.61	23.65
3	8	4		23.55	23.59	23.58
3	8	7		23.58	23.62	23.61
3	15	0		23.54	23.6	23.67
3	1	0	16-QAM	24.03	23.8	23.55
3	1	7		24.03	23.82	23.61
3	1	14		24.03	23.86	23.62
3	8	0		22.6	22.6	22.68
3	8	4		22.59	22.58	22.63
3	8	7		22.64	22.58	22.6
3	15	0		22.59	22.57	22.73

LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.62	24.57	24.71
5	1	12		24.64	24.66	24.78
5	1	24		24.73	24.66	24.83
5	12	0		23.58	23.66	23.74
5	12	6		23.59	23.68	23.71
5	12	11		23.64	23.67	23.72
5	25	0		23.66	23.68	23.76
5	1	0	16-QAM	24.04	23.94	24.25
5	1	12		24	24.08	24.33
5	1	24		24.12	24.09	24.33
5	12	0		22.57	22.7	22.74
5	12	6		22.56	22.7	22.73
5	12	11		22.59	22.68	22.7
5	25	0		22.67	22.66	22.7
10	1	0	QPSK	/	24.7	/
10	1	24		/	24.75	/
10	1	49		/	24.89	/
10	25	0		/	23.65	/
10	25	12		/	23.67	/
10	25	24		/	23.68	/
10	50	0		/	23.68	/
10	1	0	16-QAM	/	23.56	/
10	1	24		/	23.58	/
10	1	49		/	23.75	/
10	25	0		/	22.62	/
10	25	12		/	22.64	/
10	25	24		/	22.65	/
10	50	0		/	22.62	/

LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	24.67	24.33	24.26
1.4	1	2		24.71	24.35	24.32
1.4	1	5		24.65	24.31	24.31
1.4	3	0		24.67	24.29	24.22
1.4	3	1		24.66	24.28	24.21
1.4	3	2		24.64	24.27	24.24
1.4	6	0		23.67	23.27	23.28
1.4	1	0	16-QAM	23.92	23.21	23.42
1.4	1	2		23.87	23.17	23.45
1.4	1	5		23.94	23.17	23.45
1.4	3	0		23.88	23.44	23.42
1.4	3	1		23.92	23.4	23.41
1.4	3	2		23.89	23.44	23.4
1.4	6	0		22.84	22.45	22.43
3	1	0	QPSK	24.67	24.22	24.22
3	1	7		24.66	24.24	24.24
3	1	14		24.59	24.25	24.33
3	8	0		23.66	23.28	23.19
3	8	4		23.62	23.27	23.18
3	8	7		23.6	23.26	23.16
3	15	0		23.61	23.28	23.19
3	1	0	16-QAM	24.13	23.47	23.15
3	1	7		24.09	23.47	23.21
3	1	14		24.07	23.47	23.15
3	8	0		22.69	22.29	22.19
3	8	4		22.64	22.25	22.2
3	8	7		22.62	22.26	22.22
3	15	0		22.66	22.23	22.25

LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	24.73	24.53	24.4
5	1	12		24.51	24.33	24.37
5	1	24		24.38	24.35	24.48
5	12	0		23.54	23.3	23.34
5	12	6		23.41	23.33	23.28
5	12	11		23.4	23.27	23.4
5	25	0		23.5	23.3	23.38
5	1	0	16-QAM	24.18	23.75	23.45
5	1	12		23.91	23.51	23.46
5	1	24		23.87	23.53	23.49
5	12	0		22.57	22.33	22.29
5	12	6		22.44	22.37	22.27
5	12	11		22.41	22.35	22.35
5	25	0		22.49	22.34	22.41
10	1	0	QPSK	24.73	24.45	24.38
10	1	24		24.56	24.29	24.33
10	1	49		24.44	24.36	24.44
10	25	0		23.62	23.31	23.31
10	25	12		23.52	23.31	23.29
10	25	24		23.54	23.27	23.43
10	50	0		23.59	23.29	23.37
10	1	0	16-QAM	24.19	23.65	23.25
10	1	24		23.98	23.55	23.19
10	1	49		23.9	23.57	23.27
10	25	0		22.63	22.27	22.31
10	25	12		22.56	22.3	22.25
10	25	24		22.6	22.24	22.39
10	50	0		22.59	22.3	22.3

LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	24.79	24.36	24.19
15	1	37		24.76	24.29	24.24
15	1	74		24.68	24.35	24.27
15	36	0		23.7	23.28	23.16
15	36	18		23.64	23.3	23.21
15	36	39		23.62	23.26	23.26
15	75	0		23.71	23.31	23.29
15	1	0	16-QAM	24.27	23.77	23.54
15	1	38		24.21	23.72	23.61
15	1	75		24.13	23.72	23.66
15	36	0		22.71	22.24	22.27
15	36	18		22.65	22.23	22.33
15	36	39		22.61	22.22	22.32
15	75	0		22.62	22.33	22.21

LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	22.82	22.86	22.88
5	1	12		22.87	23.14	22.91
5	1	24		22.84	23.04	22.84
5	12	0		22.86	22.9	22.93
5	12	6		22.86	23.01	22.93
5	12	11		22.93	23.01	22.87
5	25	0		22.89	22.94	22.88
5	1	0	16-QAM	23.06	22.95	23.2
5	1	12		23	23.2	23.26
5	1	24		23.04	23.02	23.22
5	12	0		22.91	22.88	22.93
5	12	6		22.93	22.95	22.95
5	12	11		22.97	22.98	22.91
5	25	0		22.91	22.95	22.9
10	1	0	QPSK	22.89	22.89	22.85
10	1	24		22.88	23.1	22.79
10	1	49		22.9	23.12	22.86
10	25	0		22.9	22.89	22.88
10	25	12		22.9	22.94	22.85
10	25	24		22.85	22.99	22.84
10	50	0		22.87	22.99	22.89
10	1	0	16-QAM	23.53	22.91	22.89
10	1	24		23.4	23.18	22.99
10	1	49		23.49	23.07	22.98
10	25	0		22.87	22.91	22.9
10	25	12		22.88	22.97	22.87
10	25	24		22.85	23	22.87
10	50	0		22.9	23	22.84

LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	22.91	22.87	23.12
15	1	37		22.89	23.04	23.02
15	1	74		22.91	22.96	23.01
15	36	0		22.81	22.86	22.85
15	36	18		22.8	22.92	22.88
15	36	39		22.83	22.96	22.84
15	75	0		22.85	22.89	22.86
15	1	0	16-QAM	23.44	22.97	23.11
15	1	38		23.39	23.16	23.15
15	1	75		23.44	23.04	23.09
15	36	0		22.87	22.93	22.89
15	36	18		22.87	23	22.92
15	36	39		22.91	23.02	22.87
15	75	0		22.86	22.94	22.94
20	1	0	QPSK	22.79	23.1	22.8
20	1	49		22.85	23.35	22.83
20	1	99		22.81	23.28	22.8
20	50	0		22.85	22.96	22.87
20	50	24		22.84	22.99	22.85
20	50	49		22.84	23.01	22.83
20	100	0		22.91	23.01	22.85
20	1	0	16-QAM	23.02	23.41	23
20	1	49		23.05	23.56	23.01
20	1	99		23.04	23.55	22.99
20	50	0		22.91	22.96	22.88
20	50	24		22.91	23.01	22.84
20	50	49		22.92	23.02	22.84
20	100	0		22.87	22.97	22.88

LTE Band 40 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	11.76	11.75	11.8
5	1	12		11.84	11.81	11.84
5	1	24		11.84	11.78	11.85
5	12	0		10.77	10.77	10.79
5	12	6		10.77	10.79	10.79
5	12	11		10.79	10.78	10.85
5	25	0		10.85	10.85	10.87
5	1	0	16-QAM	11.19	11.49	11.28
5	1	12		11.27	11.53	11.32
5	1	24		11.26	11.49	11.39
5	12	0		9.79	9.78	9.77
5	12	6		9.79	9.81	9.76
5	12	11		9.81	9.81	9.78
5	25	0		9.75	9.72	9.78
10	1	0	QPSK	/	11.95	/
10	1	24		/	11.96	/
10	1	49		/	11.94	/
10	25	0		/	10.81	/
10	25	12		/	10.78	/
10	25	24		/	10.79	/
10	50	0		/	10.88	/
10	1	0	16-QAM	/	11.22	/
10	1	24		/	11.29	/
10	1	49		/	11.24	/
10	25	0		/	9.77	/
10	25	12		/	9.75	/
10	25	24		/	9.76	/
10	50	0		/	9.8	/

LTE Band 40 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	11.66	11.7	11.64
5	1	12		11.58	11.67	11.61
5	1	24		11.59	11.69	11.64
5	12	0		10.59	10.58	10.56
5	12	6		10.58	10.52	10.53
5	12	11		10.62	10.56	10.57
5	25	0		10.65	10.58	10.59
5	1	0	16-QAM	11.41	10.96	11.02
5	1	12		11.33	10.95	11.07
5	1	24		11.34	10.99	11.06
5	12	0		9.67	9.59	9.62
5	12	6		9.64	9.54	9.61
5	12	11		9.68	9.56	9.64
5	25	0		9.63	9.61	9.57
10	1	0	QPSK	/	11.79	/
10	1	24		/	11.65	/
10	1	49		/	11.71	/
10	25	0		/	10.61	/
10	25	12		/	10.54	/
10	25	24		/	10.6	/
10	50	0		/	10.62	/
10	1	0	16-QAM	/	10.92	/
10	1	24		/	10.81	/
10	1	49		/	10.83	/
10	25	0		/	9.57	/
10	25	12		/	9.55	/
10	25	24		/	9.6	/
10	50	0		/	9.69	/

LTE Band 41 Maximum Average Power [dBm]								
BW [MHz]	RB Size	RB Offset	Mod	Lowest1	Lowest2	Middle	Highest 1	Highest 2
5	1	0	QPSK	22.85	22.41	22.82	22.38	22.45
5	1	12		22.91	22.46	22.89	22.44	22.46
5	1	24		22.97	22.51	22.93	22.47	22.39
5	12	0		22.88	22.43	22.92	22.48	22.15
5	12	6		22.90	22.45	22.89	22.45	22.11
5	12	11		22.92	22.48	22.89	22.45	22.16
5	25	0		22.94	22.49	22.96	22.52	22.18
5	1	0	16-QAM	23.09	22.63	23.08	22.64	22.73
5	1	12		23.17	22.72	23.14	22.68	22.66
5	1	24		23.22	22.76	23.19	22.74	22.64
5	12	0		22.89	22.45	22.96	22.51	22.13
5	12	6		22.94	22.48	22.96	22.52	22.10
5	12	11		22.96	22.51	23.00	22.55	22.12
5	25	0		23.01	22.56	22.91	22.45	22.12
10	1	0	QPSK	22.92	22.47	22.93	22.49	22.43
10	1	24		22.98	22.53	22.94	22.49	22.25
10	1	49		23.08	22.64	23.03	22.58	22.15
10	25	0		22.95	22.50	22.89	22.45	22.31
10	25	12		22.98	22.52	22.90	22.46	22.24
10	25	24		23.05	22.60	22.96	22.50	22.19
10	50	0		22.98	22.53	22.96	22.51	22.25
10	1	0	16-QAM	23.46	23.01	23.01	22.55	22.48
10	1	24		23.50	23.05	23.02	22.56	22.31
10	1	49		23.62	23.15	23.11	22.65	22.21
10	25	0		22.95	22.50	22.92	22.48	22.33
10	25	12		23.00	22.55	22.93	22.48	22.24
10	25	24		23.03	22.58	23.00	22.54	22.19
10	50	0		23.00	22.54	23.02	22.57	22.27

LTE Band 41 Maximum Average Power [dBm]								
BW [MHz]	RB Size	RB Offset	Mod	Lowest1	Lowest2	Middle	Highest 1	Highest 2
15	1	0	QPSK	22.89	22.44	22.78	22.33	22.67
15	1	37		23.07	22.62	22.99	22.54	22.45
15	1	74		23.06	22.62	22.96	22.51	22.20
15	36	0		23.02	22.58	22.87	22.42	22.64
15	36	18		23.10	22.65	23.01	22.56	22.54
15	36	39		23.10	22.65	23.02	22.57	22.40
15	75	0		23.05	22.60	22.94	22.49	22.50
15	1	0	16-QAM	22.93	22.49	23.09	22.63	22.83
15	1	38		23.16	22.70	23.22	22.77	22.67
15	1	75		23.25	22.80	23.29	22.84	22.39
15	36	0		22.96	22.51	22.91	22.46	22.71
15	36	18		23.06	22.60	23.02	22.56	22.54
15	36	39		23.05	22.60	23.03	22.59	22.40
15	75	0		23.04	22.59	22.96	22.51	22.52
20	1	0	QPSK	22.89	22.45	22.83	22.39	22.88
20	1	49		23.09	22.64	22.94	22.50	22.62
20	1	99		23.10	22.64	23.01	22.57	22.35
20	50	0		22.89	22.45	22.87	22.43	22.49
20	50	24		22.99	22.54	22.89	22.45	22.36
20	50	49		23.05	22.60	22.95	22.50	22.23
20	100	0		22.98	22.52	22.90	22.45	22.34
20	1	0	16-QAM	23.38	22.93	22.93	22.48	22.81
20	1	49		23.50	23.04	23.10	22.66	22.63
20	1	99		23.62	23.15	23.04	22.60	22.43
20	50	0		22.97	22.52	22.94	22.50	22.52
20	50	24		23.04	22.59	22.97	22.53	22.38
20	50	49		23.07	22.62	23.04	22.60	22.26
20	100	0		22.98	22.54	22.93	22.49	22.43

LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
1.4	1	0	QPSK	22.41	22.56	22.44
1.4	1	2		22.22	22.69	22.77
1.4	1	5		22.43	22.57	23.2
1.4	3	0		22.31	22.66	22.75
1.4	3	1		22.27	22.6	22.86
1.4	3	2		22.33	22.63	23
1.4	6	0		22.31	22.64	22.87
1.4	1	0	16-QAM	21.82	21.78	21.68
1.4	1	2		21.69	21.91	22.06
1.4	1	5		21.87	21.81	22.45
1.4	3	0		21.33	21.63	21.76
1.4	3	1		21.3	21.59	21.86
1.4	3	2		21.37	21.59	22.11
1.4	6	0		21.33	21.58	21.87
3	1	0	QPSK	23.22	22.46	22.96
3	1	7		22.86	22.95	22.99
3	1	14		23.17	22.97	23.42
3	8	0		21.88	21.67	21.99
3	8	4		22.26	21.89	22
3	8	7		22.25	21.76	22.04
3	15	0		22.19	21.49	22
3	1	0	16-QAM	22.52	21.4	22.37
3	1	7		22.14	21.47	22.43
3	1	14		21.8	22.05	22.42
3	8	0		21.28	20.9	20.97
3	8	4		21.1	20.89	21.14
3	8	7		20.89	20.77	21.04
3	15	0		21.03	21.05	21.77

LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
5	1	0	QPSK	23.26	22.7	22.99
5	1	12		22.92	22.62	23.1
5	1	24		22.94	22.71	23.12
5	12	0		22.03	21.53	22.03
5	12	6		21.99	21.54	22.26
5	12	11		22.1	21.62	22.1
5	25	0		22.34	22.58	23.1
5	1	0	16-QAM	21.94	22.04	22.36
5	1	12		22.34	22.1	22.5
5	1	24		22.25	22.05	22.48
5	12	0		20.82	20.52	21
5	12	6		20.57	20.51	21
5	12	11		21.17	20.52	21.06
5	25	0		21.31	21.54	22.1
10	1	0	QPSK	22.62	22.5	22.83
10	1	24		22.45	22.55	23.02
10	1	49		22.2	22.53	23.2
10	25	0		22.32	22.56	22.9
10	25	12		22.25	22.51	22.98
10	25	24		22.26	22.56	23.13
10	50	0		22.3	22.56	23.01
10	1	0	16-QAM	21.79	21.73	21.7
10	1	24		21.69	21.75	21.91
10	1	49		21.64	21.71	22.11
10	25	0		21.32	21.53	21.89
10	25	12		21.25	21.47	21.96
10	25	24		21.27	21.53	22.1
10	50	0		21.27	21.54	21.97

LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	22.4	22.62	22.6
15	1	37		22.29	22.66	22.84
15	1	74		22.27	22.54	23.15
15	36	0		22.28	22.57	22.8
15	36	18		22.22	22.54	22.91
15	36	39		22.25	22.55	23.1
15	75	0		22.29	22.56	22.95
15	1	0	16-QAM	21.59	21.62	22.03
15	1	38		21.44	21.76	22.27
15	1	75		21.45	21.64	22.6
15	36	0		21.36	21.53	21.82
15	36	18		21.27	21.51	21.93
15	36	39		21.31	21.52	22.13
15	75	0		21.28	21.6	21.95
20	1	0	QPSK	23.27	23.55	23.08
20	1	49		23.26	23.55	23.09
20	1	99		23.23	23.53	23.09
20	50	0		23.28	23.12	23.34
20	50	24		23.28	23.49	22.97
20	50	49		23.25	23.5	23.2
20	100	0		22.27	22.02	22.94
20	1	0	16-QAM	22.48	22.48	22.21
20	1	49		22.49	22.09	22.21
20	1	99		22.53	21.67	22.19
20	50	0		22.48	22.61	22.17
20	50	24		22.49	22.62	22.15
20	50	49		22.48	22.61	22.15
20	100	0		21.45	21.35	21.18

SA N2

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n2	15	5	370500	25@0	DFT_BPSK	23.46	PASS
n2	15	5	370500	12@6	DFT_BPSK	23.97	PASS
n2	15	5	370500	1@1	DFT_BPSK	23.85	PASS
n2	15	5	370500	1@23	DFT_BPSK	23.89	PASS
n2	15	5	370500	25@0	DFT_QPSK	22.98	PASS
n2	15	5	370500	12@6	DFT_QPSK	23.97	PASS
n2	15	5	370500	1@1	DFT_QPSK	23.89	PASS
n2	15	5	370500	1@23	DFT_QPSK	23.97	PASS
n2	15	5	370500	25@0	DFT_16QAM	22	PASS
n2	15	5	370500	12@6	DFT_16QAM	23.1	PASS
n2	15	5	370500	1@1	DFT_16QAM	22.95	PASS
n2	15	5	370500	1@23	DFT_16QAM	23.02	PASS
n2	15	5	370500	25@0	DFT_64QAM	21.36	PASS
n2	15	5	370500	12@6	DFT_64QAM	21.54	PASS
n2	15	5	370500	1@1	DFT_64QAM	21.34	PASS
n2	15	5	370500	1@23	DFT_64QAM	21.36	PASS
n2	15	5	370500	25@0	DFT_256QAM	19.59	PASS
n2	15	5	370500	12@6	DFT_256QAM	19.59	PASS
n2	15	5	370500	1@1	DFT_256QAM	19.5	PASS
n2	15	5	370500	1@23	DFT_256QAM	19.56	PASS
n2	15	5	370500	25@0	CP_QPSK	20.98	PASS
n2	15	5	370500	13@6	CP_QPSK	22.5	PASS
n2	15	5	370500	1@1	CP_QPSK	22.58	PASS
n2	15	5	370500	1@23	CP_QPSK	22.65	PASS
n2	15	5	370500	25@0	CP_16QAM	20.88	PASS
n2	15	5	370500	13@6	CP_16QAM	21.9	PASS
n2	15	5	370500	1@1	CP_16QAM	23.09	PASS
n2	15	5	370500	1@23	CP_16QAM	23.17	PASS
n2	15	5	370500	25@0	CP_64QAM	20.5	PASS
n2	15	5	370500	13@6	CP_64QAM	20.51	PASS
n2	15	5	370500	1@1	CP_64QAM	20.43	PASS
n2	15	5	370500	1@23	CP_64QAM	20.5	PASS
n2	15	5	370500	25@0	CP_256QAM	17.63	PASS
n2	15	5	370500	13@6	CP_256QAM	17.61	PASS
n2	15	5	370500	1@1	CP_256QAM	17.63	PASS
n2	15	5	370500	1@23	CP_256QAM	17.72	PASS
n2	15	5	376000	25@0	DFT_BPSK	18.9	PASS
n2	15	5	376000	12@6	DFT_BPSK	23.36	PASS
n2	15	5	376000	1@1	DFT_BPSK	23.27	PASS
n2	15	5	376000	1@23	DFT_BPSK	23.32	PASS
n2	15	5	376000	25@0	DFT_QPSK	22.44	PASS
n2	15	5	376000	12@6	DFT_QPSK	23.37	PASS
n2	15	5	376000	1@1	DFT_QPSK	23.33	PASS
n2	15	5	376000	1@23	DFT_QPSK	23.4	PASS
n2	15	5	376000	25@0	DFT_16QAM	21.44	PASS
n2	15	5	376000	12@6	DFT_16QAM	22.47	PASS

n2	15	5	376000	1@1	DFT_16QAM	22.4	PASS
n2	15	5	376000	1@23	DFT_16QAM	22.43	PASS
n2	15	5	376000	25@0	DFT_64QAM	20.85	PASS
n2	15	5	376000	12@6	DFT_64QAM	20.94	PASS
n2	15	5	376000	1@1	DFT_64QAM	20.79	PASS
n2	15	5	376000	1@23	DFT_64QAM	20.77	PASS
n2	15	5	376000	25@0	DFT_256QAM	18.88	PASS
n2	15	5	376000	12@6	DFT_256QAM	18.88	PASS
n2	15	5	376000	1@1	DFT_256QAM	18.92	PASS
n2	15	5	376000	1@23	DFT_256QAM	18.87	PASS
n2	15	5	376000	25@0	CP_QPSK	20.4	PASS
n2	15	5	376000	13@6	CP_QPSK	21.92	PASS
n2	15	5	376000	1@1	CP_QPSK	22.06	PASS
n2	15	5	376000	1@23	CP_QPSK	21.95	PASS
n2	15	5	376000	25@0	CP_16QAM	20.34	PASS
n2	15	5	376000	13@6	CP_16QAM	21.31	PASS
n2	15	5	376000	1@1	CP_16QAM	22.64	PASS
n2	15	5	376000	1@23	CP_16QAM	22.56	PASS
n2	15	5	376000	25@0	CP_64QAM	19.96	PASS
n2	15	5	376000	13@6	CP_64QAM	19.93	PASS
n2	15	5	376000	1@1	CP_64QAM	19.85	PASS
n2	15	5	376000	1@23	CP_64QAM	19.9	PASS
n2	15	5	376000	25@0	CP_256QAM	16.92	PASS
n2	15	5	376000	13@6	CP_256QAM	16.91	PASS
n2	15	5	376000	1@1	CP_256QAM	17.01	PASS
n2	15	5	376000	1@23	CP_256QAM	17.02	PASS
n2	15	5	381500	25@0	DFT_BPSK	23.09	PASS
n2	15	5	381500	12@6	DFT_BPSK	23.56	PASS
n2	15	5	381500	1@1	DFT_BPSK	23.43	PASS
n2	15	5	381500	1@23	DFT_BPSK	23.5	PASS
n2	15	5	381500	25@0	DFT_QPSK	22.65	PASS
n2	15	5	381500	12@6	DFT_QPSK	23.55	PASS
n2	15	5	381500	1@1	DFT_QPSK	23.63	PASS
n2	15	5	381500	1@23	DFT_QPSK	23.62	PASS
n2	15	5	381500	25@0	DFT_16QAM	21.63	PASS
n2	15	5	381500	12@6	DFT_16QAM	22.67	PASS
n2	15	5	381500	1@1	DFT_16QAM	22.55	PASS
n2	15	5	381500	1@23	DFT_16QAM	22.61	PASS
n2	15	5	381500	25@0	DFT_64QAM	21.03	PASS
n2	15	5	381500	12@6	DFT_64QAM	21.17	PASS
n2	15	5	381500	1@1	DFT_64QAM	21.02	PASS
n2	15	5	381500	1@23	DFT_64QAM	20.98	PASS
n2	15	5	381500	25@0	DFT_256QAM	19.16	PASS
n2	15	5	381500	12@6	DFT_256QAM	19.16	PASS
n2	15	5	381500	1@1	DFT_256QAM	19.16	PASS
n2	15	5	381500	1@23	DFT_256QAM	19.16	PASS
n2	15	5	381500	25@0	CP_QPSK	20.63	PASS
n2	15	5	381500	13@6	CP_QPSK	22.07	PASS

n2	15	5	381500	1@1	CP_QPSK	22.26	PASS
n2	15	5	381500	1@23	CP_QPSK	22.22	PASS
n2	15	5	381500	25@0	CP_16QAM	20.5	PASS
n2	15	5	381500	13@6	CP_16QAM	21.52	PASS
n2	15	5	381500	1@1	CP_16QAM	22.95	PASS
n2	15	5	381500	1@23	CP_16QAM	22.89	PASS
n2	15	5	381500	25@0	CP_64QAM	20.15	PASS
n2	15	5	381500	13@6	CP_64QAM	20.15	PASS
n2	15	5	381500	1@1	CP_64QAM	20.08	PASS
n2	15	5	381500	1@23	CP_64QAM	20.11	PASS
n2	15	5	381500	25@0	CP_256QAM	17.19	PASS
n2	15	5	381500	13@6	CP_256QAM	17.21	PASS
n2	15	5	381500	1@1	CP_256QAM	17.3	PASS
n2	15	5	381500	1@23	CP_256QAM	17.32	PASS
n2	15	10	371000	50@0	DFT_BPSK	23.49	PASS
n2	15	10	371000	25@12	DFT_BPSK	23.97	PASS
n2	15	10	371000	1@1	DFT_BPSK	23.91	PASS
n2	15	10	371000	1@50	DFT_BPSK	23.88	PASS
n2	15	10	371000	50@0	DFT_QPSK	23	PASS
n2	15	10	371000	25@12	DFT_QPSK	24.01	PASS
n2	15	10	371000	1@1	DFT_QPSK	23.93	PASS
n2	15	10	371000	1@50	DFT_QPSK	23.89	PASS
n2	15	10	371000	50@0	DFT_16QAM	21.98	PASS
n2	15	10	371000	25@12	DFT_16QAM	23	PASS
n2	15	10	371000	1@1	DFT_16QAM	23	PASS
n2	15	10	371000	1@50	DFT_16QAM	22.98	PASS
n2	15	10	371000	50@0	DFT_64QAM	21.44	PASS
n2	15	10	371000	25@12	DFT_64QAM	21.4	PASS
n2	15	10	371000	1@1	DFT_64QAM	21.36	PASS
n2	15	10	371000	1@50	DFT_64QAM	21.39	PASS
n2	15	10	371000	50@0	DFT_256QAM	19.55	PASS
n2	15	10	371000	25@12	DFT_256QAM	19.57	PASS
n2	15	10	371000	1@1	DFT_256QAM	19.56	PASS
n2	15	10	371000	1@50	DFT_256QAM	19.56	PASS
n2	15	10	371000	52@0	CP_QPSK	20.98	PASS
n2	15	10	371000	26@13	CP_QPSK	22.51	PASS
n2	15	10	371000	1@1	CP_QPSK	22.63	PASS
n2	15	10	371000	1@50	CP_QPSK	22.67	PASS
n2	15	10	371000	52@0	CP_16QAM	21.04	PASS
n2	15	10	371000	26@13	CP_16QAM	21.93	PASS
n2	15	10	371000	1@1	CP_16QAM	23.11	PASS
n2	15	10	371000	1@50	CP_16QAM	23.36	PASS
n2	15	10	371000	52@0	CP_64QAM	20.52	PASS
n2	15	10	371000	26@13	CP_64QAM	20.47	PASS
n2	15	10	371000	1@1	CP_64QAM	20.48	PASS
n2	15	10	371000	1@50	CP_64QAM	20.44	PASS
n2	15	10	371000	52@0	CP_256QAM	17.59	PASS
n2	15	10	371000	26@13	CP_256QAM	17.62	PASS

n2	15	10	371000	1@1	CP_256QAM	17.69	PASS
n2	15	10	371000	1@50	CP_256QAM	17.68	PASS
n2	15	10	376000	50@0	DFT_BPSK	22.94	PASS
n2	15	10	376000	25@12	DFT_BPSK	23.4	PASS
n2	15	10	376000	1@1	DFT_BPSK	23.39	PASS
n2	15	10	376000	1@50	DFT_BPSK	23.4	PASS
n2	15	10	376000	50@0	DFT_QPSK	22.42	PASS
n2	15	10	376000	25@12	DFT_QPSK	23.44	PASS
n2	15	10	376000	1@1	DFT_QPSK	23.36	PASS
n2	15	10	376000	1@50	DFT_QPSK	23.45	PASS
n2	15	10	376000	50@0	DFT_16QAM	21.4	PASS
n2	15	10	376000	25@12	DFT_16QAM	22.46	PASS
n2	15	10	376000	1@1	DFT_16QAM	22.38	PASS
n2	15	10	376000	1@50	DFT_16QAM	22.51	PASS
n2	15	10	376000	50@0	DFT_64QAM	20.9	PASS
n2	15	10	376000	25@12	DFT_64QAM	20.83	PASS
n2	15	10	376000	1@1	DFT_64QAM	20.87	PASS
n2	15	10	376000	1@50	DFT_64QAM	20.84	PASS
n2	15	10	376000	50@0	DFT_256QAM	18.89	PASS
n2	15	10	376000	25@12	DFT_256QAM	18.9	PASS
n2	15	10	376000	1@1	DFT_256QAM	18.98	PASS
n2	15	10	376000	1@50	DFT_256QAM	18.92	PASS
n2	15	10	376000	52@0	CP_QPSK	20.4	PASS
n2	15	10	376000	26@13	CP_QPSK	21.97	PASS
n2	15	10	376000	1@1	CP_QPSK	22.16	PASS
n2	15	10	376000	1@50	CP_QPSK	22.13	PASS
n2	15	10	376000	52@0	CP_16QAM	20.43	PASS
n2	15	10	376000	26@13	CP_16QAM	21.36	PASS
n2	15	10	376000	1@1	CP_16QAM	22.82	PASS
n2	15	10	376000	1@50	CP_16QAM	22.68	PASS
n2	15	10	376000	52@0	CP_64QAM	19.94	PASS
n2	15	10	376000	26@13	CP_64QAM	19.9	PASS
n2	15	10	376000	1@1	CP_64QAM	19.93	PASS
n2	15	10	376000	1@50	CP_64QAM	20	PASS
n2	15	10	376000	52@0	CP_256QAM	16.89	PASS
n2	15	10	376000	26@13	CP_256QAM	16.92	PASS
n2	15	10	376000	1@1	CP_256QAM	17.07	PASS
n2	15	10	376000	1@50	CP_256QAM	17.09	PASS
n2	15	10	381000	50@0	DFT_BPSK	23.05	PASS
n2	15	10	381000	25@12	DFT_BPSK	23.59	PASS
n2	15	10	381000	1@1	DFT_BPSK	23.54	PASS
n2	15	10	381000	1@50	DFT_BPSK	23.53	PASS
n2	15	10	381000	50@0	DFT_QPSK	22.57	PASS
n2	15	10	381000	25@12	DFT_QPSK	23.63	PASS
n2	15	10	381000	1@1	DFT_QPSK	23.5	PASS
n2	15	10	381000	1@50	DFT_QPSK	23.55	PASS
n2	15	10	381000	50@0	DFT_16QAM	21.57	PASS
n2	15	10	381000	25@12	DFT_16QAM	22.65	PASS

n2	15	10	381000	1@1	DFT_16QAM	22.49	PASS
n2	15	10	381000	1@50	DFT_16QAM	22.63	PASS
n2	15	10	381000	50@0	DFT_64QAM	21.1	PASS
n2	15	10	381000	25@12	DFT_64QAM	21.04	PASS
n2	15	10	381000	1@1	DFT_64QAM	21.06	PASS
n2	15	10	381000	1@50	DFT_64QAM	20.99	PASS
n2	15	10	381000	50@0	DFT_256QAM	19.12	PASS
n2	15	10	381000	25@12	DFT_256QAM	19.14	PASS
n2	15	10	381000	1@1	DFT_256QAM	19.21	PASS
n2	15	10	381000	1@50	DFT_256QAM	19.16	PASS
n2	15	10	381000	52@0	CP_QPSK	20.59	PASS
n2	15	10	381000	26@13	CP_QPSK	22.17	PASS
n2	15	10	381000	1@1	CP_QPSK	22.43	PASS
n2	15	10	381000	1@50	CP_QPSK	22.29	PASS
n2	15	10	381000	52@0	CP_16QAM	20.59	PASS
n2	15	10	381000	26@13	CP_16QAM	21.53	PASS
n2	15	10	381000	1@1	CP_16QAM	23.09	PASS
n2	15	10	381000	1@50	CP_16QAM	22.92	PASS
n2	15	10	381000	52@0	CP_64QAM	20.12	PASS
n2	15	10	381000	26@13	CP_64QAM	20.13	PASS
n2	15	10	381000	1@1	CP_64QAM	20.14	PASS
n2	15	10	381000	1@50	CP_64QAM	20.09	PASS
n2	15	10	381000	52@0	CP_256QAM	17.12	PASS
n2	15	10	381000	26@13	CP_256QAM	17.16	PASS
n2	15	10	381000	1@1	CP_256QAM	17.29	PASS
n2	15	10	381000	1@50	CP_256QAM	17.84	PASS
n2	15	15	371500	75@0	DFT_BPSK	23.44	PASS
n2	15	15	371500	36@18	DFT_BPSK	23.96	PASS
n2	15	15	371500	1@1	DFT_BPSK	23.89	PASS
n2	15	15	371500	1@77	DFT_BPSK	23.71	PASS
n2	15	15	371500	75@0	DFT_QPSK	22.95	PASS
n2	15	15	371500	36@18	DFT_QPSK	23.98	PASS
n2	15	15	371500	1@1	DFT_QPSK	23.83	PASS
n2	15	15	371500	1@77	DFT_QPSK	23.52	PASS
n2	15	15	371500	75@0	DFT_16QAM	21.94	PASS
n2	15	15	371500	36@18	DFT_16QAM	23	PASS
n2	15	15	371500	1@1	DFT_16QAM	22.66	PASS
n2	15	15	371500	1@77	DFT_16QAM	22.57	PASS
n2	15	15	371500	75@0	DFT_64QAM	21.43	PASS
n2	15	15	371500	36@18	DFT_64QAM	21.53	PASS
n2	15	15	371500	1@1	DFT_64QAM	21.28	PASS
n2	15	15	371500	1@77	DFT_64QAM	21.14	PASS
n2	15	15	371500	75@0	DFT_256QAM	19.48	PASS
n2	15	15	371500	36@18	DFT_256QAM	19.53	PASS
n2	15	15	371500	1@1	DFT_256QAM	19.04	PASS
n2	15	15	371500	1@77	DFT_256QAM	18.95	PASS
n2	15	15	371500	79@0	CP_QPSK	20.98	PASS
n2	15	15	371500	39@19	CP_QPSK	22.49	PASS

n2	15	15	371500	1@1	CP_QPSK	22.51	PASS
n2	15	15	371500	1@77	CP_QPSK	22.51	PASS
n2	15	15	371500	79@0	CP_16QAM	20.95	PASS
n2	15	15	371500	39@19	CP_16QAM	22.04	PASS
n2	15	15	371500	1@1	CP_16QAM	21.67	PASS
n2	15	15	371500	1@77	CP_16QAM	21.36	PASS
n2	15	15	371500	79@0	CP_64QAM	20.49	PASS
n2	15	15	371500	39@19	CP_64QAM	20.48	PASS
n2	15	15	371500	1@1	CP_64QAM	20.49	PASS
n2	15	15	371500	1@77	CP_64QAM	20.23	PASS
n2	15	15	371500	79@0	CP_256QAM	17.53	PASS
n2	15	15	371500	39@19	CP_256QAM	17.52	PASS
n2	15	15	371500	1@1	CP_256QAM	17.7	PASS
n2	15	15	371500	1@77	CP_256QAM	17.47	PASS
n2	15	15	376000	75@0	DFT_BPSK	22.93	PASS
n2	15	15	376000	36@18	DFT_BPSK	23.41	PASS
n2	15	15	376000	1@1	DFT_BPSK	23.41	PASS
n2	15	15	376000	1@77	DFT_BPSK	23.48	PASS
n2	15	15	376000	75@0	DFT_QPSK	22.39	PASS
n2	15	15	376000	36@18	DFT_QPSK	23.42	PASS
n2	15	15	376000	1@1	DFT_QPSK	23.38	PASS
n2	15	15	376000	1@77	DFT_QPSK	23.53	PASS
n2	15	15	376000	75@0	DFT_16QAM	21.4	PASS
n2	15	15	376000	36@18	DFT_16QAM	22.41	PASS
n2	15	15	376000	1@1	DFT_16QAM	22.41	PASS
n2	15	15	376000	1@77	DFT_16QAM	22.6	PASS
n2	15	15	376000	75@0	DFT_64QAM	20.95	PASS
n2	15	15	376000	36@18	DFT_64QAM	20.91	PASS
n2	15	15	376000	1@1	DFT_64QAM	20.9	PASS
n2	15	15	376000	1@77	DFT_64QAM	20.91	PASS
n2	15	15	376000	75@0	DFT_256QAM	18.97	PASS
n2	15	15	376000	36@18	DFT_256QAM	19.35	PASS
n2	15	15	376000	1@1	DFT_256QAM	19.03	PASS
n2	15	15	376000	1@77	DFT_256QAM	19	PASS
n2	15	15	376000	79@0	CP_QPSK	20.43	PASS
n2	15	15	376000	39@19	CP_QPSK	21.97	PASS
n2	15	15	376000	1@1	CP_QPSK	22.18	PASS
n2	15	15	376000	1@77	CP_QPSK	22.2	PASS
n2	15	15	376000	79@0	CP_16QAM	20.44	PASS
n2	15	15	376000	39@19	CP_16QAM	21.4	PASS
n2	15	15	376000	1@1	CP_16QAM	22.93	PASS
n2	15	15	376000	1@77	CP_16QAM	22.7	PASS
n2	15	15	376000	79@0	CP_64QAM	19.98	PASS
n2	15	15	376000	39@19	CP_64QAM	19.87	PASS
n2	15	15	376000	1@1	CP_64QAM	19.95	PASS
n2	15	15	376000	1@77	CP_64QAM	20.04	PASS
n2	15	15	376000	79@0	CP_256QAM	16.9	PASS
n2	15	15	376000	39@19	CP_256QAM	16.88	PASS

n2	15	15	376000	1@1	CP_256QAM	17.09	PASS
n2	15	15	376000	1@77	CP_256QAM	17.09	PASS
n2	15	15	380500	75@0	DFT_BPSK	23.05	PASS
n2	15	15	380500	36@18	DFT_BPSK	23.59	PASS
n2	15	15	380500	1@1	DFT_BPSK	23.61	PASS
n2	15	15	380500	1@77	DFT_BPSK	23.51	PASS
n2	15	15	380500	75@0	DFT_QPSK	22.56	PASS
n2	15	15	380500	36@18	DFT_QPSK	23.65	PASS
n2	15	15	380500	1@1	DFT_QPSK	23.55	PASS
n2	15	15	380500	1@77	DFT_QPSK	23.59	PASS
n2	15	15	380500	75@0	DFT_16QAM	21.59	PASS
n2	15	15	380500	36@18	DFT_16QAM	22.59	PASS
n2	15	15	380500	1@1	DFT_16QAM	22.56	PASS
n2	15	15	380500	1@77	DFT_16QAM	22.62	PASS
n2	15	15	380500	75@0	DFT_64QAM	21.09	PASS
n2	15	15	380500	36@18	DFT_64QAM	21.13	PASS
n2	15	15	380500	1@1	DFT_64QAM	21.11	PASS
n2	15	15	380500	1@77	DFT_64QAM	20.96	PASS
n2	15	15	380500	75@0	DFT_256QAM	19.15	PASS
n2	15	15	380500	36@18	DFT_256QAM	19.15	PASS
n2	15	15	380500	1@1	DFT_256QAM	19.14	PASS
n2	15	15	380500	1@77	DFT_256QAM	19.18	PASS
n2	15	15	380500	79@0	CP_QPSK	20.63	PASS
n2	15	15	380500	39@19	CP_QPSK	22.18	PASS
n2	15	15	380500	1@1	CP_QPSK	22.42	PASS
n2	15	15	380500	1@77	CP_QPSK	22.25	PASS
n2	15	15	380500	79@0	CP_16QAM	20.68	PASS
n2	15	15	380500	39@19	CP_16QAM	21.62	PASS
n2	15	15	380500	1@1	CP_16QAM	23.06	PASS
n2	15	15	380500	1@77	CP_16QAM	22.79	PASS
n2	15	15	380500	79@0	CP_64QAM	20.2	PASS
n2	15	15	380500	39@19	CP_64QAM	20.03	PASS
n2	15	15	380500	1@1	CP_64QAM	20.2	PASS
n2	15	15	380500	1@77	CP_64QAM	20.11	PASS
n2	15	15	380500	79@0	CP_256QAM	17.38	PASS
n2	15	15	380500	39@19	CP_256QAM	17.08	PASS
n2	15	15	380500	1@1	CP_256QAM	17.21	PASS
n2	15	15	380500	1@77	CP_256QAM	17.29	PASS
n2	15	20	372000	100@0	DFT_BPSK	23.39	PASS
n2	15	20	372000	50@25	DFT_BPSK	23.92	PASS
n2	15	20	372000	1@1	DFT_BPSK	23.9	PASS
n2	15	20	372000	1@104	DFT_BPSK	23.5	PASS
n2	15	20	372000	100@0	DFT_QPSK	22.94	PASS
n2	15	20	372000	50@25	DFT_QPSK	23.94	PASS
n2	15	20	372000	1@1	DFT_QPSK	23.91	PASS
n2	15	20	372000	1@104	DFT_QPSK	23.43	PASS
n2	15	20	372000	100@0	DFT_16QAM	21.94	PASS
n2	15	20	372000	50@25	DFT_16QAM	22.96	PASS

n2	15	20	372000	1@1	DFT_16QAM	22.99	PASS
n2	15	20	372000	1@104	DFT_16QAM	22.43	PASS
n2	15	20	372000	100@0	DFT_64QAM	21.43	PASS
n2	15	20	372000	50@25	DFT_64QAM	21.42	PASS
n2	15	20	372000	1@1	DFT_64QAM	21.36	PASS
n2	15	20	372000	1@104	DFT_64QAM	21	PASS
n2	15	20	372000	100@0	DFT_256QAM	19.45	PASS
n2	15	20	372000	50@25	DFT_256QAM	19.46	PASS
n2	15	20	372000	1@1	DFT_256QAM	19.55	PASS
n2	15	20	372000	1@104	DFT_256QAM	19.19	PASS
n2	15	20	372000	106@0	CP_QPSK	20.9	PASS
n2	15	20	372000	53@26	CP_QPSK	22.38	PASS
n2	15	20	372000	1@1	CP_QPSK	22.64	PASS
n2	15	20	372000	1@104	CP_QPSK	22.27	PASS
n2	15	20	372000	106@0	CP_16QAM	20.97	PASS
n2	15	20	372000	53@26	CP_16QAM	21.91	PASS
n2	15	20	372000	1@1	CP_16QAM	23.23	PASS
n2	15	20	372000	1@104	CP_16QAM	23.07	PASS
n2	15	20	372000	106@0	CP_64QAM	20.41	PASS
n2	15	20	372000	53@26	CP_64QAM	20.39	PASS
n2	15	20	372000	1@1	CP_64QAM	20.47	PASS
n2	15	20	372000	1@104	CP_64QAM	19.99	PASS
n2	15	20	372000	106@0	CP_256QAM	17.47	PASS
n2	15	20	372000	53@26	CP_256QAM	17.5	PASS
n2	15	20	372000	1@1	CP_256QAM	17.67	PASS
n2	15	20	372000	1@104	CP_256QAM	17.2	PASS
n2	15	20	376000	100@0	DFT_BPSK	22.93	PASS
n2	15	20	376000	50@25	DFT_BPSK	23.43	PASS
n2	15	20	376000	1@1	DFT_BPSK	23.49	PASS
n2	15	20	376000	1@104	DFT_BPSK	23.55	PASS
n2	15	20	376000	100@0	DFT_QPSK	22.4	PASS
n2	15	20	376000	50@25	DFT_QPSK	23.48	PASS
n2	15	20	376000	1@1	DFT_QPSK	23.45	PASS
n2	15	20	376000	1@104	DFT_QPSK	23.6	PASS
n2	15	20	376000	100@0	DFT_16QAM	21.45	PASS
n2	15	20	376000	50@25	DFT_16QAM	22.46	PASS
n2	15	20	376000	1@1	DFT_16QAM	22.5	PASS
n2	15	20	376000	1@104	DFT_16QAM	22.61	PASS
n2	15	20	376000	100@0	DFT_64QAM	20.92	PASS
n2	15	20	376000	50@25	DFT_64QAM	20.92	PASS
n2	15	20	376000	1@1	DFT_64QAM	20.95	PASS
n2	15	20	376000	1@104	DFT_64QAM	21.01	PASS
n2	15	20	376000	100@0	DFT_256QAM	18.92	PASS
n2	15	20	376000	50@25	DFT_256QAM	18.91	PASS
n2	15	20	376000	1@1	DFT_256QAM	19.15	PASS
n2	15	20	376000	1@104	DFT_256QAM	19.08	PASS
n2	15	20	376000	106@0	CP_QPSK	20.42	PASS
n2	15	20	376000	53@26	CP_QPSK	21.88	PASS

n2	15	20	376000	1@1	CP_QPSK	22.27	PASS
n2	15	20	376000	1@104	CP_QPSK	22.3	PASS
n2	15	20	376000	106@0	CP_16QAM	20.47	PASS
n2	15	20	376000	53@26	CP_16QAM	21.46	PASS
n2	15	20	376000	1@1	CP_16QAM	22.99	PASS
n2	15	20	376000	1@104	CP_16QAM	22.88	PASS
n2	15	20	376000	106@0	CP_64QAM	19.91	PASS
n2	15	20	376000	53@26	CP_64QAM	19.9	PASS
n2	15	20	376000	1@1	CP_64QAM	20.02	PASS
n2	15	20	376000	1@104	CP_64QAM	20.13	PASS
n2	15	20	376000	106@0	CP_256QAM	16.87	PASS
n2	15	20	376000	53@26	CP_256QAM	17.24	PASS
n2	15	20	376000	1@1	CP_256QAM	17.18	PASS
n2	15	20	376000	1@104	CP_256QAM	17.24	PASS
n2	15	20	380000	100@0	DFT_BPSK	23.1	PASS
n2	15	20	380000	50@25	DFT_BPSK	23.62	PASS
n2	15	20	380000	1@1	DFT_BPSK	23.53	PASS
n2	15	20	380000	1@104	DFT_BPSK	23.56	PASS
n2	15	20	380000	100@0	DFT_QPSK	22.64	PASS
n2	15	20	380000	50@25	DFT_QPSK	23.69	PASS
n2	15	20	380000	1@1	DFT_QPSK	23.52	PASS
n2	15	20	380000	1@104	DFT_QPSK	23.55	PASS
n2	15	20	380000	100@0	DFT_16QAM	21.67	PASS
n2	15	20	380000	50@25	DFT_16QAM	22.71	PASS
n2	15	20	380000	1@1	DFT_16QAM	22.65	PASS
n2	15	20	380000	1@104	DFT_16QAM	22.65	PASS
n2	15	20	380000	100@0	DFT_64QAM	21.15	PASS
n2	15	20	380000	50@25	DFT_64QAM	21.16	PASS
n2	15	20	380000	1@1	DFT_64QAM	21.01	PASS
n2	15	20	380000	1@104	DFT_64QAM	21.02	PASS
n2	15	20	380000	100@0	DFT_256QAM	19.1	PASS
n2	15	20	380000	50@25	DFT_256QAM	19.17	PASS
n2	15	20	380000	1@1	DFT_256QAM	19.05	PASS
n2	15	20	380000	1@104	DFT_256QAM	19.24	PASS
n2	15	20	380000	106@0	CP_QPSK	20.63	PASS
n2	15	20	380000	53@26	CP_QPSK	22.12	PASS
n2	15	20	380000	1@1	CP_QPSK	22.31	PASS
n2	15	20	380000	1@104	CP_QPSK	22.29	PASS
n2	15	20	380000	106@0	CP_16QAM	20.68	PASS
n2	15	20	380000	53@26	CP_16QAM	21.66	PASS
n2	15	20	380000	1@1	CP_16QAM	23	PASS
n2	15	20	380000	1@104	CP_16QAM	22.95	PASS
n2	15	20	380000	106@0	CP_64QAM	20.12	PASS
n2	15	20	380000	53@26	CP_64QAM	20.17	PASS
n2	15	20	380000	1@1	CP_64QAM	20.13	PASS
n2	15	20	380000	1@104	CP_64QAM	20.15	PASS
n2	15	20	380000	106@0	CP_256QAM	17.26	PASS
n2	15	20	380000	53@26	CP_256QAM	17.19	PASS

n2	15	20	380000	1@1	CP_256QAM	17.19	PASS
n2	15	20	380000	1@104	CP_256QAM	17.29	PASS

SA N5

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n5	15	5	165300	25@0	DFT_BPSK	22.83	PASS
n5	15	5	165300	12@6	DFT_BPSK	23.33	PASS
n5	15	5	165300	1@1	DFT_BPSK	23.09	PASS
n5	15	5	165300	1@23	DFT_BPSK	23.3	PASS
n5	15	5	165300	25@0	DFT_QPSK	22.32	PASS
n5	15	5	165300	12@6	DFT_QPSK	23.35	PASS
n5	15	5	165300	1@1	DFT_QPSK	23.08	PASS
n5	15	5	165300	1@23	DFT_QPSK	23.26	PASS
n5	15	5	165300	25@0	DFT_16QAM	21.29	PASS
n5	15	5	165300	12@6	DFT_16QAM	22.26	PASS
n5	15	5	165300	1@1	DFT_16QAM	21.86	PASS
n5	15	5	165300	1@23	DFT_16QAM	22.04	PASS
n5	15	5	165300	25@0	DFT_64QAM	20.89	PASS
n5	15	5	165300	12@6	DFT_64QAM	20.8	PASS
n5	15	5	165300	1@1	DFT_64QAM	20.48	PASS
n5	15	5	165300	1@23	DFT_64QAM	20.68	PASS
n5	15	5	165300	25@0	DFT_256QAM	18.8	PASS
n5	15	5	165300	12@6	DFT_256QAM	18.75	PASS
n5	15	5	165300	1@1	DFT_256QAM	18.7	PASS
n5	15	5	165300	1@23	DFT_256QAM	18.88	PASS
n5	15	5	165300	25@0	CP_QPSK	20.27	PASS
n5	15	5	165300	13@6	CP_QPSK	21.79	PASS
n5	15	5	165300	1@1	CP_QPSK	21.78	PASS
n5	15	5	165300	1@23	CP_QPSK	22.02	PASS
n5	15	5	165300	25@0	CP_16QAM	20.2	PASS
n5	15	5	165300	13@6	CP_16QAM	21.26	PASS
n5	15	5	165300	1@1	CP_16QAM	22.06	PASS
n5	15	5	165300	1@23	CP_16QAM	22.5	PASS
n5	15	5	165300	25@0	CP_64QAM	19.84	PASS
n5	15	5	165300	13@6	CP_64QAM	19.83	PASS
n5	15	5	165300	1@1	CP_64QAM	19.73	PASS
n5	15	5	165300	1@23	CP_64QAM	19.91	PASS
n5	15	5	165300	25@0	CP_256QAM	16.26	PASS
n5	15	5	165300	13@6	CP_256QAM	16.85	PASS
n5	15	5	165300	1@1	CP_256QAM	16.75	PASS
n5	15	5	165300	1@23	CP_256QAM	16.98	PASS
n5	15	5	167300	25@0	DFT_BPSK	22.75	PASS
n5	15	5	167300	12@6	DFT_BPSK	23.25	PASS
n5	15	5	167300	1@1	DFT_BPSK	23.25	PASS
n5	15	5	167300	1@23	DFT_BPSK	23.02	PASS
n5	15	5	167300	25@0	DFT_QPSK	22.25	PASS
n5	15	5	167300	12@6	DFT_QPSK	23.23	PASS

n5	15	5	167300	1@1	DFT_QPSK	23.35	PASS
n5	15	5	167300	1@23	DFT_QPSK	23.05	PASS
n5	15	5	167300	25@0	DFT_16QAM	21.26	PASS
n5	15	5	167300	12@6	DFT_16QAM	22.28	PASS
n5	15	5	167300	1@1	DFT_16QAM	22.44	PASS
n5	15	5	167300	1@23	DFT_16QAM	22.19	PASS
n5	15	5	167300	25@0	DFT_64QAM	20.71	PASS
n5	15	5	167300	12@6	DFT_64QAM	20.79	PASS
n5	15	5	167300	1@1	DFT_64QAM	20.69	PASS
n5	15	5	167300	1@23	DFT_64QAM	20.47	PASS
n5	15	5	167300	25@0	DFT_256QAM	18.8	PASS
n5	15	5	167300	12@6	DFT_256QAM	18.8	PASS
n5	15	5	167300	1@1	DFT_256QAM	18.81	PASS
n5	15	5	167300	1@23	DFT_256QAM	18.57	PASS
n5	15	5	167300	25@0	CP_QPSK	20.22	PASS
n5	15	5	167300	13@6	CP_QPSK	21.77	PASS
n5	15	5	167300	1@1	CP_QPSK	21.87	PASS
n5	15	5	167300	1@23	CP_QPSK	21.66	PASS
n5	15	5	167300	25@0	CP_16QAM	20.17	PASS
n5	15	5	167300	13@6	CP_16QAM	21.25	PASS
n5	15	5	167300	1@1	CP_16QAM	21.89	PASS
n5	15	5	167300	1@23	CP_16QAM	21.43	PASS
n5	15	5	167300	25@0	CP_64QAM	19.79	PASS
n5	15	5	167300	13@6	CP_64QAM	19.81	PASS
n5	15	5	167300	1@1	CP_64QAM	19.89	PASS
n5	15	5	167300	1@23	CP_64QAM	19.66	PASS
n5	15	5	167300	25@0	CP_256QAM	16.82	PASS
n5	15	5	167300	13@6	CP_256QAM	16.77	PASS
n5	15	5	167300	1@1	CP_256QAM	16.91	PASS
n5	15	5	167300	1@23	CP_256QAM	16.71	PASS
n5	15	5	169300	25@0	DFT_BPSK	22.05	PASS
n5	15	5	169300	12@6	DFT_BPSK	22.54	PASS
n5	15	5	169300	1@1	DFT_BPSK	22.51	PASS
n5	15	5	169300	1@23	DFT_BPSK	22.38	PASS
n5	15	5	169300	25@0	DFT_QPSK	21.56	PASS
n5	15	5	169300	12@6	DFT_QPSK	22.53	PASS
n5	15	5	169300	1@1	DFT_QPSK	22.66	PASS
n5	15	5	169300	1@23	DFT_QPSK	22.5	PASS
n5	15	5	169300	25@0	DFT_16QAM	20.57	PASS
n5	15	5	169300	12@6	DFT_16QAM	21.61	PASS
n5	15	5	169300	1@1	DFT_16QAM	21.68	PASS
n5	15	5	169300	1@23	DFT_16QAM	21.57	PASS
n5	15	5	169300	25@0	DFT_64QAM	19.94	PASS
n5	15	5	169300	12@6	DFT_64QAM	20.12	PASS
n5	15	5	169300	1@1	DFT_64QAM	19.99	PASS
n5	15	5	169300	1@23	DFT_64QAM	19.86	PASS
n5	15	5	169300	25@0	DFT_256QAM	17.69	PASS
n5	15	5	169300	12@6	DFT_256QAM	17.98	PASS

n5	15	5	169300	1@1	DFT_256QAM	18.09	PASS
n5	15	5	169300	1@23	DFT_256QAM	18.01	PASS
n5	15	5	169300	25@0	CP_QPSK	19.5	PASS
n5	15	5	169300	13@6	CP_QPSK	21.05	PASS
n5	15	5	169300	1@1	CP_QPSK	21.16	PASS
n5	15	5	169300	1@23	CP_QPSK	21.02	PASS
n5	15	5	169300	25@0	CP_16QAM	19.48	PASS
n5	15	5	169300	13@6	CP_16QAM	20.46	PASS
n5	15	5	169300	1@1	CP_16QAM	21.12	PASS
n5	15	5	169300	1@23	CP_16QAM	20.96	PASS
n5	15	5	169300	25@0	CP_64QAM	19.1	PASS
n5	15	5	169300	13@6	CP_64QAM	19.08	PASS
n5	15	5	169300	1@1	CP_64QAM	19.18	PASS
n5	15	5	169300	1@23	CP_64QAM	18.99	PASS
n5	15	5	169300	25@0	CP_256QAM	16.07	PASS
n5	15	5	169300	13@6	CP_256QAM	16.01	PASS
n5	15	5	169300	1@1	CP_256QAM	16.2	PASS
n5	15	5	169300	1@23	CP_256QAM	16.03	PASS
n5	15	10	165800	50@0	DFT_BPSK	22.89	PASS
n5	15	10	165800	25@12	DFT_BPSK	23.36	PASS
n5	15	10	165800	1@1	DFT_BPSK	23.09	PASS
n5	15	10	165800	1@50	DFT_BPSK	23.37	PASS
n5	15	10	165800	50@0	DFT_QPSK	22.37	PASS
n5	15	10	165800	25@12	DFT_QPSK	23.38	PASS
n5	15	10	165800	1@1	DFT_QPSK	23.21	PASS
n5	15	10	165800	1@50	DFT_QPSK	23.44	PASS
n5	15	10	165800	50@0	DFT_16QAM	21.36	PASS
n5	15	10	165800	25@12	DFT_16QAM	22.38	PASS
n5	15	10	165800	1@1	DFT_16QAM	22.23	PASS
n5	15	10	165800	1@50	DFT_16QAM	22.49	PASS
n5	15	10	165800	50@0	DFT_64QAM	20.83	PASS
n5	15	10	165800	25@12	DFT_64QAM	20.82	PASS
n5	15	10	165800	1@1	DFT_64QAM	20.56	PASS
n5	15	10	165800	1@50	DFT_64QAM	20.78	PASS
n5	15	10	165800	50@0	DFT_256QAM	18.85	PASS
n5	15	10	165800	25@12	DFT_256QAM	18.87	PASS
n5	15	10	165800	1@1	DFT_256QAM	18.7	PASS
n5	15	10	165800	1@50	DFT_256QAM	18.93	PASS
n5	15	10	165800	52@0	CP_QPSK	20.38	PASS
n5	15	10	165800	26@13	CP_QPSK	21.9	PASS
n5	15	10	165800	1@1	CP_QPSK	21.78	PASS
n5	15	10	165800	1@50	CP_QPSK	21.99	PASS
n5	15	10	165800	52@0	CP_16QAM	20.43	PASS
n5	15	10	165800	26@13	CP_16QAM	21.34	PASS
n5	15	10	165800	1@1	CP_16QAM	22.13	PASS
n5	15	10	165800	1@50	CP_16QAM	22.12	PASS
n5	15	10	165800	52@0	CP_64QAM	19.91	PASS
n5	15	10	165800	26@13	CP_64QAM	19.89	PASS

n5	15	10	165800	1@1	CP_64QAM	19.74	PASS
n5	15	10	165800	1@50	CP_64QAM	19.96	PASS
n5	15	10	165800	52@0	CP_256QAM	16.89	PASS
n5	15	10	165800	26@13	CP_256QAM	16.92	PASS
n5	15	10	165800	1@1	CP_256QAM	16.78	PASS
n5	15	10	165800	1@50	CP_256QAM	17.01	PASS
n5	15	10	167300	50@0	DFT_BPSK	22.67	PASS
n5	15	10	167300	25@12	DFT_BPSK	23.21	PASS
n5	15	10	167300	1@1	DFT_BPSK	23.38	PASS
n5	15	10	167300	1@50	DFT_BPSK	22.79	PASS
n5	15	10	167300	50@0	DFT_QPSK	22.23	PASS
n5	15	10	167300	25@12	DFT_QPSK	23.23	PASS
n5	15	10	167300	1@1	DFT_QPSK	23.46	PASS
n5	15	10	167300	1@50	DFT_QPSK	22.87	PASS
n5	15	10	167300	50@0	DFT_16QAM	21.2	PASS
n5	15	10	167300	25@12	DFT_16QAM	22.22	PASS
n5	15	10	167300	1@1	DFT_16QAM	22.5	PASS
n5	15	10	167300	1@50	DFT_16QAM	21.94	PASS
n5	15	10	167300	50@0	DFT_64QAM	20.71	PASS
n5	15	10	167300	25@12	DFT_64QAM	20.7	PASS
n5	15	10	167300	1@1	DFT_64QAM	20.81	PASS
n5	15	10	167300	1@50	DFT_64QAM	20.23	PASS
n5	15	10	167300	50@0	DFT_256QAM	18.71	PASS
n5	15	10	167300	25@12	DFT_256QAM	18.05	PASS
n5	15	10	167300	1@1	DFT_256QAM	18.91	PASS
n5	15	10	167300	1@50	DFT_256QAM	18.4	PASS
n5	15	10	167300	52@0	CP_QPSK	20.23	PASS
n5	15	10	167300	26@13	CP_QPSK	21.77	PASS
n5	15	10	167300	1@1	CP_QPSK	22.05	PASS
n5	15	10	167300	1@50	CP_QPSK	21.45	PASS
n5	15	10	167300	52@0	CP_16QAM	20.29	PASS
n5	15	10	167300	26@13	CP_16QAM	21.23	PASS
n5	15	10	167300	1@1	CP_16QAM	22.33	PASS
n5	15	10	167300	1@50	CP_16QAM	21.38	PASS
n5	15	10	167300	52@0	CP_64QAM	19.79	PASS
n5	15	10	167300	26@13	CP_64QAM	19.75	PASS
n5	15	10	167300	1@1	CP_64QAM	19.99	PASS
n5	15	10	167300	1@50	CP_64QAM	19.44	PASS
n5	15	10	167300	52@0	CP_256QAM	16.73	PASS
n5	15	10	167300	26@13	CP_256QAM	16.76	PASS
n5	15	10	167300	1@1	CP_256QAM	17.02	PASS
n5	15	10	167300	1@50	CP_256QAM	16.49	PASS
n5	15	10	168800	50@0	DFT_BPSK	22.15	PASS
n5	15	10	168800	25@12	DFT_BPSK	22.63	PASS
n5	15	10	168800	1@1	DFT_BPSK	22.93	PASS
n5	15	10	168800	1@50	DFT_BPSK	22.43	PASS
n5	15	10	168800	50@0	DFT_QPSK	21.65	PASS
n5	15	10	168800	25@12	DFT_QPSK	22.67	PASS

n5	15	10	168800	1@1	DFT_QPSK	23.03	PASS
n5	15	10	168800	1@50	DFT_QPSK	22.5	PASS
n5	15	10	168800	50@0	DFT_16QAM	20.63	PASS
n5	15	10	168800	25@12	DFT_16QAM	21.71	PASS
n5	15	10	168800	1@1	DFT_16QAM	22.06	PASS
n5	15	10	168800	1@50	DFT_16QAM	21.55	PASS
n5	15	10	168800	50@0	DFT_64QAM	20.11	PASS
n5	15	10	168800	25@12	DFT_64QAM	20.03	PASS
n5	15	10	168800	1@1	DFT_64QAM	20.39	PASS
n5	15	10	168800	1@50	DFT_64QAM	19.84	PASS
n5	15	10	168800	50@0	DFT_256QAM	18.13	PASS
n5	15	10	168800	25@12	DFT_256QAM	18.26	PASS
n5	15	10	168800	1@1	DFT_256QAM	18.4	PASS
n5	15	10	168800	1@50	DFT_256QAM	18.23	PASS
n5	15	10	168800	52@0	CP_QPSK	16.15	PASS
n5	15	10	168800	26@13	CP_QPSK	21.08	PASS
n5	15	10	168800	1@1	CP_QPSK	21.41	PASS
n5	15	10	168800	1@50	CP_QPSK	20.9	PASS
n5	15	10	168800	52@0	CP_16QAM	19.61	PASS
n5	15	10	168800	26@13	CP_16QAM	20.63	PASS
n5	15	10	168800	1@1	CP_16QAM	21.15	PASS
n5	15	10	168800	1@50	CP_16QAM	20.65	PASS
n5	15	10	168800	52@0	CP_64QAM	19.15	PASS
n5	15	10	168800	26@13	CP_64QAM	19.13	PASS
n5	15	10	168800	1@1	CP_64QAM	19.38	PASS
n5	15	10	168800	1@50	CP_64QAM	18.86	PASS
n5	15	10	168800	52@0	CP_256QAM	16.14	PASS
n5	15	10	168800	26@13	CP_256QAM	16.52	PASS
n5	15	10	168800	1@1	CP_256QAM	16.62	PASS
n5	15	10	168800	1@50	CP_256QAM	16.06	PASS
n5	15	15	166300	75@0	DFT_BPSK	22.89	PASS
n5	15	15	166300	36@18	DFT_BPSK	23.44	PASS
n5	15	15	166300	1@1	DFT_BPSK	23.15	PASS
n5	15	15	166300	1@77	DFT_BPSK	23.1	PASS
n5	15	15	166300	75@0	DFT_QPSK	22.43	PASS
n5	15	15	166300	36@18	DFT_QPSK	23.46	PASS
n5	15	15	166300	1@1	DFT_QPSK	23.22	PASS
n5	15	15	166300	1@77	DFT_QPSK	23.19	PASS
n5	15	15	166300	75@0	DFT_16QAM	21.43	PASS
n5	15	15	166300	36@18	DFT_16QAM	22.44	PASS
n5	15	15	166300	1@1	DFT_16QAM	22.28	PASS
n5	15	15	166300	1@77	DFT_16QAM	22.25	PASS
n5	15	15	166300	75@0	DFT_64QAM	20.89	PASS
n5	15	15	166300	36@18	DFT_64QAM	20.98	PASS
n5	15	15	166300	1@1	DFT_64QAM	20.59	PASS
n5	15	15	166300	1@77	DFT_64QAM	20.56	PASS
n5	15	15	166300	75@0	DFT_256QAM	18.93	PASS
n5	15	15	166300	36@18	DFT_256QAM	18.94	PASS

n5	15	15	166300	1@1	DFT_256QAM	18.69	PASS
n5	15	15	166300	1@77	DFT_256QAM	18.64	PASS
n5	15	15	166300	79@0	CP_QPSK	20.44	PASS
n5	15	15	166300	39@19	CP_QPSK	21.97	PASS
n5	15	15	166300	1@1	CP_QPSK	21.77	PASS
n5	15	15	166300	1@77	CP_QPSK	21.76	PASS
n5	15	15	166300	79@0	CP_16QAM	20.43	PASS
n5	15	15	166300	39@19	CP_16QAM	21.43	PASS
n5	15	15	166300	1@1	CP_16QAM	22.12	PASS
n5	15	15	166300	1@77	CP_16QAM	21.58	PASS
n5	15	15	166300	79@0	CP_64QAM	19.96	PASS
n5	15	15	166300	39@19	CP_64QAM	19.96	PASS
n5	15	15	166300	1@1	CP_64QAM	19.76	PASS
n5	15	15	166300	1@77	CP_64QAM	19.74	PASS
n5	15	15	166300	79@0	CP_256QAM	16.94	PASS
n5	15	15	166300	39@19	CP_256QAM	16.93	PASS
n5	15	15	166300	1@1	CP_256QAM	16.84	PASS
n5	15	15	166300	1@77	CP_256QAM	16.79	PASS
n5	15	15	167300	75@0	DFT_BPSK	22.66	PASS
n5	15	15	167300	36@18	DFT_BPSK	23.26	PASS
n5	15	15	167300	1@1	DFT_BPSK	23.33	PASS
n5	15	15	167300	1@77	DFT_BPSK	22.64	PASS
n5	15	15	167300	75@0	DFT_QPSK	22.23	PASS
n5	15	15	167300	36@18	DFT_QPSK	23.29	PASS
n5	15	15	167300	1@1	DFT_QPSK	23.42	PASS
n5	15	15	167300	1@77	DFT_QPSK	22.65	PASS
n5	15	15	167300	75@0	DFT_16QAM	21.15	PASS
n5	15	15	167300	36@18	DFT_16QAM	22.22	PASS
n5	15	15	167300	1@1	DFT_16QAM	22.47	PASS
n5	15	15	167300	1@77	DFT_16QAM	21.81	PASS
n5	15	15	167300	75@0	DFT_64QAM	20.65	PASS
n5	15	15	167300	36@18	DFT_64QAM	20.82	PASS
n5	15	15	167300	1@1	DFT_64QAM	20.77	PASS
n5	15	15	167300	1@77	DFT_64QAM	20.11	PASS
n5	15	15	167300	75@0	DFT_256QAM	18.72	PASS
n5	15	15	167300	36@18	DFT_256QAM	18.75	PASS
n5	15	15	167300	1@1	DFT_256QAM	18.81	PASS
n5	15	15	167300	1@77	DFT_256QAM	18.15	PASS
n5	15	15	167300	79@0	CP_QPSK	20.18	PASS
n5	15	15	167300	39@19	CP_QPSK	21.77	PASS
n5	15	15	167300	1@1	CP_QPSK	21.75	PASS
n5	15	15	167300	1@77	CP_QPSK	21.12	PASS
n5	15	15	167300	79@0	CP_16QAM	20.23	PASS
n5	15	15	167300	39@19	CP_16QAM	21.31	PASS
n5	15	15	167300	1@1	CP_16QAM	21.58	PASS
n5	15	15	167300	1@77	CP_16QAM	20.88	PASS
n5	15	15	167300	79@0	CP_64QAM	19.74	PASS
n5	15	15	167300	39@19	CP_64QAM	19.75	PASS

n5	15	15	167300	1@1	CP_64QAM	19.79	PASS
n5	15	15	167300	1@77	CP_64QAM	19.09	PASS
n5	15	15	167300	79@0	CP_256QAM	16.65	PASS
n5	15	15	167300	39@19	CP_256QAM	16.69	PASS
n5	15	15	167300	1@1	CP_256QAM	17	PASS
n5	15	15	167300	1@77	CP_256QAM	16.31	PASS
n5	15	15	168300	75@0	DFT_BPSK	22.32	PASS
n5	15	15	168300	36@18	DFT_BPSK	22.88	PASS
n5	15	15	168300	1@1	DFT_BPSK	23.25	PASS
n5	15	15	168300	1@77	DFT_BPSK	22.48	PASS
n5	15	15	168300	75@0	DFT_QPSK	21.78	PASS
n5	15	15	168300	36@18	DFT_QPSK	22.91	PASS
n5	15	15	168300	1@1	DFT_QPSK	23.35	PASS
n5	15	15	168300	1@77	DFT_QPSK	22.46	PASS
n5	15	15	168300	75@0	DFT_16QAM	20.79	PASS
n5	15	15	168300	36@18	DFT_16QAM	21.88	PASS
n5	15	15	168300	1@1	DFT_16QAM	22.42	PASS
n5	15	15	168300	1@77	DFT_16QAM	21.6	PASS
n5	15	15	168300	75@0	DFT_64QAM	20.37	PASS
n5	15	15	168300	36@18	DFT_64QAM	20.44	PASS
n5	15	15	168300	1@1	DFT_64QAM	20.7	PASS
n5	15	15	168300	1@77	DFT_64QAM	19.92	PASS
n5	15	15	168300	75@0	DFT_256QAM	18.32	PASS
n5	15	15	168300	36@18	DFT_256QAM	18.46	PASS
n5	15	15	168300	1@1	DFT_256QAM	18.89	PASS
n5	15	15	168300	1@77	DFT_256QAM	18.03	PASS
n5	15	15	168300	79@0	CP_QPSK	19.84	PASS
n5	15	15	168300	39@19	CP_QPSK	21.4	PASS
n5	15	15	168300	1@1	CP_QPSK	21.91	PASS
n5	15	15	168300	1@77	CP_QPSK	21.08	PASS
n5	15	15	168300	79@0	CP_16QAM	19.86	PASS
n5	15	15	168300	39@19	CP_16QAM	20.87	PASS
n5	15	15	168300	1@1	CP_16QAM	21.87	PASS
n5	15	15	168300	1@77	CP_16QAM	21	PASS
n5	15	15	168300	79@0	CP_64QAM	19.39	PASS
n5	15	15	168300	39@19	CP_64QAM	19.32	PASS
n5	15	15	168300	1@1	CP_64QAM	19.92	PASS
n5	15	15	168300	1@77	CP_64QAM	19.09	PASS
n5	15	15	168300	79@0	CP_256QAM	16.33	PASS
n5	15	15	168300	39@19	CP_256QAM	16.32	PASS
n5	15	15	168300	1@1	CP_256QAM	16.97	PASS
n5	15	15	168300	1@77	CP_256QAM	16.1	PASS
n5	15	20	166800	100@0	DFT_BPSK	22.82	PASS
n5	15	20	166800	50@25	DFT_BPSK	23.37	PASS
n5	15	20	166800	1@1	DFT_BPSK	23.1	PASS
n5	15	20	166800	1@104	DFT_BPSK	22.64	PASS
n5	15	20	166800	100@0	DFT_QPSK	22.36	PASS
n5	15	20	166800	50@25	DFT_QPSK	23.4	PASS

n5	15	20	166800	1@1	DFT_QPSK	23.25	PASS
n5	15	20	166800	1@104	DFT_QPSK	22.78	PASS
n5	15	20	166800	100@0	DFT_16QAM	21.34	PASS
n5	15	20	166800	50@25	DFT_16QAM	22.38	PASS
n5	15	20	166800	1@1	DFT_16QAM	22.26	PASS
n5	15	20	166800	1@104	DFT_16QAM	21.81	PASS
n5	15	20	166800	100@0	DFT_64QAM	20.78	PASS
n5	15	20	166800	50@25	DFT_64QAM	20.87	PASS
n5	15	20	166800	1@1	DFT_64QAM	20.57	PASS
n5	15	20	166800	1@104	DFT_64QAM	20.13	PASS
n5	15	20	166800	100@0	DFT_256QAM	18.81	PASS
n5	15	20	166800	50@25	DFT_256QAM	17.7	PASS
n5	15	20	166800	1@1	DFT_256QAM	18.22	PASS
n5	15	20	166800	1@104	DFT_256QAM	18.6	PASS
n5	15	20	166800	106@0	CP_QPSK	20.31	PASS
n5	15	20	166800	53@26	CP_QPSK	21.89	PASS
n5	15	20	166800	1@1	CP_QPSK	21.72	PASS
n5	15	20	166800	1@104	CP_QPSK	21.2	PASS
n5	15	20	166800	106@0	CP_16QAM	20.34	PASS
n5	15	20	166800	53@26	CP_16QAM	21.43	PASS
n5	15	20	166800	1@1	CP_16QAM	20.95	PASS
n5	15	20	166800	1@104	CP_16QAM	20.49	PASS
n5	15	20	166800	106@0	CP_64QAM	19.78	PASS
n5	15	20	166800	53@26	CP_64QAM	19.88	PASS
n5	15	20	166800	1@1	CP_64QAM	19.72	PASS
n5	15	20	166800	1@104	CP_64QAM	19.28	PASS
n5	15	20	166800	106@0	CP_256QAM	16.84	PASS
n5	15	20	166800	53@26	CP_256QAM	16.83	PASS
n5	15	20	166800	1@1	CP_256QAM	16.77	PASS
n5	15	20	166800	1@104	CP_256QAM	16.3	PASS
n5	15	20	167300	100@0	DFT_BPSK	22.63	PASS
n5	15	20	167300	50@25	DFT_BPSK	23.21	PASS
n5	15	20	167300	1@1	DFT_BPSK	23.24	PASS
n5	15	20	167300	1@104	DFT_BPSK	22.53	PASS
n5	15	20	167300	100@0	DFT_QPSK	22.18	PASS
n5	15	20	167300	50@25	DFT_QPSK	23.25	PASS
n5	15	20	167300	1@1	DFT_QPSK	23.3	PASS
n5	15	20	167300	1@104	DFT_QPSK	22.65	PASS
n5	15	20	167300	100@0	DFT_16QAM	21.16	PASS
n5	15	20	167300	50@25	DFT_16QAM	22.23	PASS
n5	15	20	167300	1@1	DFT_16QAM	22.34	PASS
n5	15	20	167300	1@104	DFT_16QAM	21.69	PASS
n5	15	20	167300	100@0	DFT_64QAM	20.64	PASS
n5	15	20	167300	50@25	DFT_64QAM	20.75	PASS
n5	15	20	167300	1@1	DFT_64QAM	20.67	PASS
n5	15	20	167300	1@104	DFT_64QAM	19.98	PASS
n5	15	20	167300	100@0	DFT_256QAM	18.61	PASS
n5	15	20	167300	50@25	DFT_256QAM	18.72	PASS

n5	15	20	167300	1@1	DFT_256QAM	18.82	PASS
n5	15	20	167300	1@104	DFT_256QAM	18.11	PASS
n5	15	20	167300	106@0	CP_QPSK	20.13	PASS
n5	15	20	167300	53@26	CP_QPSK	21.75	PASS
n5	15	20	167300	1@1	CP_QPSK	21.95	PASS
n5	15	20	167300	1@104	CP_QPSK	21.2	PASS
n5	15	20	167300	106@0	CP_16QAM	20.17	PASS
n5	15	20	167300	53@26	CP_16QAM	21.25	PASS
n5	15	20	167300	1@1	CP_16QAM	22.33	PASS
n5	15	20	167300	1@104	CP_16QAM	21.1	PASS
n5	15	20	167300	106@0	CP_64QAM	19.64	PASS
n5	15	20	167300	53@26	CP_64QAM	19.76	PASS
n5	15	20	167300	1@1	CP_64QAM	19.86	PASS
n5	15	20	167300	1@104	CP_64QAM	19.19	PASS
n5	15	20	167300	106@0	CP_256QAM	16.61	PASS
n5	15	20	167300	53@26	CP_256QAM	16.77	PASS
n5	15	20	167300	1@1	CP_256QAM	16.91	PASS
n5	15	20	167300	1@104	CP_256QAM	16.2	PASS
n5	15	20	167800	100@0	DFT_BPSK	22.41	PASS
n5	15	20	167800	50@25	DFT_BPSK	23.02	PASS
n5	15	20	167800	1@1	DFT_BPSK	23.3	PASS
n5	15	20	167800	1@104	DFT_BPSK	22.5	PASS
n5	15	20	167800	100@0	DFT_QPSK	21.93	PASS
n5	15	20	167800	50@25	DFT_QPSK	23.09	PASS
n5	15	20	167800	1@1	DFT_QPSK	23.39	PASS
n5	15	20	167800	1@104	DFT_QPSK	22.58	PASS
n5	15	20	167800	100@0	DFT_16QAM	20.97	PASS
n5	15	20	167800	50@25	DFT_16QAM	22.06	PASS
n5	15	20	167800	1@1	DFT_16QAM	22.43	PASS
n5	15	20	167800	1@104	DFT_16QAM	21.63	PASS
n5	15	20	167800	100@0	DFT_64QAM	20.47	PASS
n5	15	20	167800	50@25	DFT_64QAM	20.55	PASS
n5	15	20	167800	1@1	DFT_64QAM	20.76	PASS
n5	15	20	167800	1@104	DFT_64QAM	19.92	PASS
n5	15	20	167800	100@0	DFT_256QAM	18.44	PASS
n5	15	20	167800	50@25	DFT_256QAM	18.54	PASS
n5	15	20	167800	1@1	DFT_256QAM	18.9	PASS
n5	15	20	167800	1@104	DFT_256QAM	18.05	PASS
n5	15	20	167800	106@0	CP_QPSK	19.95	PASS
n5	15	20	167800	53@26	CP_QPSK	21.52	PASS
n5	15	20	167800	1@1	CP_QPSK	22.04	PASS
n5	15	20	167800	1@104	CP_QPSK	21.12	PASS
n5	15	20	167800	106@0	CP_16QAM	19.99	PASS
n5	15	20	167800	53@26	CP_16QAM	21.05	PASS
n5	15	20	167800	1@1	CP_16QAM	22.52	PASS
n5	15	20	167800	1@104	CP_16QAM	20.97	PASS
n5	15	20	167800	106@0	CP_64QAM	19.47	PASS
n5	15	20	167800	53@26	CP_64QAM	19.54	PASS

n5	15	20	167800	1@1	CP_64QAM	19.95	PASS
n5	15	20	167800	1@104	CP_64QAM	19.13	PASS
n5	15	20	167800	106@0	CP_256QAM	16.41	PASS
n5	15	20	167800	53@26	CP_256QAM	16.57	PASS
n5	15	20	167800	1@1	CP_256QAM	17.02	PASS
n5	15	20	167800	1@104	CP_256QAM	16.17	PASS

SA N7

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n7	15	5	500500	25@0	DFT_BPSK	22.59	PASS
n7	15	5	500500	12@6	DFT_BPSK	23.07	PASS
n7	15	5	500500	1@1	DFT_BPSK	22.98	PASS
n7	15	5	500500	1@23	DFT_BPSK	22.97	PASS
n7	15	5	500500	25@0	DFT_QPSK	22.12	PASS
n7	15	5	500500	12@6	DFT_QPSK	23.06	PASS
n7	15	5	500500	1@1	DFT_QPSK	22.99	PASS
n7	15	5	500500	1@23	DFT_QPSK	23.01	PASS
n7	15	5	500500	25@0	DFT_16QAM	21.13	PASS
n7	15	5	500500	12@6	DFT_16QAM	22.23	PASS
n7	15	5	500500	1@1	DFT_16QAM	22.08	PASS
n7	15	5	500500	1@23	DFT_16QAM	22.08	PASS
n7	15	5	500500	25@0	DFT_64QAM	20.51	PASS
n7	15	5	500500	12@6	DFT_64QAM	20.69	PASS
n7	15	5	500500	1@1	DFT_64QAM	20.48	PASS
n7	15	5	500500	1@23	DFT_64QAM	20.46	PASS
n7	15	5	500500	25@0	DFT_256QAM	18.72	PASS
n7	15	5	500500	12@6	DFT_256QAM	18.77	PASS
n7	15	5	500500	1@1	DFT_256QAM	18.63	PASS
n7	15	5	500500	1@23	DFT_256QAM	18.7	PASS
n7	15	5	500500	25@0	CP_QPSK	20.06	PASS
n7	15	5	500500	13@6	CP_QPSK	21.62	PASS
n7	15	5	500500	1@1	CP_QPSK	21.68	PASS
n7	15	5	500500	1@23	CP_QPSK	21.57	PASS
n7	15	5	500500	25@0	CP_16QAM	20	PASS
n7	15	5	500500	13@6	CP_16QAM	21.01	PASS
n7	15	5	500500	1@1	CP_16QAM	22.35	PASS
n7	15	5	500500	1@23	CP_16QAM	22.22	PASS
n7	15	5	500500	25@0	CP_64QAM	19.62	PASS
n7	15	5	500500	13@6	CP_64QAM	19.63	PASS
n7	15	5	500500	1@1	CP_64QAM	19.55	PASS
n7	15	5	500500	1@23	CP_64QAM	19.56	PASS
n7	15	5	500500	25@0	CP_256QAM	16.76	PASS
n7	15	5	500500	13@6	CP_256QAM	16.72	PASS
n7	15	5	500500	1@1	CP_256QAM	16.75	PASS
n7	15	5	500500	1@23	CP_256QAM	16.83	PASS
n7	15	5	507000	25@0	DFT_BPSK	23.03	PASS
n7	15	5	507000	12@6	DFT_BPSK	23.49	PASS

n7	15	5	507000	1@1	DFT_BPSK	23.39	PASS
n7	15	5	507000	1@23	DFT_BPSK	23.53	PASS
n7	15	5	507000	25@0	DFT_QPSK	22.58	PASS
n7	15	5	507000	12@6	DFT_QPSK	23.51	PASS
n7	15	5	507000	1@1	DFT_QPSK	23.38	PASS
n7	15	5	507000	1@23	DFT_QPSK	23.48	PASS
n7	15	5	507000	25@0	DFT_16QAM	21.54	PASS
n7	15	5	507000	12@6	DFT_16QAM	22.63	PASS
n7	15	5	507000	1@1	DFT_16QAM	22.46	PASS
n7	15	5	507000	1@23	DFT_16QAM	22.51	PASS
n7	15	5	507000	25@0	DFT_64QAM	20.97	PASS
n7	15	5	507000	12@6	DFT_64QAM	21.09	PASS
n7	15	5	507000	1@1	DFT_64QAM	20.95	PASS
n7	15	5	507000	1@23	DFT_64QAM	20.99	PASS
n7	15	5	507000	25@0	DFT_256QAM	19.03	PASS
n7	15	5	507000	12@6	DFT_256QAM	19.06	PASS
n7	15	5	507000	1@1	DFT_256QAM	19.01	PASS
n7	15	5	507000	1@23	DFT_256QAM	19.02	PASS
n7	15	5	507000	25@0	CP_QPSK	20.52	PASS
n7	15	5	507000	13@6	CP_QPSK	22.04	PASS
n7	15	5	507000	1@1	CP_QPSK	22.2	PASS
n7	15	5	507000	1@23	CP_QPSK	22.24	PASS
n7	15	5	507000	25@0	CP_16QAM	20.42	PASS
n7	15	5	507000	13@6	CP_16QAM	21.46	PASS
n7	15	5	507000	1@1	CP_16QAM	22.96	PASS
n7	15	5	507000	1@23	CP_16QAM	23.03	PASS
n7	15	5	507000	25@0	CP_64QAM	20.07	PASS
n7	15	5	507000	13@6	CP_64QAM	20.04	PASS
n7	15	5	507000	1@1	CP_64QAM	19.93	PASS
n7	15	5	507000	1@23	CP_64QAM	20.03	PASS
n7	15	5	507000	25@0	CP_256QAM	17.07	PASS
n7	15	5	507000	13@6	CP_256QAM	17.06	PASS
n7	15	5	507000	1@1	CP_256QAM	17.09	PASS
n7	15	5	507000	1@23	CP_256QAM	17.12	PASS
n7	15	5	513500	25@0	DFT_BPSK	23.06	PASS
n7	15	5	513500	12@6	DFT_BPSK	23.49	PASS
n7	15	5	513500	1@1	DFT_BPSK	23.47	PASS
n7	15	5	513500	1@23	DFT_BPSK	23.37	PASS
n7	15	5	513500	25@0	DFT_QPSK	22.57	PASS
n7	15	5	513500	12@6	DFT_QPSK	23.5	PASS
n7	15	5	513500	1@1	DFT_QPSK	23.48	PASS
n7	15	5	513500	1@23	DFT_QPSK	23.35	PASS
n7	15	5	513500	25@0	DFT_16QAM	21.65	PASS
n7	15	5	513500	12@6	DFT_16QAM	22.7	PASS
n7	15	5	513500	1@1	DFT_16QAM	22.58	PASS
n7	15	5	513500	1@23	DFT_16QAM	22.45	PASS
n7	15	5	513500	25@0	DFT_64QAM	21.03	PASS
n7	15	5	513500	12@6	DFT_64QAM	21.16	PASS

n7	15	5	513500	1@1	DFT_64QAM	21.04	PASS
n7	15	5	513500	1@23	DFT_64QAM	20.93	PASS
n7	15	5	513500	25@0	DFT_256QAM	19.21	PASS
n7	15	5	513500	12@6	DFT_256QAM	19.25	PASS
n7	15	5	513500	1@1	DFT_256QAM	19.2	PASS
n7	15	5	513500	1@23	DFT_256QAM	19.15	PASS
n7	15	5	513500	25@0	CP_QPSK	20.63	PASS
n7	15	5	513500	13@6	CP_QPSK	22.15	PASS
n7	15	5	513500	1@1	CP_QPSK	22.3	PASS
n7	15	5	513500	1@23	CP_QPSK	22.18	PASS
n7	15	5	513500	25@0	CP_16QAM	20.52	PASS
n7	15	5	513500	13@6	CP_16QAM	21.54	PASS
n7	15	5	513500	1@1	CP_16QAM	23.07	PASS
n7	15	5	513500	1@23	CP_16QAM	22.97	PASS
n7	15	5	513500	25@0	CP_64QAM	20.17	PASS
n7	15	5	513500	13@6	CP_64QAM	20.17	PASS
n7	15	5	513500	1@1	CP_64QAM	20.12	PASS
n7	15	5	513500	1@23	CP_64QAM	20.03	PASS
n7	15	5	513500	25@0	CP_256QAM	17.3	PASS
n7	15	5	513500	13@6	CP_256QAM	17.29	PASS
n7	15	5	513500	1@1	CP_256QAM	17.31	PASS
n7	15	5	513500	1@23	CP_256QAM	17.24	PASS
n7	15	10	501000	50@0	DFT_BPSK	22.47	PASS
n7	15	10	501000	25@12	DFT_BPSK	22.94	PASS
n7	15	10	501000	1@1	DFT_BPSK	22.85	PASS
n7	15	10	501000	1@50	DFT_BPSK	22.92	PASS
n7	15	10	501000	50@0	DFT_QPSK	22.02	PASS
n7	15	10	501000	25@12	DFT_QPSK	22.96	PASS
n7	15	10	501000	1@1	DFT_QPSK	22.94	PASS
n7	15	10	501000	1@50	DFT_QPSK	22.98	PASS
n7	15	10	501000	50@0	DFT_16QAM	20.99	PASS
n7	15	10	501000	25@12	DFT_16QAM	21.99	PASS
n7	15	10	501000	1@1	DFT_16QAM	22.03	PASS
n7	15	10	501000	1@50	DFT_16QAM	22.05	PASS
n7	15	10	501000	50@0	DFT_64QAM	20.47	PASS
n7	15	10	501000	25@12	DFT_64QAM	20.4	PASS
n7	15	10	501000	1@1	DFT_64QAM	20.44	PASS
n7	15	10	501000	1@50	DFT_64QAM	20.48	PASS
n7	15	10	501000	50@0	DFT_256QAM	18.55	PASS
n7	15	10	501000	25@12	DFT_256QAM	18.61	PASS
n7	15	10	501000	1@1	DFT_256QAM	18.55	PASS
n7	15	10	501000	1@50	DFT_256QAM	18.62	PASS
n7	15	10	501000	52@0	CP_QPSK	19.99	PASS
n7	15	10	501000	26@13	CP_QPSK	21.51	PASS
n7	15	10	501000	1@1	CP_QPSK	21.68	PASS
n7	15	10	501000	1@50	CP_QPSK	21.7	PASS
n7	15	10	501000	52@0	CP_16QAM	20.05	PASS
n7	15	10	501000	26@13	CP_16QAM	20.92	PASS

n7	15	10	501000	1@1	CP_16QAM	22.26	PASS
n7	15	10	501000	1@50	CP_16QAM	22.3	PASS
n7	15	10	501000	52@0	CP_64QAM	19.55	PASS
n7	15	10	501000	26@13	CP_64QAM	19.5	PASS
n7	15	10	501000	1@1	CP_64QAM	19.48	PASS
n7	15	10	501000	1@50	CP_64QAM	19.53	PASS
n7	15	10	501000	52@0	CP_256QAM	16.57	PASS
n7	15	10	501000	26@13	CP_256QAM	16.64	PASS
n7	15	10	501000	1@1	CP_256QAM	16.66	PASS
n7	15	10	501000	1@50	CP_256QAM	16.74	PASS
n7	15	10	507000	50@0	DFT_BPSK	22.98	PASS
n7	15	10	507000	25@12	DFT_BPSK	23.48	PASS
n7	15	10	507000	1@1	DFT_BPSK	23.42	PASS
n7	15	10	507000	1@50	DFT_BPSK	23.48	PASS
n7	15	10	507000	50@0	DFT_QPSK	22.51	PASS
n7	15	10	507000	25@12	DFT_QPSK	23.53	PASS
n7	15	10	507000	1@1	DFT_QPSK	23.35	PASS
n7	15	10	507000	1@50	DFT_QPSK	23.44	PASS
n7	15	10	507000	50@0	DFT_16QAM	21.53	PASS
n7	15	10	507000	25@12	DFT_16QAM	22.58	PASS
n7	15	10	507000	1@1	DFT_16QAM	22.39	PASS
n7	15	10	507000	1@50	DFT_16QAM	22.6	PASS
n7	15	10	507000	50@0	DFT_64QAM	20.99	PASS
n7	15	10	507000	25@12	DFT_64QAM	20.94	PASS
n7	15	10	507000	1@1	DFT_64QAM	20.85	PASS
n7	15	10	507000	1@50	DFT_64QAM	20.97	PASS
n7	15	10	507000	50@0	DFT_256QAM	18.93	PASS
n7	15	10	507000	25@12	DFT_256QAM	18.98	PASS
n7	15	10	507000	1@1	DFT_256QAM	18.9	PASS
n7	15	10	507000	1@50	DFT_256QAM	18.95	PASS
n7	15	10	507000	52@0	CP_QPSK	20.5	PASS
n7	15	10	507000	26@13	CP_QPSK	22.06	PASS
n7	15	10	507000	1@1	CP_QPSK	22.11	PASS
n7	15	10	507000	1@50	CP_QPSK	22.28	PASS
n7	15	10	507000	52@0	CP_16QAM	20.53	PASS
n7	15	10	507000	26@13	CP_16QAM	21.43	PASS
n7	15	10	507000	1@1	CP_16QAM	22.89	PASS
n7	15	10	507000	1@50	CP_16QAM	23.09	PASS
n7	15	10	507000	52@0	CP_64QAM	20.04	PASS
n7	15	10	507000	26@13	CP_64QAM	19.99	PASS
n7	15	10	507000	1@1	CP_64QAM	19.93	PASS
n7	15	10	507000	1@50	CP_64QAM	20.01	PASS
n7	15	10	507000	52@0	CP_256QAM	16.96	PASS
n7	15	10	507000	26@13	CP_256QAM	16.95	PASS
n7	15	10	507000	1@1	CP_256QAM	17.04	PASS
n7	15	10	507000	1@50	CP_256QAM	17.13	PASS
n7	15	10	513000	50@0	DFT_BPSK	23.07	PASS
n7	15	10	513000	25@12	DFT_BPSK	23.56	PASS

n7	15	10	513000	1@1	DFT_BPSK	23.55	PASS
n7	15	10	513000	1@50	DFT_BPSK	23.31	PASS
n7	15	10	513000	50@0	DFT_QPSK	22.59	PASS
n7	15	10	513000	25@12	DFT_QPSK	23.63	PASS
n7	15	10	513000	1@1	DFT_QPSK	23.55	PASS
n7	15	10	513000	1@50	DFT_QPSK	23.35	PASS
n7	15	10	513000	50@0	DFT_16QAM	21.6	PASS
n7	15	10	513000	25@12	DFT_16QAM	22.64	PASS
n7	15	10	513000	1@1	DFT_16QAM	22.62	PASS
n7	15	10	513000	1@50	DFT_16QAM	22.43	PASS
n7	15	10	513000	50@0	DFT_64QAM	21.08	PASS
n7	15	10	513000	25@12	DFT_64QAM	21.07	PASS
n7	15	10	513000	1@1	DFT_64QAM	21.11	PASS
n7	15	10	513000	1@50	DFT_64QAM	20.95	PASS
n7	15	10	513000	50@0	DFT_256QAM	19.19	PASS
n7	15	10	513000	25@12	DFT_256QAM	19.24	PASS
n7	15	10	513000	1@1	DFT_256QAM	19.24	PASS
n7	15	10	513000	1@50	DFT_256QAM	19.12	PASS
n7	15	10	513000	52@0	CP_QPSK	20.62	PASS
n7	15	10	513000	26@13	CP_QPSK	22.19	PASS
n7	15	10	513000	1@1	CP_QPSK	22.39	PASS
n7	15	10	513000	1@50	CP_QPSK	22.26	PASS
n7	15	10	513000	52@0	CP_16QAM	20.67	PASS
n7	15	10	513000	26@13	CP_16QAM	21.56	PASS
n7	15	10	513000	1@1	CP_16QAM	23.19	PASS
n7	15	10	513000	1@50	CP_16QAM	23.02	PASS
n7	15	10	513000	52@0	CP_64QAM	20.17	PASS
n7	15	10	513000	26@13	CP_64QAM	20.17	PASS
n7	15	10	513000	1@1	CP_64QAM	20.15	PASS
n7	15	10	513000	1@50	CP_64QAM	20.02	PASS
n7	15	10	513000	52@0	CP_256QAM	17.18	PASS
n7	15	10	513000	26@13	CP_256QAM	17.21	PASS
n7	15	10	513000	1@1	CP_256QAM	17.32	PASS
n7	15	10	513000	1@50	CP_256QAM	17.17	PASS
n7	15	15	501500	75@0	DFT_BPSK	22.53	PASS
n7	15	15	501500	36@18	DFT_BPSK	23.01	PASS
n7	15	15	501500	1@1	DFT_BPSK	22.93	PASS
n7	15	15	501500	1@77	DFT_BPSK	23.02	PASS
n7	15	15	501500	75@0	DFT_QPSK	22.05	PASS
n7	15	15	501500	36@18	DFT_QPSK	23.01	PASS
n7	15	15	501500	1@1	DFT_QPSK	22.96	PASS
n7	15	15	501500	1@77	DFT_QPSK	23.06	PASS
n7	15	15	501500	75@0	DFT_16QAM	21.05	PASS
n7	15	15	501500	36@18	DFT_16QAM	22.03	PASS
n7	15	15	501500	1@1	DFT_16QAM	22.05	PASS
n7	15	15	501500	1@77	DFT_16QAM	22.11	PASS
n7	15	15	501500	75@0	DFT_64QAM	20.55	PASS
n7	15	15	501500	36@18	DFT_64QAM	20.53	PASS

n7	15	15	501500	1@1	DFT_64QAM	20.41	PASS
n7	15	15	501500	1@77	DFT_64QAM	20.53	PASS
n7	15	15	501500	75@0	DFT_256QAM	18.66	PASS
n7	15	15	501500	36@18	DFT_256QAM	18.63	PASS
n7	15	15	501500	1@1	DFT_256QAM	18.57	PASS
n7	15	15	501500	1@77	DFT_256QAM	18.69	PASS
n7	15	15	501500	79@0	CP_QPSK	20.05	PASS
n7	15	15	501500	39@19	CP_QPSK	21.55	PASS
n7	15	15	501500	1@1	CP_QPSK	21.68	PASS
n7	15	15	501500	1@77	CP_QPSK	21.81	PASS
n7	15	15	501500	79@0	CP_16QAM	20.09	PASS
n7	15	15	501500	39@19	CP_16QAM	21.01	PASS
n7	15	15	501500	1@1	CP_16QAM	22.13	PASS
n7	15	15	501500	1@77	CP_16QAM	22.28	PASS
n7	15	15	501500	79@0	CP_64QAM	19.64	PASS
n7	15	15	501500	39@19	CP_64QAM	19.47	PASS
n7	15	15	501500	1@1	CP_64QAM	19.54	PASS
n7	15	15	501500	1@77	CP_64QAM	19.65	PASS
n7	15	15	501500	79@0	CP_256QAM	16.68	PASS
n7	15	15	501500	39@19	CP_256QAM	16.63	PASS
n7	15	15	501500	1@1	CP_256QAM	16.67	PASS
n7	15	15	501500	1@77	CP_256QAM	16.84	PASS
n7	15	15	507000	75@0	DFT_BPSK	23.01	PASS
n7	15	15	507000	36@18	DFT_BPSK	23.49	PASS
n7	15	15	507000	1@1	DFT_BPSK	23.33	PASS
n7	15	15	507000	1@77	DFT_BPSK	23.49	PASS
n7	15	15	507000	75@0	DFT_QPSK	22.49	PASS
n7	15	15	507000	36@18	DFT_QPSK	23.53	PASS
n7	15	15	507000	1@1	DFT_QPSK	23.34	PASS
n7	15	15	507000	1@77	DFT_QPSK	23.5	PASS
n7	15	15	507000	75@0	DFT_16QAM	21.48	PASS
n7	15	15	507000	36@18	DFT_16QAM	22.48	PASS
n7	15	15	507000	1@1	DFT_16QAM	22.41	PASS
n7	15	15	507000	1@77	DFT_16QAM	22.55	PASS
n7	15	15	507000	75@0	DFT_64QAM	21.03	PASS
n7	15	15	507000	36@18	DFT_64QAM	21	PASS
n7	15	15	507000	1@1	DFT_64QAM	20.84	PASS
n7	15	15	507000	1@77	DFT_64QAM	20.94	PASS
n7	15	15	507000	75@0	DFT_256QAM	18.96	PASS
n7	15	15	507000	36@18	DFT_256QAM	18.94	PASS
n7	15	15	507000	1@1	DFT_256QAM	18.93	PASS
n7	15	15	507000	1@77	DFT_256QAM	18.93	PASS
n7	15	15	507000	79@0	CP_QPSK	20.44	PASS
n7	15	15	507000	39@19	CP_QPSK	22.01	PASS
n7	15	15	507000	1@1	CP_QPSK	22.12	PASS
n7	15	15	507000	1@77	CP_QPSK	22.24	PASS
n7	15	15	507000	79@0	CP_16QAM	20.47	PASS
n7	15	15	507000	39@19	CP_16QAM	21.47	PASS

n7	15	15	507000	1@1	CP_16QAM	22.81	PASS
n7	15	15	507000	1@77	CP_16QAM	22.89	PASS
n7	15	15	507000	79@0	CP_64QAM	20.03	PASS
n7	15	15	507000	39@19	CP_64QAM	19.95	PASS
n7	15	15	507000	1@1	CP_64QAM	19.9	PASS
n7	15	15	507000	1@77	CP_64QAM	20.03	PASS
n7	15	15	507000	79@0	CP_256QAM	16.96	PASS
n7	15	15	507000	39@19	CP_256QAM	16.91	PASS
n7	15	15	507000	1@1	CP_256QAM	17.01	PASS
n7	15	15	507000	1@77	CP_256QAM	17.02	PASS
n7	15	15	512500	75@0	DFT_BPSK	23.15	PASS
n7	15	15	512500	36@18	DFT_BPSK	23.66	PASS
n7	15	15	512500	1@1	DFT_BPSK	23.58	PASS
n7	15	15	512500	1@77	DFT_BPSK	23.4	PASS
n7	15	15	512500	75@0	DFT_QPSK	22.64	PASS
n7	15	15	512500	36@18	DFT_QPSK	23.69	PASS
n7	15	15	512500	1@1	DFT_QPSK	23.6	PASS
n7	15	15	512500	1@77	DFT_QPSK	23.42	PASS
n7	15	15	512500	75@0	DFT_16QAM	21.72	PASS
n7	15	15	512500	36@18	DFT_16QAM	22.7	PASS
n7	15	15	512500	1@1	DFT_16QAM	22.63	PASS
n7	15	15	512500	1@77	DFT_16QAM	22.5	PASS
n7	15	15	512500	75@0	DFT_64QAM	21.2	PASS
n7	15	15	512500	36@18	DFT_64QAM	21.21	PASS
n7	15	15	512500	1@1	DFT_64QAM	21.12	PASS
n7	15	15	512500	1@77	DFT_64QAM	20.97	PASS
n7	15	15	512500	75@0	DFT_256QAM	19.25	PASS
n7	15	15	512500	36@18	DFT_256QAM	19.21	PASS
n7	15	15	512500	1@1	DFT_256QAM	19.24	PASS
n7	15	15	512500	1@77	DFT_256QAM	19.13	PASS
n7	15	15	512500	79@0	CP_QPSK	20.7	PASS
n7	15	15	512500	39@19	CP_QPSK	22.23	PASS
n7	15	15	512500	1@1	CP_QPSK	22.46	PASS
n7	15	15	512500	1@77	CP_QPSK	22.23	PASS
n7	15	15	512500	79@0	CP_16QAM	20.72	PASS
n7	15	15	512500	39@19	CP_16QAM	21.67	PASS
n7	15	15	512500	1@1	CP_16QAM	23.14	PASS
n7	15	15	512500	1@77	CP_16QAM	23.01	PASS
n7	15	15	512500	79@0	CP_64QAM	20.25	PASS
n7	15	15	512500	39@19	CP_64QAM	20.13	PASS
n7	15	15	512500	1@1	CP_64QAM	20.19	PASS
n7	15	15	512500	1@77	CP_64QAM	20.07	PASS
n7	15	15	512500	79@0	CP_256QAM	17.21	PASS
n7	15	15	512500	39@19	CP_256QAM	17.18	PASS
n7	15	15	512500	1@1	CP_256QAM	17.33	PASS
n7	15	15	512500	1@77	CP_256QAM	17.27	PASS
n7	15	20	502000	100@0	DFT_BPSK	22.54	PASS
n7	15	20	502000	50@25	DFT_BPSK	23.02	PASS

n7	15	20	502000	1@1	DFT_BPSK	22.92	PASS
n7	15	20	502000	1@104	DFT_BPSK	23.21	PASS
n7	15	20	502000	100@0	DFT_QPSK	22.06	PASS
n7	15	20	502000	50@25	DFT_QPSK	23.06	PASS
n7	15	20	502000	1@1	DFT_QPSK	22.93	PASS
n7	15	20	502000	1@104	DFT_QPSK	23.15	PASS
n7	15	20	502000	100@0	DFT_16QAM	21.08	PASS
n7	15	20	502000	50@25	DFT_16QAM	22.06	PASS
n7	15	20	502000	1@1	DFT_16QAM	22.06	PASS
n7	15	20	502000	1@104	DFT_16QAM	22.26	PASS
n7	15	20	502000	100@0	DFT_64QAM	20.57	PASS
n7	15	20	502000	50@25	DFT_64QAM	20.54	PASS
n7	15	20	502000	1@1	DFT_64QAM	20.42	PASS
n7	15	20	502000	1@104	DFT_64QAM	20.65	PASS
n7	15	20	502000	100@0	DFT_256QAM	18.69	PASS
n7	15	20	502000	50@25	DFT_256QAM	18.64	PASS
n7	15	20	502000	1@1	DFT_256QAM	18.54	PASS
n7	15	20	502000	1@104	DFT_256QAM	18.6	PASS
n7	15	20	502000	106@0	CP_QPSK	16.66	PASS
n7	15	20	502000	53@26	CP_QPSK	21.5	PASS
n7	15	20	502000	1@1	CP_QPSK	21.68	PASS
n7	15	20	502000	1@104	CP_QPSK	21.9	PASS
n7	15	20	502000	106@0	CP_16QAM	20.1	PASS
n7	15	20	502000	53@26	CP_16QAM	21.03	PASS
n7	15	20	502000	1@1	CP_16QAM	22.29	PASS
n7	15	20	502000	1@104	CP_16QAM	22.53	PASS
n7	15	20	502000	106@0	CP_64QAM	19.58	PASS
n7	15	20	502000	53@26	CP_64QAM	19.52	PASS
n7	15	20	502000	1@1	CP_64QAM	19.48	PASS
n7	15	20	502000	1@104	CP_64QAM	19.7	PASS
n7	15	20	502000	106@0	CP_256QAM	16.67	PASS
n7	15	20	502000	53@26	CP_256QAM	16.69	PASS
n7	15	20	502000	1@1	CP_256QAM	16.8	PASS
n7	15	20	502000	1@104	CP_256QAM	16.9	PASS
n7	15	20	507000	100@0	DFT_BPSK	23	PASS
n7	15	20	507000	50@25	DFT_BPSK	23.47	PASS
n7	15	20	507000	1@1	DFT_BPSK	23.24	PASS
n7	15	20	507000	1@104	DFT_BPSK	23.52	PASS
n7	15	20	507000	100@0	DFT_QPSK	22.51	PASS
n7	15	20	507000	50@25	DFT_QPSK	23.53	PASS
n7	15	20	507000	1@1	DFT_QPSK	23.28	PASS
n7	15	20	507000	1@104	DFT_QPSK	23.49	PASS
n7	15	20	507000	100@0	DFT_16QAM	21.52	PASS
n7	15	20	507000	50@25	DFT_16QAM	22.56	PASS
n7	15	20	507000	1@1	DFT_16QAM	22.33	PASS
n7	15	20	507000	1@104	DFT_16QAM	22.52	PASS
n7	15	20	507000	100@0	DFT_64QAM	21.02	PASS
n7	15	20	507000	50@25	DFT_64QAM	21	PASS

n7	15	20	507000	1@1	DFT_64QAM	20.76	PASS
n7	15	20	507000	1@104	DFT_64QAM	20.96	PASS
n7	15	20	507000	100@0	DFT_256QAM	18.92	PASS
n7	15	20	507000	50@25	DFT_256QAM	18.4	PASS
n7	15	20	507000	1@1	DFT_256QAM	18.86	PASS
n7	15	20	507000	1@104	DFT_256QAM	18.93	PASS
n7	15	20	507000	106@0	CP_QPSK	20.41	PASS
n7	15	20	507000	53@26	CP_QPSK	21.95	PASS
n7	15	20	507000	1@1	CP_QPSK	21.93	PASS
n7	15	20	507000	1@104	CP_QPSK	22.16	PASS
n7	15	20	507000	106@0	CP_16QAM	20.47	PASS
n7	15	20	507000	53@26	CP_16QAM	21.46	PASS
n7	15	20	507000	1@1	CP_16QAM	22.65	PASS
n7	15	20	507000	1@104	CP_16QAM	23.02	PASS
n7	15	20	507000	106@0	CP_64QAM	19.93	PASS
n7	15	20	507000	53@26	CP_64QAM	19.96	PASS
n7	15	20	507000	1@1	CP_64QAM	19.81	PASS
n7	15	20	507000	1@104	CP_64QAM	20.05	PASS
n7	15	20	507000	106@0	CP_256QAM	16.94	PASS
n7	15	20	507000	53@26	CP_256QAM	16.98	PASS
n7	15	20	507000	1@1	CP_256QAM	17.01	PASS
n7	15	20	507000	1@104	CP_256QAM	17.1	PASS
n7	15	20	512000	100@0	DFT_BPSK	23.16	PASS
n7	15	20	512000	50@25	DFT_BPSK	23.67	PASS
n7	15	20	512000	1@1	DFT_BPSK	23.55	PASS
n7	15	20	512000	1@104	DFT_BPSK	23.47	PASS
n7	15	20	512000	100@0	DFT_QPSK	22.68	PASS
n7	15	20	512000	50@25	DFT_QPSK	23.71	PASS
n7	15	20	512000	1@1	DFT_QPSK	23.72	PASS
n7	15	20	512000	1@104	DFT_QPSK	23.58	PASS
n7	15	20	512000	100@0	DFT_16QAM	21.7	PASS
n7	15	20	512000	50@25	DFT_16QAM	22.72	PASS
n7	15	20	512000	1@1	DFT_16QAM	22.59	PASS
n7	15	20	512000	1@104	DFT_16QAM	22.5	PASS
n7	15	20	512000	100@0	DFT_64QAM	21.2	PASS
n7	15	20	512000	50@25	DFT_64QAM	21.22	PASS
n7	15	20	512000	1@1	DFT_64QAM	21.07	PASS
n7	15	20	512000	1@104	DFT_64QAM	20.98	PASS
n7	15	20	512000	100@0	DFT_256QAM	19.22	PASS
n7	15	20	512000	50@25	DFT_256QAM	19.21	PASS
n7	15	20	512000	1@1	DFT_256QAM	19.15	PASS
n7	15	20	512000	1@104	DFT_256QAM	19.12	PASS
n7	15	20	512000	106@0	CP_QPSK	20.67	PASS
n7	15	20	512000	53@26	CP_QPSK	22.19	PASS
n7	15	20	512000	1@1	CP_QPSK	22.43	PASS
n7	15	20	512000	1@104	CP_QPSK	22.25	PASS
n7	15	20	512000	106@0	CP_16QAM	20.73	PASS
n7	15	20	512000	53@26	CP_16QAM	21.73	PASS

n7	15	20	512000	1@1	CP_16QAM	23.26	PASS
n7	15	20	512000	1@104	CP_16QAM	23	PASS
n7	15	20	512000	106@0	CP_64QAM	20.18	PASS
n7	15	20	512000	53@26	CP_64QAM	20.21	PASS
n7	15	20	512000	1@1	CP_64QAM	20.15	PASS
n7	15	20	512000	1@104	CP_64QAM	20.06	PASS
n7	15	20	512000	106@0	CP_256QAM	17.21	PASS
n7	15	20	512000	53@26	CP_256QAM	17.24	PASS
n7	15	20	512000	1@1	CP_256QAM	17.3	PASS
n7	15	20	512000	1@104	CP_256QAM	17.28	PASS

SA N25

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n25	15	5	370500	25@0	DFT_BPSK	23.51	PASS
n25	15	5	370500	12@6	DFT_BPSK	24.02	PASS
n25	15	5	370500	1@1	DFT_BPSK	23.93	PASS
n25	15	5	370500	1@23	DFT_BPSK	23.92	PASS
n25	15	5	370500	25@0	DFT_QPSK	23	PASS
n25	15	5	370500	12@6	DFT_QPSK	23.99	PASS
n25	15	5	370500	1@1	DFT_QPSK	23.95	PASS
n25	15	5	370500	1@23	DFT_QPSK	23.99	PASS
n25	15	5	370500	25@0	DFT_16QAM	22.04	PASS
n25	15	5	370500	12@6	DFT_16QAM	23.16	PASS
n25	15	5	370500	1@1	DFT_16QAM	23.07	PASS
n25	15	5	370500	1@23	DFT_16QAM	23.06	PASS
n25	15	5	370500	25@0	DFT_64QAM	21.45	PASS
n25	15	5	370500	12@6	DFT_64QAM	21.59	PASS
n25	15	5	370500	1@1	DFT_64QAM	21.36	PASS
n25	15	5	370500	1@23	DFT_64QAM	21.38	PASS
n25	15	5	370500	25@0	DFT_256QAM	19.65	PASS
n25	15	5	370500	12@6	DFT_256QAM	19.7	PASS
n25	15	5	370500	1@1	DFT_256QAM	19.55	PASS
n25	15	5	370500	1@23	DFT_256QAM	19.64	PASS
n25	15	5	370500	25@0	CP_QPSK	20.99	PASS
n25	15	5	370500	13@6	CP_QPSK	22.55	PASS
n25	15	5	370500	1@1	CP_QPSK	22.67	PASS
n25	15	5	370500	1@23	CP_QPSK	22.71	PASS
n25	15	5	370500	25@0	CP_16QAM	20.98	PASS
n25	15	5	370500	13@6	CP_16QAM	21.93	PASS
n25	15	5	370500	1@1	CP_16QAM	23.28	PASS
n25	15	5	370500	1@23	CP_16QAM	23.32	PASS
n25	15	5	370500	25@0	CP_64QAM	20.58	PASS
n25	15	5	370500	13@6	CP_64QAM	20.54	PASS
n25	15	5	370500	1@1	CP_64QAM	20.5	PASS
n25	15	5	370500	1@23	CP_64QAM	20.52	PASS
n25	15	5	370500	25@0	CP_256QAM	17.75	PASS
n25	15	5	370500	13@6	CP_256QAM	17.71	PASS

n25	15	5	370500	1@1	CP_256QAM	17.65	PASS
n25	15	5	370500	1@23	CP_256QAM	17.77	PASS
n25	15	5	376500	25@0	DFT_BPSK	23.04	PASS
n25	15	5	376500	12@6	DFT_BPSK	23.52	PASS
n25	15	5	376500	1@1	DFT_BPSK	23.39	PASS
n25	15	5	376500	1@23	DFT_BPSK	23.43	PASS
n25	15	5	376500	25@0	DFT_QPSK	22.56	PASS
n25	15	5	376500	12@6	DFT_QPSK	23.47	PASS
n25	15	5	376500	1@1	DFT_QPSK	23.48	PASS
n25	15	5	376500	1@23	DFT_QPSK	23.52	PASS
n25	15	5	376500	25@0	DFT_16QAM	21.55	PASS
n25	15	5	376500	12@6	DFT_16QAM	22.57	PASS
n25	15	5	376500	1@1	DFT_16QAM	22.52	PASS
n25	15	5	376500	1@23	DFT_16QAM	22.57	PASS
n25	15	5	376500	25@0	DFT_64QAM	20.93	PASS
n25	15	5	376500	12@6	DFT_64QAM	21.03	PASS
n25	15	5	376500	1@1	DFT_64QAM	20.85	PASS
n25	15	5	376500	1@23	DFT_64QAM	20.83	PASS
n25	15	5	376500	25@0	DFT_256QAM	19.01	PASS
n25	15	5	376500	12@6	DFT_256QAM	18.37	PASS
n25	15	5	376500	1@1	DFT_256QAM	18.96	PASS
n25	15	5	376500	1@23	DFT_256QAM	18.95	PASS
n25	15	5	376500	25@0	CP_QPSK	20.49	PASS
n25	15	5	376500	13@6	CP_QPSK	22	PASS
n25	15	5	376500	1@1	CP_QPSK	22.12	PASS
n25	15	5	376500	1@23	CP_QPSK	22.15	PASS
n25	15	5	376500	25@0	CP_16QAM	20.46	PASS
n25	15	5	376500	13@6	CP_16QAM	21.43	PASS
n25	15	5	376500	1@1	CP_16QAM	22.73	PASS
n25	15	5	376500	1@23	CP_16QAM	22.62	PASS
n25	15	5	376500	25@0	CP_64QAM	20.06	PASS
n25	15	5	376500	13@6	CP_64QAM	20.05	PASS
n25	15	5	376500	1@1	CP_64QAM	19.98	PASS
n25	15	5	376500	1@23	CP_64QAM	20.03	PASS
n25	15	5	376500	25@0	CP_256QAM	17.06	PASS
n25	15	5	376500	13@6	CP_256QAM	17.32	PASS
n25	15	5	376500	1@1	CP_256QAM	17.08	PASS
n25	15	5	376500	1@23	CP_256QAM	17.1	PASS
n25	15	5	382500	25@0	DFT_BPSK	23.22	PASS
n25	15	5	382500	12@6	DFT_BPSK	23.66	PASS
n25	15	5	382500	1@1	DFT_BPSK	23.53	PASS
n25	15	5	382500	1@23	DFT_BPSK	24.09	PASS
n25	15	5	382500	25@0	DFT_QPSK	22.8	PASS
n25	15	5	382500	12@6	DFT_QPSK	23.68	PASS
n25	15	5	382500	1@1	DFT_QPSK	23.56	PASS
n25	15	5	382500	1@23	DFT_QPSK	23.99	PASS
n25	15	5	382500	25@0	DFT_16QAM	21.76	PASS
n25	15	5	382500	12@6	DFT_16QAM	22.84	PASS

n25	15	5	382500	1@1	DFT_16QAM	22.63	PASS
n25	15	5	382500	1@23	DFT_16QAM	22.68	PASS
n25	15	5	382500	25@0	DFT_64QAM	21.15	PASS
n25	15	5	382500	12@6	DFT_64QAM	21.27	PASS
n25	15	5	382500	1@1	DFT_64QAM	20.97	PASS
n25	15	5	382500	1@23	DFT_64QAM	21.41	PASS
n25	15	5	382500	25@0	DFT_256QAM	19.3	PASS
n25	15	5	382500	12@6	DFT_256QAM	19.33	PASS
n25	15	5	382500	1@1	DFT_256QAM	19.21	PASS
n25	15	5	382500	1@23	DFT_256QAM	19.4	PASS
n25	15	5	382500	25@0	CP_QPSK	20.75	PASS
n25	15	5	382500	13@6	CP_QPSK	22.31	PASS
n25	15	5	382500	1@1	CP_QPSK	22.26	PASS
n25	15	5	382500	1@23	CP_QPSK	22.61	PASS
n25	15	5	382500	25@0	CP_16QAM	20.65	PASS
n25	15	5	382500	13@6	CP_16QAM	21.64	PASS
n25	15	5	382500	1@1	CP_16QAM	23.02	PASS
n25	15	5	382500	1@23	CP_16QAM	23.38	PASS
n25	15	5	382500	25@0	CP_64QAM	20.27	PASS
n25	15	5	382500	13@6	CP_64QAM	20.22	PASS
n25	15	5	382500	1@1	CP_64QAM	20.12	PASS
n25	15	5	382500	1@23	CP_64QAM	20.26	PASS
n25	15	5	382500	25@0	CP_256QAM	17.35	PASS
n25	15	5	382500	13@6	CP_256QAM	17.32	PASS
n25	15	5	382500	1@1	CP_256QAM	17.38	PASS
n25	15	5	382500	1@23	CP_256QAM	17.36	PASS
n25	15	10	371000	50@0	DFT_BPSK	23.52	PASS
n25	15	10	371000	25@12	DFT_BPSK	24.02	PASS
n25	15	10	371000	1@1	DFT_BPSK	23.97	PASS
n25	15	10	371000	1@50	DFT_BPSK	23.99	PASS
n25	15	10	371000	50@0	DFT_QPSK	23.03	PASS
n25	15	10	371000	25@12	DFT_QPSK	24.04	PASS
n25	15	10	371000	1@1	DFT_QPSK	24.02	PASS
n25	15	10	371000	1@50	DFT_QPSK	23.97	PASS
n25	15	10	371000	50@0	DFT_16QAM	22.04	PASS
n25	15	10	371000	25@12	DFT_16QAM	23	PASS
n25	15	10	371000	1@1	DFT_16QAM	23.09	PASS
n25	15	10	371000	1@50	DFT_16QAM	23.05	PASS
n25	15	10	371000	50@0	DFT_64QAM	21.46	PASS
n25	15	10	371000	25@12	DFT_64QAM	21.43	PASS
n25	15	10	371000	1@1	DFT_64QAM	21.45	PASS
n25	15	10	371000	1@50	DFT_64QAM	21.45	PASS
n25	15	10	371000	50@0	DFT_256QAM	19.65	PASS
n25	15	10	371000	25@12	DFT_256QAM	19.64	PASS
n25	15	10	371000	1@1	DFT_256QAM	19.56	PASS
n25	15	10	371000	1@50	DFT_256QAM	19.55	PASS
n25	15	10	371000	52@0	CP_QPSK	21.05	PASS
n25	15	10	371000	26@13	CP_QPSK	22.57	PASS

n25	15	10	371000	1@1	CP_QPSK	22.68	PASS
n25	15	10	371000	1@50	CP_QPSK	22.61	PASS
n25	15	10	371000	52@0	CP_16QAM	21.13	PASS
n25	15	10	371000	26@13	CP_16QAM	21.98	PASS
n25	15	10	371000	1@1	CP_16QAM	23.3	PASS
n25	15	10	371000	1@50	CP_16QAM	23.44	PASS
n25	15	10	371000	52@0	CP_64QAM	20.57	PASS
n25	15	10	371000	26@13	CP_64QAM	20.53	PASS
n25	15	10	371000	1@1	CP_64QAM	20.57	PASS
n25	15	10	371000	1@50	CP_64QAM	20.5	PASS
n25	15	10	371000	52@0	CP_256QAM	17.62	PASS
n25	15	10	371000	26@13	CP_256QAM	17.66	PASS
n25	15	10	371000	1@1	CP_256QAM	17.68	PASS
n25	15	10	371000	1@50	CP_256QAM	17.69	PASS
n25	15	10	376500	50@0	DFT_BPSK	22.99	PASS
n25	15	10	376500	25@12	DFT_BPSK	23.48	PASS
n25	15	10	376500	1@1	DFT_BPSK	23.39	PASS
n25	15	10	376500	1@50	DFT_BPSK	23.49	PASS
n25	15	10	376500	50@0	DFT_QPSK	22.52	PASS
n25	15	10	376500	25@12	DFT_QPSK	23.51	PASS
n25	15	10	376500	1@1	DFT_QPSK	23.38	PASS
n25	15	10	376500	1@50	DFT_QPSK	23.58	PASS
n25	15	10	376500	50@0	DFT_16QAM	21.47	PASS
n25	15	10	376500	25@12	DFT_16QAM	22.51	PASS
n25	15	10	376500	1@1	DFT_16QAM	22.47	PASS
n25	15	10	376500	1@50	DFT_16QAM	22.66	PASS
n25	15	10	376500	50@0	DFT_64QAM	20.97	PASS
n25	15	10	376500	25@12	DFT_64QAM	20.86	PASS
n25	15	10	376500	1@1	DFT_64QAM	20.88	PASS
n25	15	10	376500	1@50	DFT_64QAM	20.9	PASS
n25	15	10	376500	50@0	DFT_256QAM	18.96	PASS
n25	15	10	376500	25@12	DFT_256QAM	18.93	PASS
n25	15	10	376500	1@1	DFT_256QAM	19.01	PASS
n25	15	10	376500	1@50	DFT_256QAM	19.02	PASS
n25	15	10	376500	52@0	CP_QPSK	20.49	PASS
n25	15	10	376500	26@13	CP_QPSK	22.01	PASS
n25	15	10	376500	1@1	CP_QPSK	22.14	PASS
n25	15	10	376500	1@50	CP_QPSK	22.24	PASS
n25	15	10	376500	52@0	CP_16QAM	20.53	PASS
n25	15	10	376500	26@13	CP_16QAM	21.41	PASS
n25	15	10	376500	1@1	CP_16QAM	22.78	PASS
n25	15	10	376500	1@50	CP_16QAM	22.79	PASS
n25	15	10	376500	52@0	CP_64QAM	19.95	PASS
n25	15	10	376500	26@13	CP_64QAM	19.95	PASS
n25	15	10	376500	1@1	CP_64QAM	19.93	PASS
n25	15	10	376500	1@50	CP_64QAM	20.11	PASS
n25	15	10	376500	52@0	CP_256QAM	16.88	PASS
n25	15	10	376500	26@13	CP_256QAM	16.95	PASS

n25	15	10	376500	1@1	CP_256QAM	17.09	PASS
n25	15	10	376500	1@50	CP_256QAM	17.17	PASS
n25	15	10	382000	50@0	DFT_BPSK	23.2	PASS
n25	15	10	382000	25@12	DFT_BPSK	23.61	PASS
n25	15	10	382000	1@1	DFT_BPSK	23.54	PASS
n25	15	10	382000	1@50	DFT_BPSK	24.04	PASS
n25	15	10	382000	50@0	DFT_QPSK	22.69	PASS
n25	15	10	382000	25@12	DFT_QPSK	23.64	PASS
n25	15	10	382000	1@1	DFT_QPSK	23.47	PASS
n25	15	10	382000	1@50	DFT_QPSK	23.82	PASS
n25	15	10	382000	50@0	DFT_16QAM	21.73	PASS
n25	15	10	382000	25@12	DFT_16QAM	22.61	PASS
n25	15	10	382000	1@1	DFT_16QAM	22.88	PASS
n25	15	10	382000	1@50	DFT_16QAM	23.71	PASS
n25	15	10	382000	50@0	DFT_64QAM	21.26	PASS
n25	15	10	382000	25@12	DFT_64QAM	21.17	PASS
n25	15	10	382000	1@1	DFT_64QAM	21.39	PASS
n25	15	10	382000	1@50	DFT_64QAM	21.75	PASS
n25	15	10	382000	50@0	DFT_256QAM	19.28	PASS
n25	15	10	382000	25@12	DFT_256QAM	19.2	PASS
n25	15	10	382000	1@1	DFT_256QAM	19.12	PASS
n25	15	10	382000	1@50	DFT_256QAM	19.37	PASS
n25	15	10	382000	52@0	CP_QPSK	20.67	PASS
n25	15	10	382000	26@13	CP_QPSK	22.07	PASS
n25	15	10	382000	1@1	CP_QPSK	21.97	PASS
n25	15	10	382000	1@50	CP_QPSK	22.19	PASS
n25	15	10	382000	52@0	CP_16QAM	20.75	PASS
n25	15	10	382000	26@13	CP_16QAM	21.66	PASS
n25	15	10	382000	1@1	CP_16QAM	21.74	PASS
n25	15	10	382000	1@50	CP_16QAM	21.85	PASS
n25	15	10	382000	52@0	CP_64QAM	20.22	PASS
n25	15	10	382000	26@13	CP_64QAM	20.15	PASS
n25	15	10	382000	1@1	CP_64QAM	20	PASS
n25	15	10	382000	1@50	CP_64QAM	20.07	PASS
n25	15	10	382000	52@0	CP_256QAM	17.25	PASS
n25	15	10	382000	26@13	CP_256QAM	17.28	PASS
n25	15	10	382000	1@1	CP_256QAM	17.29	PASS
n25	15	10	382000	1@50	CP_256QAM	17.86	PASS
n25	15	15	371500	75@0	DFT_BPSK	18.24	PASS
n25	15	15	371500	36@18	DFT_BPSK	24	PASS
n25	15	15	371500	1@1	DFT_BPSK	23.96	PASS
n25	15	15	371500	1@77	DFT_BPSK	23.78	PASS
n25	15	15	371500	75@0	DFT_QPSK	23.01	PASS
n25	15	15	371500	36@18	DFT_QPSK	23.98	PASS
n25	15	15	371500	1@1	DFT_QPSK	24	PASS
n25	15	15	371500	1@77	DFT_QPSK	23.91	PASS
n25	15	15	371500	75@0	DFT_16QAM	21.99	PASS
n25	15	15	371500	36@18	DFT_16QAM	22.99	PASS

n25	15	15	371500	1@1	DFT_16QAM	23.06	PASS
n25	15	15	371500	1@77	DFT_16QAM	22.73	PASS
n25	15	15	371500	75@0	DFT_64QAM	21.49	PASS
n25	15	15	371500	36@18	DFT_64QAM	21.51	PASS
n25	15	15	371500	1@1	DFT_64QAM	21.43	PASS
n25	15	15	371500	1@77	DFT_64QAM	21.26	PASS
n25	15	15	371500	75@0	DFT_256QAM	19.57	PASS
n25	15	15	371500	36@18	DFT_256QAM	19.57	PASS
n25	15	15	371500	1@1	DFT_256QAM	19.51	PASS
n25	15	15	371500	1@77	DFT_256QAM	19.42	PASS
n25	15	15	371500	79@0	CP_QPSK	21.02	PASS
n25	15	15	371500	39@19	CP_QPSK	22.57	PASS
n25	15	15	371500	1@1	CP_QPSK	22.56	PASS
n25	15	15	371500	1@77	CP_QPSK	22.58	PASS
n25	15	15	371500	79@0	CP_16QAM	21.04	PASS
n25	15	15	371500	39@19	CP_16QAM	21.96	PASS
n25	15	15	371500	1@1	CP_16QAM	23.27	PASS
n25	15	15	371500	1@77	CP_16QAM	23.33	PASS
n25	15	15	371500	79@0	CP_64QAM	20.55	PASS
n25	15	15	371500	39@19	CP_64QAM	20.46	PASS
n25	15	15	371500	1@1	CP_64QAM	20.54	PASS
n25	15	15	371500	1@77	CP_64QAM	20.37	PASS
n25	15	15	371500	79@0	CP_256QAM	17.59	PASS
n25	15	15	371500	39@19	CP_256QAM	17.55	PASS
n25	15	15	371500	1@1	CP_256QAM	17.67	PASS
n25	15	15	371500	1@77	CP_256QAM	17.53	PASS
n25	15	15	376500	75@0	DFT_BPSK	22.98	PASS
n25	15	15	376500	36@18	DFT_BPSK	23.47	PASS
n25	15	15	376500	1@1	DFT_BPSK	23.31	PASS
n25	15	15	376500	1@77	DFT_BPSK	23.55	PASS
n25	15	15	376500	75@0	DFT_QPSK	22.45	PASS
n25	15	15	376500	36@18	DFT_QPSK	23.49	PASS
n25	15	15	376500	1@1	DFT_QPSK	23.38	PASS
n25	15	15	376500	1@77	DFT_QPSK	23.6	PASS
n25	15	15	376500	75@0	DFT_16QAM	21.49	PASS
n25	15	15	376500	36@18	DFT_16QAM	22.47	PASS
n25	15	15	376500	1@1	DFT_16QAM	22.36	PASS
n25	15	15	376500	1@77	DFT_16QAM	22.63	PASS
n25	15	15	376500	75@0	DFT_64QAM	20.95	PASS
n25	15	15	376500	36@18	DFT_64QAM	20.94	PASS
n25	15	15	376500	1@1	DFT_64QAM	20.85	PASS
n25	15	15	376500	1@77	DFT_64QAM	20.98	PASS
n25	15	15	376500	75@0	DFT_256QAM	18.36	PASS
n25	15	15	376500	36@18	DFT_256QAM	18.9	PASS
n25	15	15	376500	1@1	DFT_256QAM	19	PASS
n25	15	15	376500	1@77	DFT_256QAM	19.06	PASS
n25	15	15	376500	79@0	CP_QPSK	20.45	PASS
n25	15	15	376500	39@19	CP_QPSK	22.02	PASS

n25	15	15	376500	1@1	CP_QPSK	22.13	PASS
n25	15	15	376500	1@77	CP_QPSK	22.27	PASS
n25	15	15	376500	79@0	CP_16QAM	20.51	PASS
n25	15	15	376500	39@19	CP_16QAM	21.45	PASS
n25	15	15	376500	1@1	CP_16QAM	22.73	PASS
n25	15	15	376500	1@77	CP_16QAM	22.88	PASS
n25	15	15	376500	79@0	CP_64QAM	20.04	PASS
n25	15	15	376500	39@19	CP_64QAM	19.94	PASS
n25	15	15	376500	1@1	CP_64QAM	19.91	PASS
n25	15	15	376500	1@77	CP_64QAM	20.12	PASS
n25	15	15	376500	79@0	CP_256QAM	16.99	PASS
n25	15	15	376500	39@19	CP_256QAM	16.9	PASS
n25	15	15	376500	1@1	CP_256QAM	17.03	PASS
n25	15	15	376500	1@77	CP_256QAM	17.16	PASS
n25	15	15	381500	75@0	DFT_BPSK	23.19	PASS
n25	15	15	381500	36@18	DFT_BPSK	23.64	PASS
n25	15	15	381500	1@1	DFT_BPSK	23.58	PASS
n25	15	15	381500	1@77	DFT_BPSK	24.01	PASS
n25	15	15	381500	75@0	DFT_QPSK	22.66	PASS
n25	15	15	381500	36@18	DFT_QPSK	23.64	PASS
n25	15	15	381500	1@1	DFT_QPSK	23.78	PASS
n25	15	15	381500	1@77	DFT_QPSK	24.16	PASS
n25	15	15	381500	75@0	DFT_16QAM	21.72	PASS
n25	15	15	381500	36@18	DFT_16QAM	22.64	PASS
n25	15	15	381500	1@1	DFT_16QAM	22.56	PASS
n25	15	15	381500	1@77	DFT_16QAM	22.66	PASS
n25	15	15	381500	75@0	DFT_64QAM	21.21	PASS
n25	15	15	381500	36@18	DFT_64QAM	21.16	PASS
n25	15	15	381500	1@1	DFT_64QAM	21.15	PASS
n25	15	15	381500	1@77	DFT_64QAM	21.29	PASS
n25	15	15	381500	75@0	DFT_256QAM	19.23	PASS
n25	15	15	381500	36@18	DFT_256QAM	19.16	PASS
n25	15	15	381500	1@1	DFT_256QAM	19.32	PASS
n25	15	15	381500	1@77	DFT_256QAM	19.38	PASS
n25	15	15	381500	79@0	CP_QPSK	20.68	PASS
n25	15	15	381500	39@19	CP_QPSK	22.17	PASS
n25	15	15	381500	1@1	CP_QPSK	22.48	PASS
n25	15	15	381500	1@77	CP_QPSK	22.61	PASS
n25	15	15	381500	79@0	CP_16QAM	20.73	PASS
n25	15	15	381500	39@19	CP_16QAM	21.61	PASS
n25	15	15	381500	1@1	CP_16QAM	23.23	PASS
n25	15	15	381500	1@77	CP_16QAM	23.59	PASS
n25	15	15	381500	79@0	CP_64QAM	20.25	PASS
n25	15	15	381500	39@19	CP_64QAM	20.1	PASS
n25	15	15	381500	1@1	CP_64QAM	20.24	PASS
n25	15	15	381500	1@77	CP_64QAM	20.27	PASS
n25	15	15	381500	79@0	CP_256QAM	17.26	PASS
n25	15	15	381500	39@19	CP_256QAM	17.18	PASS

n25	15	15	381500	1@1	CP_256QAM	17.3	PASS
n25	15	15	381500	1@77	CP_256QAM	17.35	PASS
n25	15	20	372000	100@0	DFT_BPSK	23.42	PASS
n25	15	20	372000	50@25	DFT_BPSK	23.95	PASS
n25	15	20	372000	1@1	DFT_BPSK	23.95	PASS
n25	15	20	372000	1@104	DFT_BPSK	23.53	PASS
n25	15	20	372000	100@0	DFT_QPSK	22.93	PASS
n25	15	20	372000	50@25	DFT_QPSK	23.98	PASS
n25	15	20	372000	1@1	DFT_QPSK	23.95	PASS
n25	15	20	372000	1@104	DFT_QPSK	23.72	PASS
n25	15	20	372000	100@0	DFT_16QAM	21.96	PASS
n25	15	20	372000	50@25	DFT_16QAM	23	PASS
n25	15	20	372000	1@1	DFT_16QAM	23.02	PASS
n25	15	20	372000	1@104	DFT_16QAM	22.59	PASS
n25	15	20	372000	100@0	DFT_64QAM	21.42	PASS
n25	15	20	372000	50@25	DFT_64QAM	21.45	PASS
n25	15	20	372000	1@1	DFT_64QAM	21.41	PASS
n25	15	20	372000	1@104	DFT_64QAM	21.05	PASS
n25	15	20	372000	100@0	DFT_256QAM	19.49	PASS
n25	15	20	372000	50@25	DFT_256QAM	19.51	PASS
n25	15	20	372000	1@1	DFT_256QAM	19.52	PASS
n25	15	20	372000	1@104	DFT_256QAM	19.28	PASS
n25	15	20	372000	106@0	CP_QPSK	20.95	PASS
n25	15	20	372000	53@26	CP_QPSK	22.39	PASS
n25	15	20	372000	1@1	CP_QPSK	22.58	PASS
n25	15	20	372000	1@104	CP_QPSK	22.36	PASS
n25	15	20	372000	106@0	CP_16QAM	20.99	PASS
n25	15	20	372000	53@26	CP_16QAM	21.96	PASS
n25	15	20	372000	1@1	CP_16QAM	23.32	PASS
n25	15	20	372000	1@104	CP_16QAM	23.05	PASS
n25	15	20	372000	106@0	CP_64QAM	20.42	PASS
n25	15	20	372000	53@26	CP_64QAM	20.44	PASS
n25	15	20	372000	1@1	CP_64QAM	20.52	PASS
n25	15	20	372000	1@104	CP_64QAM	20.22	PASS
n25	15	20	372000	106@0	CP_256QAM	17.48	PASS
n25	15	20	372000	53@26	CP_256QAM	17.53	PASS
n25	15	20	372000	1@1	CP_256QAM	17.63	PASS
n25	15	20	372000	1@104	CP_256QAM	17.29	PASS
n25	15	20	376500	100@0	DFT_BPSK	22.97	PASS
n25	15	20	376500	50@25	DFT_BPSK	23.5	PASS
n25	15	20	376500	1@1	DFT_BPSK	23.43	PASS
n25	15	20	376500	1@104	DFT_BPSK	23.59	PASS
n25	15	20	376500	100@0	DFT_QPSK	22.42	PASS
n25	15	20	376500	50@25	DFT_QPSK	23.5	PASS
n25	15	20	376500	1@1	DFT_QPSK	23.39	PASS
n25	15	20	376500	1@104	DFT_QPSK	23.62	PASS
n25	15	20	376500	100@0	DFT_16QAM	21.44	PASS
n25	15	20	376500	50@25	DFT_16QAM	22.5	PASS

n25	15	20	376500	1@1	DFT_16QAM	22.4	PASS
n25	15	20	376500	1@104	DFT_16QAM	22.72	PASS
n25	15	20	376500	100@0	DFT_64QAM	20.94	PASS
n25	15	20	376500	50@25	DFT_64QAM	20.95	PASS
n25	15	20	376500	1@1	DFT_64QAM	20.88	PASS
n25	15	20	376500	1@104	DFT_64QAM	21.06	PASS
n25	15	20	376500	100@0	DFT_256QAM	18.97	PASS
n25	15	20	376500	50@25	DFT_256QAM	18.91	PASS
n25	15	20	376500	1@1	DFT_256QAM	19.05	PASS
n25	15	20	376500	1@104	DFT_256QAM	19.13	PASS
n25	15	20	376500	106@0	CP_QPSK	20.44	PASS
n25	15	20	376500	53@26	CP_QPSK	21.93	PASS
n25	15	20	376500	1@1	CP_QPSK	22.18	PASS
n25	15	20	376500	1@104	CP_QPSK	22.34	PASS
n25	15	20	376500	106@0	CP_16QAM	20.48	PASS
n25	15	20	376500	53@26	CP_16QAM	21.5	PASS
n25	15	20	376500	1@1	CP_16QAM	22.92	PASS
n25	15	20	376500	1@104	CP_16QAM	23	PASS
n25	15	20	376500	106@0	CP_64QAM	19.97	PASS
n25	15	20	376500	53@26	CP_64QAM	19.98	PASS
n25	15	20	376500	1@1	CP_64QAM	19.96	PASS
n25	15	20	376500	1@104	CP_64QAM	20.13	PASS
n25	15	20	376500	106@0	CP_256QAM	17.25	PASS
n25	15	20	376500	53@26	CP_256QAM	16.97	PASS
n25	15	20	376500	1@1	CP_256QAM	17.09	PASS
n25	15	20	376500	1@104	CP_256QAM	17.26	PASS
n25	15	20	381000	100@0	DFT_BPSK	23.13	PASS
n25	15	20	381000	50@25	DFT_BPSK	23.62	PASS
n25	15	20	381000	1@1	DFT_BPSK	23.61	PASS
n25	15	20	381000	1@104	DFT_BPSK	23.99	PASS
n25	15	20	381000	100@0	DFT_QPSK	22.61	PASS
n25	15	20	381000	50@25	DFT_QPSK	23.62	PASS
n25	15	20	381000	1@1	DFT_QPSK	23.56	PASS
n25	15	20	381000	1@104	DFT_QPSK	23.9	PASS
n25	15	20	381000	100@0	DFT_16QAM	21.64	PASS
n25	15	20	381000	50@25	DFT_16QAM	22.68	PASS
n25	15	20	381000	1@1	DFT_16QAM	22.59	PASS
n25	15	20	381000	1@104	DFT_16QAM	22.66	PASS
n25	15	20	381000	100@0	DFT_64QAM	21.16	PASS
n25	15	20	381000	50@25	DFT_64QAM	21.17	PASS
n25	15	20	381000	1@1	DFT_64QAM	21.1	PASS
n25	15	20	381000	1@104	DFT_64QAM	21.29	PASS
n25	15	20	381000	100@0	DFT_256QAM	19.15	PASS
n25	15	20	381000	50@25	DFT_256QAM	19.19	PASS
n25	15	20	381000	1@1	DFT_256QAM	19.18	PASS
n25	15	20	381000	1@104	DFT_256QAM	19.4	PASS
n25	15	20	381000	106@0	CP_QPSK	20.61	PASS
n25	15	20	381000	53@26	CP_QPSK	22.12	PASS

n25	15	20	381000	1@1	CP_QPSK	22.45	PASS
n25	15	20	381000	1@104	CP_QPSK	22.65	PASS
n25	15	20	381000	106@0	CP_16QAM	20.66	PASS
n25	15	20	381000	53@26	CP_16QAM	21.69	PASS
n25	15	20	381000	1@1	CP_16QAM	23.18	PASS
n25	15	20	381000	1@104	CP_16QAM	23.46	PASS
n25	15	20	381000	106@0	CP_64QAM	20.11	PASS
n25	15	20	381000	53@26	CP_64QAM	20.14	PASS
n25	15	20	381000	1@1	CP_64QAM	20.25	PASS
n25	15	20	381000	1@104	CP_64QAM	20.28	PASS
n25	15	20	381000	106@0	CP_256QAM	17.12	PASS
n25	15	20	381000	53@26	CP_256QAM	17.21	PASS
n25	15	20	381000	1@1	CP_256QAM	17.29	PASS
n25	15	20	381000	1@104	CP_256QAM	17.39	PASS

SA N38

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n38	30	10	515000	24@0	DFT_BPSK	23.2	PASS
n38	30	10	515000	12@6	DFT_BPSK	23.65	PASS
n38	30	10	515000	1@1	DFT_BPSK	23.56	PASS
n38	30	10	515000	1@22	DFT_BPSK	23.55	PASS
n38	30	10	515000	24@0	DFT_QPSK	22.63	PASS
n38	30	10	515000	12@6	DFT_QPSK	23.66	PASS
n38	30	10	515000	1@1	DFT_QPSK	23.49	PASS
n38	30	10	515000	1@22	DFT_QPSK	23.55	PASS
n38	30	10	515000	24@0	DFT_16QAM	21.71	PASS
n38	30	10	515000	12@6	DFT_16QAM	22.71	PASS
n38	30	10	515000	1@1	DFT_16QAM	22.65	PASS
n38	30	10	515000	1@22	DFT_16QAM	22.67	PASS
n38	30	10	515000	24@0	DFT_64QAM	21.24	PASS
n38	30	10	515000	12@6	DFT_64QAM	21.2	PASS
n38	30	10	515000	1@1	DFT_64QAM	20.97	PASS
n38	30	10	515000	1@22	DFT_64QAM	21	PASS
n38	30	10	515000	24@0	DFT_256QAM	19.3	PASS
n38	30	10	515000	12@6	DFT_256QAM	19.23	PASS
n38	30	10	515000	1@1	DFT_256QAM	19.28	PASS
n38	30	10	515000	1@22	DFT_256QAM	19.26	PASS
n38	30	10	515000	24@0	CP_QPSK	20.6	PASS
n38	30	10	515000	12@6	CP_QPSK	22.02	PASS
n38	30	10	515000	1@1	CP_QPSK	21.93	PASS
n38	30	10	515000	1@22	CP_QPSK	21.96	PASS
n38	30	10	515000	24@0	CP_16QAM	20.69	PASS
n38	30	10	515000	12@6	CP_16QAM	21.54	PASS
n38	30	10	515000	1@1	CP_16QAM	21.58	PASS
n38	30	10	515000	1@22	CP_16QAM	21.59	PASS
n38	30	10	515000	24@0	CP_64QAM	20.23	PASS
n38	30	10	515000	12@6	CP_64QAM	20.16	PASS

n38	30	10	515000	1@1	CP_64QAM	20.13	PASS
n38	30	10	515000	1@22	CP_64QAM	20.11	PASS
n38	30	10	515000	24@0	CP_256QAM	17.27	PASS
n38	30	10	515000	12@6	CP_256QAM	17.39	PASS
n38	30	10	515000	1@1	CP_256QAM	17.2	PASS
n38	30	10	515000	1@22	CP_256QAM	17.14	PASS
n38	30	10	519000	24@0	DFT_BPSK	23.18	PASS
n38	30	10	519000	12@6	DFT_BPSK	23.68	PASS
n38	30	10	519000	1@1	DFT_BPSK	23.6	PASS
n38	30	10	519000	1@22	DFT_BPSK	23.54	PASS
n38	30	10	519000	24@0	DFT_QPSK	22.59	PASS
n38	30	10	519000	12@6	DFT_QPSK	23.64	PASS
n38	30	10	519000	1@1	DFT_QPSK	23.5	PASS
n38	30	10	519000	1@22	DFT_QPSK	23.4	PASS
n38	30	10	519000	24@0	DFT_16QAM	21.66	PASS
n38	30	10	519000	12@6	DFT_16QAM	22.61	PASS
n38	30	10	519000	1@1	DFT_16QAM	22.81	PASS
n38	30	10	519000	1@22	DFT_16QAM	22.72	PASS
n38	30	10	519000	24@0	DFT_64QAM	21.21	PASS
n38	30	10	519000	12@6	DFT_64QAM	21.24	PASS
n38	30	10	519000	1@1	DFT_64QAM	21.23	PASS
n38	30	10	519000	1@22	DFT_64QAM	21.15	PASS
n38	30	10	519000	24@0	DFT_256QAM	19.19	PASS
n38	30	10	519000	12@6	DFT_256QAM	19.16	PASS
n38	30	10	519000	1@1	DFT_256QAM	19.24	PASS
n38	30	10	519000	1@22	DFT_256QAM	19.11	PASS
n38	30	10	519000	24@0	CP_QPSK	20.61	PASS
n38	30	10	519000	12@6	CP_QPSK	22.1	PASS
n38	30	10	519000	1@1	CP_QPSK	22.41	PASS
n38	30	10	519000	1@22	CP_QPSK	22.35	PASS
n38	30	10	519000	24@0	CP_16QAM	20.59	PASS
n38	30	10	519000	12@6	CP_16QAM	21.48	PASS
n38	30	10	519000	1@1	CP_16QAM	21.46	PASS
n38	30	10	519000	1@22	CP_16QAM	21.39	PASS
n38	30	10	519000	24@0	CP_64QAM	20.16	PASS
n38	30	10	519000	12@6	CP_64QAM	20.1	PASS
n38	30	10	519000	1@1	CP_64QAM	20.14	PASS
n38	30	10	519000	1@22	CP_64QAM	20.08	PASS
n38	30	10	519000	24@0	CP_256QAM	17.6	PASS
n38	30	10	519000	12@6	CP_256QAM	17.39	PASS
n38	30	10	519000	1@1	CP_256QAM	17.49	PASS
n38	30	10	519000	1@22	CP_256QAM	17.33	PASS
n38	30	10	523000	24@0	DFT_BPSK	23.02	PASS
n38	30	10	523000	12@6	DFT_BPSK	23.51	PASS
n38	30	10	523000	1@1	DFT_BPSK	23.35	PASS
n38	30	10	523000	1@22	DFT_BPSK	23.52	PASS
n38	30	10	523000	24@0	DFT_QPSK	22.54	PASS
n38	30	10	523000	12@6	DFT_QPSK	23.44	PASS

n38	30	10	523000	1@1	DFT_QPSK	23.46	PASS
n38	30	10	523000	1@22	DFT_QPSK	23.58	PASS
n38	30	10	523000	24@0	DFT_16QAM	21.62	PASS
n38	30	10	523000	12@6	DFT_16QAM	22.46	PASS
n38	30	10	523000	1@1	DFT_16QAM	22.65	PASS
n38	30	10	523000	1@22	DFT_16QAM	22.75	PASS
n38	30	10	523000	24@0	DFT_64QAM	21.03	PASS
n38	30	10	523000	12@6	DFT_64QAM	20.99	PASS
n38	30	10	523000	1@1	DFT_64QAM	21.13	PASS
n38	30	10	523000	1@22	DFT_64QAM	21.2	PASS
n38	30	10	523000	24@0	DFT_256QAM	19.05	PASS
n38	30	10	523000	12@6	DFT_256QAM	19.1	PASS
n38	30	10	523000	1@1	DFT_256QAM	19.17	PASS
n38	30	10	523000	1@22	DFT_256QAM	19.31	PASS
n38	30	10	523000	24@0	CP_QPSK	20.51	PASS
n38	30	10	523000	12@6	CP_QPSK	21.98	PASS
n38	30	10	523000	1@1	CP_QPSK	21.85	PASS
n38	30	10	523000	1@22	CP_QPSK	21.94	PASS
n38	30	10	523000	24@0	CP_16QAM	20.56	PASS
n38	30	10	523000	12@6	CP_16QAM	21.64	PASS
n38	30	10	523000	1@1	CP_16QAM	21.23	PASS
n38	30	10	523000	1@22	CP_16QAM	21.29	PASS
n38	30	10	523000	24@0	CP_64QAM	20.04	PASS
n38	30	10	523000	12@6	CP_64QAM	20.06	PASS
n38	30	10	523000	1@1	CP_64QAM	20	PASS
n38	30	10	523000	1@22	CP_64QAM	20.14	PASS
n38	30	10	523000	24@0	CP_256QAM	17.09	PASS
n38	30	10	523000	12@6	CP_256QAM	17.15	PASS
n38	30	10	523000	1@1	CP_256QAM	17.17	PASS
n38	30	10	523000	1@22	CP_256QAM	17.02	PASS
n38	30	15	515500	36@0	DFT_BPSK	23.09	PASS
n38	30	15	515500	18@9	DFT_BPSK	23.55	PASS
n38	30	15	515500	1@1	DFT_BPSK	23.53	PASS
n38	30	15	515500	1@36	DFT_BPSK	23.63	PASS
n38	30	15	515500	36@0	DFT_QPSK	22.61	PASS
n38	30	15	515500	18@9	DFT_QPSK	23.59	PASS
n38	30	15	515500	1@1	DFT_QPSK	23.43	PASS
n38	30	15	515500	1@36	DFT_QPSK	23.56	PASS
n38	30	15	515500	36@0	DFT_16QAM	21.64	PASS
n38	30	15	515500	18@9	DFT_16QAM	22.7	PASS
n38	30	15	515500	1@1	DFT_16QAM	22.73	PASS
n38	30	15	515500	1@36	DFT_16QAM	22.85	PASS
n38	30	15	515500	36@0	DFT_64QAM	21.15	PASS
n38	30	15	515500	18@9	DFT_64QAM	21.11	PASS
n38	30	15	515500	1@1	DFT_64QAM	21.17	PASS
n38	30	15	515500	1@36	DFT_64QAM	21.28	PASS
n38	30	15	515500	36@0	DFT_256QAM	19.17	PASS
n38	30	15	515500	18@9	DFT_256QAM	19.18	PASS

n38	30	15	515500	1@1	DFT_256QAM	19.12	PASS
n38	30	15	515500	1@36	DFT_256QAM	19.2	PASS
n38	30	15	515500	38@0	CP_QPSK	20.66	PASS
n38	30	15	515500	19@9	CP_QPSK	22.1	PASS
n38	30	15	515500	1@1	CP_QPSK	22.23	PASS
n38	30	15	515500	1@36	CP_QPSK	22.29	PASS
n38	30	15	515500	38@0	CP_16QAM	20.64	PASS
n38	30	15	515500	19@9	CP_16QAM	21.62	PASS
n38	30	15	515500	1@1	CP_16QAM	21.37	PASS
n38	30	15	515500	1@36	CP_16QAM	21.47	PASS
n38	30	15	515500	38@0	CP_64QAM	20.15	PASS
n38	30	15	515500	19@9	CP_64QAM	20.22	PASS
n38	30	15	515500	1@1	CP_64QAM	19.93	PASS
n38	30	15	515500	1@36	CP_64QAM	20.07	PASS
n38	30	15	515500	38@0	CP_256QAM	17.17	PASS
n38	30	15	515500	19@9	CP_256QAM	17.11	PASS
n38	30	15	515500	1@1	CP_256QAM	17.32	PASS
n38	30	15	515500	1@36	CP_256QAM	17.27	PASS
n38	30	15	519000	36@0	DFT_BPSK	23.08	PASS
n38	30	15	519000	18@9	DFT_BPSK	23.59	PASS
n38	30	15	519000	1@1	DFT_BPSK	23.59	PASS
n38	30	15	519000	1@36	DFT_BPSK	23.42	PASS
n38	30	15	519000	36@0	DFT_QPSK	22.6	PASS
n38	30	15	519000	18@9	DFT_QPSK	23.65	PASS
n38	30	15	519000	1@1	DFT_QPSK	23.54	PASS
n38	30	15	519000	1@36	DFT_QPSK	23.39	PASS
n38	30	15	519000	36@0	DFT_16QAM	21.67	PASS
n38	30	15	519000	18@9	DFT_16QAM	22.72	PASS
n38	30	15	519000	1@1	DFT_16QAM	22.72	PASS
n38	30	15	519000	1@36	DFT_16QAM	22.58	PASS
n38	30	15	519000	36@0	DFT_64QAM	21.22	PASS
n38	30	15	519000	18@9	DFT_64QAM	21.16	PASS
n38	30	15	519000	1@1	DFT_64QAM	21.19	PASS
n38	30	15	519000	1@36	DFT_64QAM	20.97	PASS
n38	30	15	519000	36@0	DFT_256QAM	19.16	PASS
n38	30	15	519000	18@9	DFT_256QAM	19.2	PASS
n38	30	15	519000	1@1	DFT_256QAM	19.22	PASS
n38	30	15	519000	1@36	DFT_256QAM	19.07	PASS
n38	30	15	519000	38@0	CP_QPSK	20.66	PASS
n38	30	15	519000	19@9	CP_QPSK	22.15	PASS
n38	30	15	519000	1@1	CP_QPSK	22.16	PASS
n38	30	15	519000	1@36	CP_QPSK	21.99	PASS
n38	30	15	519000	38@0	CP_16QAM	20.65	PASS
n38	30	15	519000	19@9	CP_16QAM	21.67	PASS
n38	30	15	519000	1@1	CP_16QAM	21.43	PASS
n38	30	15	519000	1@36	CP_16QAM	21.29	PASS
n38	30	15	519000	38@0	CP_64QAM	20.18	PASS
n38	30	15	519000	19@9	CP_64QAM	20.28	PASS

n38	30	15	519000	1@1	CP_64QAM	20	PASS
n38	30	15	519000	1@36	CP_64QAM	19.85	PASS
n38	30	15	519000	38@0	CP_256QAM	17.3	PASS
n38	30	15	519000	19@9	CP_256QAM	17.19	PASS
n38	30	15	519000	1@1	CP_256QAM	17.42	PASS
n38	30	15	519000	1@36	CP_256QAM	17.3	PASS
n38	30	15	522500	36@0	DFT_BPSK	22.98	PASS
n38	30	15	522500	18@9	DFT_BPSK	23.41	PASS
n38	30	15	522500	1@1	DFT_BPSK	23.37	PASS
n38	30	15	522500	1@36	DFT_BPSK	23.48	PASS
n38	30	15	522500	36@0	DFT_QPSK	22.47	PASS
n38	30	15	522500	18@9	DFT_QPSK	23.41	PASS
n38	30	15	522500	1@1	DFT_QPSK	23.35	PASS
n38	30	15	522500	1@36	DFT_QPSK	23.47	PASS
n38	30	15	522500	36@0	DFT_16QAM	21.49	PASS
n38	30	15	522500	18@9	DFT_16QAM	22.47	PASS
n38	30	15	522500	1@1	DFT_16QAM	22.68	PASS
n38	30	15	522500	1@36	DFT_16QAM	22.75	PASS
n38	30	15	522500	36@0	DFT_64QAM	20.98	PASS
n38	30	15	522500	18@9	DFT_64QAM	21.02	PASS
n38	30	15	522500	1@1	DFT_64QAM	21.09	PASS
n38	30	15	522500	1@36	DFT_64QAM	21.26	PASS
n38	30	15	522500	36@0	DFT_256QAM	17.4	PASS
n38	30	15	522500	18@9	DFT_256QAM	19.07	PASS
n38	30	15	522500	1@1	DFT_256QAM	19.11	PASS
n38	30	15	522500	1@36	DFT_256QAM	19.2	PASS
n38	30	15	522500	38@0	CP_QPSK	20.53	PASS
n38	30	15	522500	19@9	CP_QPSK	21.98	PASS
n38	30	15	522500	1@1	CP_QPSK	21.79	PASS
n38	30	15	522500	1@36	CP_QPSK	22.1	PASS
n38	30	15	522500	38@0	CP_16QAM	20.5	PASS
n38	30	15	522500	19@9	CP_16QAM	21.45	PASS
n38	30	15	522500	1@1	CP_16QAM	21.23	PASS
n38	30	15	522500	1@36	CP_16QAM	21.29	PASS
n38	30	15	522500	38@0	CP_64QAM	20.04	PASS
n38	30	15	522500	19@9	CP_64QAM	19.96	PASS
n38	30	15	522500	1@1	CP_64QAM	19.89	PASS
n38	30	15	522500	1@36	CP_64QAM	20.01	PASS
n38	30	15	522500	38@0	CP_256QAM	17.07	PASS
n38	30	15	522500	19@9	CP_256QAM	16.99	PASS
n38	30	15	522500	1@1	CP_256QAM	17.2	PASS
n38	30	15	522500	1@36	CP_256QAM	17.34	PASS
n38	30	20	516000	50@0	DFT_BPSK	23.14	PASS
n38	30	20	516000	25@12	DFT_BPSK	23.64	PASS
n38	30	20	516000	1@1	DFT_BPSK	23.53	PASS
n38	30	20	516000	1@49	DFT_BPSK	23.67	PASS
n38	30	20	516000	50@0	DFT_QPSK	22.67	PASS
n38	30	20	516000	25@12	DFT_QPSK	23.64	PASS

n38	30	20	516000	1@1	DFT_QPSK	23.46	PASS
n38	30	20	516000	1@49	DFT_QPSK	23.6	PASS
n38	30	20	516000	50@0	DFT_16QAM	21.67	PASS
n38	30	20	516000	25@12	DFT_16QAM	22.67	PASS
n38	30	20	516000	1@1	DFT_16QAM	22.77	PASS
n38	30	20	516000	1@49	DFT_16QAM	22.85	PASS
n38	30	20	516000	50@0	DFT_64QAM	21.13	PASS
n38	30	20	516000	25@12	DFT_64QAM	21.16	PASS
n38	30	20	516000	1@1	DFT_64QAM	21.25	PASS
n38	30	20	516000	1@49	DFT_64QAM	21.44	PASS
n38	30	20	516000	50@0	DFT_256QAM	19.21	PASS
n38	30	20	516000	25@12	DFT_256QAM	19.22	PASS
n38	30	20	516000	1@1	DFT_256QAM	19.34	PASS
n38	30	20	516000	1@49	DFT_256QAM	19.47	PASS
n38	30	20	516000	51@0	CP_QPSK	20.65	PASS
n38	30	20	516000	25@12	CP_QPSK	22.11	PASS
n38	30	20	516000	1@1	CP_QPSK	21.96	PASS
n38	30	20	516000	1@49	CP_QPSK	22.11	PASS
n38	30	20	516000	51@0	CP_16QAM	20.74	PASS
n38	30	20	516000	25@12	CP_16QAM	21.74	PASS
n38	30	20	516000	1@1	CP_16QAM	21.27	PASS
n38	30	20	516000	1@49	CP_16QAM	21.42	PASS
n38	30	20	516000	51@0	CP_64QAM	20.24	PASS
n38	30	20	516000	25@12	CP_64QAM	20.16	PASS
n38	30	20	516000	1@1	CP_64QAM	20.02	PASS
n38	30	20	516000	1@49	CP_64QAM	20.2	PASS
n38	30	20	516000	51@0	CP_256QAM	17.26	PASS
n38	30	20	516000	25@12	CP_256QAM	17.22	PASS
n38	30	20	516000	1@1	CP_256QAM	17.35	PASS
n38	30	20	516000	1@49	CP_256QAM	17.3	PASS
n38	30	20	519000	50@0	DFT_BPSK	23.1	PASS
n38	30	20	519000	25@12	DFT_BPSK	23.64	PASS
n38	30	20	519000	1@1	DFT_BPSK	23.57	PASS
n38	30	20	519000	1@49	DFT_BPSK	23.37	PASS
n38	30	20	519000	50@0	DFT_QPSK	22.6	PASS
n38	30	20	519000	25@12	DFT_QPSK	23.65	PASS
n38	30	20	519000	1@1	DFT_QPSK	23.48	PASS
n38	30	20	519000	1@49	DFT_QPSK	23.49	PASS
n38	30	20	519000	50@0	DFT_16QAM	21.6	PASS
n38	30	20	519000	25@12	DFT_16QAM	22.71	PASS
n38	30	20	519000	1@1	DFT_16QAM	22.59	PASS
n38	30	20	519000	1@49	DFT_16QAM	22.35	PASS
n38	30	20	519000	50@0	DFT_64QAM	21.13	PASS
n38	30	20	519000	25@12	DFT_64QAM	21.09	PASS
n38	30	20	519000	1@1	DFT_64QAM	20.96	PASS
n38	30	20	519000	1@49	DFT_64QAM	20.78	PASS
n38	30	20	519000	50@0	DFT_256QAM	19.16	PASS
n38	30	20	519000	25@12	DFT_256QAM	19.15	PASS

n38	30	20	519000	1@1	DFT_256QAM	19.13	PASS
n38	30	20	519000	1@49	DFT_256QAM	18.87	PASS
n38	30	20	519000	51@0	CP_QPSK	20.61	PASS
n38	30	20	519000	25@12	CP_QPSK	22.27	PASS
n38	30	20	519000	1@1	CP_QPSK	22.02	PASS
n38	30	20	519000	1@49	CP_QPSK	21.8	PASS
n38	30	20	519000	51@0	CP_16QAM	20.51	PASS
n38	30	20	519000	25@12	CP_16QAM	21.56	PASS
n38	30	20	519000	1@1	CP_16QAM	21.6	PASS
n38	30	20	519000	1@49	CP_16QAM	21.34	PASS
n38	30	20	519000	51@0	CP_64QAM	20.19	PASS
n38	30	20	519000	25@12	CP_64QAM	20.19	PASS
n38	30	20	519000	1@1	CP_64QAM	20.05	PASS
n38	30	20	519000	1@49	CP_64QAM	19.77	PASS
n38	30	20	519000	51@0	CP_256QAM	17.16	PASS
n38	30	20	519000	25@12	CP_256QAM	17.23	PASS
n38	30	20	519000	1@1	CP_256QAM	17.38	PASS
n38	30	20	519000	1@49	CP_256QAM	17.14	PASS
n38	30	20	522000	50@0	DFT_BPSK	22.87	PASS
n38	30	20	522000	25@12	DFT_BPSK	23.34	PASS
n38	30	20	522000	1@1	DFT_BPSK	23.29	PASS
n38	30	20	522000	1@49	DFT_BPSK	23.4	PASS
n38	30	20	522000	50@0	DFT_QPSK	22.39	PASS
n38	30	20	522000	25@12	DFT_QPSK	23.39	PASS
n38	30	20	522000	1@1	DFT_QPSK	23.24	PASS
n38	30	20	522000	1@49	DFT_QPSK	23.41	PASS
n38	30	20	522000	50@0	DFT_16QAM	21.4	PASS
n38	30	20	522000	25@12	DFT_16QAM	22.38	PASS
n38	30	20	522000	1@1	DFT_16QAM	22.59	PASS
n38	30	20	522000	1@49	DFT_16QAM	22.6	PASS
n38	30	20	522000	50@0	DFT_64QAM	20.88	PASS
n38	30	20	522000	25@12	DFT_64QAM	20.83	PASS
n38	30	20	522000	1@1	DFT_64QAM	21.06	PASS
n38	30	20	522000	1@49	DFT_64QAM	21.17	PASS
n38	30	20	522000	50@0	DFT_256QAM	18.93	PASS
n38	30	20	522000	25@12	DFT_256QAM	19.3	PASS
n38	30	20	522000	1@1	DFT_256QAM	19.16	PASS
n38	30	20	522000	1@49	DFT_256QAM	19.11	PASS
n38	30	20	522000	51@0	CP_QPSK	20.38	PASS
n38	30	20	522000	25@12	CP_QPSK	21.8	PASS
n38	30	20	522000	1@1	CP_QPSK	21.79	PASS
n38	30	20	522000	1@49	CP_QPSK	21.87	PASS
n38	30	20	522000	51@0	CP_16QAM	20.4	PASS
n38	30	20	522000	25@12	CP_16QAM	21.32	PASS
n38	30	20	522000	1@1	CP_16QAM	21.1	PASS
n38	30	20	522000	1@49	CP_16QAM	21.19	PASS
n38	30	20	522000	51@0	CP_64QAM	19.94	PASS
n38	30	20	522000	25@12	CP_64QAM	19.93	PASS

n38	30	20	522000	1@1	CP_64QAM	19.84	PASS
n38	30	20	522000	1@49	CP_64QAM	19.89	PASS
n38	30	20	522000	51@0	CP_256QAM	16.97	PASS
n38	30	20	522000	25@12	CP_256QAM	16.92	PASS
n38	30	20	522000	1@1	CP_256QAM	17.25	PASS
n38	30	20	522000	1@49	CP_256QAM	17.14	PASS
n38	30	40	518000	100@0	DFT_BPSK	23.1	PASS
n38	30	40	518000	50@25	DFT_BPSK	23.65	PASS
n38	30	40	518000	1@1	DFT_BPSK	23.51	PASS
n38	30	40	518000	1@104	DFT_BPSK	23.26	PASS
n38	30	40	518000	100@0	DFT_QPSK	22.59	PASS
n38	30	40	518000	50@25	DFT_QPSK	23.68	PASS
n38	30	40	518000	1@1	DFT_QPSK	23.45	PASS
n38	30	40	518000	1@104	DFT_QPSK	23.25	PASS
n38	30	40	518000	100@0	DFT_16QAM	21.6	PASS
n38	30	40	518000	50@25	DFT_16QAM	22.66	PASS
n38	30	40	518000	1@1	DFT_16QAM	22.77	PASS
n38	30	40	518000	1@104	DFT_16QAM	22.56	PASS
n38	30	40	518000	100@0	DFT_64QAM	21.13	PASS
n38	30	40	518000	50@25	DFT_64QAM	21.16	PASS
n38	30	40	518000	1@1	DFT_64QAM	21.26	PASS
n38	30	40	518000	1@104	DFT_64QAM	21.02	PASS
n38	30	40	518000	100@0	DFT_256QAM	19.15	PASS
n38	30	40	518000	50@25	DFT_256QAM	19.15	PASS
n38	30	40	518000	1@1	DFT_256QAM	19.31	PASS
n38	30	40	518000	1@104	DFT_256QAM	19.02	PASS
n38	30	40	518000	106@0	CP_QPSK	20.57	PASS
n38	30	40	518000	53@26	CP_QPSK	22.15	PASS
n38	30	40	518000	1@1	CP_QPSK	21.99	PASS
n38	30	40	518000	1@104	CP_QPSK	21.77	PASS
n38	30	40	518000	106@0	CP_16QAM	20.6	PASS
n38	30	40	518000	53@26	CP_16QAM	21.62	PASS
n38	30	40	518000	1@1	CP_16QAM	21.34	PASS
n38	30	40	518000	1@104	CP_16QAM	21.14	PASS
n38	30	40	518000	106@0	CP_64QAM	20.13	PASS
n38	30	40	518000	53@26	CP_64QAM	20.17	PASS
n38	30	40	518000	1@1	CP_64QAM	20.02	PASS
n38	30	40	518000	1@104	CP_64QAM	19.8	PASS
n38	30	40	518000	106@0	CP_256QAM	17.5	PASS
n38	30	40	518000	53@26	CP_256QAM	17.24	PASS
n38	30	40	518000	1@1	CP_256QAM	17.3	PASS
n38	30	40	518000	1@104	CP_256QAM	17.07	PASS
n38	30	40	519000	100@0	DFT_BPSK	23.07	PASS
n38	30	40	519000	50@25	DFT_BPSK	23.57	PASS
n38	30	40	519000	1@1	DFT_BPSK	23.46	PASS
n38	30	40	519000	1@104	DFT_BPSK	23.31	PASS
n38	30	40	519000	100@0	DFT_QPSK	22.57	PASS
n38	30	40	519000	50@25	DFT_QPSK	23.64	PASS

n38	30	40	519000	1@1	DFT_QPSK	23.38	PASS
n38	30	40	519000	1@104	DFT_QPSK	23.28	PASS
n38	30	40	519000	100@0	DFT_16QAM	21.56	PASS
n38	30	40	519000	50@25	DFT_16QAM	22.58	PASS
n38	30	40	519000	1@1	DFT_16QAM	22.71	PASS
n38	30	40	519000	1@104	DFT_16QAM	22.57	PASS
n38	30	40	519000	100@0	DFT_64QAM	21.07	PASS
n38	30	40	519000	50@25	DFT_64QAM	21.16	PASS
n38	30	40	519000	1@1	DFT_64QAM	21.2	PASS
n38	30	40	519000	1@104	DFT_64QAM	21.07	PASS
n38	30	40	519000	100@0	DFT_256QAM	19.1	PASS
n38	30	40	519000	50@25	DFT_256QAM	19.16	PASS
n38	30	40	519000	1@1	DFT_256QAM	19.17	PASS
n38	30	40	519000	1@104	DFT_256QAM	19.01	PASS
n38	30	40	519000	106@0	CP_QPSK	20.53	PASS
n38	30	40	519000	53@26	CP_QPSK	22.12	PASS
n38	30	40	519000	1@1	CP_QPSK	21.96	PASS
n38	30	40	519000	1@104	CP_QPSK	21.77	PASS
n38	30	40	519000	106@0	CP_16QAM	20.56	PASS
n38	30	40	519000	53@26	CP_16QAM	21.57	PASS
n38	30	40	519000	1@1	CP_16QAM	21.33	PASS
n38	30	40	519000	1@104	CP_16QAM	21.18	PASS
n38	30	40	519000	106@0	CP_64QAM	20.15	PASS
n38	30	40	519000	53@26	CP_64QAM	20.17	PASS
n38	30	40	519000	1@1	CP_64QAM	20.02	PASS
n38	30	40	519000	1@104	CP_64QAM	19.84	PASS
n38	30	40	519000	106@0	CP_256QAM	17.1	PASS
n38	30	40	519000	53@26	CP_256QAM	17.14	PASS
n38	30	40	519000	1@1	CP_256QAM	17.26	PASS
n38	30	40	519000	1@104	CP_256QAM	17.11	PASS
n38	30	40	520000	100@0	DFT_BPSK	22.98	PASS
n38	30	40	520000	50@25	DFT_BPSK	23.57	PASS
n38	30	40	520000	1@1	DFT_BPSK	23.48	PASS
n38	30	40	520000	1@104	DFT_BPSK	23.42	PASS
n38	30	40	520000	100@0	DFT_QPSK	22.54	PASS
n38	30	40	520000	50@25	DFT_QPSK	23.56	PASS
n38	30	40	520000	1@1	DFT_QPSK	23.49	PASS
n38	30	40	520000	1@104	DFT_QPSK	23.38	PASS
n38	30	40	520000	100@0	DFT_16QAM	21.52	PASS
n38	30	40	520000	50@25	DFT_16QAM	22.53	PASS
n38	30	40	520000	1@1	DFT_16QAM	22.76	PASS
n38	30	40	520000	1@104	DFT_16QAM	22.7	PASS
n38	30	40	520000	100@0	DFT_64QAM	21.03	PASS
n38	30	40	520000	50@25	DFT_64QAM	21.06	PASS
n38	30	40	520000	1@1	DFT_64QAM	21.23	PASS
n38	30	40	520000	1@104	DFT_64QAM	21.16	PASS
n38	30	40	520000	100@0	DFT_256QAM	19.05	PASS
n38	30	40	520000	50@25	DFT_256QAM	19.05	PASS

n38	30	40	520000	1@1	DFT_256QAM	19.23	PASS
n38	30	40	520000	1@104	DFT_256QAM	19.15	PASS
n38	30	40	520000	106@0	CP_QPSK	20.5	PASS
n38	30	40	520000	53@26	CP_QPSK	22.05	PASS
n38	30	40	520000	1@1	CP_QPSK	21.97	PASS
n38	30	40	520000	1@104	CP_QPSK	21.88	PASS
n38	30	40	520000	106@0	CP_16QAM	20.49	PASS
n38	30	40	520000	53@26	CP_16QAM	21.49	PASS
n38	30	40	520000	1@1	CP_16QAM	21.34	PASS
n38	30	40	520000	1@104	CP_16QAM	21.27	PASS
n38	30	40	520000	106@0	CP_64QAM	20.06	PASS
n38	30	40	520000	53@26	CP_64QAM	20.02	PASS
n38	30	40	520000	1@1	CP_64QAM	19.98	PASS
n38	30	40	520000	1@104	CP_64QAM	19.98	PASS
n38	30	40	520000	106@0	CP_256QAM	17.1	PASS
n38	30	40	520000	53@26	CP_256QAM	17.04	PASS
n38	30	40	520000	1@1	CP_256QAM	17.28	PASS
n38	30	40	520000	1@104	CP_256QAM	17.3	PASS

SA N41

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n41	30	10	500202	24@0	DFT_BPSK	22.17	PASS
n41	30	10	500202	12@6	DFT_BPSK	22.64	PASS
n41	30	10	500202	1@1	DFT_BPSK	22.72	PASS
n41	30	10	500202	1@22	DFT_BPSK	22.58	PASS
n41	30	10	500202	24@0	DFT_QPSK	21.66	PASS
n41	30	10	500202	12@6	DFT_QPSK	22.68	PASS
n41	30	10	500202	1@1	DFT_QPSK	22.6	PASS
n41	30	10	500202	1@22	DFT_QPSK	22.51	PASS
n41	30	10	500202	24@0	DFT_16QAM	20.72	PASS
n41	30	10	500202	12@6	DFT_16QAM	21.66	PASS
n41	30	10	500202	1@1	DFT_16QAM	21.77	PASS
n41	30	10	500202	1@22	DFT_16QAM	21.6	PASS
n41	30	10	500202	24@0	DFT_64QAM	20.23	PASS
n41	30	10	500202	12@6	DFT_64QAM	20.23	PASS
n41	30	10	500202	1@1	DFT_64QAM	20.12	PASS
n41	30	10	500202	1@22	DFT_64QAM	19.92	PASS
n41	30	10	500202	24@0	DFT_256QAM	18.21	PASS
n41	30	10	500202	12@6	DFT_256QAM	18.16	PASS
n41	30	10	500202	1@1	DFT_256QAM	18.6	PASS
n41	30	10	500202	1@22	DFT_256QAM	18.11	PASS
n41	30	10	500202	24@0	CP_QPSK	19.6	PASS
n41	30	10	500202	12@6	CP_QPSK	21.04	PASS
n41	30	10	500202	1@1	CP_QPSK	21.13	PASS
n41	30	10	500202	1@22	CP_QPSK	21	PASS
n41	30	10	500202	24@0	CP_16QAM	19.62	PASS
n41	30	10	500202	12@6	CP_16QAM	20.52	PASS
n41	30	10	500202	1@1	CP_16QAM	20.74	PASS
n41	30	10	500202	1@22	CP_16QAM	20.63	PASS
n41	30	10	500202	24@0	CP_64QAM	19.18	PASS
n41	30	10	500202	12@6	CP_64QAM	19.08	PASS
n41	30	10	500202	1@1	CP_64QAM	19.19	PASS
n41	30	10	500202	1@22	CP_64QAM	19.11	PASS
n41	30	10	500202	24@0	CP_256QAM	16.09	PASS
n41	30	10	500202	12@6	CP_256QAM	16.03	PASS
n41	30	10	500202	1@1	CP_256QAM	16.21	PASS
n41	30	10	500202	1@22	CP_256QAM	15.99	PASS
n41	30	10	518598	24@0	DFT_BPSK	22.62	PASS
n41	30	10	518598	12@6	DFT_BPSK	23.07	PASS
n41	30	10	518598	1@1	DFT_BPSK	23.03	PASS
n41	30	10	518598	1@22	DFT_BPSK	22.95	PASS
n41	30	10	518598	24@0	DFT_QPSK	22.08	PASS
n41	30	10	518598	12@6	DFT_QPSK	23.12	PASS
n41	30	10	518598	1@1	DFT_QPSK	23.02	PASS
n41	30	10	518598	1@22	DFT_QPSK	22.99	PASS
n41	30	10	518598	24@0	DFT_16QAM	21.11	PASS
n41	30	10	518598	12@6	DFT_16QAM	22.1	PASS

n41	30	10	518598	1@1	DFT_16QAM	22.14	PASS
n41	30	10	518598	1@22	DFT_16QAM	22.07	PASS
n41	30	10	518598	24@0	DFT_64QAM	20.57	PASS
n41	30	10	518598	12@6	DFT_64QAM	20.62	PASS
n41	30	10	518598	1@1	DFT_64QAM	20.3	PASS
n41	30	10	518598	1@22	DFT_64QAM	20.27	PASS
n41	30	10	518598	24@0	DFT_256QAM	18.6	PASS
n41	30	10	518598	12@6	DFT_256QAM	18.57	PASS
n41	30	10	518598	1@1	DFT_256QAM	18.56	PASS
n41	30	10	518598	1@22	DFT_256QAM	18.44	PASS
n41	30	10	518598	24@0	CP_QPSK	20.05	PASS
n41	30	10	518598	12@6	CP_QPSK	21.52	PASS
n41	30	10	518598	1@1	CP_QPSK	21.64	PASS
n41	30	10	518598	1@22	CP_QPSK	21.54	PASS
n41	30	10	518598	24@0	CP_16QAM	20.1	PASS
n41	30	10	518598	12@6	CP_16QAM	20.93	PASS
n41	30	10	518598	1@1	CP_16QAM	21.18	PASS
n41	30	10	518598	1@22	CP_16QAM	21.13	PASS
n41	30	10	518598	24@0	CP_64QAM	19.61	PASS
n41	30	10	518598	12@6	CP_64QAM	19.52	PASS
n41	30	10	518598	1@1	CP_64QAM	19.64	PASS
n41	30	10	518598	1@22	CP_64QAM	19.55	PASS
n41	30	10	518598	24@0	CP_256QAM	16.5	PASS
n41	30	10	518598	12@6	CP_256QAM	16.49	PASS
n41	30	10	518598	1@1	CP_256QAM	16.53	PASS
n41	30	10	518598	1@22	CP_256QAM	16.43	PASS
n41	30	10	537000	24@0	DFT_BPSK	22.31	PASS
n41	30	10	537000	12@6	DFT_BPSK	22.79	PASS
n41	30	10	537000	1@1	DFT_BPSK	22.62	PASS
n41	30	10	537000	1@22	DFT_BPSK	22.83	PASS
n41	30	10	537000	24@0	DFT_QPSK	21.79	PASS
n41	30	10	537000	12@6	DFT_QPSK	22.72	PASS
n41	30	10	537000	1@1	DFT_QPSK	22.62	PASS
n41	30	10	537000	1@22	DFT_QPSK	22.75	PASS
n41	30	10	537000	24@0	DFT_16QAM	20.8	PASS
n41	30	10	537000	12@6	DFT_16QAM	21.74	PASS
n41	30	10	537000	1@1	DFT_16QAM	21.68	PASS
n41	30	10	537000	1@22	DFT_16QAM	21.86	PASS
n41	30	10	537000	24@0	DFT_64QAM	20.25	PASS
n41	30	10	537000	12@6	DFT_64QAM	20.35	PASS
n41	30	10	537000	1@1	DFT_64QAM	19.96	PASS
n41	30	10	537000	1@22	DFT_64QAM	20.16	PASS
n41	30	10	537000	24@0	DFT_256QAM	18.34	PASS
n41	30	10	537000	12@6	DFT_256QAM	18.24	PASS
n41	30	10	537000	1@1	DFT_256QAM	18.08	PASS
n41	30	10	537000	1@22	DFT_256QAM	18.5	PASS
n41	30	10	537000	24@0	CP_QPSK	19.83	PASS
n41	30	10	537000	12@6	CP_QPSK	21.24	PASS

n41	30	10	537000	1@1	CP_QPSK	21.12	PASS
n41	30	10	537000	1@22	CP_QPSK	21.28	PASS
n41	30	10	537000	24@0	CP_16QAM	19.81	PASS
n41	30	10	537000	12@6	CP_16QAM	20.87	PASS
n41	30	10	537000	1@1	CP_16QAM	20.52	PASS
n41	30	10	537000	1@22	CP_16QAM	20.74	PASS
n41	30	10	537000	24@0	CP_64QAM	19.28	PASS
n41	30	10	537000	12@6	CP_64QAM	19.3	PASS
n41	30	10	537000	1@1	CP_64QAM	19.34	PASS
n41	30	10	537000	1@22	CP_64QAM	19.46	PASS
n41	30	10	537000	24@0	CP_256QAM	16.34	PASS
n41	30	10	537000	12@6	CP_256QAM	16.45	PASS
n41	30	10	537000	1@1	CP_256QAM	16.47	PASS
n41	30	10	537000	1@22	CP_256QAM	16.59	PASS
n41	30	15	500700	36@0	DFT_BPSK	22.17	PASS
n41	30	15	500700	18@9	DFT_BPSK	22.59	PASS
n41	30	15	500700	1@1	DFT_BPSK	22.71	PASS
n41	30	15	500700	1@36	DFT_BPSK	22.57	PASS
n41	30	15	500700	36@0	DFT_QPSK	21.71	PASS
n41	30	15	500700	18@9	DFT_QPSK	22.59	PASS
n41	30	15	500700	1@1	DFT_QPSK	22.69	PASS
n41	30	15	500700	1@36	DFT_QPSK	22.51	PASS
n41	30	15	500700	36@0	DFT_16QAM	20.74	PASS
n41	30	15	500700	18@9	DFT_16QAM	21.64	PASS
n41	30	15	500700	1@1	DFT_16QAM	21.95	PASS
n41	30	15	500700	1@36	DFT_16QAM	21.8	PASS
n41	30	15	500700	36@0	DFT_64QAM	20.21	PASS
n41	30	15	500700	18@9	DFT_64QAM	20.25	PASS
n41	30	15	500700	1@1	DFT_64QAM	20.5	PASS
n41	30	15	500700	1@36	DFT_64QAM	20.32	PASS
n41	30	15	500700	36@0	DFT_256QAM	18.15	PASS
n41	30	15	500700	18@9	DFT_256QAM	18.18	PASS
n41	30	15	500700	1@1	DFT_256QAM	18.46	PASS
n41	30	15	500700	1@36	DFT_256QAM	18.26	PASS
n41	30	15	500700	38@0	CP_QPSK	19.7	PASS
n41	30	15	500700	19@9	CP_QPSK	21.15	PASS
n41	30	15	500700	1@1	CP_QPSK	21.21	PASS
n41	30	15	500700	1@36	CP_QPSK	21.05	PASS
n41	30	15	500700	38@0	CP_16QAM	19.69	PASS
n41	30	15	500700	19@9	CP_16QAM	20.59	PASS
n41	30	15	500700	1@1	CP_16QAM	20.47	PASS
n41	30	15	500700	1@36	CP_16QAM	20.43	PASS
n41	30	15	500700	38@0	CP_64QAM	19.19	PASS
n41	30	15	500700	19@9	CP_64QAM	19.08	PASS
n41	30	15	500700	1@1	CP_64QAM	19.19	PASS
n41	30	15	500700	1@36	CP_64QAM	19.07	PASS
n41	30	15	500700	38@0	CP_256QAM	16.21	PASS
n41	30	15	500700	19@9	CP_256QAM	16.14	PASS

n41	30	15	500700	1@1	CP_256QAM	16.57	PASS
n41	30	15	500700	1@36	CP_256QAM	16.34	PASS
n41	30	15	518598	36@0	DFT_BPSK	22.6	PASS
n41	30	15	518598	18@9	DFT_BPSK	23.09	PASS
n41	30	15	518598	1@1	DFT_BPSK	23.03	PASS
n41	30	15	518598	1@36	DFT_BPSK	22.9	PASS
n41	30	15	518598	36@0	DFT_QPSK	22.08	PASS
n41	30	15	518598	18@9	DFT_QPSK	23.08	PASS
n41	30	15	518598	1@1	DFT_QPSK	23.03	PASS
n41	30	15	518598	1@36	DFT_QPSK	22.94	PASS
n41	30	15	518598	36@0	DFT_16QAM	21.11	PASS
n41	30	15	518598	18@9	DFT_16QAM	22.11	PASS
n41	30	15	518598	1@1	DFT_16QAM	22.38	PASS
n41	30	15	518598	1@36	DFT_16QAM	22.25	PASS
n41	30	15	518598	36@0	DFT_64QAM	20.62	PASS
n41	30	15	518598	18@9	DFT_64QAM	20.67	PASS
n41	30	15	518598	1@1	DFT_64QAM	20.79	PASS
n41	30	15	518598	1@36	DFT_64QAM	20.7	PASS
n41	30	15	518598	36@0	DFT_256QAM	18.57	PASS
n41	30	15	518598	18@9	DFT_256QAM	18.67	PASS
n41	30	15	518598	1@1	DFT_256QAM	18.76	PASS
n41	30	15	518598	1@36	DFT_256QAM	18.63	PASS
n41	30	15	518598	38@0	CP_QPSK	20.07	PASS
n41	30	15	518598	19@9	CP_QPSK	21.63	PASS
n41	30	15	518598	1@1	CP_QPSK	21.5	PASS
n41	30	15	518598	1@36	CP_QPSK	21.43	PASS
n41	30	15	518598	38@0	CP_16QAM	20.11	PASS
n41	30	15	518598	19@9	CP_16QAM	21.09	PASS
n41	30	15	518598	1@1	CP_16QAM	20.96	PASS
n41	30	15	518598	1@36	CP_16QAM	20.83	PASS
n41	30	15	518598	38@0	CP_64QAM	19.64	PASS
n41	30	15	518598	19@9	CP_64QAM	19.65	PASS
n41	30	15	518598	1@1	CP_64QAM	19.65	PASS
n41	30	15	518598	1@36	CP_64QAM	19.48	PASS
n41	30	15	518598	38@0	CP_256QAM	16.63	PASS
n41	30	15	518598	19@9	CP_256QAM	16.61	PASS
n41	30	15	518598	1@1	CP_256QAM	16.89	PASS
n41	30	15	518598	1@36	CP_256QAM	16.72	PASS
n41	30	15	536496	36@0	DFT_BPSK	22.3	PASS
n41	30	15	536496	18@9	DFT_BPSK	22.76	PASS
n41	30	15	536496	1@1	DFT_BPSK	22.78	PASS
n41	30	15	536496	1@36	DFT_BPSK	22.94	PASS
n41	30	15	536496	36@0	DFT_QPSK	21.81	PASS
n41	30	15	536496	18@9	DFT_QPSK	22.77	PASS
n41	30	15	536496	1@1	DFT_QPSK	22.78	PASS
n41	30	15	536496	1@36	DFT_QPSK	22.9	PASS
n41	30	15	536496	36@0	DFT_16QAM	20.86	PASS
n41	30	15	536496	18@9	DFT_16QAM	21.79	PASS

n41	30	15	536496	1@1	DFT_16QAM	22.05	PASS
n41	30	15	536496	1@36	DFT_16QAM	22.22	PASS
n41	30	15	536496	36@0	DFT_64QAM	20.33	PASS
n41	30	15	536496	18@9	DFT_64QAM	20.34	PASS
n41	30	15	536496	1@1	DFT_64QAM	20.54	PASS
n41	30	15	536496	1@36	DFT_64QAM	20.73	PASS
n41	30	15	536496	36@0	DFT_256QAM	18.28	PASS
n41	30	15	536496	18@9	DFT_256QAM	18.34	PASS
n41	30	15	536496	1@1	DFT_256QAM	18.45	PASS
n41	30	15	536496	1@36	DFT_256QAM	18.64	PASS
n41	30	15	536496	38@0	CP_QPSK	19.88	PASS
n41	30	15	536496	19@9	CP_QPSK	21.29	PASS
n41	30	15	536496	1@1	CP_QPSK	21.19	PASS
n41	30	15	536496	1@36	CP_QPSK	21.36	PASS
n41	30	15	536496	38@0	CP_16QAM	19.92	PASS
n41	30	15	536496	19@9	CP_16QAM	20.76	PASS
n41	30	15	536496	1@1	CP_16QAM	20.73	PASS
n41	30	15	536496	1@36	CP_16QAM	20.83	PASS
n41	30	15	536496	38@0	CP_64QAM	19.36	PASS
n41	30	15	536496	19@9	CP_64QAM	19.31	PASS
n41	30	15	536496	1@1	CP_64QAM	19.3	PASS
n41	30	15	536496	1@36	CP_64QAM	19.41	PASS
n41	30	15	536496	38@0	CP_256QAM	16.39	PASS
n41	30	15	536496	19@9	CP_256QAM	16.26	PASS
n41	30	15	536496	1@1	CP_256QAM	16.52	PASS
n41	30	15	536496	1@36	CP_256QAM	16.4	PASS
n41	30	20	501204	50@0	DFT_BPSK	22.14	PASS
n41	30	20	501204	25@12	DFT_BPSK	22.61	PASS
n41	30	20	501204	1@1	DFT_BPSK	22.72	PASS
n41	30	20	501204	1@49	DFT_BPSK	22.68	PASS
n41	30	20	501204	50@0	DFT_QPSK	21.73	PASS
n41	30	20	501204	25@12	DFT_QPSK	22.66	PASS
n41	30	20	501204	1@1	DFT_QPSK	22.56	PASS
n41	30	20	501204	1@49	DFT_QPSK	22.61	PASS
n41	30	20	501204	50@0	DFT_16QAM	20.68	PASS
n41	30	20	501204	25@12	DFT_16QAM	21.67	PASS
n41	30	20	501204	1@1	DFT_16QAM	21.93	PASS
n41	30	20	501204	1@49	DFT_16QAM	21.97	PASS
n41	30	20	501204	50@0	DFT_64QAM	20.16	PASS
n41	30	20	501204	25@12	DFT_64QAM	20.09	PASS
n41	30	20	501204	1@1	DFT_64QAM	20.42	PASS
n41	30	20	501204	1@49	DFT_64QAM	20.48	PASS
n41	30	20	501204	50@0	DFT_256QAM	18.11	PASS
n41	30	20	501204	25@12	DFT_256QAM	18.13	PASS
n41	30	20	501204	1@1	DFT_256QAM	18.46	PASS
n41	30	20	501204	1@49	DFT_256QAM	18.39	PASS
n41	30	20	501204	51@0	CP_QPSK	19.68	PASS
n41	30	20	501204	25@12	CP_QPSK	21.04	PASS

n41	30	20	501204	1@1	CP_QPSK	21.18	PASS
n41	30	20	501204	1@49	CP_QPSK	21.19	PASS
n41	30	20	501204	51@0	CP_16QAM	19.67	PASS
n41	30	20	501204	25@12	CP_16QAM	20.63	PASS
n41	30	20	501204	1@1	CP_16QAM	20.45	PASS
n41	30	20	501204	1@49	CP_16QAM	20.58	PASS
n41	30	20	501204	51@0	CP_64QAM	19.23	PASS
n41	30	20	501204	25@12	CP_64QAM	19.12	PASS
n41	30	20	501204	1@1	CP_64QAM	19.21	PASS
n41	30	20	501204	1@49	CP_64QAM	19.23	PASS
n41	30	20	501204	51@0	CP_256QAM	16.15	PASS
n41	30	20	501204	25@12	CP_256QAM	16.16	PASS
n41	30	20	501204	1@1	CP_256QAM	16.47	PASS
n41	30	20	501204	1@49	CP_256QAM	16.41	PASS
n41	30	20	518598	50@0	DFT_BPSK	22.59	PASS
n41	30	20	518598	25@12	DFT_BPSK	23.13	PASS
n41	30	20	518598	1@1	DFT_BPSK	23.04	PASS
n41	30	20	518598	1@49	DFT_BPSK	22.88	PASS
n41	30	20	518598	50@0	DFT_QPSK	22.12	PASS
n41	30	20	518598	25@12	DFT_QPSK	23.18	PASS
n41	30	20	518598	1@1	DFT_QPSK	23.05	PASS
n41	30	20	518598	1@49	DFT_QPSK	22.9	PASS
n41	30	20	518598	50@0	DFT_16QAM	21.09	PASS
n41	30	20	518598	25@12	DFT_16QAM	22.14	PASS
n41	30	20	518598	1@1	DFT_16QAM	22.28	PASS
n41	30	20	518598	1@49	DFT_16QAM	22.17	PASS
n41	30	20	518598	50@0	DFT_64QAM	20.6	PASS
n41	30	20	518598	25@12	DFT_64QAM	20.59	PASS
n41	30	20	518598	1@1	DFT_64QAM	20.83	PASS
n41	30	20	518598	1@49	DFT_64QAM	20.75	PASS
n41	30	20	518598	50@0	DFT_256QAM	18.62	PASS
n41	30	20	518598	25@12	DFT_256QAM	18.66	PASS
n41	30	20	518598	1@1	DFT_256QAM	18.78	PASS
n41	30	20	518598	1@49	DFT_256QAM	18.62	PASS
n41	30	20	518598	51@0	CP_QPSK	20.08	PASS
n41	30	20	518598	25@12	CP_QPSK	21.61	PASS
n41	30	20	518598	1@1	CP_QPSK	21.53	PASS
n41	30	20	518598	1@49	CP_QPSK	21.31	PASS
n41	30	20	518598	51@0	CP_16QAM	20.09	PASS
n41	30	20	518598	25@12	CP_16QAM	21.15	PASS
n41	30	20	518598	1@1	CP_16QAM	21	PASS
n41	30	20	518598	1@49	CP_16QAM	20.82	PASS
n41	30	20	518598	51@0	CP_64QAM	19.66	PASS
n41	30	20	518598	25@12	CP_64QAM	19.66	PASS
n41	30	20	518598	1@1	CP_64QAM	19.61	PASS
n41	30	20	518598	1@49	CP_64QAM	19.48	PASS
n41	30	20	518598	51@0	CP_256QAM	16.3	PASS
n41	30	20	518598	25@12	CP_256QAM	16.72	PASS

n41	30	20	518598	1@1	CP_256QAM	16.86	PASS
n41	30	20	518598	1@49	CP_256QAM	16.59	PASS
n41	30	20	535998	50@0	DFT_BPSK	22.38	PASS
n41	30	20	535998	25@12	DFT_BPSK	22.83	PASS
n41	30	20	535998	1@1	DFT_BPSK	22.94	PASS
n41	30	20	535998	1@49	DFT_BPSK	22.98	PASS
n41	30	20	535998	50@0	DFT_QPSK	21.91	PASS
n41	30	20	535998	25@12	DFT_QPSK	22.89	PASS
n41	30	20	535998	1@1	DFT_QPSK	22.92	PASS
n41	30	20	535998	1@49	DFT_QPSK	22.94	PASS
n41	30	20	535998	50@0	DFT_16QAM	20.91	PASS
n41	30	20	535998	25@12	DFT_16QAM	21.85	PASS
n41	30	20	535998	1@1	DFT_16QAM	22.26	PASS
n41	30	20	535998	1@49	DFT_16QAM	22.3	PASS
n41	30	20	535998	50@0	DFT_64QAM	20.44	PASS
n41	30	20	535998	25@12	DFT_64QAM	20.34	PASS
n41	30	20	535998	1@1	DFT_64QAM	20.78	PASS
n41	30	20	535998	1@49	DFT_64QAM	20.85	PASS
n41	30	20	535998	50@0	DFT_256QAM	18.4	PASS
n41	30	20	535998	25@12	DFT_256QAM	18.37	PASS
n41	30	20	535998	1@1	DFT_256QAM	18.61	PASS
n41	30	20	535998	1@49	DFT_256QAM	18.69	PASS
n41	30	20	535998	51@0	CP_QPSK	19.93	PASS
n41	30	20	535998	25@12	CP_QPSK	21.36	PASS
n41	30	20	535998	1@1	CP_QPSK	21.4	PASS
n41	30	20	535998	1@49	CP_QPSK	21.45	PASS
n41	30	20	535998	51@0	CP_16QAM	19.91	PASS
n41	30	20	535998	25@12	CP_16QAM	20.91	PASS
n41	30	20	535998	1@1	CP_16QAM	20.8	PASS
n41	30	20	535998	1@49	CP_16QAM	20.96	PASS
n41	30	20	535998	51@0	CP_64QAM	19.46	PASS
n41	30	20	535998	25@12	CP_64QAM	19.42	PASS
n41	30	20	535998	1@1	CP_64QAM	19.54	PASS
n41	30	20	535998	1@49	CP_64QAM	19.59	PASS
n41	30	20	535998	51@0	CP_256QAM	16.3	PASS
n41	30	20	535998	25@12	CP_256QAM	16.34	PASS
n41	30	20	535998	1@1	CP_256QAM	16.69	PASS
n41	30	20	535998	1@49	CP_256QAM	16.72	PASS
n41	30	30	502200	75@0	DFT_BPSK	22.24	PASS
n41	30	30	502200	36@18	DFT_BPSK	22.64	PASS
n41	30	30	502200	1@1	DFT_BPSK	22.71	PASS
n41	30	30	502200	1@76	DFT_BPSK	22.91	PASS
n41	30	30	502200	75@0	DFT_QPSK	21.72	PASS
n41	30	30	502200	36@18	DFT_QPSK	22.63	PASS
n41	30	30	502200	1@1	DFT_QPSK	22.65	PASS
n41	30	30	502200	1@76	DFT_QPSK	22.91	PASS
n41	30	30	502200	75@0	DFT_16QAM	20.76	PASS
n41	30	30	502200	36@18	DFT_16QAM	21.75	PASS

n41	30	30	502200	1@1	DFT_16QAM	21.93	PASS
n41	30	30	502200	1@76	DFT_16QAM	22.18	PASS
n41	30	30	502200	75@0	DFT_64QAM	20.27	PASS
n41	30	30	502200	36@18	DFT_64QAM	20.16	PASS
n41	30	30	502200	1@1	DFT_64QAM	20.39	PASS
n41	30	30	502200	1@76	DFT_64QAM	20.63	PASS
n41	30	30	502200	75@0	DFT_256QAM	18.4	PASS
n41	30	30	502200	36@18	DFT_256QAM	18.14	PASS
n41	30	30	502200	1@1	DFT_256QAM	18.45	PASS
n41	30	30	502200	1@76	DFT_256QAM	18.65	PASS
n41	30	30	502200	78@0	CP_QPSK	19.77	PASS
n41	30	30	502200	39@19	CP_QPSK	21.15	PASS
n41	30	30	502200	1@1	CP_QPSK	21.09	PASS
n41	30	30	502200	1@76	CP_QPSK	21.34	PASS
n41	30	30	502200	78@0	CP_16QAM	19.77	PASS
n41	30	30	502200	39@19	CP_16QAM	20.62	PASS
n41	30	30	502200	1@1	CP_16QAM	20.47	PASS
n41	30	30	502200	1@76	CP_16QAM	20.77	PASS
n41	30	30	502200	78@0	CP_64QAM	19.27	PASS
n41	30	30	502200	39@19	CP_64QAM	19.08	PASS
n41	30	30	502200	1@1	CP_64QAM	19.23	PASS
n41	30	30	502200	1@76	CP_64QAM	19.43	PASS
n41	30	30	502200	78@0	CP_256QAM	16.4	PASS
n41	30	30	502200	39@19	CP_256QAM	16.3	PASS
n41	30	30	502200	1@1	CP_256QAM	16.55	PASS
n41	30	30	502200	1@76	CP_256QAM	16.1	PASS
n41	30	30	518598	75@0	DFT_BPSK	22.51	PASS
n41	30	30	518598	36@18	DFT_BPSK	23.08	PASS
n41	30	30	518598	1@1	DFT_BPSK	22.97	PASS
n41	30	30	518598	1@76	DFT_BPSK	22.77	PASS
n41	30	30	518598	75@0	DFT_QPSK	22.03	PASS
n41	30	30	518598	36@18	DFT_QPSK	23.1	PASS
n41	30	30	518598	1@1	DFT_QPSK	22.93	PASS
n41	30	30	518598	1@76	DFT_QPSK	22.87	PASS
n41	30	30	518598	75@0	DFT_16QAM	21.05	PASS
n41	30	30	518598	36@18	DFT_16QAM	22.15	PASS
n41	30	30	518598	1@1	DFT_16QAM	22.01	PASS
n41	30	30	518598	1@76	DFT_16QAM	21.83	PASS
n41	30	30	518598	75@0	DFT_64QAM	20.57	PASS
n41	30	30	518598	36@18	DFT_64QAM	20.65	PASS
n41	30	30	518598	1@1	DFT_64QAM	20.33	PASS
n41	30	30	518598	1@76	DFT_64QAM	20.15	PASS
n41	30	30	518598	75@0	DFT_256QAM	18.62	PASS
n41	30	30	518598	36@18	DFT_256QAM	18.57	PASS
n41	30	30	518598	1@1	DFT_256QAM	18.54	PASS
n41	30	30	518598	1@76	DFT_256QAM	18.26	PASS
n41	30	30	518598	78@0	CP_QPSK	20.03	PASS
n41	30	30	518598	39@19	CP_QPSK	21.56	PASS

n41	30	30	518598	1@1	CP_QPSK	21.4	PASS
n41	30	30	518598	1@76	CP_QPSK	21.18	PASS
n41	30	30	518598	78@0	CP_16QAM	20.07	PASS
n41	30	30	518598	39@19	CP_16QAM	21.09	PASS
n41	30	30	518598	1@1	CP_16QAM	21.08	PASS
n41	30	30	518598	1@76	CP_16QAM	20.86	PASS
n41	30	30	518598	78@0	CP_64QAM	19.56	PASS
n41	30	30	518598	39@19	CP_64QAM	19.53	PASS
n41	30	30	518598	1@1	CP_64QAM	19.49	PASS
n41	30	30	518598	1@76	CP_64QAM	19.28	PASS
n41	30	30	518598	78@0	CP_256QAM	16.61	PASS
n41	30	30	518598	39@19	CP_256QAM	16.66	PASS
n41	30	30	518598	1@1	CP_256QAM	16.84	PASS
n41	30	30	518598	1@76	CP_256QAM	16.54	PASS
n41	30	30	534996	75@0	DFT_BPSK	22.42	PASS
n41	30	30	534996	36@18	DFT_BPSK	22.94	PASS
n41	30	30	534996	1@1	DFT_BPSK	22.96	PASS
n41	30	30	534996	1@76	DFT_BPSK	22.95	PASS
n41	30	30	534996	75@0	DFT_QPSK	21.94	PASS
n41	30	30	534996	36@18	DFT_QPSK	22.91	PASS
n41	30	30	534996	1@1	DFT_QPSK	22.93	PASS
n41	30	30	534996	1@76	DFT_QPSK	22.9	PASS
n41	30	30	534996	75@0	DFT_16QAM	20.94	PASS
n41	30	30	534996	36@18	DFT_16QAM	21.98	PASS
n41	30	30	534996	1@1	DFT_16QAM	22.04	PASS
n41	30	30	534996	1@76	DFT_16QAM	22.01	PASS
n41	30	30	534996	75@0	DFT_64QAM	20.42	PASS
n41	30	30	534996	36@18	DFT_64QAM	20.49	PASS
n41	30	30	534996	1@1	DFT_64QAM	20.35	PASS
n41	30	30	534996	1@76	DFT_64QAM	20.34	PASS
n41	30	30	534996	75@0	DFT_256QAM	18.43	PASS
n41	30	30	534996	36@18	DFT_256QAM	18.37	PASS
n41	30	30	534996	1@1	DFT_256QAM	18.65	PASS
n41	30	30	534996	1@76	DFT_256QAM	18.74	PASS
n41	30	30	534996	78@0	CP_QPSK	20.03	PASS
n41	30	30	534996	39@19	CP_QPSK	21.46	PASS
n41	30	30	534996	1@1	CP_QPSK	21.42	PASS
n41	30	30	534996	1@76	CP_QPSK	21.45	PASS
n41	30	30	534996	78@0	CP_16QAM	19.98	PASS
n41	30	30	534996	39@19	CP_16QAM	20.9	PASS
n41	30	30	534996	1@1	CP_16QAM	21.01	PASS
n41	30	30	534996	1@76	CP_16QAM	20.89	PASS
n41	30	30	534996	78@0	CP_64QAM	19.42	PASS
n41	30	30	534996	39@19	CP_64QAM	19.36	PASS
n41	30	30	534996	1@1	CP_64QAM	19.51	PASS
n41	30	30	534996	1@76	CP_64QAM	19.49	PASS
n41	30	30	534996	78@0	CP_256QAM	16.6	PASS
n41	30	30	534996	39@19	CP_256QAM	16.48	PASS

n41	30	30	534996	1@1	CP_256QAM	16.75	PASS
n41	30	30	534996	1@76	CP_256QAM	16.78	PASS
n41	30	40	503202	100@0	DFT_BPSK	22.27	PASS
n41	30	40	503202	50@25	DFT_BPSK	22.72	PASS
n41	30	40	503202	1@1	DFT_BPSK	22.69	PASS
n41	30	40	503202	1@104	DFT_BPSK	22.85	PASS
n41	30	40	503202	100@0	DFT_QPSK	21.79	PASS
n41	30	40	503202	50@25	DFT_QPSK	22.77	PASS
n41	30	40	503202	1@1	DFT_QPSK	22.68	PASS
n41	30	40	503202	1@104	DFT_QPSK	22.81	PASS
n41	30	40	503202	100@0	DFT_16QAM	20.78	PASS
n41	30	40	503202	50@25	DFT_16QAM	21.76	PASS
n41	30	40	503202	1@1	DFT_16QAM	21.92	PASS
n41	30	40	503202	1@104	DFT_16QAM	22.11	PASS
n41	30	40	503202	100@0	DFT_64QAM	20.29	PASS
n41	30	40	503202	50@25	DFT_64QAM	20.32	PASS
n41	30	40	503202	1@1	DFT_64QAM	20.44	PASS
n41	30	40	503202	1@104	DFT_64QAM	20.57	PASS
n41	30	40	503202	100@0	DFT_256QAM	18.5	PASS
n41	30	40	503202	50@25	DFT_256QAM	18.3	PASS
n41	30	40	503202	1@1	DFT_256QAM	18.44	PASS
n41	30	40	503202	1@104	DFT_256QAM	18.67	PASS
n41	30	40	503202	106@0	CP_QPSK	19.83	PASS
n41	30	40	503202	53@26	CP_QPSK	21.25	PASS
n41	30	40	503202	1@1	CP_QPSK	21.16	PASS
n41	30	40	503202	1@104	CP_QPSK	21.31	PASS
n41	30	40	503202	106@0	CP_16QAM	19.82	PASS
n41	30	40	503202	53@26	CP_16QAM	20.76	PASS
n41	30	40	503202	1@1	CP_16QAM	20.51	PASS
n41	30	40	503202	1@104	CP_16QAM	20.7	PASS
n41	30	40	503202	106@0	CP_64QAM	19.38	PASS
n41	30	40	503202	53@26	CP_64QAM	19.3	PASS
n41	30	40	503202	1@1	CP_64QAM	19.18	PASS
n41	30	40	503202	1@104	CP_64QAM	19.34	PASS
n41	30	40	503202	106@0	CP_256QAM	16.5	PASS
n41	30	40	503202	53@26	CP_256QAM	16.33	PASS
n41	30	40	503202	1@1	CP_256QAM	16.46	PASS
n41	30	40	503202	1@104	CP_256QAM	16.62	PASS
n41	30	40	518598	100@0	DFT_BPSK	22.52	PASS
n41	30	40	518598	50@25	DFT_BPSK	23.11	PASS
n41	30	40	518598	1@1	DFT_BPSK	22.96	PASS
n41	30	40	518598	1@104	DFT_BPSK	22.76	PASS
n41	30	40	518598	100@0	DFT_QPSK	22.07	PASS
n41	30	40	518598	50@25	DFT_QPSK	23.1	PASS
n41	30	40	518598	1@1	DFT_QPSK	22.95	PASS
n41	30	40	518598	1@104	DFT_QPSK	22.82	PASS
n41	30	40	518598	100@0	DFT_16QAM	21.05	PASS
n41	30	40	518598	50@25	DFT_16QAM	22.09	PASS

n41	30	40	518598	1@1	DFT_16QAM	22.27	PASS
n41	30	40	518598	1@104	DFT_16QAM	22.12	PASS
n41	30	40	518598	100@0	DFT_64QAM	20.57	PASS
n41	30	40	518598	50@25	DFT_64QAM	20.6	PASS
n41	30	40	518598	1@1	DFT_64QAM	20.76	PASS
n41	30	40	518598	1@104	DFT_64QAM	20.57	PASS
n41	30	40	518598	100@0	DFT_256QAM	18.3	PASS
n41	30	40	518598	50@25	DFT_256QAM	18.64	PASS
n41	30	40	518598	1@1	DFT_256QAM	18.74	PASS
n41	30	40	518598	1@104	DFT_256QAM	18.5	PASS
n41	30	40	518598	106@0	CP_QPSK	20.01	PASS
n41	30	40	518598	53@26	CP_QPSK	21.59	PASS
n41	30	40	518598	1@1	CP_QPSK	21.42	PASS
n41	30	40	518598	1@104	CP_QPSK	21.23	PASS
n41	30	40	518598	106@0	CP_16QAM	19.99	PASS
n41	30	40	518598	53@26	CP_16QAM	21.09	PASS
n41	30	40	518598	1@1	CP_16QAM	20.92	PASS
n41	30	40	518598	1@104	CP_16QAM	20.8	PASS
n41	30	40	518598	106@0	CP_64QAM	19.57	PASS
n41	30	40	518598	53@26	CP_64QAM	19.59	PASS
n41	30	40	518598	1@1	CP_64QAM	19.57	PASS
n41	30	40	518598	1@104	CP_64QAM	19.36	PASS
n41	30	40	518598	106@0	CP_256QAM	16.58	PASS
n41	30	40	518598	53@26	CP_256QAM	16.2	PASS
n41	30	40	518598	1@1	CP_256QAM	16.82	PASS
n41	30	40	518598	1@104	CP_256QAM	16.2	PASS
n41	30	40	534000	100@0	DFT_BPSK	22.46	PASS
n41	30	40	534000	50@25	DFT_BPSK	22.99	PASS
n41	30	40	534000	1@1	DFT_BPSK	22.75	PASS
n41	30	40	534000	1@104	DFT_BPSK	23	PASS
n41	30	40	534000	100@0	DFT_QPSK	21.98	PASS
n41	30	40	534000	50@25	DFT_QPSK	23.04	PASS
n41	30	40	534000	1@1	DFT_QPSK	22.74	PASS
n41	30	40	534000	1@104	DFT_QPSK	22.95	PASS
n41	30	40	534000	100@0	DFT_16QAM	20.99	PASS
n41	30	40	534000	50@25	DFT_16QAM	22.05	PASS
n41	30	40	534000	1@1	DFT_16QAM	21.92	PASS
n41	30	40	534000	1@104	DFT_16QAM	22.07	PASS
n41	30	40	534000	100@0	DFT_64QAM	20.5	PASS
n41	30	40	534000	50@25	DFT_64QAM	20.6	PASS
n41	30	40	534000	1@1	DFT_64QAM	20.16	PASS
n41	30	40	534000	1@104	DFT_64QAM	20.36	PASS
n41	30	40	534000	100@0	DFT_256QAM	18.47	PASS
n41	30	40	534000	50@25	DFT_256QAM	18.5	PASS
n41	30	40	534000	1@1	DFT_256QAM	18.23	PASS
n41	30	40	534000	1@104	DFT_256QAM	18.51	PASS
n41	30	40	534000	106@0	CP_QPSK	20.03	PASS
n41	30	40	534000	53@26	CP_QPSK	21.47	PASS

n41	30	40	534000	1@1	CP_QPSK	21.18	PASS
n41	30	40	534000	1@104	CP_QPSK	21.4	PASS
n41	30	40	534000	106@0	CP_16QAM	20.01	PASS
n41	30	40	534000	53@26	CP_16QAM	20.93	PASS
n41	30	40	534000	1@1	CP_16QAM	20.87	PASS
n41	30	40	534000	1@104	CP_16QAM	21.05	PASS
n41	30	40	534000	106@0	CP_64QAM	19.47	PASS
n41	30	40	534000	53@26	CP_64QAM	19.5	PASS
n41	30	40	534000	1@1	CP_64QAM	19.35	PASS
n41	30	40	534000	1@104	CP_64QAM	19.64	PASS
n41	30	40	534000	106@0	CP_256QAM	16.47	PASS
n41	30	40	534000	53@26	CP_256QAM	16.53	PASS
n41	30	40	534000	1@1	CP_256QAM	16.49	PASS
n41	30	40	534000	1@104	CP_256QAM	16.8	PASS
n41	30	50	504204	128@0	DFT_BPSK	22.35	PASS
n41	30	50	504204	64@32	DFT_BPSK	22.88	PASS
n41	30	50	504204	1@1	DFT_BPSK	22.68	PASS
n41	30	50	504204	1@131	DFT_BPSK	22.81	PASS
n41	30	50	504204	128@0	DFT_QPSK	21.86	PASS
n41	30	50	504204	64@32	DFT_QPSK	22.93	PASS
n41	30	50	504204	1@1	DFT_QPSK	22.51	PASS
n41	30	50	504204	1@131	DFT_QPSK	22.77	PASS
n41	30	50	504204	128@0	DFT_16QAM	20.86	PASS
n41	30	50	504204	64@32	DFT_16QAM	21.88	PASS
n41	30	50	504204	1@1	DFT_16QAM	21.77	PASS
n41	30	50	504204	1@131	DFT_16QAM	21.91	PASS
n41	30	50	504204	128@0	DFT_64QAM	20.33	PASS
n41	30	50	504204	64@32	DFT_64QAM	20.38	PASS
n41	30	50	504204	1@1	DFT_64QAM	20.05	PASS
n41	30	50	504204	1@131	DFT_64QAM	20.13	PASS
n41	30	50	504204	128@0	DFT_256QAM	18.4	PASS
n41	30	50	504204	64@32	DFT_256QAM	18.43	PASS
n41	30	50	504204	1@1	DFT_256QAM	18.42	PASS
n41	30	50	504204	1@131	DFT_256QAM	18.65	PASS
n41	30	50	504204	133@0	CP_QPSK	19.86	PASS
n41	30	50	504204	67@33	CP_QPSK	21.35	PASS
n41	30	50	504204	1@1	CP_QPSK	21.14	PASS
n41	30	50	504204	1@131	CP_QPSK	21.28	PASS
n41	30	50	504204	133@0	CP_16QAM	19.85	PASS
n41	30	50	504204	67@33	CP_16QAM	20.84	PASS
n41	30	50	504204	1@1	CP_16QAM	20.51	PASS
n41	30	50	504204	1@131	CP_16QAM	20.77	PASS
n41	30	50	504204	133@0	CP_64QAM	19.39	PASS
n41	30	50	504204	67@33	CP_64QAM	19.38	PASS
n41	30	50	504204	1@1	CP_64QAM	19.24	PASS
n41	30	50	504204	1@131	CP_64QAM	19.34	PASS
n41	30	50	504204	133@0	CP_256QAM	16.41	PASS
n41	30	50	504204	67@33	CP_256QAM	16.45	PASS

n41	30	50	504204	1@1	CP_256QAM	16.46	PASS
n41	30	50	504204	1@131	CP_256QAM	16.69	PASS
n41	30	50	518598	128@0	DFT_BPSK	22.5	PASS
n41	30	50	518598	64@32	DFT_BPSK	23.11	PASS
n41	30	50	518598	1@1	DFT_BPSK	22.99	PASS
n41	30	50	518598	1@131	DFT_BPSK	22.83	PASS
n41	30	50	518598	128@0	DFT_QPSK	22.05	PASS
n41	30	50	518598	64@32	DFT_QPSK	23.13	PASS
n41	30	50	518598	1@1	DFT_QPSK	22.98	PASS
n41	30	50	518598	1@131	DFT_QPSK	22.82	PASS
n41	30	50	518598	128@0	DFT_16QAM	20.99	PASS
n41	30	50	518598	64@32	DFT_16QAM	22.09	PASS
n41	30	50	518598	1@1	DFT_16QAM	22.27	PASS
n41	30	50	518598	1@131	DFT_16QAM	22.15	PASS
n41	30	50	518598	128@0	DFT_64QAM	20.54	PASS
n41	30	50	518598	64@32	DFT_64QAM	20.58	PASS
n41	30	50	518598	1@1	DFT_64QAM	20.73	PASS
n41	30	50	518598	1@131	DFT_64QAM	20.57	PASS
n41	30	50	518598	128@0	DFT_256QAM	18.55	PASS
n41	30	50	518598	64@32	DFT_256QAM	18.61	PASS
n41	30	50	518598	1@1	DFT_256QAM	18.75	PASS
n41	30	50	518598	1@131	DFT_256QAM	18.59	PASS
n41	30	50	518598	133@0	CP_QPSK	20.06	PASS
n41	30	50	518598	67@33	CP_QPSK	21.52	PASS
n41	30	50	518598	1@1	CP_QPSK	21.52	PASS
n41	30	50	518598	1@131	CP_QPSK	21.33	PASS
n41	30	50	518598	133@0	CP_16QAM	20.05	PASS
n41	30	50	518598	67@33	CP_16QAM	21.06	PASS
n41	30	50	518598	1@1	CP_16QAM	21.01	PASS
n41	30	50	518598	1@131	CP_16QAM	20.79	PASS
n41	30	50	518598	133@0	CP_64QAM	19.53	PASS
n41	30	50	518598	67@33	CP_64QAM	19.6	PASS
n41	30	50	518598	1@1	CP_64QAM	19.55	PASS
n41	30	50	518598	1@131	CP_64QAM	19.35	PASS
n41	30	50	518598	133@0	CP_256QAM	18.3	PASS
n41	30	50	518598	67@33	CP_256QAM	16.6	PASS
n41	30	50	518598	1@1	CP_256QAM	16.82	PASS
n41	30	50	518598	1@131	CP_256QAM	16.64	PASS
n41	30	50	532998	128@0	DFT_BPSK	22.44	PASS
n41	30	50	532998	64@32	DFT_BPSK	23.01	PASS
n41	30	50	532998	1@1	DFT_BPSK	22.71	PASS
n41	30	50	532998	1@131	DFT_BPSK	22.94	PASS
n41	30	50	532998	128@0	DFT_QPSK	21.96	PASS
n41	30	50	532998	64@32	DFT_QPSK	23.01	PASS
n41	30	50	532998	1@1	DFT_QPSK	22.69	PASS
n41	30	50	532998	1@131	DFT_QPSK	22.92	PASS
n41	30	50	532998	128@0	DFT_16QAM	20.98	PASS
n41	30	50	532998	64@32	DFT_16QAM	22.08	PASS

n41	30	50	532998	1@1	DFT_16QAM	22	PASS
n41	30	50	532998	1@131	DFT_16QAM	22.31	PASS
n41	30	50	532998	128@0	DFT_64QAM	20.52	PASS
n41	30	50	532998	64@32	DFT_64QAM	20.55	PASS
n41	30	50	532998	1@1	DFT_64QAM	20.46	PASS
n41	30	50	532998	1@131	DFT_64QAM	20.74	PASS
n41	30	50	532998	128@0	DFT_256QAM	18.8	PASS
n41	30	50	532998	64@32	DFT_256QAM	18.5	PASS
n41	30	50	532998	1@1	DFT_256QAM	18.39	PASS
n41	30	50	532998	1@131	DFT_256QAM	18.7	PASS
n41	30	50	532998	133@0	CP_QPSK	20.03	PASS
n41	30	50	532998	67@33	CP_QPSK	21.45	PASS
n41	30	50	532998	1@1	CP_QPSK	21.23	PASS
n41	30	50	532998	1@131	CP_QPSK	21.53	PASS
n41	30	50	532998	133@0	CP_16QAM	20	PASS
n41	30	50	532998	67@33	CP_16QAM	21.02	PASS
n41	30	50	532998	1@1	CP_16QAM	20.72	PASS
n41	30	50	532998	1@131	CP_16QAM	20.91	PASS
n41	30	50	532998	133@0	CP_64QAM	19.46	PASS
n41	30	50	532998	67@33	CP_64QAM	19.58	PASS
n41	30	50	532998	1@1	CP_64QAM	19.33	PASS
n41	30	50	532998	1@131	CP_64QAM	19.6	PASS
n41	30	50	532998	133@0	CP_256QAM	16.5	PASS
n41	30	50	532998	67@33	CP_256QAM	16.6	PASS
n41	30	50	532998	1@1	CP_256QAM	16.44	PASS
n41	30	50	532998	1@131	CP_256QAM	16.75	PASS
n41	30	60	505200	162@0	DFT_BPSK	22.29	PASS
n41	30	60	505200	81@40	DFT_BPSK	22.86	PASS
n41	30	60	505200	1@1	DFT_BPSK	22.6	PASS
n41	30	60	505200	1@160	DFT_BPSK	22.98	PASS
n41	30	60	505200	162@0	DFT_QPSK	21.79	PASS
n41	30	60	505200	81@40	DFT_QPSK	22.82	PASS
n41	30	60	505200	1@1	DFT_QPSK	22.57	PASS
n41	30	60	505200	1@160	DFT_QPSK	22.98	PASS
n41	30	60	505200	162@0	DFT_16QAM	20.82	PASS
n41	30	60	505200	81@40	DFT_16QAM	21.89	PASS
n41	30	60	505200	1@1	DFT_16QAM	21.91	PASS
n41	30	60	505200	1@160	DFT_16QAM	22.32	PASS
n41	30	60	505200	162@0	DFT_64QAM	20.35	PASS
n41	30	60	505200	81@40	DFT_64QAM	20.38	PASS
n41	30	60	505200	1@1	DFT_64QAM	20.31	PASS
n41	30	60	505200	1@160	DFT_64QAM	20.73	PASS
n41	30	60	505200	162@0	DFT_256QAM	18.39	PASS
n41	30	60	505200	81@40	DFT_256QAM	18.44	PASS
n41	30	60	505200	1@1	DFT_256QAM	18.38	PASS
n41	30	60	505200	1@160	DFT_256QAM	18.82	PASS
n41	30	60	505200	162@0	CP_QPSK	19.79	PASS
n41	30	60	505200	81@40	CP_QPSK	21.33	PASS

n41	30	60	505200	1@1	CP_QPSK	21.08	PASS
n41	30	60	505200	1@160	CP_QPSK	21.48	PASS
n41	30	60	505200	162@0	CP_16QAM	19.84	PASS
n41	30	60	505200	81@40	CP_16QAM	20.86	PASS
n41	30	60	505200	1@1	CP_16QAM	20.44	PASS
n41	30	60	505200	1@160	CP_16QAM	20.93	PASS
n41	30	60	505200	162@0	CP_64QAM	19.33	PASS
n41	30	60	505200	81@40	CP_64QAM	19.46	PASS
n41	30	60	505200	1@1	CP_64QAM	19.1	PASS
n41	30	60	505200	1@160	CP_64QAM	19.49	PASS
n41	30	60	505200	162@0	CP_256QAM	16.44	PASS
n41	30	60	505200	81@40	CP_256QAM	16.45	PASS
n41	30	60	505200	1@1	CP_256QAM	16.43	PASS
n41	30	60	505200	1@160	CP_256QAM	16.84	PASS
n41	30	60	518598	162@0	DFT_BPSK	22.51	PASS
n41	30	60	518598	81@40	DFT_BPSK	23.05	PASS
n41	30	60	518598	1@1	DFT_BPSK	23.08	PASS
n41	30	60	518598	1@160	DFT_BPSK	22.95	PASS
n41	30	60	518598	162@0	DFT_QPSK	21.98	PASS
n41	30	60	518598	81@40	DFT_QPSK	23.08	PASS
n41	30	60	518598	1@1	DFT_QPSK	23.01	PASS
n41	30	60	518598	1@160	DFT_QPSK	22.94	PASS
n41	30	60	518598	162@0	DFT_16QAM	21.01	PASS
n41	30	60	518598	81@40	DFT_16QAM	22.05	PASS
n41	30	60	518598	1@1	DFT_16QAM	22.34	PASS
n41	30	60	518598	1@160	DFT_16QAM	22.24	PASS
n41	30	60	518598	162@0	DFT_64QAM	20.46	PASS
n41	30	60	518598	81@40	DFT_64QAM	20.53	PASS
n41	30	60	518598	1@1	DFT_64QAM	20.72	PASS
n41	30	60	518598	1@160	DFT_64QAM	20.61	PASS
n41	30	60	518598	162@0	DFT_256QAM	18.5	PASS
n41	30	60	518598	81@40	DFT_256QAM	18.57	PASS
n41	30	60	518598	1@1	DFT_256QAM	18.92	PASS
n41	30	60	518598	1@160	DFT_256QAM	18.6	PASS
n41	30	60	518598	162@0	CP_QPSK	19.97	PASS
n41	30	60	518598	81@40	CP_QPSK	21.52	PASS
n41	30	60	518598	1@1	CP_QPSK	21.55	PASS
n41	30	60	518598	1@160	CP_QPSK	21.39	PASS
n41	30	60	518598	162@0	CP_16QAM	20.01	PASS
n41	30	60	518598	81@40	CP_16QAM	21	PASS
n41	30	60	518598	1@1	CP_16QAM	20.97	PASS
n41	30	60	518598	1@160	CP_16QAM	20.9	PASS
n41	30	60	518598	162@0	CP_64QAM	19.57	PASS
n41	30	60	518598	81@40	CP_64QAM	19.64	PASS
n41	30	60	518598	1@1	CP_64QAM	19.62	PASS
n41	30	60	518598	1@160	CP_64QAM	19.46	PASS
n41	30	60	518598	162@0	CP_256QAM	16.5	PASS
n41	30	60	518598	81@40	CP_256QAM	16.58	PASS

n41	30	60	518598	1@1	CP_256QAM	16.89	PASS
n41	30	60	518598	1@160	CP_256QAM	16.7	PASS
n41	30	60	531996	162@0	DFT_BPSK	22.39	PASS
n41	30	60	531996	81@40	DFT_BPSK	22.95	PASS
n41	30	60	531996	1@1	DFT_BPSK	22.86	PASS
n41	30	60	531996	1@160	DFT_BPSK	22.9	PASS
n41	30	60	531996	162@0	DFT_QPSK	21.87	PASS
n41	30	60	531996	81@40	DFT_QPSK	22.96	PASS
n41	30	60	531996	1@1	DFT_QPSK	22.82	PASS
n41	30	60	531996	1@160	DFT_QPSK	22.89	PASS
n41	30	60	531996	162@0	DFT_16QAM	20.91	PASS
n41	30	60	531996	81@40	DFT_16QAM	21.97	PASS
n41	30	60	531996	1@1	DFT_16QAM	21.92	PASS
n41	30	60	531996	1@160	DFT_16QAM	21.95	PASS
n41	30	60	531996	162@0	DFT_64QAM	20.43	PASS
n41	30	60	531996	81@40	DFT_64QAM	20.48	PASS
n41	30	60	531996	1@1	DFT_64QAM	20.25	PASS
n41	30	60	531996	1@160	DFT_64QAM	20.29	PASS
n41	30	60	531996	162@0	DFT_256QAM	18.37	PASS
n41	30	60	531996	81@40	DFT_256QAM	18.48	PASS
n41	30	60	531996	1@1	DFT_256QAM	18.59	PASS
n41	30	60	531996	1@160	DFT_256QAM	18.65	PASS
n41	30	60	531996	162@0	CP_QPSK	19.94	PASS
n41	30	60	531996	81@40	CP_QPSK	21.43	PASS
n41	30	60	531996	1@1	CP_QPSK	21.34	PASS
n41	30	60	531996	1@160	CP_QPSK	21.36	PASS
n41	30	60	531996	162@0	CP_16QAM	19.92	PASS
n41	30	60	531996	81@40	CP_16QAM	20.96	PASS
n41	30	60	531996	1@1	CP_16QAM	20.84	PASS
n41	30	60	531996	1@160	CP_16QAM	20.86	PASS
n41	30	60	531996	162@0	CP_64QAM	19.46	PASS
n41	30	60	531996	81@40	CP_64QAM	19.52	PASS
n41	30	60	531996	1@1	CP_64QAM	19.44	PASS
n41	30	60	531996	1@160	CP_64QAM	19.46	PASS
n41	30	60	531996	162@0	CP_256QAM	16.45	PASS
n41	30	60	531996	81@40	CP_256QAM	16.48	PASS
n41	30	60	531996	1@1	CP_256QAM	16.67	PASS
n41	30	60	531996	1@160	CP_256QAM	16.75	PASS
n41	30	80	507204	216@0	DFT_BPSK	22.45	PASS
n41	30	80	507204	108@54	DFT_BPSK	22.97	PASS
n41	30	80	507204	1@1	DFT_BPSK	22.76	PASS
n41	30	80	507204	1@215	DFT_BPSK	22.98	PASS
n41	30	80	507204	216@0	DFT_QPSK	21.96	PASS
n41	30	80	507204	108@54	DFT_QPSK	22.98	PASS
n41	30	80	507204	1@1	DFT_QPSK	22.69	PASS
n41	30	80	507204	1@215	DFT_QPSK	22.95	PASS
n41	30	80	507204	216@0	DFT_16QAM	20.95	PASS
n41	30	80	507204	108@54	DFT_16QAM	21.99	PASS

n41	30	80	507204	1@1	DFT_16QAM	22.08	PASS
n41	30	80	507204	1@215	DFT_16QAM	22.3	PASS
n41	30	80	507204	216@0	DFT_64QAM	20.46	PASS
n41	30	80	507204	108@54	DFT_64QAM	20.54	PASS
n41	30	80	507204	1@1	DFT_64QAM	20.58	PASS
n41	30	80	507204	1@215	DFT_64QAM	20.78	PASS
n41	30	80	507204	216@0	DFT_256QAM	18.48	PASS
n41	30	80	507204	108@54	DFT_256QAM	18.55	PASS
n41	30	80	507204	1@1	DFT_256QAM	18.42	PASS
n41	30	80	507204	1@215	DFT_256QAM	18.7	PASS
n41	30	80	507204	217@0	CP_QPSK	19.95	PASS
n41	30	80	507204	109@54	CP_QPSK	21.46	PASS
n41	30	80	507204	1@1	CP_QPSK	21.25	PASS
n41	30	80	507204	1@215	CP_QPSK	21.45	PASS
n41	30	80	507204	217@0	CP_16QAM	20.01	PASS
n41	30	80	507204	109@54	CP_16QAM	20.97	PASS
n41	30	80	507204	1@1	CP_16QAM	20.62	PASS
n41	30	80	507204	1@215	CP_16QAM	20.99	PASS
n41	30	80	507204	217@0	CP_64QAM	19.45	PASS
n41	30	80	507204	109@54	CP_64QAM	19.48	PASS
n41	30	80	507204	1@1	CP_64QAM	19.2	PASS
n41	30	80	507204	1@215	CP_64QAM	19.49	PASS
n41	30	80	507204	217@0	CP_256QAM	16.6	PASS
n41	30	80	507204	109@54	CP_256QAM	16.55	PASS
n41	30	80	507204	1@1	CP_256QAM	16.53	PASS
n41	30	80	507204	1@215	CP_256QAM	16.79	PASS
n41	30	80	518598	216@0	DFT_BPSK	22.57	PASS
n41	30	80	518598	108@54	DFT_BPSK	23.03	PASS
n41	30	80	518598	1@1	DFT_BPSK	23.13	PASS
n41	30	80	518598	1@215	DFT_BPSK	23.05	PASS
n41	30	80	518598	216@0	DFT_QPSK	22.11	PASS
n41	30	80	518598	108@54	DFT_QPSK	23.04	PASS
n41	30	80	518598	1@1	DFT_QPSK	23.21	PASS
n41	30	80	518598	1@215	DFT_QPSK	23.11	PASS
n41	30	80	518598	216@0	DFT_16QAM	21.08	PASS
n41	30	80	518598	108@54	DFT_16QAM	22.03	PASS
n41	30	80	518598	1@1	DFT_16QAM	22.5	PASS
n41	30	80	518598	1@215	DFT_16QAM	22.47	PASS
n41	30	80	518598	216@0	DFT_64QAM	20.6	PASS
n41	30	80	518598	108@54	DFT_64QAM	20.57	PASS
n41	30	80	518598	1@1	DFT_64QAM	20.94	PASS
n41	30	80	518598	1@215	DFT_64QAM	20.88	PASS
n41	30	80	518598	216@0	DFT_256QAM	18.3	PASS
n41	30	80	518598	108@54	DFT_256QAM	18.6	PASS
n41	30	80	518598	1@1	DFT_256QAM	18.68	PASS
n41	30	80	518598	1@215	DFT_256QAM	18.54	PASS
n41	30	80	518598	217@0	CP_QPSK	20.06	PASS
n41	30	80	518598	109@54	CP_QPSK	21.52	PASS

n41	30	80	518598	1@1	CP_QPSK	21.71	PASS
n41	30	80	518598	1@215	CP_QPSK	21.62	PASS
n41	30	80	518598	217@0	CP_16QAM	20.07	PASS
n41	30	80	518598	109@54	CP_16QAM	21.07	PASS
n41	30	80	518598	1@1	CP_16QAM	21.1	PASS
n41	30	80	518598	1@215	CP_16QAM	20.97	PASS
n41	30	80	518598	217@0	CP_64QAM	19.55	PASS
n41	30	80	518598	109@54	CP_64QAM	19.54	PASS
n41	30	80	518598	1@1	CP_64QAM	19.63	PASS
n41	30	80	518598	1@215	CP_64QAM	19.46	PASS
n41	30	80	518598	217@0	CP_256QAM	16.2	PASS
n41	30	80	518598	109@54	CP_256QAM	16.61	PASS
n41	30	80	518598	1@1	CP_256QAM	16.97	PASS
n41	30	80	518598	1@215	CP_256QAM	16.81	PASS
n41	30	80	529998	216@0	DFT_BPSK	22.57	PASS
n41	30	80	529998	108@54	DFT_BPSK	23.08	PASS
n41	30	80	529998	1@1	DFT_BPSK	22.9	PASS
n41	30	80	529998	1@215	DFT_BPSK	23.14	PASS
n41	30	80	529998	216@0	DFT_QPSK	22.11	PASS
n41	30	80	529998	108@54	DFT_QPSK	23.07	PASS
n41	30	80	529998	1@1	DFT_QPSK	22.91	PASS
n41	30	80	529998	1@215	DFT_QPSK	23.1	PASS
n41	30	80	529998	216@0	DFT_16QAM	21.15	PASS
n41	30	80	529998	108@54	DFT_16QAM	22.07	PASS
n41	30	80	529998	1@1	DFT_16QAM	22.27	PASS
n41	30	80	529998	1@215	DFT_16QAM	22.48	PASS
n41	30	80	529998	216@0	DFT_64QAM	20.59	PASS
n41	30	80	529998	108@54	DFT_64QAM	20.61	PASS
n41	30	80	529998	1@1	DFT_64QAM	20.7	PASS
n41	30	80	529998	1@215	DFT_64QAM	20.86	PASS
n41	30	80	529998	216@0	DFT_256QAM	18.7	PASS
n41	30	80	529998	108@54	DFT_256QAM	18.58	PASS
n41	30	80	529998	1@1	DFT_256QAM	18.61	PASS
n41	30	80	529998	1@215	DFT_256QAM	18.89	PASS
n41	30	80	529998	217@0	CP_QPSK	20.19	PASS
n41	30	80	529998	109@54	CP_QPSK	21.56	PASS
n41	30	80	529998	1@1	CP_QPSK	21.4	PASS
n41	30	80	529998	1@215	CP_QPSK	21.62	PASS
n41	30	80	529998	217@0	CP_16QAM	20.11	PASS
n41	30	80	529998	109@54	CP_16QAM	21.05	PASS
n41	30	80	529998	1@1	CP_16QAM	20.9	PASS
n41	30	80	529998	1@215	CP_16QAM	21.1	PASS
n41	30	80	529998	217@0	CP_64QAM	19.58	PASS
n41	30	80	529998	109@54	CP_64QAM	19.51	PASS
n41	30	80	529998	1@1	CP_64QAM	19.48	PASS
n41	30	80	529998	1@215	CP_64QAM	19.67	PASS
n41	30	80	529998	217@0	CP_256QAM	16.68	PASS
n41	30	80	529998	109@54	CP_256QAM	16.3	PASS

n41	30	80	529998	1@1	CP_256QAM	16.8	PASS
n41	30	80	529998	1@215	CP_256QAM	16.9	PASS
n41	30	90	508200	243@0	DFT_BPSK	22.48	PASS
n41	30	90	508200	120@60	DFT_BPSK	23.03	PASS
n41	30	90	508200	1@1	DFT_BPSK	22.79	PASS
n41	30	90	508200	1@243	DFT_BPSK	23	PASS
n41	30	90	508200	243@0	DFT_QPSK	22	PASS
n41	30	90	508200	120@60	DFT_QPSK	23.02	PASS
n41	30	90	508200	1@1	DFT_QPSK	22.74	PASS
n41	30	90	508200	1@243	DFT_QPSK	23.03	PASS
n41	30	90	508200	243@0	DFT_16QAM	21	PASS
n41	30	90	508200	120@60	DFT_16QAM	22.04	PASS
n41	30	90	508200	1@1	DFT_16QAM	22.11	PASS
n41	30	90	508200	1@243	DFT_16QAM	22.37	PASS
n41	30	90	508200	243@0	DFT_64QAM	20.54	PASS
n41	30	90	508200	120@60	DFT_64QAM	20.59	PASS
n41	30	90	508200	1@1	DFT_64QAM	20.62	PASS
n41	30	90	508200	1@243	DFT_64QAM	20.88	PASS
n41	30	90	508200	243@0	DFT_256QAM	18.48	PASS
n41	30	90	508200	120@60	DFT_256QAM	18.6	PASS
n41	30	90	508200	1@1	DFT_256QAM	16.7	PASS
n41	30	90	508200	1@243	DFT_256QAM	18.76	PASS
n41	30	90	508200	245@0	CP_QPSK	20.05	PASS
n41	30	90	508200	123@61	CP_QPSK	21.48	PASS
n41	30	90	508200	1@1	CP_QPSK	21.28	PASS
n41	30	90	508200	1@243	CP_QPSK	21.51	PASS
n41	30	90	508200	245@0	CP_16QAM	20	PASS
n41	30	90	508200	123@61	CP_16QAM	21.07	PASS
n41	30	90	508200	1@1	CP_16QAM	20.72	PASS
n41	30	90	508200	1@243	CP_16QAM	21.01	PASS
n41	30	90	508200	245@0	CP_64QAM	19.49	PASS
n41	30	90	508200	123@61	CP_64QAM	19.6	PASS
n41	30	90	508200	1@1	CP_64QAM	19.29	PASS
n41	30	90	508200	1@243	CP_64QAM	19.53	PASS
n41	30	90	508200	245@0	CP_256QAM	16.54	PASS
n41	30	90	508200	123@61	CP_256QAM	16.62	PASS
n41	30	90	508200	1@1	CP_256QAM	16.4	PASS
n41	30	90	508200	1@243	CP_256QAM	16.79	PASS
n41	30	90	518598	243@0	DFT_BPSK	22.54	PASS
n41	30	90	518598	120@60	DFT_BPSK	23.04	PASS
n41	30	90	518598	1@1	DFT_BPSK	23.01	PASS
n41	30	90	518598	1@243	DFT_BPSK	22.94	PASS
n41	30	90	518598	243@0	DFT_QPSK	22.06	PASS
n41	30	90	518598	120@60	DFT_QPSK	23.03	PASS
n41	30	90	518598	1@1	DFT_QPSK	22.98	PASS
n41	30	90	518598	1@243	DFT_QPSK	22.93	PASS
n41	30	90	518598	243@0	DFT_16QAM	21.06	PASS
n41	30	90	518598	120@60	DFT_16QAM	22.03	PASS

n41	30	90	518598	1@1	DFT_16QAM	22.32	PASS
n41	30	90	518598	1@243	DFT_16QAM	22.33	PASS
n41	30	90	518598	243@0	DFT_64QAM	20.59	PASS
n41	30	90	518598	120@60	DFT_64QAM	20.61	PASS
n41	30	90	518598	1@1	DFT_64QAM	20.77	PASS
n41	30	90	518598	1@243	DFT_64QAM	20.74	PASS
n41	30	90	518598	243@0	DFT_256QAM	18.52	PASS
n41	30	90	518598	120@60	DFT_256QAM	18.62	PASS
n41	30	90	518598	1@1	DFT_256QAM	18.82	PASS
n41	30	90	518598	1@243	DFT_256QAM	18.59	PASS
n41	30	90	518598	245@0	CP_QPSK	20.05	PASS
n41	30	90	518598	123@61	CP_QPSK	21.52	PASS
n41	30	90	518598	1@1	CP_QPSK	21.46	PASS
n41	30	90	518598	1@243	CP_QPSK	21.4	PASS
n41	30	90	518598	245@0	CP_16QAM	20.08	PASS
n41	30	90	518598	123@61	CP_16QAM	21.03	PASS
n41	30	90	518598	1@1	CP_16QAM	21.02	PASS
n41	30	90	518598	1@243	CP_16QAM	20.87	PASS
n41	30	90	518598	245@0	CP_64QAM	19.5	PASS
n41	30	90	518598	123@61	CP_64QAM	19.53	PASS
n41	30	90	518598	1@1	CP_64QAM	19.62	PASS
n41	30	90	518598	1@243	CP_64QAM	19.36	PASS
n41	30	90	518598	245@0	CP_256QAM	16.56	PASS
n41	30	90	518598	123@61	CP_256QAM	16.58	PASS
n41	30	90	518598	1@1	CP_256QAM	16.89	PASS
n41	30	90	518598	1@243	CP_256QAM	16.64	PASS
n41	30	90	528996	243@0	DFT_BPSK	22.62	PASS
n41	30	90	528996	120@60	DFT_BPSK	23.06	PASS
n41	30	90	528996	1@1	DFT_BPSK	22.98	PASS
n41	30	90	528996	1@243	DFT_BPSK	23.1	PASS
n41	30	90	528996	243@0	DFT_QPSK	22.11	PASS
n41	30	90	528996	120@60	DFT_QPSK	23.06	PASS
n41	30	90	528996	1@1	DFT_QPSK	22.99	PASS
n41	30	90	528996	1@243	DFT_QPSK	23.1	PASS
n41	30	90	528996	243@0	DFT_16QAM	21.16	PASS
n41	30	90	528996	120@60	DFT_16QAM	22.05	PASS
n41	30	90	528996	1@1	DFT_16QAM	22.29	PASS
n41	30	90	528996	1@243	DFT_16QAM	22.45	PASS
n41	30	90	528996	243@0	DFT_64QAM	20.62	PASS
n41	30	90	528996	120@60	DFT_64QAM	20.63	PASS
n41	30	90	528996	1@1	DFT_64QAM	20.73	PASS
n41	30	90	528996	1@243	DFT_64QAM	20.84	PASS
n41	30	90	528996	243@0	DFT_256QAM	18.6	PASS
n41	30	90	528996	120@60	DFT_256QAM	18.2	PASS
n41	30	90	528996	1@1	DFT_256QAM	18.75	PASS
n41	30	90	528996	1@243	DFT_256QAM	18.84	PASS
n41	30	90	528996	245@0	CP_QPSK	20.15	PASS
n41	30	90	528996	123@61	CP_QPSK	21.58	PASS

n41	30	90	528996	1@1	CP_QPSK	21.49	PASS
n41	30	90	528996	1@243	CP_QPSK	21.61	PASS
n41	30	90	528996	245@0	CP_16QAM	20.16	PASS
n41	30	90	528996	123@61	CP_16QAM	21.05	PASS
n41	30	90	528996	1@1	CP_16QAM	21.14	PASS
n41	30	90	528996	1@243	CP_16QAM	21.25	PASS
n41	30	90	528996	245@0	CP_64QAM	19.56	PASS
n41	30	90	528996	123@61	CP_64QAM	19.52	PASS
n41	30	90	528996	1@1	CP_64QAM	19.56	PASS
n41	30	90	528996	1@243	CP_64QAM	19.65	PASS
n41	30	90	528996	245@0	CP_256QAM	16.64	PASS
n41	30	90	528996	123@61	CP_256QAM	16.8	PASS
n41	30	90	528996	1@1	CP_256QAM	16.78	PASS
n41	30	90	528996	1@243	CP_256QAM	16.96	PASS
n41	30	100	509202	270@0	DFT_BPSK	22.47	PASS
n41	30	100	509202	135@67	DFT_BPSK	23.02	PASS
n41	30	100	509202	1@1	DFT_BPSK	22.78	PASS
n41	30	100	509202	1@271	DFT_BPSK	23.02	PASS
n41	30	100	509202	270@0	DFT_QPSK	21.98	PASS
n41	30	100	509202	135@67	DFT_QPSK	23.03	PASS
n41	30	100	509202	1@1	DFT_QPSK	22.72	PASS
n41	30	100	509202	1@271	DFT_QPSK	23.04	PASS
n41	30	100	509202	270@0	DFT_16QAM	21.01	PASS
n41	30	100	509202	135@67	DFT_16QAM	22.08	PASS
n41	30	100	509202	1@1	DFT_16QAM	22.06	PASS
n41	30	100	509202	1@271	DFT_16QAM	22.42	PASS
n41	30	100	509202	270@0	DFT_64QAM	20.51	PASS
n41	30	100	509202	135@67	DFT_64QAM	20.61	PASS
n41	30	100	509202	1@1	DFT_64QAM	20.64	PASS
n41	30	100	509202	1@271	DFT_64QAM	20.92	PASS
n41	30	100	509202	270@0	DFT_256QAM	18.53	PASS
n41	30	100	509202	135@67	DFT_256QAM	18.3	PASS
n41	30	100	509202	1@1	DFT_256QAM	18.51	PASS
n41	30	100	509202	1@271	DFT_256QAM	18.73	PASS
n41	30	100	509202	273@0	CP_QPSK	20.01	PASS
n41	30	100	509202	137@68	CP_QPSK	21.53	PASS
n41	30	100	509202	1@1	CP_QPSK	21.3	PASS
n41	30	100	509202	1@271	CP_QPSK	21.52	PASS
n41	30	100	509202	273@0	CP_16QAM	20.01	PASS
n41	30	100	509202	137@68	CP_16QAM	21.05	PASS
n41	30	100	509202	1@1	CP_16QAM	20.7	PASS
n41	30	100	509202	1@271	CP_16QAM	21.06	PASS
n41	30	100	509202	273@0	CP_64QAM	19.48	PASS
n41	30	100	509202	137@68	CP_64QAM	19.61	PASS
n41	30	100	509202	1@1	CP_64QAM	19.26	PASS
n41	30	100	509202	1@271	CP_64QAM	19.48	PASS
n41	30	100	509202	273@0	CP_256QAM	16.5	PASS
n41	30	100	509202	137@68	CP_256QAM	16.7	PASS

n41	30	100	509202	1@1	CP_256QAM	16.6	PASS
n41	30	100	509202	1@271	CP_256QAM	16.81	PASS
n41	30	100	518598	270@0	DFT_BPSK	22.51	PASS
n41	30	100	518598	135@67	DFT_BPSK	22.99	PASS
n41	30	100	518598	1@1	DFT_BPSK	22.9	PASS
n41	30	100	518598	1@271	DFT_BPSK	22.84	PASS
n41	30	100	518598	270@0	DFT_QPSK	22.03	PASS
n41	30	100	518598	135@67	DFT_QPSK	23.03	PASS
n41	30	100	518598	1@1	DFT_QPSK	22.88	PASS
n41	30	100	518598	1@271	DFT_QPSK	22.84	PASS
n41	30	100	518598	270@0	DFT_16QAM	21.05	PASS
n41	30	100	518598	135@67	DFT_16QAM	22.07	PASS
n41	30	100	518598	1@1	DFT_16QAM	22.24	PASS
n41	30	100	518598	1@271	DFT_16QAM	22.17	PASS
n41	30	100	518598	270@0	DFT_64QAM	20.55	PASS
n41	30	100	518598	135@67	DFT_64QAM	20.61	PASS
n41	30	100	518598	1@1	DFT_64QAM	20.71	PASS
n41	30	100	518598	1@271	DFT_64QAM	20.71	PASS
n41	30	100	518598	270@0	DFT_256QAM	18.54	PASS
n41	30	100	518598	135@67	DFT_256QAM	18.62	PASS
n41	30	100	518598	1@1	DFT_256QAM	18.6	PASS
n41	30	100	518598	1@271	DFT_256QAM	18.47	PASS
n41	30	100	518598	273@0	CP_QPSK	20.02	PASS
n41	30	100	518598	137@68	CP_QPSK	21.54	PASS
n41	30	100	518598	1@1	CP_QPSK	21.4	PASS
n41	30	100	518598	1@271	CP_QPSK	21.36	PASS
n41	30	100	518598	273@0	CP_16QAM	20.02	PASS
n41	30	100	518598	137@68	CP_16QAM	21.04	PASS
n41	30	100	518598	1@1	CP_16QAM	20.97	PASS
n41	30	100	518598	1@271	CP_16QAM	20.87	PASS
n41	30	100	518598	273@0	CP_64QAM	19.49	PASS
n41	30	100	518598	137@68	CP_64QAM	19.54	PASS
n41	30	100	518598	1@1	CP_64QAM	19.44	PASS
n41	30	100	518598	1@271	CP_64QAM	19.31	PASS
n41	30	100	518598	273@0	CP_256QAM	16.54	PASS
n41	30	100	518598	137@68	CP_256QAM	16.62	PASS
n41	30	100	518598	1@1	CP_256QAM	16.67	PASS
n41	30	100	518598	1@271	CP_256QAM	16.47	PASS
n41	30	100	528000	270@0	DFT_BPSK	22.62	PASS
n41	30	100	528000	135@67	DFT_BPSK	23.05	PASS
n41	30	100	528000	1@1	DFT_BPSK	23.19	PASS
n41	30	100	528000	1@271	DFT_BPSK	23.16	PASS
n41	30	100	528000	270@0	DFT_QPSK	22.13	PASS
n41	30	100	528000	135@67	DFT_QPSK	23.06	PASS
n41	30	100	528000	1@1	DFT_QPSK	23.19	PASS
n41	30	100	528000	1@271	DFT_QPSK	23.15	PASS
n41	30	100	528000	270@0	DFT_16QAM	21.19	PASS
n41	30	100	528000	135@67	DFT_16QAM	22.09	PASS

n41	30	100	528000	1@1	DFT_16QAM	22.58	PASS
n41	30	100	528000	1@271	DFT_16QAM	22.52	PASS
n41	30	100	528000	270@0	DFT_64QAM	20.69	PASS
n41	30	100	528000	135@67	DFT_64QAM	20.65	PASS
n41	30	100	528000	1@1	DFT_64QAM	20.96	PASS
n41	30	100	528000	1@271	DFT_64QAM	20.89	PASS
n41	30	100	528000	270@0	DFT_256QAM	18.6	PASS
n41	30	100	528000	135@67	DFT_256QAM	18.59	PASS
n41	30	100	528000	1@1	DFT_256QAM	18.86	PASS
n41	30	100	528000	1@271	DFT_256QAM	18.3	PASS
n41	30	100	528000	273@0	CP_QPSK	20.14	PASS
n41	30	100	528000	137@68	CP_QPSK	21.6	PASS
n41	30	100	528000	1@1	CP_QPSK	21.71	PASS
n41	30	100	528000	1@271	CP_QPSK	21.64	PASS
n41	30	100	528000	273@0	CP_16QAM	20.19	PASS
n41	30	100	528000	137@68	CP_16QAM	21.06	PASS
n41	30	100	528000	1@1	CP_16QAM	21.26	PASS
n41	30	100	528000	1@271	CP_16QAM	21.25	PASS
n41	30	100	528000	273@0	CP_64QAM	19.63	PASS
n41	30	100	528000	137@68	CP_64QAM	19.56	PASS
n41	30	100	528000	1@1	CP_64QAM	19.61	PASS
n41	30	100	528000	1@271	CP_64QAM	19.54	PASS
n41	30	100	528000	273@0	CP_256QAM	16.62	PASS
n41	30	100	528000	137@68	CP_256QAM	16.61	PASS
n41	30	100	528000	1@1	CP_256QAM	16.9	PASS
n41	30	100	528000	1@271	CP_256QAM	16.4	PASS

SA N66

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n66	15	5	342500	25@0	DFT_BPSK	23.48	PASS
n66	15	5	342500	12@6	DFT_BPSK	23.96	PASS
n66	15	5	342500	1@1	DFT_BPSK	23.92	PASS
n66	15	5	342500	1@23	DFT_BPSK	23.85	PASS
n66	15	5	342500	25@0	DFT_QPSK	23	PASS
n66	15	5	342500	12@6	DFT_QPSK	23.95	PASS
n66	15	5	342500	1@1	DFT_QPSK	23.93	PASS
n66	15	5	342500	1@23	DFT_QPSK	23.83	PASS
n66	15	5	342500	25@0	DFT_16QAM	22	PASS
n66	15	5	342500	12@6	DFT_16QAM	23.06	PASS
n66	15	5	342500	1@1	DFT_16QAM	23.02	PASS
n66	15	5	342500	1@23	DFT_16QAM	22.87	PASS
n66	15	5	342500	25@0	DFT_64QAM	21.4	PASS
n66	15	5	342500	12@6	DFT_64QAM	21.52	PASS
n66	15	5	342500	1@1	DFT_64QAM	21.43	PASS
n66	15	5	342500	1@23	DFT_64QAM	21.25	PASS
n66	15	5	342500	25@0	DFT_256QAM	19.47	PASS
n66	15	5	342500	12@6	DFT_256QAM	19.52	PASS
n66	15	5	342500	1@1	DFT_256QAM	19.5	PASS
n66	15	5	342500	1@23	DFT_256QAM	19.38	PASS
n66	15	5	342500	25@0	CP_QPSK	20.99	PASS
n66	15	5	342500	13@6	CP_QPSK	22.51	PASS
n66	15	5	342500	1@1	CP_QPSK	22.7	PASS
n66	15	5	342500	1@23	CP_QPSK	22.57	PASS
n66	15	5	342500	25@0	CP_16QAM	20.91	PASS
n66	15	5	342500	13@6	CP_16QAM	21.95	PASS
n66	15	5	342500	1@1	CP_16QAM	23.45	PASS
n66	15	5	342500	1@23	CP_16QAM	23.28	PASS
n66	15	5	342500	25@0	CP_64QAM	20.53	PASS
n66	15	5	342500	13@6	CP_64QAM	20.53	PASS
n66	15	5	342500	1@1	CP_64QAM	20.5	PASS
n66	15	5	342500	1@23	CP_64QAM	20.39	PASS
n66	15	5	342500	25@0	CP_256QAM	17.54	PASS
n66	15	5	342500	13@6	CP_256QAM	17.47	PASS
n66	15	5	342500	1@1	CP_256QAM	17.59	PASS
n66	15	5	342500	1@23	CP_256QAM	17.51	PASS
n66	15	5	349000	25@0	DFT_BPSK	22.78	PASS
n66	15	5	349000	12@6	DFT_BPSK	23.29	PASS
n66	15	5	349000	1@1	DFT_BPSK	23.23	PASS
n66	15	5	349000	1@23	DFT_BPSK	23.22	PASS
n66	15	5	349000	25@0	DFT_QPSK	22.29	PASS
n66	15	5	349000	12@6	DFT_QPSK	23.29	PASS
n66	15	5	349000	1@1	DFT_QPSK	23.35	PASS
n66	15	5	349000	1@23	DFT_QPSK	23.25	PASS
n66	15	5	349000	25@0	DFT_16QAM	21.27	PASS
n66	15	5	349000	12@6	DFT_16QAM	22.39	PASS

n66	15	5	349000	1@1	DFT_16QAM	22.43	PASS
n66	15	5	349000	1@23	DFT_16QAM	22.35	PASS
n66	15	5	349000	25@0	DFT_64QAM	20.7	PASS
n66	15	5	349000	12@6	DFT_64QAM	20.87	PASS
n66	15	5	349000	1@1	DFT_64QAM	20.59	PASS
n66	15	5	349000	1@23	DFT_64QAM	20.58	PASS
n66	15	5	349000	25@0	DFT_256QAM	18.89	PASS
n66	15	5	349000	12@6	DFT_256QAM	18.92	PASS
n66	15	5	349000	1@1	DFT_256QAM	18.86	PASS
n66	15	5	349000	1@23	DFT_256QAM	18.8	PASS
n66	15	5	349000	25@0	CP_QPSK	20.4	PASS
n66	15	5	349000	13@6	CP_QPSK	21.77	PASS
n66	15	5	349000	1@1	CP_QPSK	21.88	PASS
n66	15	5	349000	1@23	CP_QPSK	21.84	PASS
n66	15	5	349000	25@0	CP_16QAM	20.36	PASS
n66	15	5	349000	13@6	CP_16QAM	21.19	PASS
n66	15	5	349000	1@1	CP_16QAM	22.19	PASS
n66	15	5	349000	1@23	CP_16QAM	22.23	PASS
n66	15	5	349000	25@0	CP_64QAM	19.92	PASS
n66	15	5	349000	13@6	CP_64QAM	19.99	PASS
n66	15	5	349000	1@1	CP_64QAM	19.97	PASS
n66	15	5	349000	1@23	CP_64QAM	19.89	PASS
n66	15	5	349000	25@0	CP_256QAM	16.94	PASS
n66	15	5	349000	13@6	CP_256QAM	16.89	PASS
n66	15	5	349000	1@1	CP_256QAM	16.96	PASS
n66	15	5	349000	1@23	CP_256QAM	16.97	PASS
n66	15	5	355500	25@0	DFT_BPSK	22.68	PASS
n66	15	5	355500	12@6	DFT_BPSK	23.15	PASS
n66	15	5	355500	1@1	DFT_BPSK	22.99	PASS
n66	15	5	355500	1@23	DFT_BPSK	23.12	PASS
n66	15	5	355500	25@0	DFT_QPSK	22.19	PASS
n66	15	5	355500	12@6	DFT_QPSK	23.14	PASS
n66	15	5	355500	1@1	DFT_QPSK	23.11	PASS
n66	15	5	355500	1@23	DFT_QPSK	23.17	PASS
n66	15	5	355500	25@0	DFT_16QAM	21.15	PASS
n66	15	5	355500	12@6	DFT_16QAM	22.24	PASS
n66	15	5	355500	1@1	DFT_16QAM	22.2	PASS
n66	15	5	355500	1@23	DFT_16QAM	22.24	PASS
n66	15	5	355500	25@0	DFT_64QAM	20.59	PASS
n66	15	5	355500	12@6	DFT_64QAM	20.71	PASS
n66	15	5	355500	1@1	DFT_64QAM	20.43	PASS
n66	15	5	355500	1@23	DFT_64QAM	20.53	PASS
n66	15	5	355500	25@0	DFT_256QAM	18.64	PASS
n66	15	5	355500	12@6	DFT_256QAM	18.66	PASS
n66	15	5	355500	1@1	DFT_256QAM	18.49	PASS
n66	15	5	355500	1@23	DFT_256QAM	18.67	PASS
n66	15	5	355500	25@0	CP_QPSK	20.17	PASS
n66	15	5	355500	13@6	CP_QPSK	21.67	PASS

n66	15	5	355500	1@1	CP_QPSK	21.69	PASS
n66	15	5	355500	1@23	CP_QPSK	21.83	PASS
n66	15	5	355500	25@0	CP_16QAM	20.09	PASS
n66	15	5	355500	13@6	CP_16QAM	21.1	PASS
n66	15	5	355500	1@1	CP_16QAM	22.11	PASS
n66	15	5	355500	1@23	CP_16QAM	22.21	PASS
n66	15	5	355500	25@0	CP_64QAM	19.7	PASS
n66	15	5	355500	13@6	CP_64QAM	19.7	PASS
n66	15	5	355500	1@1	CP_64QAM	19.58	PASS
n66	15	5	355500	1@23	CP_64QAM	19.76	PASS
n66	15	5	355500	25@0	CP_256QAM	16.67	PASS
n66	15	5	355500	13@6	CP_256QAM	16.64	PASS
n66	15	5	355500	1@1	CP_256QAM	16.63	PASS
n66	15	5	355500	1@23	CP_256QAM	16.82	PASS
n66	15	10	343000	50@0	DFT_BPSK	23.33	PASS
n66	15	10	343000	25@12	DFT_BPSK	23.87	PASS
n66	15	10	343000	1@1	DFT_BPSK	23.93	PASS
n66	15	10	343000	1@50	DFT_BPSK	23.66	PASS
n66	15	10	343000	50@0	DFT_QPSK	22.86	PASS
n66	15	10	343000	25@12	DFT_QPSK	23.91	PASS
n66	15	10	343000	1@1	DFT_QPSK	23.95	PASS
n66	15	10	343000	1@50	DFT_QPSK	23.74	PASS
n66	15	10	343000	50@0	DFT_16QAM	21.86	PASS
n66	15	10	343000	25@12	DFT_16QAM	22.91	PASS
n66	15	10	343000	1@1	DFT_16QAM	23.04	PASS
n66	15	10	343000	1@50	DFT_16QAM	22.76	PASS
n66	15	10	343000	50@0	DFT_64QAM	21.37	PASS
n66	15	10	343000	25@12	DFT_64QAM	21.36	PASS
n66	15	10	343000	1@1	DFT_64QAM	21.39	PASS
n66	15	10	343000	1@50	DFT_64QAM	21.16	PASS
n66	15	10	343000	50@0	DFT_256QAM	19.33	PASS
n66	15	10	343000	25@12	DFT_256QAM	19.39	PASS
n66	15	10	343000	1@1	DFT_256QAM	19.46	PASS
n66	15	10	343000	1@50	DFT_256QAM	19.17	PASS
n66	15	10	343000	52@0	CP_QPSK	20.86	PASS
n66	15	10	343000	26@13	CP_QPSK	22.43	PASS
n66	15	10	343000	1@1	CP_QPSK	22.75	PASS
n66	15	10	343000	1@50	CP_QPSK	22.43	PASS
n66	15	10	343000	52@0	CP_16QAM	20.94	PASS
n66	15	10	343000	26@13	CP_16QAM	21.8	PASS
n66	15	10	343000	1@1	CP_16QAM	23.45	PASS
n66	15	10	343000	1@50	CP_16QAM	23.05	PASS
n66	15	10	343000	52@0	CP_64QAM	20.42	PASS
n66	15	10	343000	26@13	CP_64QAM	20.39	PASS
n66	15	10	343000	1@1	CP_64QAM	20.5	PASS
n66	15	10	343000	1@50	CP_64QAM	20.24	PASS
n66	15	10	343000	52@0	CP_256QAM	17.35	PASS
n66	15	10	343000	26@13	CP_256QAM	17.36	PASS

n66	15	10	343000	1@1	CP_256QAM	17.63	PASS
n66	15	10	343000	1@50	CP_256QAM	17.25	PASS
n66	15	10	349000	50@0	DFT_BPSK	22.79	PASS
n66	15	10	349000	25@12	DFT_BPSK	23.27	PASS
n66	15	10	349000	1@1	DFT_BPSK	23.25	PASS
n66	15	10	349000	1@50	DFT_BPSK	23.17	PASS
n66	15	10	349000	50@0	DFT_QPSK	22.28	PASS
n66	15	10	349000	25@12	DFT_QPSK	23.27	PASS
n66	15	10	349000	1@1	DFT_QPSK	23.31	PASS
n66	15	10	349000	1@50	DFT_QPSK	23.29	PASS
n66	15	10	349000	50@0	DFT_16QAM	21.24	PASS
n66	15	10	349000	25@12	DFT_16QAM	22.29	PASS
n66	15	10	349000	1@1	DFT_16QAM	22.41	PASS
n66	15	10	349000	1@50	DFT_16QAM	22.38	PASS
n66	15	10	349000	50@0	DFT_64QAM	20.73	PASS
n66	15	10	349000	25@12	DFT_64QAM	20.68	PASS
n66	15	10	349000	1@1	DFT_64QAM	20.69	PASS
n66	15	10	349000	1@50	DFT_64QAM	20.63	PASS
n66	15	10	349000	50@0	DFT_256QAM	18.86	PASS
n66	15	10	349000	25@12	DFT_256QAM	18.87	PASS
n66	15	10	349000	1@1	DFT_256QAM	18.85	PASS
n66	15	10	349000	1@50	DFT_256QAM	18.8	PASS
n66	15	10	349000	52@0	CP_QPSK	20.34	PASS
n66	15	10	349000	26@13	CP_QPSK	21.75	PASS
n66	15	10	349000	1@1	CP_QPSK	21.95	PASS
n66	15	10	349000	1@50	CP_QPSK	21.85	PASS
n66	15	10	349000	52@0	CP_16QAM	20.41	PASS
n66	15	10	349000	26@13	CP_16QAM	21.2	PASS
n66	15	10	349000	1@1	CP_16QAM	22.23	PASS
n66	15	10	349000	1@50	CP_16QAM	22.27	PASS
n66	15	10	349000	52@0	CP_64QAM	19.89	PASS
n66	15	10	349000	26@13	CP_64QAM	19.86	PASS
n66	15	10	349000	1@1	CP_64QAM	19.96	PASS
n66	15	10	349000	1@50	CP_64QAM	19.88	PASS
n66	15	10	349000	52@0	CP_256QAM	16.85	PASS
n66	15	10	349000	26@13	CP_256QAM	16.87	PASS
n66	15	10	349000	1@1	CP_256QAM	17.01	PASS
n66	15	10	349000	1@50	CP_256QAM	16.97	PASS
n66	15	10	355000	50@0	DFT_BPSK	22.56	PASS
n66	15	10	355000	25@12	DFT_BPSK	23.04	PASS
n66	15	10	355000	1@1	DFT_BPSK	22.87	PASS
n66	15	10	355000	1@50	DFT_BPSK	23.17	PASS
n66	15	10	355000	50@0	DFT_QPSK	22.04	PASS
n66	15	10	355000	25@12	DFT_QPSK	23.06	PASS
n66	15	10	355000	1@1	DFT_QPSK	22.97	PASS
n66	15	10	355000	1@50	DFT_QPSK	23.2	PASS
n66	15	10	355000	50@0	DFT_16QAM	21.04	PASS
n66	15	10	355000	25@12	DFT_16QAM	22.03	PASS

n66	15	10	355000	1@1	DFT_16QAM	22.07	PASS
n66	15	10	355000	1@50	DFT_16QAM	22.29	PASS
n66	15	10	355000	50@0	DFT_64QAM	20.49	PASS
n66	15	10	355000	25@12	DFT_64QAM	20.44	PASS
n66	15	10	355000	1@1	DFT_64QAM	20.28	PASS
n66	15	10	355000	1@50	DFT_64QAM	20.6	PASS
n66	15	10	355000	50@0	DFT_256QAM	18.49	PASS
n66	15	10	355000	25@12	DFT_256QAM	18.52	PASS
n66	15	10	355000	1@1	DFT_256QAM	18.42	PASS
n66	15	10	355000	1@50	DFT_256QAM	18.66	PASS
n66	15	10	355000	52@0	CP_QPSK	20.07	PASS
n66	15	10	355000	26@13	CP_QPSK	21.5	PASS
n66	15	10	355000	1@1	CP_QPSK	21.49	PASS
n66	15	10	355000	1@50	CP_QPSK	21.8	PASS
n66	15	10	355000	52@0	CP_16QAM	20.14	PASS
n66	15	10	355000	26@13	CP_16QAM	20.99	PASS
n66	15	10	355000	1@1	CP_16QAM	21.74	PASS
n66	15	10	355000	1@50	CP_16QAM	22.44	PASS
n66	15	10	355000	52@0	CP_64QAM	19.59	PASS
n66	15	10	355000	26@13	CP_64QAM	19.51	PASS
n66	15	10	355000	1@1	CP_64QAM	19.55	PASS
n66	15	10	355000	1@50	CP_64QAM	19.76	PASS
n66	15	10	355000	52@0	CP_256QAM	16.56	PASS
n66	15	10	355000	26@13	CP_256QAM	16.54	PASS
n66	15	10	355000	1@1	CP_256QAM	16.61	PASS
n66	15	10	355000	1@50	CP_256QAM	16.79	PASS
n66	15	15	343500	75@0	DFT_BPSK	23.25	PASS
n66	15	15	343500	36@18	DFT_BPSK	23.76	PASS
n66	15	15	343500	1@1	DFT_BPSK	23.87	PASS
n66	15	15	343500	1@77	DFT_BPSK	23.53	PASS
n66	15	15	343500	75@0	DFT_QPSK	22.75	PASS
n66	15	15	343500	36@18	DFT_QPSK	23.82	PASS
n66	15	15	343500	1@1	DFT_QPSK	23.94	PASS
n66	15	15	343500	1@77	DFT_QPSK	23.61	PASS
n66	15	15	343500	75@0	DFT_16QAM	21.79	PASS
n66	15	15	343500	36@18	DFT_16QAM	22.74	PASS
n66	15	15	343500	1@1	DFT_16QAM	23.01	PASS
n66	15	15	343500	1@77	DFT_16QAM	22.65	PASS
n66	15	15	343500	75@0	DFT_64QAM	21.28	PASS
n66	15	15	343500	36@18	DFT_64QAM	21.3	PASS
n66	15	15	343500	1@1	DFT_64QAM	21.41	PASS
n66	15	15	343500	1@77	DFT_64QAM	21	PASS
n66	15	15	343500	75@0	DFT_256QAM	19.27	PASS
n66	15	15	343500	36@18	DFT_256QAM	19.27	PASS
n66	15	15	343500	1@1	DFT_256QAM	19.46	PASS
n66	15	15	343500	1@77	DFT_256QAM	19.08	PASS
n66	15	15	343500	79@0	CP_QPSK	20.76	PASS
n66	15	15	343500	39@19	CP_QPSK	22.32	PASS

n66	15	15	343500	1@1	CP_QPSK	22.72	PASS
n66	15	15	343500	1@77	CP_QPSK	22.3	PASS
n66	15	15	343500	79@0	CP_16QAM	20.76	PASS
n66	15	15	343500	39@19	CP_16QAM	21.76	PASS
n66	15	15	343500	1@1	CP_16QAM	23.45	PASS
n66	15	15	343500	1@77	CP_16QAM	22.83	PASS
n66	15	15	343500	79@0	CP_64QAM	20.3	PASS
n66	15	15	343500	39@19	CP_64QAM	20.23	PASS
n66	15	15	343500	1@1	CP_64QAM	20.46	PASS
n66	15	15	343500	1@77	CP_64QAM	20.15	PASS
n66	15	15	343500	79@0	CP_256QAM	17.23	PASS
n66	15	15	343500	39@19	CP_256QAM	17.2	PASS
n66	15	15	343500	1@1	CP_256QAM	17.55	PASS
n66	15	15	343500	1@77	CP_256QAM	17.22	PASS
n66	15	15	349000	75@0	DFT_BPSK	22.73	PASS
n66	15	15	349000	36@18	DFT_BPSK	23.29	PASS
n66	15	15	349000	1@1	DFT_BPSK	23.25	PASS
n66	15	15	349000	1@77	DFT_BPSK	23.14	PASS
n66	15	15	349000	75@0	DFT_QPSK	22.24	PASS
n66	15	15	349000	36@18	DFT_QPSK	23.31	PASS
n66	15	15	349000	1@1	DFT_QPSK	23.36	PASS
n66	15	15	349000	1@77	DFT_QPSK	23.2	PASS
n66	15	15	349000	75@0	DFT_16QAM	21.25	PASS
n66	15	15	349000	36@18	DFT_16QAM	22.26	PASS
n66	15	15	349000	1@1	DFT_16QAM	22.41	PASS
n66	15	15	349000	1@77	DFT_16QAM	22.28	PASS
n66	15	15	349000	75@0	DFT_64QAM	20.73	PASS
n66	15	15	349000	36@18	DFT_64QAM	20.77	PASS
n66	15	15	349000	1@1	DFT_64QAM	20.67	PASS
n66	15	15	349000	1@77	DFT_64QAM	20.59	PASS
n66	15	15	349000	75@0	DFT_256QAM	18.81	PASS
n66	15	15	349000	36@18	DFT_256QAM	18.83	PASS
n66	15	15	349000	1@1	DFT_256QAM	18.86	PASS
n66	15	15	349000	1@77	DFT_256QAM	18.7	PASS
n66	15	15	349000	79@0	CP_QPSK	20.35	PASS
n66	15	15	349000	39@19	CP_QPSK	21.8	PASS
n66	15	15	349000	1@1	CP_QPSK	21.94	PASS
n66	15	15	349000	1@77	CP_QPSK	21.81	PASS
n66	15	15	349000	79@0	CP_16QAM	20.37	PASS
n66	15	15	349000	39@19	CP_16QAM	21.27	PASS
n66	15	15	349000	1@1	CP_16QAM	22.18	PASS
n66	15	15	349000	1@77	CP_16QAM	22.12	PASS
n66	15	15	349000	79@0	CP_64QAM	19.91	PASS
n66	15	15	349000	39@19	CP_64QAM	19.91	PASS
n66	15	15	349000	1@1	CP_64QAM	19.93	PASS
n66	15	15	349000	1@77	CP_64QAM	19.76	PASS
n66	15	15	349000	79@0	CP_256QAM	16.82	PASS
n66	15	15	349000	39@19	CP_256QAM	16.85	PASS

n66	15	15	349000	1@1	CP_256QAM	16.98	PASS
n66	15	15	349000	1@77	CP_256QAM	16.82	PASS
n66	15	15	354500	75@0	DFT_BPSK	22.51	PASS
n66	15	15	354500	36@18	DFT_BPSK	22.98	PASS
n66	15	15	354500	1@1	DFT_BPSK	22.81	PASS
n66	15	15	354500	1@77	DFT_BPSK	23.22	PASS
n66	15	15	354500	75@0	DFT_QPSK	22	PASS
n66	15	15	354500	36@18	DFT_QPSK	22.97	PASS
n66	15	15	354500	1@1	DFT_QPSK	22.92	PASS
n66	15	15	354500	1@77	DFT_QPSK	23.22	PASS
n66	15	15	354500	75@0	DFT_16QAM	21.02	PASS
n66	15	15	354500	36@18	DFT_16QAM	21.93	PASS
n66	15	15	354500	1@1	DFT_16QAM	21.93	PASS
n66	15	15	354500	1@77	DFT_16QAM	22.3	PASS
n66	15	15	354500	75@0	DFT_64QAM	20.49	PASS
n66	15	15	354500	36@18	DFT_64QAM	20.45	PASS
n66	15	15	354500	1@1	DFT_64QAM	20.23	PASS
n66	15	15	354500	1@77	DFT_64QAM	20.63	PASS
n66	15	15	354500	75@0	DFT_256QAM	18.48	PASS
n66	15	15	354500	36@18	DFT_256QAM	18.43	PASS
n66	15	15	354500	1@1	DFT_256QAM	18.32	PASS
n66	15	15	354500	1@77	DFT_256QAM	18.66	PASS
n66	15	15	354500	79@0	CP_QPSK	20.04	PASS
n66	15	15	354500	39@19	CP_QPSK	21.49	PASS
n66	15	15	354500	1@1	CP_QPSK	21.49	PASS
n66	15	15	354500	1@77	CP_QPSK	21.9	PASS
n66	15	15	354500	79@0	CP_16QAM	20.03	PASS
n66	15	15	354500	39@19	CP_16QAM	20.95	PASS
n66	15	15	354500	1@1	CP_16QAM	21.69	PASS
n66	15	15	354500	1@77	CP_16QAM	22.39	PASS
n66	15	15	354500	79@0	CP_64QAM	19.58	PASS
n66	15	15	354500	39@19	CP_64QAM	19.47	PASS
n66	15	15	354500	1@1	CP_64QAM	19.48	PASS
n66	15	15	354500	1@77	CP_64QAM	19.71	PASS
n66	15	15	354500	79@0	CP_256QAM	16.69	PASS
n66	15	15	354500	39@19	CP_256QAM	16.46	PASS
n66	15	15	354500	1@1	CP_256QAM	16.51	PASS
n66	15	15	354500	1@77	CP_256QAM	16.79	PASS
n66	15	20	344000	100@0	DFT_BPSK	23.15	PASS
n66	15	20	344000	50@25	DFT_BPSK	23.69	PASS
n66	15	20	344000	1@1	DFT_BPSK	23.91	PASS
n66	15	20	344000	1@104	DFT_BPSK	23.42	PASS
n66	15	20	344000	100@0	DFT_QPSK	22.66	PASS
n66	15	20	344000	50@25	DFT_QPSK	23.73	PASS
n66	15	20	344000	1@1	DFT_QPSK	23.95	PASS
n66	15	20	344000	1@104	DFT_QPSK	23.49	PASS
n66	15	20	344000	100@0	DFT_16QAM	21.69	PASS
n66	15	20	344000	50@25	DFT_16QAM	22.76	PASS

n66	15	20	344000	1@1	DFT_16QAM	22.99	PASS
n66	15	20	344000	1@104	DFT_16QAM	22.56	PASS
n66	15	20	344000	100@0	DFT_64QAM	21.17	PASS
n66	15	20	344000	50@25	DFT_64QAM	21.18	PASS
n66	15	20	344000	1@1	DFT_64QAM	21.36	PASS
n66	15	20	344000	1@104	DFT_64QAM	20.84	PASS
n66	15	20	344000	100@0	DFT_256QAM	19.11	PASS
n66	15	20	344000	50@25	DFT_256QAM	19.18	PASS
n66	15	20	344000	1@1	DFT_256QAM	19.43	PASS
n66	15	20	344000	1@104	DFT_256QAM	18.95	PASS
n66	15	20	344000	106@0	CP_QPSK	20.65	PASS
n66	15	20	344000	53@26	CP_QPSK	22.15	PASS
n66	15	20	344000	1@1	CP_QPSK	22.74	PASS
n66	15	20	344000	1@104	CP_QPSK	22.1	PASS
n66	15	20	344000	106@0	CP_16QAM	20.68	PASS
n66	15	20	344000	53@26	CP_16QAM	21.75	PASS
n66	15	20	344000	1@1	CP_16QAM	23.42	PASS
n66	15	20	344000	1@104	CP_16QAM	22.49	PASS
n66	15	20	344000	106@0	CP_64QAM	20.18	PASS
n66	15	20	344000	53@26	CP_64QAM	20.19	PASS
n66	15	20	344000	1@1	CP_64QAM	20.48	PASS
n66	15	20	344000	1@104	CP_64QAM	19.98	PASS
n66	15	20	344000	106@0	CP_256QAM	17.13	PASS
n66	15	20	344000	53@26	CP_256QAM	17.18	PASS
n66	15	20	344000	1@1	CP_256QAM	17.56	PASS
n66	15	20	344000	1@104	CP_256QAM	17.06	PASS
n66	15	20	349000	100@0	DFT_BPSK	22.74	PASS
n66	15	20	349000	50@25	DFT_BPSK	23.29	PASS
n66	15	20	349000	1@1	DFT_BPSK	23.26	PASS
n66	15	20	349000	1@104	DFT_BPSK	23.07	PASS
n66	15	20	349000	100@0	DFT_QPSK	22.26	PASS
n66	15	20	349000	50@25	DFT_QPSK	23.32	PASS
n66	15	20	349000	1@1	DFT_QPSK	23.31	PASS
n66	15	20	349000	1@104	DFT_QPSK	23.11	PASS
n66	15	20	349000	100@0	DFT_16QAM	21.27	PASS
n66	15	20	349000	50@25	DFT_16QAM	22.3	PASS
n66	15	20	349000	1@1	DFT_16QAM	22.45	PASS
n66	15	20	349000	1@104	DFT_16QAM	22.22	PASS
n66	15	20	349000	100@0	DFT_64QAM	20.76	PASS
n66	15	20	349000	50@25	DFT_64QAM	20.74	PASS
n66	15	20	349000	1@1	DFT_64QAM	20.7	PASS
n66	15	20	349000	1@104	DFT_64QAM	20.49	PASS
n66	15	20	349000	100@0	DFT_256QAM	18.81	PASS
n66	15	20	349000	50@25	DFT_256QAM	18.83	PASS
n66	15	20	349000	1@1	DFT_256QAM	18.8	PASS
n66	15	20	349000	1@104	DFT_256QAM	16.18	PASS
n66	15	20	349000	106@0	CP_QPSK	16.79	PASS
n66	15	20	349000	53@26	CP_QPSK	21.79	PASS

n66	15	20	349000	1@1	CP_QPSK	21.88	PASS
n66	15	20	349000	1@104	CP_QPSK	21.73	PASS
n66	15	20	349000	106@0	CP_16QAM	20.37	PASS
n66	15	20	349000	53@26	CP_16QAM	21.26	PASS
n66	15	20	349000	1@1	CP_16QAM	22.1	PASS
n66	15	20	349000	1@104	CP_16QAM	22.12	PASS
n66	15	20	349000	106@0	CP_64QAM	19.81	PASS
n66	15	20	349000	53@26	CP_64QAM	19.88	PASS
n66	15	20	349000	1@1	CP_64QAM	19.86	PASS
n66	15	20	349000	1@104	CP_64QAM	19.65	PASS
n66	15	20	349000	106@0	CP_256QAM	16.81	PASS
n66	15	20	349000	53@26	CP_256QAM	16.89	PASS
n66	15	20	349000	1@1	CP_256QAM	16.95	PASS
n66	15	20	349000	1@104	CP_256QAM	16.73	PASS
n66	15	20	354000	100@0	DFT_BPSK	22.53	PASS
n66	15	20	354000	50@25	DFT_BPSK	22.93	PASS
n66	15	20	354000	1@1	DFT_BPSK	22.84	PASS
n66	15	20	354000	1@104	DFT_BPSK	23.21	PASS
n66	15	20	354000	100@0	DFT_QPSK	22.04	PASS
n66	15	20	354000	50@25	DFT_QPSK	22.94	PASS
n66	15	20	354000	1@1	DFT_QPSK	22.92	PASS
n66	15	20	354000	1@104	DFT_QPSK	23.27	PASS
n66	15	20	354000	100@0	DFT_16QAM	21	PASS
n66	15	20	354000	50@25	DFT_16QAM	21.95	PASS
n66	15	20	354000	1@1	DFT_16QAM	22.02	PASS
n66	15	20	354000	1@104	DFT_16QAM	22.34	PASS
n66	15	20	354000	100@0	DFT_64QAM	20.49	PASS
n66	15	20	354000	50@25	DFT_64QAM	20.41	PASS
n66	15	20	354000	1@1	DFT_64QAM	20.27	PASS
n66	15	20	354000	1@104	DFT_64QAM	20.66	PASS
n66	15	20	354000	100@0	DFT_256QAM	18.47	PASS
n66	15	20	354000	50@25	DFT_256QAM	18.43	PASS
n66	15	20	354000	1@1	DFT_256QAM	18.05	PASS
n66	15	20	354000	1@104	DFT_256QAM	18.68	PASS
n66	15	20	354000	106@0	CP_QPSK	19.99	PASS
n66	15	20	354000	53@26	CP_QPSK	21.45	PASS
n66	15	20	354000	1@1	CP_QPSK	21.53	PASS
n66	15	20	354000	1@104	CP_QPSK	21.93	PASS
n66	15	20	354000	106@0	CP_16QAM	20.02	PASS
n66	15	20	354000	53@26	CP_16QAM	20.96	PASS
n66	15	20	354000	1@1	CP_16QAM	21.82	PASS
n66	15	20	354000	1@104	CP_16QAM	22.46	PASS
n66	15	20	354000	106@0	CP_64QAM	19.5	PASS
n66	15	20	354000	53@26	CP_64QAM	19.48	PASS
n66	15	20	354000	1@1	CP_64QAM	19.51	PASS
n66	15	20	354000	1@104	CP_64QAM	19.73	PASS
n66	15	20	354000	106@0	CP_256QAM	16.48	PASS
n66	15	20	354000	53@26	CP_256QAM	16.47	PASS

n66	15	20	354000	1@1	CP_256QAM	16.56	PASS
n66	15	20	354000	1@104	CP_256QAM	16.8	PASS
n66	15	25	344500	128@0	DFT_BPSK	23.07	PASS
n66	15	25	344500	64@32	DFT_BPSK	23.63	PASS
n66	15	25	344500	1@1	DFT_BPSK	23.71	PASS
n66	15	25	344500	1@131	DFT_BPSK	23.27	PASS
n66	15	25	344500	128@0	DFT_QPSK	22.59	PASS
n66	15	25	344500	64@32	DFT_QPSK	23.66	PASS
n66	15	25	344500	1@1	DFT_QPSK	23.8	PASS
n66	15	25	344500	1@131	DFT_QPSK	23.33	PASS
n66	15	25	344500	128@0	DFT_16QAM	21.6	PASS
n66	15	25	344500	64@32	DFT_16QAM	22.7	PASS
n66	15	25	344500	1@1	DFT_16QAM	22.89	PASS
n66	15	25	344500	1@131	DFT_16QAM	22.42	PASS
n66	15	25	344500	128@0	DFT_64QAM	21.05	PASS
n66	15	25	344500	64@32	DFT_64QAM	21.08	PASS
n66	15	25	344500	1@1	DFT_64QAM	21.26	PASS
n66	15	25	344500	1@131	DFT_64QAM	20.72	PASS
n66	15	25	344500	128@0	DFT_256QAM	19.06	PASS
n66	15	25	344500	64@32	DFT_256QAM	19.07	PASS
n66	15	25	344500	1@1	DFT_256QAM	19.33	PASS
n66	15	25	344500	1@131	DFT_256QAM	18.77	PASS
n66	15	25	344500	133@0	CP_QPSK	20.52	PASS
n66	15	25	344500	67@33	CP_QPSK	22.07	PASS
n66	15	25	344500	1@1	CP_QPSK	22.4	PASS
n66	15	25	344500	1@131	CP_QPSK	21.94	PASS
n66	15	25	344500	133@0	CP_16QAM	20.49	PASS
n66	15	25	344500	67@33	CP_16QAM	21.61	PASS
n66	15	25	344500	1@1	CP_16QAM	23.25	PASS
n66	15	25	344500	1@131	CP_16QAM	22.12	PASS
n66	15	25	344500	133@0	CP_64QAM	20	PASS
n66	15	25	344500	67@33	CP_64QAM	20.08	PASS
n66	15	25	344500	1@1	CP_64QAM	20.32	PASS
n66	15	25	344500	1@131	CP_64QAM	19.86	PASS
n66	15	25	344500	133@0	CP_256QAM	16.98	PASS
n66	15	25	344500	67@33	CP_256QAM	17.05	PASS
n66	15	25	344500	1@1	CP_256QAM	17.42	PASS
n66	15	25	344500	1@131	CP_256QAM	16.96	PASS
n66	15	25	349000	128@0	DFT_BPSK	22.76	PASS
n66	15	25	349000	64@32	DFT_BPSK	23.24	PASS
n66	15	25	349000	1@1	DFT_BPSK	23.18	PASS
n66	15	25	349000	1@131	DFT_BPSK	22.97	PASS
n66	15	25	349000	128@0	DFT_QPSK	22.29	PASS
n66	15	25	349000	64@32	DFT_QPSK	23.26	PASS
n66	15	25	349000	1@1	DFT_QPSK	23.24	PASS
n66	15	25	349000	1@131	DFT_QPSK	23.05	PASS
n66	15	25	349000	128@0	DFT_16QAM	21.24	PASS
n66	15	25	349000	64@32	DFT_16QAM	22.27	PASS

n66	15	25	349000	1@1	DFT_16QAM	22.36	PASS
n66	15	25	349000	1@131	DFT_16QAM	22.15	PASS
n66	15	25	349000	128@0	DFT_64QAM	20.79	PASS
n66	15	25	349000	64@32	DFT_64QAM	20.78	PASS
n66	15	25	349000	1@1	DFT_64QAM	20.62	PASS
n66	15	25	349000	1@131	DFT_64QAM	20.45	PASS
n66	15	25	349000	128@0	DFT_256QAM	18.82	PASS
n66	15	25	349000	64@32	DFT_256QAM	18.77	PASS
n66	15	25	349000	1@1	DFT_256QAM	18.68	PASS
n66	15	25	349000	1@131	DFT_256QAM	18.26	PASS
n66	15	25	349000	133@0	CP_QPSK	20.28	PASS
n66	15	25	349000	67@33	CP_QPSK	21.74	PASS
n66	15	25	349000	1@1	CP_QPSK	21.84	PASS
n66	15	25	349000	1@131	CP_QPSK	21.6	PASS
n66	15	25	349000	133@0	CP_16QAM	20.23	PASS
n66	15	25	349000	67@33	CP_16QAM	21.27	PASS
n66	15	25	349000	1@1	CP_16QAM	22.03	PASS
n66	15	25	349000	1@131	CP_16QAM	21.91	PASS
n66	15	25	349000	133@0	CP_64QAM	19.75	PASS
n66	15	25	349000	67@33	CP_64QAM	19.84	PASS
n66	15	25	349000	1@1	CP_64QAM	19.78	PASS
n66	15	25	349000	1@131	CP_64QAM	19.57	PASS
n66	15	25	349000	133@0	CP_256QAM	16.75	PASS
n66	15	25	349000	67@33	CP_256QAM	16.78	PASS
n66	15	25	349000	1@1	CP_256QAM	16.83	PASS
n66	15	25	349000	1@131	CP_256QAM	16.65	PASS
n66	15	25	353500	128@0	DFT_BPSK	22.53	PASS
n66	15	25	353500	64@32	DFT_BPSK	22.94	PASS
n66	15	25	353500	1@1	DFT_BPSK	22.89	PASS
n66	15	25	353500	1@131	DFT_BPSK	23.13	PASS
n66	15	25	353500	128@0	DFT_QPSK	22.05	PASS
n66	15	25	353500	64@32	DFT_QPSK	22.94	PASS
n66	15	25	353500	1@1	DFT_QPSK	23.01	PASS
n66	15	25	353500	1@131	DFT_QPSK	23.15	PASS
n66	15	25	353500	128@0	DFT_16QAM	21.04	PASS
n66	15	25	353500	64@32	DFT_16QAM	21.96	PASS
n66	15	25	353500	1@1	DFT_16QAM	22.09	PASS
n66	15	25	353500	1@131	DFT_16QAM	22.21	PASS
n66	15	25	353500	128@0	DFT_64QAM	20.53	PASS
n66	15	25	353500	64@32	DFT_64QAM	20.34	PASS
n66	15	25	353500	1@1	DFT_64QAM	20.39	PASS
n66	15	25	353500	1@131	DFT_64QAM	20.56	PASS
n66	15	25	353500	128@0	DFT_256QAM	18.52	PASS
n66	15	25	353500	64@32	DFT_256QAM	18.34	PASS
n66	15	25	353500	1@1	DFT_256QAM	18.48	PASS
n66	15	25	353500	1@131	DFT_256QAM	18.63	PASS
n66	15	25	353500	133@0	CP_QPSK	20.03	PASS
n66	15	25	353500	67@33	CP_QPSK	21.42	PASS

n66	15	25	353500	1@1	CP_QPSK	21.54	PASS
n66	15	25	353500	1@131	CP_QPSK	21.68	PASS
n66	15	25	353500	133@0	CP_16QAM	19.96	PASS
n66	15	25	353500	67@33	CP_16QAM	20.9	PASS
n66	15	25	353500	1@1	CP_16QAM	21.92	PASS
n66	15	25	353500	1@131	CP_16QAM	22.23	PASS
n66	15	25	353500	133@0	CP_64QAM	19.48	PASS
n66	15	25	353500	67@33	CP_64QAM	19.44	PASS
n66	15	25	353500	1@1	CP_64QAM	19.55	PASS
n66	15	25	353500	1@131	CP_64QAM	19.7	PASS
n66	15	25	353500	133@0	CP_256QAM	16.52	PASS
n66	15	25	353500	67@33	CP_256QAM	16.36	PASS
n66	15	25	353500	1@1	CP_256QAM	16.66	PASS
n66	15	25	353500	1@131	CP_256QAM	16.76	PASS
n66	15	30	345000	160@0	DFT_BPSK	23.07	PASS
n66	15	30	345000	80@40	DFT_BPSK	23.55	PASS
n66	15	30	345000	1@1	DFT_BPSK	23.79	PASS
n66	15	30	345000	1@158	DFT_BPSK	23.31	PASS
n66	15	30	345000	160@0	DFT_QPSK	22.59	PASS
n66	15	30	345000	80@40	DFT_QPSK	23.58	PASS
n66	15	30	345000	1@1	DFT_QPSK	23.82	PASS
n66	15	30	345000	1@158	DFT_QPSK	23.4	PASS
n66	15	30	345000	160@0	DFT_16QAM	21.63	PASS
n66	15	30	345000	80@40	DFT_16QAM	22.6	PASS
n66	15	30	345000	1@1	DFT_16QAM	22.88	PASS
n66	15	30	345000	1@158	DFT_16QAM	22.45	PASS
n66	15	30	345000	160@0	DFT_64QAM	20.99	PASS
n66	15	30	345000	80@40	DFT_64QAM	21.05	PASS
n66	15	30	345000	1@1	DFT_64QAM	21.29	PASS
n66	15	30	345000	1@158	DFT_64QAM	20.8	PASS
n66	15	30	345000	160@0	DFT_256QAM	19	PASS
n66	15	30	345000	80@40	DFT_256QAM	19.01	PASS
n66	15	30	345000	1@1	DFT_256QAM	19.35	PASS
n66	15	30	345000	1@158	DFT_256QAM	19.23	PASS
n66	15	30	345000	160@0	CP_QPSK	20.5	PASS
n66	15	30	345000	80@40	CP_QPSK	22.03	PASS
n66	15	30	345000	1@1	CP_QPSK	22.54	PASS
n66	15	30	345000	1@158	CP_QPSK	21.99	PASS
n66	15	30	345000	160@0	CP_16QAM	20.52	PASS
n66	15	30	345000	80@40	CP_16QAM	21.53	PASS
n66	15	30	345000	1@1	CP_16QAM	23.27	PASS
n66	15	30	345000	1@158	CP_16QAM	22.15	PASS
n66	15	30	345000	160@0	CP_64QAM	20.03	PASS
n66	15	30	345000	80@40	CP_64QAM	20.05	PASS
n66	15	30	345000	1@1	CP_64QAM	20.39	PASS
n66	15	30	345000	1@158	CP_64QAM	19.97	PASS
n66	15	30	345000	160@0	CP_256QAM	17.01	PASS
n66	15	30	345000	80@40	CP_256QAM	17.56	PASS

n66	15	30	345000	1@1	CP_256QAM	17.52	PASS
n66	15	30	345000	1@158	CP_256QAM	17	PASS
n66	15	30	349000	160@0	DFT_BPSK	22.7	PASS
n66	15	30	349000	80@40	DFT_BPSK	23.27	PASS
n66	15	30	349000	1@1	DFT_BPSK	23.28	PASS
n66	15	30	349000	1@158	DFT_BPSK	22.96	PASS
n66	15	30	349000	160@0	DFT_QPSK	22.21	PASS
n66	15	30	349000	80@40	DFT_QPSK	23.24	PASS
n66	15	30	349000	1@1	DFT_QPSK	23.36	PASS
n66	15	30	349000	1@158	DFT_QPSK	23.04	PASS
n66	15	30	349000	160@0	DFT_16QAM	21.24	PASS
n66	15	30	349000	80@40	DFT_16QAM	22.31	PASS
n66	15	30	349000	1@1	DFT_16QAM	22.42	PASS
n66	15	30	349000	1@158	DFT_16QAM	22.1	PASS
n66	15	30	349000	160@0	DFT_64QAM	20.76	PASS
n66	15	30	349000	80@40	DFT_64QAM	20.79	PASS
n66	15	30	349000	1@1	DFT_64QAM	20.72	PASS
n66	15	30	349000	1@158	DFT_64QAM	20.4	PASS
n66	15	30	349000	160@0	DFT_256QAM	18.76	PASS
n66	15	30	349000	80@40	DFT_256QAM	18.74	PASS
n66	15	30	349000	1@1	DFT_256QAM	18.78	PASS
n66	15	30	349000	1@158	DFT_256QAM	18.51	PASS
n66	15	30	349000	160@0	CP_QPSK	20.24	PASS
n66	15	30	349000	80@40	CP_QPSK	21.72	PASS
n66	15	30	349000	1@1	CP_QPSK	21.95	PASS
n66	15	30	349000	1@158	CP_QPSK	21.65	PASS
n66	15	30	349000	160@0	CP_16QAM	20.29	PASS
n66	15	30	349000	80@40	CP_16QAM	21.26	PASS
n66	15	30	349000	1@1	CP_16QAM	22.34	PASS
n66	15	30	349000	1@158	CP_16QAM	21.93	PASS
n66	15	30	349000	160@0	CP_64QAM	19.78	PASS
n66	15	30	349000	80@40	CP_64QAM	19.82	PASS
n66	15	30	349000	1@1	CP_64QAM	19.88	PASS
n66	15	30	349000	1@158	CP_64QAM	19.58	PASS
n66	15	30	349000	160@0	CP_256QAM	16.77	PASS
n66	15	30	349000	80@40	CP_256QAM	16.6	PASS
n66	15	30	349000	1@1	CP_256QAM	16.9	PASS
n66	15	30	349000	1@158	CP_256QAM	16.6	PASS
n66	15	30	353000	160@0	DFT_BPSK	22.55	PASS
n66	15	30	353000	80@40	DFT_BPSK	22.97	PASS
n66	15	30	353000	1@1	DFT_BPSK	23.09	PASS
n66	15	30	353000	1@158	DFT_BPSK	23.15	PASS
n66	15	30	353000	160@0	DFT_QPSK	22.04	PASS
n66	15	30	353000	80@40	DFT_QPSK	22.98	PASS
n66	15	30	353000	1@1	DFT_QPSK	23.18	PASS
n66	15	30	353000	1@158	DFT_QPSK	23.22	PASS
n66	15	30	353000	160@0	DFT_16QAM	21.04	PASS
n66	15	30	353000	80@40	DFT_16QAM	21.99	PASS

n66	15	30	353000	1@1	DFT_16QAM	22.28	PASS
n66	15	30	353000	1@158	DFT_16QAM	22.28	PASS
n66	15	30	353000	160@0	DFT_64QAM	20.48	PASS
n66	15	30	353000	80@40	DFT_64QAM	20.37	PASS
n66	15	30	353000	1@1	DFT_64QAM	20.59	PASS
n66	15	30	353000	1@158	DFT_64QAM	20.61	PASS
n66	15	30	353000	160@0	DFT_256QAM	18.49	PASS
n66	15	30	353000	80@40	DFT_256QAM	18.35	PASS
n66	15	30	353000	1@1	DFT_256QAM	18.63	PASS
n66	15	30	353000	1@158	DFT_256QAM	18.69	PASS
n66	15	30	353000	160@0	CP_QPSK	20.01	PASS
n66	15	30	353000	80@40	CP_QPSK	21.39	PASS
n66	15	30	353000	1@1	CP_QPSK	21.79	PASS
n66	15	30	353000	1@158	CP_QPSK	21.77	PASS
n66	15	30	353000	160@0	CP_16QAM	20.05	PASS
n66	15	30	353000	80@40	CP_16QAM	20.91	PASS
n66	15	30	353000	1@1	CP_16QAM	22.11	PASS
n66	15	30	353000	1@158	CP_16QAM	22.34	PASS
n66	15	30	353000	160@0	CP_64QAM	19.52	PASS
n66	15	30	353000	80@40	CP_64QAM	19.44	PASS
n66	15	30	353000	1@1	CP_64QAM	19.73	PASS
n66	15	30	353000	1@158	CP_64QAM	19.76	PASS
n66	15	30	353000	160@0	CP_256QAM	16.5	PASS
n66	15	30	353000	80@40	CP_256QAM	16.32	PASS
n66	15	30	353000	1@1	CP_256QAM	16.77	PASS
n66	15	30	353000	1@158	CP_256QAM	16.85	PASS
n66	15	40	346000	216@0	DFT_BPSK	22.97	PASS
n66	15	40	346000	108@54	DFT_BPSK	23.44	PASS
n66	15	40	346000	1@1	DFT_BPSK	23.78	PASS
n66	15	40	346000	1@214	DFT_BPSK	23.22	PASS
n66	15	40	346000	216@0	DFT_QPSK	22.48	PASS
n66	15	40	346000	108@54	DFT_QPSK	23.46	PASS
n66	15	40	346000	1@1	DFT_QPSK	23.81	PASS
n66	15	40	346000	1@214	DFT_QPSK	23.28	PASS
n66	15	40	346000	216@0	DFT_16QAM	21.49	PASS
n66	15	40	346000	108@54	DFT_16QAM	22.42	PASS
n66	15	40	346000	1@1	DFT_16QAM	22.87	PASS
n66	15	40	346000	1@214	DFT_16QAM	22.37	PASS
n66	15	40	346000	216@0	DFT_64QAM	20.97	PASS
n66	15	40	346000	108@54	DFT_64QAM	20.88	PASS
n66	15	40	346000	1@1	DFT_64QAM	21.23	PASS
n66	15	40	346000	1@214	DFT_64QAM	20.7	PASS
n66	15	40	346000	216@0	DFT_256QAM	18.93	PASS
n66	15	40	346000	108@54	DFT_256QAM	18.88	PASS
n66	15	40	346000	1@1	DFT_256QAM	19.28	PASS
n66	15	40	346000	1@214	DFT_256QAM	18.79	PASS
n66	15	40	346000	216@0	CP_QPSK	20.46	PASS
n66	15	40	346000	108@54	CP_QPSK	21.88	PASS

n66	15	40	346000	1@1	CP_QPSK	22.56	PASS
n66	15	40	346000	1@214	CP_QPSK	21.93	PASS
n66	15	40	346000	216@0	CP_16QAM	20.45	PASS
n66	15	40	346000	108@54	CP_16QAM	21.44	PASS
n66	15	40	346000	1@1	CP_16QAM	23.25	PASS
n66	15	40	346000	1@214	CP_16QAM	22.1	PASS
n66	15	40	346000	216@0	CP_64QAM	19.95	PASS
n66	15	40	346000	108@54	CP_64QAM	19.91	PASS
n66	15	40	346000	1@1	CP_64QAM	20.34	PASS
n66	15	40	346000	1@214	CP_64QAM	19.86	PASS
n66	15	40	346000	216@0	CP_256QAM	16.4	PASS
n66	15	40	346000	108@54	CP_256QAM	16.9	PASS
n66	15	40	346000	1@1	CP_256QAM	16.8	PASS
n66	15	40	346000	1@214	CP_256QAM	16.93	PASS
n66	15	40	349000	216@0	DFT_BPSK	22.71	PASS
n66	15	40	349000	108@54	DFT_BPSK	23.26	PASS
n66	15	40	349000	1@1	DFT_BPSK	23.39	PASS
n66	15	40	349000	1@214	DFT_BPSK	23.03	PASS
n66	15	40	349000	216@0	DFT_QPSK	22.21	PASS
n66	15	40	349000	108@54	DFT_QPSK	23.24	PASS
n66	15	40	349000	1@1	DFT_QPSK	23.4	PASS
n66	15	40	349000	1@214	DFT_QPSK	23.05	PASS
n66	15	40	349000	216@0	DFT_16QAM	21.24	PASS
n66	15	40	349000	108@54	DFT_16QAM	22.3	PASS
n66	15	40	349000	1@1	DFT_16QAM	22.5	PASS
n66	15	40	349000	1@214	DFT_16QAM	22.14	PASS
n66	15	40	349000	216@0	DFT_64QAM	20.75	PASS
n66	15	40	349000	108@54	DFT_64QAM	20.8	PASS
n66	15	40	349000	1@1	DFT_64QAM	20.81	PASS
n66	15	40	349000	1@214	DFT_64QAM	20.31	PASS
n66	15	40	349000	216@0	DFT_256QAM	18.71	PASS
n66	15	40	349000	108@54	DFT_256QAM	18.76	PASS
n66	15	40	349000	1@1	DFT_256QAM	18.9	PASS
n66	15	40	349000	1@214	DFT_256QAM	18.37	PASS
n66	15	40	349000	216@0	CP_QPSK	20.26	PASS
n66	15	40	349000	108@54	CP_QPSK	21.74	PASS
n66	15	40	349000	1@1	CP_QPSK	22.01	PASS
n66	15	40	349000	1@214	CP_QPSK	21.62	PASS
n66	15	40	349000	216@0	CP_16QAM	20.24	PASS
n66	15	40	349000	108@54	CP_16QAM	21.28	PASS
n66	15	40	349000	1@1	CP_16QAM	22.59	PASS
n66	15	40	349000	1@214	CP_16QAM	21.81	PASS
n66	15	40	349000	216@0	CP_64QAM	19.77	PASS
n66	15	40	349000	108@54	CP_64QAM	19.78	PASS
n66	15	40	349000	1@1	CP_64QAM	19.93	PASS
n66	15	40	349000	1@214	CP_64QAM	19.53	PASS
n66	15	40	349000	216@0	CP_256QAM	16.71	PASS
n66	15	40	349000	108@54	CP_256QAM	16.81	PASS

n66	15	40	349000	1@1	CP_256QAM	17.04	PASS
n66	15	40	349000	1@214	CP_256QAM	16.54	PASS
n66	15	40	352000	216@0	DFT_BPSK	22.58	PASS
n66	15	40	352000	108@54	DFT_BPSK	23.05	PASS
n66	15	40	352000	1@1	DFT_BPSK	23.15	PASS
n66	15	40	352000	1@214	DFT_BPSK	23.16	PASS
n66	15	40	352000	216@0	DFT_QPSK	22.01	PASS
n66	15	40	352000	108@54	DFT_QPSK	23.02	PASS
n66	15	40	352000	1@1	DFT_QPSK	23.24	PASS
n66	15	40	352000	1@214	DFT_QPSK	23.26	PASS
n66	15	40	352000	216@0	DFT_16QAM	21.05	PASS
n66	15	40	352000	108@54	DFT_16QAM	22.03	PASS
n66	15	40	352000	1@1	DFT_16QAM	22.3	PASS
n66	15	40	352000	1@214	DFT_16QAM	22.32	PASS
n66	15	40	352000	216@0	DFT_64QAM	20.54	PASS
n66	15	40	352000	108@54	DFT_64QAM	20.46	PASS
n66	15	40	352000	1@1	DFT_64QAM	20.65	PASS
n66	15	40	352000	1@214	DFT_64QAM	20.64	PASS
n66	15	40	352000	216@0	DFT_256QAM	18.51	PASS
n66	15	40	352000	108@54	DFT_256QAM	18.5	PASS
n66	15	40	352000	1@1	DFT_256QAM	18.7	PASS
n66	15	40	352000	1@214	DFT_256QAM	18.71	PASS
n66	15	40	352000	216@0	CP_QPSK	20.03	PASS
n66	15	40	352000	108@54	CP_QPSK	21.48	PASS
n66	15	40	352000	1@1	CP_QPSK	21.87	PASS
n66	15	40	352000	1@214	CP_QPSK	21.89	PASS
n66	15	40	352000	216@0	CP_16QAM	20.05	PASS
n66	15	40	352000	108@54	CP_16QAM	21.08	PASS
n66	15	40	352000	1@1	CP_16QAM	22.07	PASS
n66	15	40	352000	1@214	CP_16QAM	22.34	PASS
n66	15	40	352000	216@0	CP_64QAM	19.54	PASS
n66	15	40	352000	108@54	CP_64QAM	19.5	PASS
n66	15	40	352000	1@1	CP_64QAM	19.79	PASS
n66	15	40	352000	1@214	CP_64QAM	19.81	PASS
n66	15	40	352000	216@0	CP_256QAM	16.54	PASS
n66	15	40	352000	108@54	CP_256QAM	16.53	PASS
n66	15	40	352000	1@1	CP_256QAM	16.85	PASS
n66	15	40	352000	1@214	CP_256QAM	16.82	PASS

SA N77(3450-3550)

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n77(3450-3550)	30	10	630334	24@0	DFT_BPSK	23.31	PASS
n77(3450-3550)	30	10	630334	12@6	DFT_BPSK	23.87	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_BPSK	23.71	PASS
n77(3450-3550)	30	10	630334	1@22	DFT_BPSK	23.72	PASS
n77(3450-3550)	30	10	630334	24@0	DFT_QPSK	22.77	PASS
n77(3450-3550)	30	10	630334	12@6	DFT_QPSK	23.8	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_QPSK	23.71	PASS
n77(3450-3550)	30	10	630334	1@22	DFT_QPSK	23.7	PASS
n77(3450-3550)	30	10	630334	24@0	DFT_16QAM	21.75	PASS
n77(3450-3550)	30	10	630334	12@6	DFT_16QAM	22.85	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_16QAM	22.69	PASS
n77(3450-3550)	30	10	630334	1@22	DFT_16QAM	22.71	PASS
n77(3450-3550)	30	10	630334	24@0	DFT_64QAM	21.29	PASS
n77(3450-3550)	30	10	630334	12@6	DFT_64QAM	21.37	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_64QAM	21.1	PASS
n77(3450-3550)	30	10	630334	1@22	DFT_64QAM	21.1	PASS
n77(3450-3550)	30	10	630334	24@0	DFT_256QAM	19.26	PASS
n77(3450-3550)	30	10	630334	12@6	DFT_256QAM	19.26	PASS
n77(3450-3550)	30	10	630334	1@1	DFT_256QAM	19.33	PASS
n77(3450-3550)	30	10	630334	1@22	DFT_256QAM	19.35	PASS
n77(3450-3550)	30	10	630334	24@0	CP_QPSK	20.7	PASS
n77(3450-3550)	30	10	630334	12@6	CP_QPSK	22.22	PASS
n77(3450-3550)	30	10	630334	1@1	CP_QPSK	22.2	PASS
n77(3450-3550)	30	10	630334	1@22	CP_QPSK	22.2	PASS
n77(3450-3550)	30	10	630334	24@0	CP_16QAM	20.72	PASS
n77(3450-3550)	30	10	630334	12@6	CP_16QAM	21.65	PASS
n77(3450-3550)	30	10	630334	1@1	CP_16QAM	21.87	PASS
n77(3450-3550)	30	10	630334	1@22	CP_16QAM	21.84	PASS
n77(3450-3550)	30	10	630334	24@0	CP_64QAM	20.18	PASS
n77(3450-3550)	30	10	630334	12@6	CP_64QAM	20.28	PASS
n77(3450-3550)	30	10	630334	1@1	CP_64QAM	20.24	PASS
n77(3450-3550)	30	10	630334	1@22	CP_64QAM	20.24	PASS
n77(3450-3550)	30	10	630334	24@0	CP_256QAM	17.28	PASS
n77(3450-3550)	30	10	630334	12@6	CP_256QAM	17.4	PASS
n77(3450-3550)	30	10	630334	1@1	CP_256QAM	17.45	PASS
n77(3450-3550)	30	10	630334	1@22	CP_256QAM	17.44	PASS

n77(3450-3550)	30	10	633334	24@0	DFT_BPSK	23.35	PASS
n77(3450-3550)	30	10	633334	12@6	DFT_BPSK	23.86	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_BPSK	23.79	PASS
n77(3450-3550)	30	10	633334	1@22	DFT_BPSK	23.78	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_QPSK	22.85	PASS
n77(3450-3550)	30	10	633334	12@6	DFT_QPSK	23.87	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_QPSK	23.81	PASS
n77(3450-3550)	30	10	633334	1@22	DFT_QPSK	23.81	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_16QAM	21.85	PASS
n77(3450-3550)	30	10	633334	12@6	DFT_16QAM	22.78	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_16QAM	22.97	PASS
n77(3450-3550)	30	10	633334	1@22	DFT_16QAM	23.02	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_64QAM	21.36	PASS
n77(3450-3550)	30	10	633334	12@6	DFT_64QAM	21.37	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_64QAM	21.51	PASS
n77(3450-3550)	30	10	633334	1@22	DFT_64QAM	21.5	PASS
n77(3450-3550)	30	10	633334	24@0	DFT_256QAM	19.37	PASS
n77(3450-3550)	30	10	633334	12@6	DFT_256QAM	19.32	PASS
n77(3450-3550)	30	10	633334	1@1	DFT_256QAM	19.52	PASS
n77(3450-3550)	30	10	633334	1@22	DFT_256QAM	19.48	PASS
n77(3450-3550)	30	10	633334	24@0	CP_QPSK	20.79	PASS
n77(3450-3550)	30	10	633334	12@6	CP_QPSK	22.33	PASS
n77(3450-3550)	30	10	633334	1@1	CP_QPSK	22.3	PASS
n77(3450-3550)	30	10	633334	1@22	CP_QPSK	22.28	PASS
n77(3450-3550)	30	10	633334	24@0	CP_16QAM	20.91	PASS
n77(3450-3550)	30	10	633334	12@6	CP_16QAM	21.86	PASS
n77(3450-3550)	30	10	633334	1@1	CP_16QAM	21.72	PASS
n77(3450-3550)	30	10	633334	1@22	CP_16QAM	21.7	PASS
n77(3450-3550)	30	10	633334	24@0	CP_64QAM	20.34	PASS
n77(3450-3550)	30	10	633334	12@6	CP_64QAM	20.44	PASS
n77(3450-3550)	30	10	633334	1@1	CP_64QAM	20.43	PASS
n77(3450-3550)	30	10	633334	1@22	CP_64QAM	20.41	PASS
n77(3450-3550)	30	10	633334	24@0	CP_256QAM	17.4	PASS
n77(3450-3550)	30	10	633334	12@6	CP_256QAM	17.36	PASS
n77(3450-3550)	30	10	633334	1@1	CP_256QAM	17.58	PASS
n77(3450-3550)	30	10	633334	1@22	CP_256QAM	17.53	PASS
n77(3450-3550)	30	10	636332	24@0	DFT_BPSK	23.7	PASS
n77(3450-	30	10	636332	12@6	DFT_BPSK	24.23	PASS

3550)							
n77(3450-3550)	30	10	636332	1@1	DFT_BPSK	24.14	PASS
n77(3450-3550)	30	10	636332	1@22	DFT_BPSK	24.14	PASS
n77(3450-3550)	30	10	636332	24@0	DFT_QPSK	23.19	PASS
n77(3450-3550)	30	10	636332	12@6	DFT_QPSK	24.27	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_QPSK	24.18	PASS
n77(3450-3550)	30	10	636332	1@22	DFT_QPSK	24.18	PASS
n77(3450-3550)	30	10	636332	24@0	DFT_16QAM	22.21	PASS
n77(3450-3550)	30	10	636332	12@6	DFT_16QAM	23.19	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_16QAM	23.46	PASS
n77(3450-3550)	30	10	636332	1@22	DFT_16QAM	23.39	PASS
n77(3450-3550)	30	10	636332	24@0	DFT_64QAM	21.68	PASS
n77(3450-3550)	30	10	636332	12@6	DFT_64QAM	21.75	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_64QAM	21.89	PASS
n77(3450-3550)	30	10	636332	1@22	DFT_64QAM	21.87	PASS
n77(3450-3550)	30	10	636332	24@0	DFT_256QAM	19.69	PASS
n77(3450-3550)	30	10	636332	12@6	DFT_256QAM	19.7	PASS
n77(3450-3550)	30	10	636332	1@1	DFT_256QAM	19.89	PASS
n77(3450-3550)	30	10	636332	1@22	DFT_256QAM	19.92	PASS
n77(3450-3550)	30	10	636332	24@0	CP_QPSK	21.15	PASS
n77(3450-3550)	30	10	636332	12@6	CP_QPSK	22.68	PASS
n77(3450-3550)	30	10	636332	1@1	CP_QPSK	22.68	PASS
n77(3450-3550)	30	10	636332	1@22	CP_QPSK	22.69	PASS
n77(3450-3550)	30	10	636332	24@0	CP_16QAM	21.25	PASS
n77(3450-3550)	30	10	636332	12@6	CP_16QAM	22.18	PASS
n77(3450-3550)	30	10	636332	1@1	CP_16QAM	21.98	PASS
n77(3450-3550)	30	10	636332	1@22	CP_16QAM	22.07	PASS
n77(3450-3550)	30	10	636332	24@0	CP_64QAM	20.68	PASS
n77(3450-3550)	30	10	636332	12@6	CP_64QAM	20.84	PASS
n77(3450-3550)	30	10	636332	1@1	CP_64QAM	20.8	PASS
n77(3450-3550)	30	10	636332	1@22	CP_64QAM	20.78	PASS
n77(3450-3550)	30	10	636332	24@0	CP_256QAM	17.66	PASS
n77(3450-3550)	30	10	636332	12@6	CP_256QAM	17.8	PASS
n77(3450-3550)	30	10	636332	1@1	CP_256QAM	17.88	PASS
n77(3450-3550)	30	10	636332	1@22	CP_256QAM	17.6	PASS
n77(3450-3550)	30	15	630500	36@0	DFT_BPSK	23.37	PASS
n77(3450-3550)	30	15	630500	18@9	DFT_BPSK	23.89	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_BPSK	23.84	PASS

n77(3450-3550)	30	15	630500	1@36	DFT_BPSK	23.85	PASS
n77(3450-3550)	30	15	630500	36@0	DFT_QPSK	22.91	PASS
n77(3450-3550)	30	15	630500	18@9	DFT_QPSK	23.92	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_QPSK	23.88	PASS
n77(3450-3550)	30	15	630500	1@36	DFT_QPSK	23.82	PASS
n77(3450-3550)	30	15	630500	36@0	DFT_16QAM	21.91	PASS
n77(3450-3550)	30	15	630500	18@9	DFT_16QAM	22.92	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_16QAM	23.08	PASS
n77(3450-3550)	30	15	630500	1@36	DFT_16QAM	23.06	PASS
n77(3450-3550)	30	15	630500	36@0	DFT_64QAM	21.39	PASS
n77(3450-3550)	30	15	630500	18@9	DFT_64QAM	21.48	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_64QAM	21.59	PASS
n77(3450-3550)	30	15	630500	1@36	DFT_64QAM	21.61	PASS
n77(3450-3550)	30	15	630500	36@0	DFT_256QAM	19.37	PASS
n77(3450-3550)	30	15	630500	18@9	DFT_256QAM	19.45	PASS
n77(3450-3550)	30	15	630500	1@1	DFT_256QAM	19.56	PASS
n77(3450-3550)	30	15	630500	1@36	DFT_256QAM	19.58	PASS
n77(3450-3550)	30	15	630500	38@0	CP_QPSK	20.9	PASS
n77(3450-3550)	30	15	630500	19@9	CP_QPSK	22.41	PASS
n77(3450-3550)	30	15	630500	1@1	CP_QPSK	22.3	PASS
n77(3450-3550)	30	15	630500	1@36	CP_QPSK	22.31	PASS
n77(3450-3550)	30	15	630500	38@0	CP_16QAM	20.87	PASS
n77(3450-3550)	30	15	630500	19@9	CP_16QAM	21.92	PASS
n77(3450-3550)	30	15	630500	1@1	CP_16QAM	21.7	PASS
n77(3450-3550)	30	15	630500	1@36	CP_16QAM	21.74	PASS
n77(3450-3550)	30	15	630500	38@0	CP_64QAM	20.41	PASS
n77(3450-3550)	30	15	630500	19@9	CP_64QAM	20.44	PASS
n77(3450-3550)	30	15	630500	1@1	CP_64QAM	20.37	PASS
n77(3450-3550)	30	15	630500	1@36	CP_64QAM	20.38	PASS
n77(3450-3550)	30	15	630500	38@0	CP_256QAM	17.3	PASS
n77(3450-3550)	30	15	630500	19@9	CP_256QAM	17.38	PASS
n77(3450-3550)	30	15	630500	1@1	CP_256QAM	17.6	PASS
n77(3450-3550)	30	15	630500	1@36	CP_256QAM	17.61	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_BPSK	23.36	PASS
n77(3450-3550)	30	15	633334	18@9	DFT_BPSK	23.84	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_BPSK	23.79	PASS
n77(3450-3550)	30	15	633334	1@36	DFT_BPSK	23.76	PASS
n77(3450-	30	15	633334	36@0	DFT_QPSK	22.87	PASS

3550)							
n77(3450-3550)	30	15	633334	18@9	DFT_QPSK	23.82	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_QPSK	23.83	PASS
n77(3450-3550)	30	15	633334	1@36	DFT_QPSK	23.8	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_16QAM	21.89	PASS
n77(3450-3550)	30	15	633334	18@9	DFT_16QAM	22.86	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_16QAM	23.03	PASS
n77(3450-3550)	30	15	633334	1@36	DFT_16QAM	23.02	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_64QAM	21.37	PASS
n77(3450-3550)	30	15	633334	18@9	DFT_64QAM	21.4	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_64QAM	21.53	PASS
n77(3450-3550)	30	15	633334	1@36	DFT_64QAM	21.52	PASS
n77(3450-3550)	30	15	633334	36@0	DFT_256QAM	19.3	PASS
n77(3450-3550)	30	15	633334	18@9	DFT_256QAM	19.36	PASS
n77(3450-3550)	30	15	633334	1@1	DFT_256QAM	19.53	PASS
n77(3450-3550)	30	15	633334	1@36	DFT_256QAM	19.51	PASS
n77(3450-3550)	30	15	633334	38@0	CP_QPSK	20.86	PASS
n77(3450-3550)	30	15	633334	19@9	CP_QPSK	22.32	PASS
n77(3450-3550)	30	15	633334	1@1	CP_QPSK	22.26	PASS
n77(3450-3550)	30	15	633334	1@36	CP_QPSK	22.26	PASS
n77(3450-3550)	30	15	633334	38@0	CP_16QAM	20.84	PASS
n77(3450-3550)	30	15	633334	19@9	CP_16QAM	21.87	PASS
n77(3450-3550)	30	15	633334	1@1	CP_16QAM	21.74	PASS
n77(3450-3550)	30	15	633334	1@36	CP_16QAM	21.75	PASS
n77(3450-3550)	30	15	633334	38@0	CP_64QAM	20.38	PASS
n77(3450-3550)	30	15	633334	19@9	CP_64QAM	20.36	PASS
n77(3450-3550)	30	15	633334	1@1	CP_64QAM	20.37	PASS
n77(3450-3550)	30	15	633334	1@36	CP_64QAM	20.33	PASS
n77(3450-3550)	30	15	633334	38@0	CP_256QAM	17.36	PASS
n77(3450-3550)	30	15	633334	19@9	CP_256QAM	17.3	PASS
n77(3450-3550)	30	15	633334	1@1	CP_256QAM	17.56	PASS
n77(3450-3550)	30	15	633334	1@36	CP_256QAM	17.53	PASS
n77(3450-3550)	30	15	636166	36@0	DFT_BPSK	23.68	PASS
n77(3450-3550)	30	15	636166	18@9	DFT_BPSK	24.18	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_BPSK	24.13	PASS
n77(3450-3550)	30	15	636166	1@36	DFT_BPSK	24.12	PASS
n77(3450-3550)	30	15	636166	36@0	DFT_QPSK	23.18	PASS
n77(3450-3550)	30	15	636166	18@9	DFT_QPSK	24.16	PASS

n77(3450-3550)	30	15	636166	1@1	DFT_QPSK	24.16	PASS
n77(3450-3550)	30	15	636166	1@36	DFT_QPSK	24.15	PASS
n77(3450-3550)	30	15	636166	36@0	DFT_16QAM	22.21	PASS
n77(3450-3550)	30	15	636166	18@9	DFT_16QAM	23.18	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_16QAM	23.37	PASS
n77(3450-3550)	30	15	636166	1@36	DFT_16QAM	23.38	PASS
n77(3450-3550)	30	15	636166	36@0	DFT_64QAM	21.68	PASS
n77(3450-3550)	30	15	636166	18@9	DFT_64QAM	21.74	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_64QAM	21.89	PASS
n77(3450-3550)	30	15	636166	1@36	DFT_64QAM	21.85	PASS
n77(3450-3550)	30	15	636166	36@0	DFT_256QAM	19.64	PASS
n77(3450-3550)	30	15	636166	18@9	DFT_256QAM	19.73	PASS
n77(3450-3550)	30	15	636166	1@1	DFT_256QAM	19.84	PASS
n77(3450-3550)	30	15	636166	1@36	DFT_256QAM	19.82	PASS
n77(3450-3550)	30	15	636166	38@0	CP_QPSK	21.14	PASS
n77(3450-3550)	30	15	636166	19@9	CP_QPSK	22.69	PASS
n77(3450-3550)	30	15	636166	1@1	CP_QPSK	22.61	PASS
n77(3450-3550)	30	15	636166	1@36	CP_QPSK	22.61	PASS
n77(3450-3550)	30	15	636166	38@0	CP_16QAM	21.12	PASS
n77(3450-3550)	30	15	636166	19@9	CP_16QAM	22.18	PASS
n77(3450-3550)	30	15	636166	1@1	CP_16QAM	22.03	PASS
n77(3450-3550)	30	15	636166	1@36	CP_16QAM	22.06	PASS
n77(3450-3550)	30	15	636166	38@0	CP_64QAM	20.71	PASS
n77(3450-3550)	30	15	636166	19@9	CP_64QAM	20.69	PASS
n77(3450-3550)	30	15	636166	1@1	CP_64QAM	20.67	PASS
n77(3450-3550)	30	15	636166	1@36	CP_64QAM	20.66	PASS
n77(3450-3550)	30	15	636166	38@0	CP_256QAM	17.65	PASS
n77(3450-3550)	30	15	636166	19@9	CP_256QAM	17.61	PASS
n77(3450-3550)	30	15	636166	1@1	CP_256QAM	17.85	PASS
n77(3450-3550)	30	15	636166	1@36	CP_256QAM	17.6	PASS
n77(3450-3550)	30	20	630668	50@0	DFT_BPSK	23.48	PASS
n77(3450-3550)	30	20	630668	25@12	DFT_BPSK	23.95	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_BPSK	23.88	PASS
n77(3450-3550)	30	20	630668	1@49	DFT_BPSK	23.9	PASS
n77(3450-3550)	30	20	630668	50@0	DFT_QPSK	22.97	PASS
n77(3450-3550)	30	20	630668	25@12	DFT_QPSK	23.99	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_QPSK	23.9	PASS
n77(3450-	30	20	630668	1@49	DFT_QPSK	23.88	PASS

3550)							
n77(3450-3550)	30	20	630668	50@0	DFT_16QAM	21.93	PASS
n77(3450-3550)	30	20	630668	25@12	DFT_16QAM	22.98	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_16QAM	23.1	PASS
n77(3450-3550)	30	20	630668	1@49	DFT_16QAM	23.15	PASS
n77(3450-3550)	30	20	630668	50@0	DFT_64QAM	21.48	PASS
n77(3450-3550)	30	20	630668	25@12	DFT_64QAM	21.43	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_64QAM	21.62	PASS
n77(3450-3550)	30	20	630668	1@49	DFT_64QAM	21.67	PASS
n77(3450-3550)	30	20	630668	50@0	DFT_256QAM	19.47	PASS
n77(3450-3550)	30	20	630668	25@12	DFT_256QAM	19.48	PASS
n77(3450-3550)	30	20	630668	1@1	DFT_256QAM	19.62	PASS
n77(3450-3550)	30	20	630668	1@49	DFT_256QAM	19.63	PASS
n77(3450-3550)	30	20	630668	51@0	CP_QPSK	20.94	PASS
n77(3450-3550)	30	20	630668	25@12	CP_QPSK	22.42	PASS
n77(3450-3550)	30	20	630668	1@1	CP_QPSK	22.33	PASS
n77(3450-3550)	30	20	630668	1@49	CP_QPSK	22.36	PASS
n77(3450-3550)	30	20	630668	51@0	CP_16QAM	20.96	PASS
n77(3450-3550)	30	20	630668	25@12	CP_16QAM	21.94	PASS
n77(3450-3550)	30	20	630668	1@1	CP_16QAM	21.77	PASS
n77(3450-3550)	30	20	630668	1@49	CP_16QAM	21.81	PASS
n77(3450-3550)	30	20	630668	51@0	CP_64QAM	20.51	PASS
n77(3450-3550)	30	20	630668	25@12	CP_64QAM	20.46	PASS
n77(3450-3550)	30	20	630668	1@1	CP_64QAM	20.44	PASS
n77(3450-3550)	30	20	630668	1@49	CP_64QAM	20.45	PASS
n77(3450-3550)	30	20	630668	51@0	CP_256QAM	17.51	PASS
n77(3450-3550)	30	20	630668	25@12	CP_256QAM	17.5	PASS
n77(3450-3550)	30	20	630668	1@1	CP_256QAM	17.62	PASS
n77(3450-3550)	30	20	630668	1@49	CP_256QAM	17.69	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_BPSK	23.38	PASS
n77(3450-3550)	30	20	633334	25@12	DFT_BPSK	23.88	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_BPSK	23.82	PASS
n77(3450-3550)	30	20	633334	1@49	DFT_BPSK	23.81	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_QPSK	22.88	PASS
n77(3450-3550)	30	20	633334	25@12	DFT_QPSK	23.85	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_QPSK	23.86	PASS
n77(3450-3550)	30	20	633334	1@49	DFT_QPSK	23.83	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_16QAM	21.86	PASS

n77(3450-3550)	30	20	633334	25@12	DFT_16QAM	22.87	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_16QAM	22.98	PASS
n77(3450-3550)	30	20	633334	1@49	DFT_16QAM	22.96	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_64QAM	21.35	PASS
n77(3450-3550)	30	20	633334	25@12	DFT_64QAM	21.36	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_64QAM	21.41	PASS
n77(3450-3550)	30	20	633334	1@49	DFT_64QAM	21.33	PASS
n77(3450-3550)	30	20	633334	50@0	DFT_256QAM	19.36	PASS
n77(3450-3550)	30	20	633334	25@12	DFT_256QAM	19.35	PASS
n77(3450-3550)	30	20	633334	1@1	DFT_256QAM	19.35	PASS
n77(3450-3550)	30	20	633334	1@49	DFT_256QAM	19.35	PASS
n77(3450-3550)	30	20	633334	51@0	CP_QPSK	20.92	PASS
n77(3450-3550)	30	20	633334	25@12	CP_QPSK	22.31	PASS
n77(3450-3550)	30	20	633334	1@1	CP_QPSK	22.43	PASS
n77(3450-3550)	30	20	633334	1@49	CP_QPSK	22.38	PASS
n77(3450-3550)	30	20	633334	51@0	CP_16QAM	20.82	PASS
n77(3450-3550)	30	20	633334	25@12	CP_16QAM	21.88	PASS
n77(3450-3550)	30	20	633334	1@1	CP_16QAM	21.72	PASS
n77(3450-3550)	30	20	633334	1@49	CP_16QAM	21.69	PASS
n77(3450-3550)	30	20	633334	51@0	CP_64QAM	20.4	PASS
n77(3450-3550)	30	20	633334	25@12	CP_64QAM	20.39	PASS
n77(3450-3550)	30	20	633334	1@1	CP_64QAM	20.3	PASS
n77(3450-3550)	30	20	633334	1@49	CP_64QAM	20.21	PASS
n77(3450-3550)	30	20	633334	51@0	CP_256QAM	17.43	PASS
n77(3450-3550)	30	20	633334	25@12	CP_256QAM	17.39	PASS
n77(3450-3550)	30	20	633334	1@1	CP_256QAM	17.59	PASS
n77(3450-3550)	30	20	633334	1@49	CP_256QAM	17.56	PASS
n77(3450-3550)	30	20	636000	50@0	DFT_BPSK	23.71	PASS
n77(3450-3550)	30	20	636000	25@12	DFT_BPSK	24.18	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_BPSK	24.17	PASS
n77(3450-3550)	30	20	636000	1@49	DFT_BPSK	24.15	PASS
n77(3450-3550)	30	20	636000	50@0	DFT_QPSK	23.22	PASS
n77(3450-3550)	30	20	636000	25@12	DFT_QPSK	24.21	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_QPSK	24.19	PASS
n77(3450-3550)	30	20	636000	1@49	DFT_QPSK	24.14	PASS
n77(3450-3550)	30	20	636000	50@0	DFT_16QAM	22.18	PASS
n77(3450-3550)	30	20	636000	25@12	DFT_16QAM	23.2	PASS
n77(3450-	30	20	636000	1@1	DFT_16QAM	23.42	PASS

3550)							
n77(3450-3550)	30	20	636000	1@49	DFT_16QAM	23.38	PASS
n77(3450-3550)	30	20	636000	50@0	DFT_64QAM	21.7	PASS
n77(3450-3550)	30	20	636000	25@12	DFT_64QAM	21.64	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_64QAM	21.89	PASS
n77(3450-3550)	30	20	636000	1@49	DFT_64QAM	21.89	PASS
n77(3450-3550)	30	20	636000	50@0	DFT_256QAM	19.68	PASS
n77(3450-3550)	30	20	636000	25@12	DFT_256QAM	19.72	PASS
n77(3450-3550)	30	20	636000	1@1	DFT_256QAM	19.86	PASS
n77(3450-3550)	30	20	636000	1@49	DFT_256QAM	19.87	PASS
n77(3450-3550)	30	20	636000	51@0	CP_QPSK	21.15	PASS
n77(3450-3550)	30	20	636000	25@12	CP_QPSK	22.68	PASS
n77(3450-3550)	30	20	636000	1@1	CP_QPSK	22.64	PASS
n77(3450-3550)	30	20	636000	1@49	CP_QPSK	22.6	PASS
n77(3450-3550)	30	20	636000	51@0	CP_16QAM	21.19	PASS
n77(3450-3550)	30	20	636000	25@12	CP_16QAM	22.21	PASS
n77(3450-3550)	30	20	636000	1@1	CP_16QAM	22.04	PASS
n77(3450-3550)	30	20	636000	1@49	CP_16QAM	21.98	PASS
n77(3450-3550)	30	20	636000	51@0	CP_64QAM	20.67	PASS
n77(3450-3550)	30	20	636000	25@12	CP_64QAM	20.76	PASS
n77(3450-3550)	30	20	636000	1@1	CP_64QAM	20.75	PASS
n77(3450-3550)	30	20	636000	1@49	CP_64QAM	20.71	PASS
n77(3450-3550)	30	20	636000	51@0	CP_256QAM	17.73	PASS
n77(3450-3550)	30	20	636000	25@12	CP_256QAM	17.73	PASS
n77(3450-3550)	30	20	636000	1@1	CP_256QAM	17.89	PASS
n77(3450-3550)	30	20	636000	1@49	CP_256QAM	17.87	PASS
n77(3450-3550)	30	40	631334	100@0	DFT_BPSK	23.53	PASS
n77(3450-3550)	30	40	631334	50@25	DFT_BPSK	24.03	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_BPSK	23.94	PASS
n77(3450-3550)	30	40	631334	1@104	DFT_BPSK	23.9	PASS
n77(3450-3550)	30	40	631334	100@0	DFT_QPSK	23.03	PASS
n77(3450-3550)	30	40	631334	50@25	DFT_QPSK	24.01	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_QPSK	23.96	PASS
n77(3450-3550)	30	40	631334	1@104	DFT_QPSK	23.95	PASS
n77(3450-3550)	30	40	631334	100@0	DFT_16QAM	21.99	PASS
n77(3450-3550)	30	40	631334	50@25	DFT_16QAM	23.01	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_16QAM	23.19	PASS
n77(3450-3550)	30	40	631334	1@104	DFT_16QAM	23.15	PASS

n77(3450-3550)	30	40	631334	100@0	DFT_64QAM	21.53	PASS
n77(3450-3550)	30	40	631334	50@25	DFT_64QAM	21.55	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_64QAM	21.66	PASS
n77(3450-3550)	30	40	631334	1@104	DFT_64QAM	21.63	PASS
n77(3450-3550)	30	40	631334	100@0	DFT_256QAM	19.54	PASS
n77(3450-3550)	30	40	631334	50@25	DFT_256QAM	19.55	PASS
n77(3450-3550)	30	40	631334	1@1	DFT_256QAM	19.66	PASS
n77(3450-3550)	30	40	631334	1@104	DFT_256QAM	19.67	PASS
n77(3450-3550)	30	40	631334	106@0	CP_QPSK	20.99	PASS
n77(3450-3550)	30	40	631334	53@26	CP_QPSK	22.48	PASS
n77(3450-3550)	30	40	631334	1@1	CP_QPSK	22.39	PASS
n77(3450-3550)	30	40	631334	1@104	CP_QPSK	22.39	PASS
n77(3450-3550)	30	40	631334	106@0	CP_16QAM	20.99	PASS
n77(3450-3550)	30	40	631334	53@26	CP_16QAM	22	PASS
n77(3450-3550)	30	40	631334	1@1	CP_16QAM	21.9	PASS
n77(3450-3550)	30	40	631334	1@104	CP_16QAM	21.88	PASS
n77(3450-3550)	30	40	631334	106@0	CP_64QAM	20.55	PASS
n77(3450-3550)	30	40	631334	53@26	CP_64QAM	20.56	PASS
n77(3450-3550)	30	40	631334	1@1	CP_64QAM	20.43	PASS
n77(3450-3550)	30	40	631334	1@104	CP_64QAM	20.39	PASS
n77(3450-3550)	30	40	631334	106@0	CP_256QAM	17.5	PASS
n77(3450-3550)	30	40	631334	53@26	CP_256QAM	17.51	PASS
n77(3450-3550)	30	40	631334	1@1	CP_256QAM	17.66	PASS
n77(3450-3550)	30	40	631334	1@104	CP_256QAM	17.64	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_BPSK	23.46	PASS
n77(3450-3550)	30	40	633334	50@25	DFT_BPSK	23.95	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_BPSK	23.88	PASS
n77(3450-3550)	30	40	633334	1@104	DFT_BPSK	23.87	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_QPSK	22.96	PASS
n77(3450-3550)	30	40	633334	50@25	DFT_QPSK	23.93	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_QPSK	23.93	PASS
n77(3450-3550)	30	40	633334	1@104	DFT_QPSK	23.87	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_16QAM	21.94	PASS
n77(3450-3550)	30	40	633334	50@25	DFT_16QAM	22.92	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_16QAM	23.15	PASS
n77(3450-3550)	30	40	633334	1@104	DFT_16QAM	23.12	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_64QAM	21.45	PASS
n77(3450-	30	40	633334	50@25	DFT_64QAM	21.47	PASS

3550)							
n77(3450-3550)	30	40	633334	1@1	DFT_64QAM	21.65	PASS
n77(3450-3550)	30	40	633334	1@104	DFT_64QAM	21.59	PASS
n77(3450-3550)	30	40	633334	100@0	DFT_256QAM	19.47	PASS
n77(3450-3550)	30	40	633334	50@25	DFT_256QAM	19.47	PASS
n77(3450-3550)	30	40	633334	1@1	DFT_256QAM	19.67	PASS
n77(3450-3550)	30	40	633334	1@104	DFT_256QAM	19.6	PASS
n77(3450-3550)	30	40	633334	106@0	CP_QPSK	20.9	PASS
n77(3450-3550)	30	40	633334	53@26	CP_QPSK	22.39	PASS
n77(3450-3550)	30	40	633334	1@1	CP_QPSK	22.4	PASS
n77(3450-3550)	30	40	633334	1@104	CP_QPSK	22.32	PASS
n77(3450-3550)	30	40	633334	106@0	CP_16QAM	20.92	PASS
n77(3450-3550)	30	40	633334	53@26	CP_16QAM	21.89	PASS
n77(3450-3550)	30	40	633334	1@1	CP_16QAM	21.86	PASS
n77(3450-3550)	30	40	633334	1@104	CP_16QAM	21.84	PASS
n77(3450-3550)	30	40	633334	106@0	CP_64QAM	20.48	PASS
n77(3450-3550)	30	40	633334	53@26	CP_64QAM	20.46	PASS
n77(3450-3550)	30	40	633334	1@1	CP_64QAM	20.53	PASS
n77(3450-3550)	30	40	633334	1@104	CP_64QAM	20.46	PASS
n77(3450-3550)	30	40	633334	106@0	CP_256QAM	17.45	PASS
n77(3450-3550)	30	40	633334	53@26	CP_256QAM	17.42	PASS
n77(3450-3550)	30	40	633334	1@1	CP_256QAM	17.67	PASS
n77(3450-3550)	30	40	633334	1@104	CP_256QAM	17.64	PASS
n77(3450-3550)	30	40	635332	100@0	DFT_BPSK	23.55	PASS
n77(3450-3550)	30	40	635332	50@25	DFT_BPSK	24.04	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_BPSK	24.05	PASS
n77(3450-3550)	30	40	635332	1@104	DFT_BPSK	23.95	PASS
n77(3450-3550)	30	40	635332	100@0	DFT_QPSK	23.05	PASS
n77(3450-3550)	30	40	635332	50@25	DFT_QPSK	24.06	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_QPSK	24.07	PASS
n77(3450-3550)	30	40	635332	1@104	DFT_QPSK	23.98	PASS
n77(3450-3550)	30	40	635332	100@0	DFT_16QAM	22.04	PASS
n77(3450-3550)	30	40	635332	50@25	DFT_16QAM	23.04	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_16QAM	23.33	PASS
n77(3450-3550)	30	40	635332	1@104	DFT_16QAM	23.23	PASS
n77(3450-3550)	30	40	635332	100@0	DFT_64QAM	21.56	PASS
n77(3450-3550)	30	40	635332	50@25	DFT_64QAM	21.59	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_64QAM	21.77	PASS

n77(3450-3550)	30	40	635332	1@104	DFT_64QAM	21.71	PASS
n77(3450-3550)	30	40	635332	100@0	DFT_256QAM	19.55	PASS
n77(3450-3550)	30	40	635332	50@25	DFT_256QAM	19.63	PASS
n77(3450-3550)	30	40	635332	1@1	DFT_256QAM	19.77	PASS
n77(3450-3550)	30	40	635332	1@104	DFT_256QAM	19.64	PASS
n77(3450-3550)	30	40	635332	106@0	CP_QPSK	21.02	PASS
n77(3450-3550)	30	40	635332	53@26	CP_QPSK	22.51	PASS
n77(3450-3550)	30	40	635332	1@1	CP_QPSK	22.5	PASS
n77(3450-3550)	30	40	635332	1@104	CP_QPSK	22.39	PASS
n77(3450-3550)	30	40	635332	106@0	CP_16QAM	21.05	PASS
n77(3450-3550)	30	40	635332	53@26	CP_16QAM	22.05	PASS
n77(3450-3550)	30	40	635332	1@1	CP_16QAM	21.93	PASS
n77(3450-3550)	30	40	635332	1@104	CP_16QAM	21.86	PASS
n77(3450-3550)	30	40	635332	106@0	CP_64QAM	20.56	PASS
n77(3450-3550)	30	40	635332	53@26	CP_64QAM	20.55	PASS
n77(3450-3550)	30	40	635332	1@1	CP_64QAM	20.56	PASS
n77(3450-3550)	30	40	635332	1@104	CP_64QAM	20.5	PASS
n77(3450-3550)	30	40	635332	106@0	CP_256QAM	17.55	PASS
n77(3450-3550)	30	40	635332	53@26	CP_256QAM	17.54	PASS
n77(3450-3550)	30	40	635332	1@1	CP_256QAM	17.78	PASS
n77(3450-3550)	30	40	635332	1@104	CP_256QAM	17.69	PASS
n77(3450-3550)	30	50	631668	128@0	DFT_BPSK	23.52	PASS
n77(3450-3550)	30	50	631668	64@32	DFT_BPSK	24.07	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_BPSK	23.9	PASS
n77(3450-3550)	30	50	631668	1@131	DFT_BPSK	23.85	PASS
n77(3450-3550)	30	50	631668	128@0	DFT_QPSK	23.03	PASS
n77(3450-3550)	30	50	631668	64@32	DFT_QPSK	24.06	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_QPSK	23.9	PASS
n77(3450-3550)	30	50	631668	1@131	DFT_QPSK	23.86	PASS
n77(3450-3550)	30	50	631668	128@0	DFT_16QAM	21.98	PASS
n77(3450-3550)	30	50	631668	64@32	DFT_16QAM	23.04	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_16QAM	23.17	PASS
n77(3450-3550)	30	50	631668	1@131	DFT_16QAM	23.05	PASS
n77(3450-3550)	30	50	631668	128@0	DFT_64QAM	21.53	PASS
n77(3450-3550)	30	50	631668	64@32	DFT_64QAM	21.58	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_64QAM	21.59	PASS
n77(3450-3550)	30	50	631668	1@131	DFT_64QAM	21.55	PASS
n77(3450-	30	50	631668	128@0	DFT_256QAM	19.53	PASS

3550)							
n77(3450-3550)	30	50	631668	64@32	DFT_256QAM	19.53	PASS
n77(3450-3550)	30	50	631668	1@1	DFT_256QAM	19.62	PASS
n77(3450-3550)	30	50	631668	1@131	DFT_256QAM	19.57	PASS
n77(3450-3550)	30	50	631668	133@0	CP_QPSK	20.98	PASS
n77(3450-3550)	30	50	631668	67@33	CP_QPSK	22.5	PASS
n77(3450-3550)	30	50	631668	1@1	CP_QPSK	22.35	PASS
n77(3450-3550)	30	50	631668	1@131	CP_QPSK	22.27	PASS
n77(3450-3550)	30	50	631668	133@0	CP_16QAM	20.98	PASS
n77(3450-3550)	30	50	631668	67@33	CP_16QAM	22.03	PASS
n77(3450-3550)	30	50	631668	1@1	CP_16QAM	21.81	PASS
n77(3450-3550)	30	50	631668	1@131	CP_16QAM	21.77	PASS
n77(3450-3550)	30	50	631668	133@0	CP_64QAM	20.47	PASS
n77(3450-3550)	30	50	631668	67@33	CP_64QAM	20.55	PASS
n77(3450-3550)	30	50	631668	1@1	CP_64QAM	20.47	PASS
n77(3450-3550)	30	50	631668	1@131	CP_64QAM	20.43	PASS
n77(3450-3550)	30	50	631668	133@0	CP_256QAM	17.8	PASS
n77(3450-3550)	30	50	631668	67@33	CP_256QAM	17.55	PASS
n77(3450-3550)	30	50	631668	1@1	CP_256QAM	17.66	PASS
n77(3450-3550)	30	50	631668	1@131	CP_256QAM	17.57	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_BPSK	23.5	PASS
n77(3450-3550)	30	50	633334	64@32	DFT_BPSK	23.97	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_BPSK	23.9	PASS
n77(3450-3550)	30	50	633334	1@131	DFT_BPSK	23.81	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_QPSK	23	PASS
n77(3450-3550)	30	50	633334	64@32	DFT_QPSK	23.98	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_QPSK	23.93	PASS
n77(3450-3550)	30	50	633334	1@131	DFT_QPSK	23.84	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_16QAM	21.95	PASS
n77(3450-3550)	30	50	633334	64@32	DFT_16QAM	22.97	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_16QAM	23.23	PASS
n77(3450-3550)	30	50	633334	1@131	DFT_16QAM	23.14	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_64QAM	21.52	PASS
n77(3450-3550)	30	50	633334	64@32	DFT_64QAM	21.46	PASS
n77(3450-3550)	30	50	633334	1@1	DFT_64QAM	21.64	PASS
n77(3450-3550)	30	50	633334	1@131	DFT_64QAM	21.59	PASS
n77(3450-3550)	30	50	633334	128@0	DFT_256QAM	19.54	PASS
n77(3450-3550)	30	50	633334	64@32	DFT_256QAM	19.5	PASS

n77(3450-3550)	30	50	633334	1@1	DFT_256QAM	19.66	PASS
n77(3450-3550)	30	50	633334	1@131	DFT_256QAM	19.57	PASS
n77(3450-3550)	30	50	633334	133@0	CP_QPSK	20.94	PASS
n77(3450-3550)	30	50	633334	67@33	CP_QPSK	22.38	PASS
n77(3450-3550)	30	50	633334	1@1	CP_QPSK	22.38	PASS
n77(3450-3550)	30	50	633334	1@131	CP_QPSK	22.28	PASS
n77(3450-3550)	30	50	633334	133@0	CP_16QAM	20.96	PASS
n77(3450-3550)	30	50	633334	67@33	CP_16QAM	21.93	PASS
n77(3450-3550)	30	50	633334	1@1	CP_16QAM	21.84	PASS
n77(3450-3550)	30	50	633334	1@131	CP_16QAM	21.77	PASS
n77(3450-3550)	30	50	633334	133@0	CP_64QAM	20.45	PASS
n77(3450-3550)	30	50	633334	67@33	CP_64QAM	20.45	PASS
n77(3450-3550)	30	50	633334	1@1	CP_64QAM	20.48	PASS
n77(3450-3550)	30	50	633334	1@131	CP_64QAM	20.37	PASS
n77(3450-3550)	30	50	633334	133@0	CP_256QAM	17.51	PASS
n77(3450-3550)	30	50	633334	67@33	CP_256QAM	17.45	PASS
n77(3450-3550)	30	50	633334	1@1	CP_256QAM	17.65	PASS
n77(3450-3550)	30	50	633334	1@131	CP_256QAM	17.57	PASS
n77(3450-3550)	30	50	635000	128@0	DFT_BPSK	23.58	PASS
n77(3450-3550)	30	50	635000	64@32	DFT_BPSK	24.09	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_BPSK	23.93	PASS
n77(3450-3550)	30	50	635000	1@131	DFT_BPSK	23.87	PASS
n77(3450-3550)	30	50	635000	128@0	DFT_QPSK	23.05	PASS
n77(3450-3550)	30	50	635000	64@32	DFT_QPSK	24.07	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_QPSK	23.94	PASS
n77(3450-3550)	30	50	635000	1@131	DFT_QPSK	23.91	PASS
n77(3450-3550)	30	50	635000	128@0	DFT_16QAM	22.03	PASS
n77(3450-3550)	30	50	635000	64@32	DFT_16QAM	23.07	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_16QAM	23.25	PASS
n77(3450-3550)	30	50	635000	1@131	DFT_16QAM	23.27	PASS
n77(3450-3550)	30	50	635000	128@0	DFT_64QAM	21.6	PASS
n77(3450-3550)	30	50	635000	64@32	DFT_64QAM	21.57	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_64QAM	21.71	PASS
n77(3450-3550)	30	50	635000	1@131	DFT_64QAM	21.61	PASS
n77(3450-3550)	30	50	635000	128@0	DFT_256QAM	19.59	PASS
n77(3450-3550)	30	50	635000	64@32	DFT_256QAM	19.56	PASS
n77(3450-3550)	30	50	635000	1@1	DFT_256QAM	19.68	PASS
n77(3450-	30	50	635000	1@131	DFT_256QAM	19.63	PASS

3550)							
n77(3450-3550)	30	50	635000	133@0	CP_QPSK	21.04	PASS
n77(3450-3550)	30	50	635000	67@33	CP_QPSK	22.53	PASS
n77(3450-3550)	30	50	635000	1@1	CP_QPSK	22.37	PASS
n77(3450-3550)	30	50	635000	1@131	CP_QPSK	22.36	PASS
n77(3450-3550)	30	50	635000	133@0	CP_16QAM	21.03	PASS
n77(3450-3550)	30	50	635000	67@33	CP_16QAM	22.04	PASS
n77(3450-3550)	30	50	635000	1@1	CP_16QAM	21.86	PASS
n77(3450-3550)	30	50	635000	1@131	CP_16QAM	21.86	PASS
n77(3450-3550)	30	50	635000	133@0	CP_64QAM	20.52	PASS
n77(3450-3550)	30	50	635000	67@33	CP_64QAM	20.57	PASS
n77(3450-3550)	30	50	635000	1@1	CP_64QAM	20.48	PASS
n77(3450-3550)	30	50	635000	1@131	CP_64QAM	20.49	PASS
n77(3450-3550)	30	50	635000	133@0	CP_256QAM	17.55	PASS
n77(3450-3550)	30	50	635000	67@33	CP_256QAM	17.56	PASS
n77(3450-3550)	30	50	635000	1@1	CP_256QAM	17.67	PASS
n77(3450-3550)	30	50	635000	1@131	CP_256QAM	17.67	PASS
n77(3450-3550)	30	60	632000	162@0	DFT_BPSK	23.49	PASS
n77(3450-3550)	30	60	632000	81@40	DFT_BPSK	24.02	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_BPSK	23.9	PASS
n77(3450-3550)	30	60	632000	1@160	DFT_BPSK	23.85	PASS
n77(3450-3550)	30	60	632000	162@0	DFT_QPSK	22.99	PASS
n77(3450-3550)	30	60	632000	81@40	DFT_QPSK	24	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_QPSK	23.93	PASS
n77(3450-3550)	30	60	632000	1@160	DFT_QPSK	23.88	PASS
n77(3450-3550)	30	60	632000	162@0	DFT_16QAM	21.97	PASS
n77(3450-3550)	30	60	632000	81@40	DFT_16QAM	23.03	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_16QAM	23.18	PASS
n77(3450-3550)	30	60	632000	1@160	DFT_16QAM	23.11	PASS
n77(3450-3550)	30	60	632000	162@0	DFT_64QAM	21.51	PASS
n77(3450-3550)	30	60	632000	81@40	DFT_64QAM	21.52	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_64QAM	21.61	PASS
n77(3450-3550)	30	60	632000	1@160	DFT_64QAM	21.55	PASS
n77(3450-3550)	30	60	632000	162@0	DFT_256QAM	19.5	PASS
n77(3450-3550)	30	60	632000	81@40	DFT_256QAM	19.53	PASS
n77(3450-3550)	30	60	632000	1@1	DFT_256QAM	19.61	PASS
n77(3450-3550)	30	60	632000	1@160	DFT_256QAM	19.56	PASS
n77(3450-3550)	30	60	632000	162@0	CP_QPSK	20.96	PASS

n77(3450-3550)	30	60	632000	81@40	CP_QPSK	22.45	PASS
n77(3450-3550)	30	60	632000	1@1	CP_QPSK	22.36	PASS
n77(3450-3550)	30	60	632000	1@160	CP_QPSK	22.32	PASS
n77(3450-3550)	30	60	632000	162@0	CP_16QAM	20.99	PASS
n77(3450-3550)	30	60	632000	81@40	CP_16QAM	21.99	PASS
n77(3450-3550)	30	60	632000	1@1	CP_16QAM	21.81	PASS
n77(3450-3550)	30	60	632000	1@160	CP_16QAM	21.78	PASS
n77(3450-3550)	30	60	632000	162@0	CP_64QAM	20.48	PASS
n77(3450-3550)	30	60	632000	81@40	CP_64QAM	20.54	PASS
n77(3450-3550)	30	60	632000	1@1	CP_64QAM	20.5	PASS
n77(3450-3550)	30	60	632000	1@160	CP_64QAM	20.44	PASS
n77(3450-3550)	30	60	632000	162@0	CP_256QAM	17.51	PASS
n77(3450-3550)	30	60	632000	81@40	CP_256QAM	17.5	PASS
n77(3450-3550)	30	60	632000	1@1	CP_256QAM	17.66	PASS
n77(3450-3550)	30	60	632000	1@160	CP_256QAM	17.58	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_BPSK	23.44	PASS
n77(3450-3550)	30	60	633334	81@40	DFT_BPSK	23.93	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_BPSK	23.91	PASS
n77(3450-3550)	30	60	633334	1@160	DFT_BPSK	23.78	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_QPSK	22.94	PASS
n77(3450-3550)	30	60	633334	81@40	DFT_QPSK	23.92	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_QPSK	23.9	PASS
n77(3450-3550)	30	60	633334	1@160	DFT_QPSK	23.83	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_16QAM	21.92	PASS
n77(3450-3550)	30	60	633334	81@40	DFT_16QAM	22.92	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_16QAM	23.15	PASS
n77(3450-3550)	30	60	633334	1@160	DFT_16QAM	23.08	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_64QAM	21.41	PASS
n77(3450-3550)	30	60	633334	81@40	DFT_64QAM	21.4	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_64QAM	21.58	PASS
n77(3450-3550)	30	60	633334	1@160	DFT_64QAM	21.46	PASS
n77(3450-3550)	30	60	633334	162@0	DFT_256QAM	19.44	PASS
n77(3450-3550)	30	60	633334	81@40	DFT_256QAM	19.41	PASS
n77(3450-3550)	30	60	633334	1@1	DFT_256QAM	19.59	PASS
n77(3450-3550)	30	60	633334	1@160	DFT_256QAM	19.51	PASS
n77(3450-3550)	30	60	633334	162@0	CP_QPSK	20.88	PASS
n77(3450-3550)	30	60	633334	81@40	CP_QPSK	22.34	PASS
n77(3450-	30	60	633334	1@1	CP_QPSK	22.38	PASS

3550)							
n77(3450-3550)	30	60	633334	1@160	CP_QPSK	22.29	PASS
n77(3450-3550)	30	60	633334	162@0	CP_16QAM	20.9	PASS
n77(3450-3550)	30	60	633334	81@40	CP_16QAM	21.84	PASS
n77(3450-3550)	30	60	633334	1@1	CP_16QAM	21.88	PASS
n77(3450-3550)	30	60	633334	1@160	CP_16QAM	21.82	PASS
n77(3450-3550)	30	60	633334	162@0	CP_64QAM	20.44	PASS
n77(3450-3550)	30	60	633334	81@40	CP_64QAM	20.44	PASS
n77(3450-3550)	30	60	633334	1@1	CP_64QAM	20.49	PASS
n77(3450-3550)	30	60	633334	1@160	CP_64QAM	20.38	PASS
n77(3450-3550)	30	60	633334	162@0	CP_256QAM	17.6	PASS
n77(3450-3550)	30	60	633334	81@40	CP_256QAM	17.37	PASS
n77(3450-3550)	30	60	633334	1@1	CP_256QAM	17.67	PASS
n77(3450-3550)	30	60	633334	1@160	CP_256QAM	17.56	PASS
n77(3450-3550)	30	60	634666	162@0	DFT_BPSK	23.52	PASS
n77(3450-3550)	30	60	634666	81@40	DFT_BPSK	24.01	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_BPSK	23.98	PASS
n77(3450-3550)	30	60	634666	1@160	DFT_BPSK	23.88	PASS
n77(3450-3550)	30	60	634666	162@0	DFT_QPSK	23.05	PASS
n77(3450-3550)	30	60	634666	81@40	DFT_QPSK	24	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_QPSK	24	PASS
n77(3450-3550)	30	60	634666	1@160	DFT_QPSK	23.92	PASS
n77(3450-3550)	30	60	634666	162@0	DFT_16QAM	22.01	PASS
n77(3450-3550)	30	60	634666	81@40	DFT_16QAM	22.98	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_16QAM	23.28	PASS
n77(3450-3550)	30	60	634666	1@160	DFT_16QAM	23.17	PASS
n77(3450-3550)	30	60	634666	162@0	DFT_64QAM	21.54	PASS
n77(3450-3550)	30	60	634666	81@40	DFT_64QAM	21.49	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_64QAM	21.68	PASS
n77(3450-3550)	30	60	634666	1@160	DFT_64QAM	21.55	PASS
n77(3450-3550)	30	60	634666	162@0	DFT_256QAM	19.53	PASS
n77(3450-3550)	30	60	634666	81@40	DFT_256QAM	19.53	PASS
n77(3450-3550)	30	60	634666	1@1	DFT_256QAM	19.71	PASS
n77(3450-3550)	30	60	634666	1@160	DFT_256QAM	19.61	PASS
n77(3450-3550)	30	60	634666	162@0	CP_QPSK	20.98	PASS
n77(3450-3550)	30	60	634666	81@40	CP_QPSK	22.44	PASS
n77(3450-3550)	30	60	634666	1@1	CP_QPSK	22.44	PASS
n77(3450-3550)	30	60	634666	1@160	CP_QPSK	22.37	PASS

n77(3450-3550)	30	60	634666	162@0	CP_16QAM	20.99	PASS
n77(3450-3550)	30	60	634666	81@40	CP_16QAM	21.94	PASS
n77(3450-3550)	30	60	634666	1@1	CP_16QAM	21.85	PASS
n77(3450-3550)	30	60	634666	1@160	CP_16QAM	21.82	PASS
n77(3450-3550)	30	60	634666	162@0	CP_64QAM	20.51	PASS
n77(3450-3550)	30	60	634666	81@40	CP_64QAM	20.51	PASS
n77(3450-3550)	30	60	634666	1@1	CP_64QAM	20.57	PASS
n77(3450-3550)	30	60	634666	1@160	CP_64QAM	20.45	PASS
n77(3450-3550)	30	60	634666	162@0	CP_256QAM	17.52	PASS
n77(3450-3550)	30	60	634666	81@40	CP_256QAM	17.51	PASS
n77(3450-3550)	30	60	634666	1@1	CP_256QAM	17.72	PASS
n77(3450-3550)	30	60	634666	1@160	CP_256QAM	17.56	PASS
n77(3450-3550)	30	70	632334	180@0	DFT_BPSK	23.42	PASS
n77(3450-3550)	30	70	632334	90@45	DFT_BPSK	23.93	PASS
n77(3450-3550)	30	70	632334	1@1	DFT_BPSK	23.77	PASS
n77(3450-3550)	30	70	632334	1@187	DFT_BPSK	23.68	PASS
n77(3450-3550)	30	70	632334	180@0	DFT_QPSK	22.88	PASS
n77(3450-3550)	30	70	632334	90@45	DFT_QPSK	23.92	PASS
n77(3450-3550)	30	70	632334	1@1	DFT_QPSK	23.78	PASS
n77(3450-3550)	30	70	632334	1@187	DFT_QPSK	23.71	PASS
n77(3450-3550)	30	70	632334	180@0	DFT_16QAM	21.89	PASS
n77(3450-3550)	30	70	632334	90@45	DFT_16QAM	22.92	PASS
n77(3450-3550)	30	70	632334	1@1	DFT_16QAM	23.09	PASS
n77(3450-3550)	30	70	632334	1@187	DFT_16QAM	23.03	PASS
n77(3450-3550)	30	70	632334	180@0	DFT_64QAM	21.41	PASS
n77(3450-3550)	30	70	632334	90@45	DFT_64QAM	21.41	PASS
n77(3450-3550)	30	70	632334	1@1	DFT_64QAM	21.49	PASS
n77(3450-3550)	30	70	632334	1@187	DFT_64QAM	21.37	PASS
n77(3450-3550)	30	70	632334	180@0	DFT_256QAM	19.42	PASS
n77(3450-3550)	30	70	632334	90@45	DFT_256QAM	19.47	PASS
n77(3450-3550)	30	70	632334	1@1	DFT_256QAM	19.46	PASS
n77(3450-3550)	30	70	632334	1@187	DFT_256QAM	19.4	PASS
n77(3450-3550)	30	70	632334	189@0	CP_QPSK	20.87	PASS
n77(3450-3550)	30	70	632334	95@47	CP_QPSK	22.35	PASS
n77(3450-3550)	30	70	632334	1@1	CP_QPSK	22.2	PASS
n77(3450-3550)	30	70	632334	1@187	CP_QPSK	22.17	PASS
n77(3450-3550)	30	70	632334	189@0	CP_16QAM	20.88	PASS
n77(3450-	30	70	632334	95@47	CP_16QAM	21.86	PASS

3550)							
n77(3450-3550)	30	70	632334	1@1	CP_16QAM	21.66	PASS
n77(3450-3550)	30	70	632334	1@187	CP_16QAM	21.61	PASS
n77(3450-3550)	30	70	632334	189@0	CP_64QAM	20.39	PASS
n77(3450-3550)	30	70	632334	95@47	CP_64QAM	20.43	PASS
n77(3450-3550)	30	70	632334	1@1	CP_64QAM	20.34	PASS
n77(3450-3550)	30	70	632334	1@187	CP_64QAM	20.28	PASS
n77(3450-3550)	30	70	632334	189@0	CP_256QAM	17.42	PASS
n77(3450-3550)	30	70	632334	95@47	CP_256QAM	17.43	PASS
n77(3450-3550)	30	70	632334	1@1	CP_256QAM	17.49	PASS
n77(3450-3550)	30	70	632334	1@187	CP_256QAM	17.39	PASS
n77(3450-3550)	30	70	633334	180@0	DFT_BPSK	23.43	PASS
n77(3450-3550)	30	70	633334	90@45	DFT_BPSK	23.92	PASS
n77(3450-3550)	30	70	633334	1@1	DFT_BPSK	23.83	PASS
n77(3450-3550)	30	70	633334	1@187	DFT_BPSK	23.68	PASS
n77(3450-3550)	30	70	633334	180@0	DFT_QPSK	22.91	PASS
n77(3450-3550)	30	70	633334	90@45	DFT_QPSK	23.89	PASS
n77(3450-3550)	30	70	633334	1@1	DFT_QPSK	23.84	PASS
n77(3450-3550)	30	70	633334	1@187	DFT_QPSK	23.7	PASS
n77(3450-3550)	30	70	633334	180@0	DFT_16QAM	21.93	PASS
n77(3450-3550)	30	70	633334	90@45	DFT_16QAM	22.94	PASS
n77(3450-3550)	30	70	633334	1@1	DFT_16QAM	23.11	PASS
n77(3450-3550)	30	70	633334	1@187	DFT_16QAM	22.95	PASS
n77(3450-3550)	30	70	633334	180@0	DFT_64QAM	21.44	PASS
n77(3450-3550)	30	70	633334	90@45	DFT_64QAM	21.42	PASS
n77(3450-3550)	30	70	633334	1@1	DFT_64QAM	21.5	PASS
n77(3450-3550)	30	70	633334	1@187	DFT_64QAM	21.34	PASS
n77(3450-3550)	30	70	633334	180@0	DFT_256QAM	19.42	PASS
n77(3450-3550)	30	70	633334	90@45	DFT_256QAM	19.45	PASS
n77(3450-3550)	30	70	633334	1@1	DFT_256QAM	19.51	PASS
n77(3450-3550)	30	70	633334	1@187	DFT_256QAM	19.33	PASS
n77(3450-3550)	30	70	633334	189@0	CP_QPSK	20.89	PASS
n77(3450-3550)	30	70	633334	95@47	CP_QPSK	22.37	PASS
n77(3450-3550)	30	70	633334	1@1	CP_QPSK	22.28	PASS
n77(3450-3550)	30	70	633334	1@187	CP_QPSK	22.14	PASS
n77(3450-3550)	30	70	633334	189@0	CP_16QAM	20.92	PASS
n77(3450-3550)	30	70	633334	95@47	CP_16QAM	21.89	PASS
n77(3450-3550)	30	70	633334	1@1	CP_16QAM	21.71	PASS

n77(3450-3550)	30	70	633334	1@187	CP_16QAM	21.56	PASS
n77(3450-3550)	30	70	633334	189@0	CP_64QAM	20.41	PASS
n77(3450-3550)	30	70	633334	95@47	CP_64QAM	20.44	PASS
n77(3450-3550)	30	70	633334	1@1	CP_64QAM	20.39	PASS
n77(3450-3550)	30	70	633334	1@187	CP_64QAM	20.24	PASS
n77(3450-3550)	30	70	633334	189@0	CP_256QAM	17.44	PASS
n77(3450-3550)	30	70	633334	95@47	CP_256QAM	17.42	PASS
n77(3450-3550)	30	70	633334	1@1	CP_256QAM	17.61	PASS
n77(3450-3550)	30	70	633334	1@187	CP_256QAM	17.41	PASS
n77(3450-3550)	30	70	634332	180@0	DFT_BPSK	23.53	PASS
n77(3450-3550)	30	70	634332	90@45	DFT_BPSK	24.03	PASS
n77(3450-3550)	30	70	634332	1@1	DFT_BPSK	24	PASS
n77(3450-3550)	30	70	634332	1@187	DFT_BPSK	23.71	PASS
n77(3450-3550)	30	70	634332	180@0	DFT_QPSK	23.01	PASS
n77(3450-3550)	30	70	634332	90@45	DFT_QPSK	24.03	PASS
n77(3450-3550)	30	70	634332	1@1	DFT_QPSK	24.02	PASS
n77(3450-3550)	30	70	634332	1@187	DFT_QPSK	23.75	PASS
n77(3450-3550)	30	70	634332	180@0	DFT_16QAM	22.03	PASS
n77(3450-3550)	30	70	634332	90@45	DFT_16QAM	23.04	PASS
n77(3450-3550)	30	70	634332	1@1	DFT_16QAM	23.34	PASS
n77(3450-3550)	30	70	634332	1@187	DFT_16QAM	23.08	PASS
n77(3450-3550)	30	70	634332	180@0	DFT_64QAM	21.55	PASS
n77(3450-3550)	30	70	634332	90@45	DFT_64QAM	21.55	PASS
n77(3450-3550)	30	70	634332	1@1	DFT_64QAM	21.72	PASS
n77(3450-3550)	30	70	634332	1@187	DFT_64QAM	21.42	PASS
n77(3450-3550)	30	70	634332	180@0	DFT_256QAM	19.54	PASS
n77(3450-3550)	30	70	634332	90@45	DFT_256QAM	19.55	PASS
n77(3450-3550)	30	70	634332	1@1	DFT_256QAM	19.7	PASS
n77(3450-3550)	30	70	634332	1@187	DFT_256QAM	19.44	PASS
n77(3450-3550)	30	70	634332	189@0	CP_QPSK	21.01	PASS
n77(3450-3550)	30	70	634332	95@47	CP_QPSK	22.47	PASS
n77(3450-3550)	30	70	634332	1@1	CP_QPSK	22.47	PASS
n77(3450-3550)	30	70	634332	1@187	CP_QPSK	22.17	PASS
n77(3450-3550)	30	70	634332	189@0	CP_16QAM	21.02	PASS
n77(3450-3550)	30	70	634332	95@47	CP_16QAM	21.99	PASS
n77(3450-3550)	30	70	634332	1@1	CP_16QAM	21.9	PASS
n77(3450-3550)	30	70	634332	1@187	CP_16QAM	21.66	PASS
n77(3450-	30	70	634332	189@0	CP_64QAM	20.5	PASS

3550)							
n77(3450-3550)	30	70	634332	95@47	CP_64QAM	20.53	PASS
n77(3450-3550)	30	70	634332	1@1	CP_64QAM	20.56	PASS
n77(3450-3550)	30	70	634332	1@187	CP_64QAM	20.33	PASS
n77(3450-3550)	30	70	634332	189@0	CP_256QAM	17.55	PASS
n77(3450-3550)	30	70	634332	95@47	CP_256QAM	17.51	PASS
n77(3450-3550)	30	70	634332	1@1	CP_256QAM	17.73	PASS
n77(3450-3550)	30	70	634332	1@187	CP_256QAM	17.45	PASS
n77(3450-3550)	30	80	632668	216@0	DFT_BPSK	23.36	PASS
n77(3450-3550)	30	80	632668	108@54	DFT_BPSK	23.91	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_BPSK	23.78	PASS
n77(3450-3550)	30	80	632668	1@215	DFT_BPSK	23.61	PASS
n77(3450-3550)	30	80	632668	216@0	DFT_QPSK	22.85	PASS
n77(3450-3550)	30	80	632668	108@54	DFT_QPSK	23.88	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_QPSK	23.78	PASS
n77(3450-3550)	30	80	632668	1@215	DFT_QPSK	23.66	PASS
n77(3450-3550)	30	80	632668	216@0	DFT_16QAM	21.86	PASS
n77(3450-3550)	30	80	632668	108@54	DFT_16QAM	22.87	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_16QAM	23.01	PASS
n77(3450-3550)	30	80	632668	1@215	DFT_16QAM	22.88	PASS
n77(3450-3550)	30	80	632668	216@0	DFT_64QAM	21.37	PASS
n77(3450-3550)	30	80	632668	108@54	DFT_64QAM	21.38	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_64QAM	21.47	PASS
n77(3450-3550)	30	80	632668	1@215	DFT_64QAM	21.34	PASS
n77(3450-3550)	30	80	632668	216@0	DFT_256QAM	19.38	PASS
n77(3450-3550)	30	80	632668	108@54	DFT_256QAM	19.4	PASS
n77(3450-3550)	30	80	632668	1@1	DFT_256QAM	19.51	PASS
n77(3450-3550)	30	80	632668	1@215	DFT_256QAM	19.38	PASS
n77(3450-3550)	30	80	632668	217@0	CP_QPSK	20.81	PASS
n77(3450-3550)	30	80	632668	109@54	CP_QPSK	22.32	PASS
n77(3450-3550)	30	80	632668	1@1	CP_QPSK	22.21	PASS
n77(3450-3550)	30	80	632668	1@215	CP_QPSK	22.05	PASS
n77(3450-3550)	30	80	632668	217@0	CP_16QAM	20.85	PASS
n77(3450-3550)	30	80	632668	109@54	CP_16QAM	21.81	PASS
n77(3450-3550)	30	80	632668	1@1	CP_16QAM	21.7	PASS
n77(3450-3550)	30	80	632668	1@215	CP_16QAM	21.58	PASS
n77(3450-3550)	30	80	632668	217@0	CP_64QAM	20.3	PASS
n77(3450-3550)	30	80	632668	109@54	CP_64QAM	20.35	PASS

n77(3450-3550)	30	80	632668	1@1	CP_64QAM	20.34	PASS
n77(3450-3550)	30	80	632668	1@215	CP_64QAM	20.18	PASS
n77(3450-3550)	30	80	632668	217@0	CP_256QAM	17.42	PASS
n77(3450-3550)	30	80	632668	109@54	CP_256QAM	17.36	PASS
n77(3450-3550)	30	80	632668	1@1	CP_256QAM	17.51	PASS
n77(3450-3550)	30	80	632668	1@215	CP_256QAM	17.35	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_BPSK	23.36	PASS
n77(3450-3550)	30	80	633334	108@54	DFT_BPSK	23.89	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_BPSK	23.78	PASS
n77(3450-3550)	30	80	633334	1@215	DFT_BPSK	23.57	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_QPSK	22.86	PASS
n77(3450-3550)	30	80	633334	108@54	DFT_QPSK	23.88	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_QPSK	23.79	PASS
n77(3450-3550)	30	80	633334	1@215	DFT_QPSK	23.62	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_16QAM	21.85	PASS
n77(3450-3550)	30	80	633334	108@54	DFT_16QAM	22.88	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_16QAM	23.02	PASS
n77(3450-3550)	30	80	633334	1@215	DFT_16QAM	22.87	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_64QAM	21.36	PASS
n77(3450-3550)	30	80	633334	108@54	DFT_64QAM	21.36	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_64QAM	21.48	PASS
n77(3450-3550)	30	80	633334	1@215	DFT_64QAM	21.33	PASS
n77(3450-3550)	30	80	633334	216@0	DFT_256QAM	19.4	PASS
n77(3450-3550)	30	80	633334	108@54	DFT_256QAM	19.43	PASS
n77(3450-3550)	30	80	633334	1@1	DFT_256QAM	19.49	PASS
n77(3450-3550)	30	80	633334	1@215	DFT_256QAM	19.32	PASS
n77(3450-3550)	30	80	633334	217@0	CP_QPSK	20.84	PASS
n77(3450-3550)	30	80	633334	109@54	CP_QPSK	22.34	PASS
n77(3450-3550)	30	80	633334	1@1	CP_QPSK	22.23	PASS
n77(3450-3550)	30	80	633334	1@215	CP_QPSK	22.05	PASS
n77(3450-3550)	30	80	633334	217@0	CP_16QAM	20.85	PASS
n77(3450-3550)	30	80	633334	109@54	CP_16QAM	21.81	PASS
n77(3450-3550)	30	80	633334	1@1	CP_16QAM	21.7	PASS
n77(3450-3550)	30	80	633334	1@215	CP_16QAM	21.52	PASS
n77(3450-3550)	30	80	633334	217@0	CP_64QAM	20.35	PASS
n77(3450-3550)	30	80	633334	109@54	CP_64QAM	20.35	PASS
n77(3450-3550)	30	80	633334	1@1	CP_64QAM	20.35	PASS
n77(3450-	30	80	633334	1@215	CP_64QAM	20.17	PASS

3550)							
n77(3450-3550)	30	80	633334	217@0	CP_256QAM	17.43	PASS
n77(3450-3550)	30	80	633334	109@54	CP_256QAM	17.37	PASS
n77(3450-3550)	30	80	633334	1@1	CP_256QAM	17.52	PASS
n77(3450-3550)	30	80	633334	1@215	CP_256QAM	17.3	PASS
n77(3450-3550)	30	80	634000	216@0	DFT_BPSK	23.44	PASS
n77(3450-3550)	30	80	634000	108@54	DFT_BPSK	23.99	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_BPSK	23.95	PASS
n77(3450-3550)	30	80	634000	1@215	DFT_BPSK	23.66	PASS
n77(3450-3550)	30	80	634000	216@0	DFT_QPSK	22.95	PASS
n77(3450-3550)	30	80	634000	108@54	DFT_QPSK	23.95	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_QPSK	23.97	PASS
n77(3450-3550)	30	80	634000	1@215	DFT_QPSK	23.7	PASS
n77(3450-3550)	30	80	634000	216@0	DFT_16QAM	21.91	PASS
n77(3450-3550)	30	80	634000	108@54	DFT_16QAM	22.94	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_16QAM	23.2	PASS
n77(3450-3550)	30	80	634000	1@215	DFT_16QAM	23.01	PASS
n77(3450-3550)	30	80	634000	216@0	DFT_64QAM	21.44	PASS
n77(3450-3550)	30	80	634000	108@54	DFT_64QAM	21.47	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_64QAM	21.65	PASS
n77(3450-3550)	30	80	634000	1@215	DFT_64QAM	21.36	PASS
n77(3450-3550)	30	80	634000	216@0	DFT_256QAM	19.51	PASS
n77(3450-3550)	30	80	634000	108@54	DFT_256QAM	19.51	PASS
n77(3450-3550)	30	80	634000	1@1	DFT_256QAM	19.7	PASS
n77(3450-3550)	30	80	634000	1@215	DFT_256QAM	19.43	PASS
n77(3450-3550)	30	80	634000	217@0	CP_QPSK	20.92	PASS
n77(3450-3550)	30	80	634000	109@54	CP_QPSK	22.4	PASS
n77(3450-3550)	30	80	634000	1@1	CP_QPSK	22.38	PASS
n77(3450-3550)	30	80	634000	1@215	CP_QPSK	22.12	PASS
n77(3450-3550)	30	80	634000	217@0	CP_16QAM	20.94	PASS
n77(3450-3550)	30	80	634000	109@54	CP_16QAM	21.89	PASS
n77(3450-3550)	30	80	634000	1@1	CP_16QAM	21.89	PASS
n77(3450-3550)	30	80	634000	1@215	CP_16QAM	21.62	PASS
n77(3450-3550)	30	80	634000	217@0	CP_64QAM	20.42	PASS
n77(3450-3550)	30	80	634000	109@54	CP_64QAM	20.43	PASS
n77(3450-3550)	30	80	634000	1@1	CP_64QAM	20.55	PASS
n77(3450-3550)	30	80	634000	1@215	CP_64QAM	20.25	PASS
n77(3450-3550)	30	80	634000	217@0	CP_256QAM	17.49	PASS

n77(3450-3550)	30	80	634000	109@54	CP_256QAM	17.45	PASS
n77(3450-3550)	30	80	634000	1@1	CP_256QAM	17.72	PASS
n77(3450-3550)	30	80	634000	1@215	CP_256QAM	17.38	PASS
n77(3450-3550)	30	90	633000	243@0	DFT_BPSK	23.3	PASS
n77(3450-3550)	30	90	633000	120@60	DFT_BPSK	23.84	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_BPSK	23.65	PASS
n77(3450-3550)	30	90	633000	1@243	DFT_BPSK	23.49	PASS
n77(3450-3550)	30	90	633000	243@0	DFT_QPSK	22.79	PASS
n77(3450-3550)	30	90	633000	120@60	DFT_QPSK	23.84	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_QPSK	23.66	PASS
n77(3450-3550)	30	90	633000	1@243	DFT_QPSK	23.52	PASS
n77(3450-3550)	30	90	633000	243@0	DFT_16QAM	21.75	PASS
n77(3450-3550)	30	90	633000	120@60	DFT_16QAM	22.82	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_16QAM	22.92	PASS
n77(3450-3550)	30	90	633000	1@243	DFT_16QAM	22.81	PASS
n77(3450-3550)	30	90	633000	243@0	DFT_64QAM	21.29	PASS
n77(3450-3550)	30	90	633000	120@60	DFT_64QAM	21.33	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_64QAM	21.36	PASS
n77(3450-3550)	30	90	633000	1@243	DFT_64QAM	21.24	PASS
n77(3450-3550)	30	90	633000	243@0	DFT_256QAM	19.27	PASS
n77(3450-3550)	30	90	633000	120@60	DFT_256QAM	19.37	PASS
n77(3450-3550)	30	90	633000	1@1	DFT_256QAM	19.38	PASS
n77(3450-3550)	30	90	633000	1@243	DFT_256QAM	19.23	PASS
n77(3450-3550)	30	90	633000	245@0	CP_QPSK	20.72	PASS
n77(3450-3550)	30	90	633000	123@61	CP_QPSK	22.22	PASS
n77(3450-3550)	30	90	633000	1@1	CP_QPSK	22.09	PASS
n77(3450-3550)	30	90	633000	1@243	CP_QPSK	21.94	PASS
n77(3450-3550)	30	90	633000	245@0	CP_16QAM	20.75	PASS
n77(3450-3550)	30	90	633000	123@61	CP_16QAM	21.79	PASS
n77(3450-3550)	30	90	633000	1@1	CP_16QAM	21.57	PASS
n77(3450-3550)	30	90	633000	1@243	CP_16QAM	21.49	PASS
n77(3450-3550)	30	90	633000	245@0	CP_64QAM	20.24	PASS
n77(3450-3550)	30	90	633000	123@61	CP_64QAM	20.34	PASS
n77(3450-3550)	30	90	633000	1@1	CP_64QAM	20.24	PASS
n77(3450-3550)	30	90	633000	1@243	CP_64QAM	20.08	PASS
n77(3450-3550)	30	90	633000	245@0	CP_256QAM	17.3	PASS
n77(3450-3550)	30	90	633000	123@61	CP_256QAM	17.32	PASS
n77(3450-	30	90	633000	1@1	CP_256QAM	17.41	PASS

3550)							
n77(3450-3550)	30	90	633000	1@243	CP_256QAM	17.2	PASS
n77(3450-3550)	30	90	633334	243@0	DFT_BPSK	23.34	PASS
n77(3450-3550)	30	90	633334	120@60	DFT_BPSK	23.87	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_BPSK	23.7	PASS
n77(3450-3550)	30	90	633334	1@243	DFT_BPSK	23.5	PASS
n77(3450-3550)	30	90	633334	243@0	DFT_QPSK	22.83	PASS
n77(3450-3550)	30	90	633334	120@60	DFT_QPSK	23.85	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_QPSK	23.7	PASS
n77(3450-3550)	30	90	633334	1@243	DFT_QPSK	23.54	PASS
n77(3450-3550)	30	90	633334	243@0	DFT_16QAM	21.82	PASS
n77(3450-3550)	30	90	633334	120@60	DFT_16QAM	22.83	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_16QAM	22.93	PASS
n77(3450-3550)	30	90	633334	1@243	DFT_16QAM	22.77	PASS
n77(3450-3550)	30	90	633334	243@0	DFT_64QAM	21.34	PASS
n77(3450-3550)	30	90	633334	120@60	DFT_64QAM	21.39	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_64QAM	21.45	PASS
n77(3450-3550)	30	90	633334	1@243	DFT_64QAM	21.27	PASS
n77(3450-3550)	30	90	633334	243@0	DFT_256QAM	19.36	PASS
n77(3450-3550)	30	90	633334	120@60	DFT_256QAM	19.39	PASS
n77(3450-3550)	30	90	633334	1@1	DFT_256QAM	19.45	PASS
n77(3450-3550)	30	90	633334	1@243	DFT_256QAM	19.26	PASS
n77(3450-3550)	30	90	633334	245@0	CP_QPSK	20.78	PASS
n77(3450-3550)	30	90	633334	123@61	CP_QPSK	22.27	PASS
n77(3450-3550)	30	90	633334	1@1	CP_QPSK	22.17	PASS
n77(3450-3550)	30	90	633334	1@243	CP_QPSK	21.97	PASS
n77(3450-3550)	30	90	633334	245@0	CP_16QAM	20.8	PASS
n77(3450-3550)	30	90	633334	123@61	CP_16QAM	21.81	PASS
n77(3450-3550)	30	90	633334	1@1	CP_16QAM	21.61	PASS
n77(3450-3550)	30	90	633334	1@243	CP_16QAM	21.46	PASS
n77(3450-3550)	30	90	633334	245@0	CP_64QAM	20.28	PASS
n77(3450-3550)	30	90	633334	123@61	CP_64QAM	20.35	PASS
n77(3450-3550)	30	90	633334	1@1	CP_64QAM	20.29	PASS
n77(3450-3550)	30	90	633334	1@243	CP_64QAM	20.13	PASS
n77(3450-3550)	30	90	633334	245@0	CP_256QAM	17.31	PASS
n77(3450-3550)	30	90	633334	123@61	CP_256QAM	17.32	PASS
n77(3450-3550)	30	90	633334	1@1	CP_256QAM	17.3	PASS
n77(3450-3550)	30	90	633334	1@243	CP_256QAM	17.28	PASS

n77(3450-3550)	30	90	633666	243@0	DFT_BPSK	23.37	PASS
n77(3450-3550)	30	90	633666	120@60	DFT_BPSK	23.88	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_BPSK	23.74	PASS
n77(3450-3550)	30	90	633666	1@243	DFT_BPSK	23.53	PASS
n77(3450-3550)	30	90	633666	243@0	DFT_QPSK	22.84	PASS
n77(3450-3550)	30	90	633666	120@60	DFT_QPSK	23.86	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_QPSK	23.75	PASS
n77(3450-3550)	30	90	633666	1@243	DFT_QPSK	23.55	PASS
n77(3450-3550)	30	90	633666	243@0	DFT_16QAM	21.8	PASS
n77(3450-3550)	30	90	633666	120@60	DFT_16QAM	22.83	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_16QAM	22.99	PASS
n77(3450-3550)	30	90	633666	1@243	DFT_16QAM	22.85	PASS
n77(3450-3550)	30	90	633666	243@0	DFT_64QAM	21.36	PASS
n77(3450-3550)	30	90	633666	120@60	DFT_64QAM	21.39	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_64QAM	21.46	PASS
n77(3450-3550)	30	90	633666	1@243	DFT_64QAM	21.26	PASS
n77(3450-3550)	30	90	633666	243@0	DFT_256QAM	19.35	PASS
n77(3450-3550)	30	90	633666	120@60	DFT_256QAM	19.41	PASS
n77(3450-3550)	30	90	633666	1@1	DFT_256QAM	19.48	PASS
n77(3450-3550)	30	90	633666	1@243	DFT_256QAM	19.28	PASS
n77(3450-3550)	30	90	633666	245@0	CP_QPSK	20.78	PASS
n77(3450-3550)	30	90	633666	123@61	CP_QPSK	22.28	PASS
n77(3450-3550)	30	90	633666	1@1	CP_QPSK	22.22	PASS
n77(3450-3550)	30	90	633666	1@243	CP_QPSK	22.05	PASS
n77(3450-3550)	30	90	633666	245@0	CP_16QAM	20.81	PASS
n77(3450-3550)	30	90	633666	123@61	CP_16QAM	21.82	PASS
n77(3450-3550)	30	90	633666	1@1	CP_16QAM	21.65	PASS
n77(3450-3550)	30	90	633666	1@243	CP_16QAM	21.58	PASS
n77(3450-3550)	30	90	633666	245@0	CP_64QAM	20.29	PASS
n77(3450-3550)	30	90	633666	123@61	CP_64QAM	20.36	PASS
n77(3450-3550)	30	90	633666	1@1	CP_64QAM	20.34	PASS
n77(3450-3550)	30	90	633666	1@243	CP_64QAM	20.22	PASS
n77(3450-3550)	30	90	633666	245@0	CP_256QAM	17.33	PASS
n77(3450-3550)	30	90	633666	123@61	CP_256QAM	17.32	PASS
n77(3450-3550)	30	90	633666	1@1	CP_256QAM	17.44	PASS
n77(3450-3550)	30	90	633666	1@243	CP_256QAM	17.34	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_BPSK	23.28	PASS
n77(3450-	30	100	633334	135@67	DFT_BPSK	23.83	PASS

3550)							
n77(3450-3550)	30	100	633334	1@1	DFT_BPSK	23.66	PASS
n77(3450-3550)	30	100	633334	1@271	DFT_BPSK	23.43	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_QPSK	22.75	PASS
n77(3450-3550)	30	100	633334	135@67	DFT_QPSK	23.82	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_QPSK	23.66	PASS
n77(3450-3550)	30	100	633334	1@271	DFT_QPSK	23.48	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_16QAM	21.77	PASS
n77(3450-3550)	30	100	633334	135@67	DFT_16QAM	22.82	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_16QAM	22.92	PASS
n77(3450-3550)	30	100	633334	1@271	DFT_16QAM	22.73	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_64QAM	21.24	PASS
n77(3450-3550)	30	100	633334	135@67	DFT_64QAM	21.36	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_64QAM	21.34	PASS
n77(3450-3550)	30	100	633334	1@271	DFT_64QAM	21.16	PASS
n77(3450-3550)	30	100	633334	270@0	DFT_256QAM	19.28	PASS
n77(3450-3550)	30	100	633334	135@67	DFT_256QAM	19.42	PASS
n77(3450-3550)	30	100	633334	1@1	DFT_256QAM	19.43	PASS
n77(3450-3550)	30	100	633334	1@271	DFT_256QAM	19.22	PASS
n77(3450-3550)	30	100	633334	273@0	CP_QPSK	20.72	PASS
n77(3450-3550)	30	100	633334	137@68	CP_QPSK	22.27	PASS
n77(3450-3550)	30	100	633334	1@1	CP_QPSK	22.1	PASS
n77(3450-3550)	30	100	633334	1@271	CP_QPSK	21.91	PASS
n77(3450-3550)	30	100	633334	273@0	CP_16QAM	20.71	PASS
n77(3450-3550)	30	100	633334	137@68	CP_16QAM	21.79	PASS
n77(3450-3550)	30	100	633334	1@1	CP_16QAM	21.58	PASS
n77(3450-3550)	30	100	633334	1@271	CP_16QAM	21.4	PASS
n77(3450-3550)	30	100	633334	273@0	CP_64QAM	20.26	PASS
n77(3450-3550)	30	100	633334	137@68	CP_64QAM	20.31	PASS
n77(3450-3550)	30	100	633334	1@1	CP_64QAM	20.27	PASS
n77(3450-3550)	30	100	633334	1@271	CP_64QAM	20.05	PASS
n77(3450-3550)	30	100	633334	273@0	CP_256QAM	17.22	PASS
n77(3450-3550)	30	100	633334	137@68	CP_256QAM	17.35	PASS
n77(3450-3550)	30	100	633334	1@1	CP_256QAM	17.41	PASS
n77(3450-3550)	30	100	633334	1@271	CP_256QAM	17.19	PASS

SA N77(3700-3980)

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n77(3700-3980)	30	10	647000	24@0	DFT_BPSK	23.35	PASS
n77(3700-3980)	30	10	647000	12@6	DFT_BPSK	23.9	PASS
n77(3700-3980)	30	10	647000	1@1	DFT_BPSK	23.85	PASS
n77(3700-3980)	30	10	647000	1@22	DFT_BPSK	23.79	PASS
n77(3700-3980)	30	10	647000	24@0	DFT_QPSK	22.87	PASS
n77(3700-3980)	30	10	647000	12@6	DFT_QPSK	23.89	PASS
n77(3700-3980)	30	10	647000	1@1	DFT_QPSK	23.92	PASS
n77(3700-3980)	30	10	647000	1@22	DFT_QPSK	23.86	PASS
n77(3700-3980)	30	10	647000	24@0	DFT_16QAM	21.84	PASS
n77(3700-3980)	30	10	647000	12@6	DFT_16QAM	22.82	PASS
n77(3700-3980)	30	10	647000	1@1	DFT_16QAM	23.25	PASS
n77(3700-3980)	30	10	647000	1@22	DFT_16QAM	23.16	PASS
n77(3700-3980)	30	10	647000	24@0	DFT_64QAM	21.41	PASS
n77(3700-3980)	30	10	647000	12@6	DFT_64QAM	21.38	PASS
n77(3700-3980)	30	10	647000	1@1	DFT_64QAM	21.58	PASS
n77(3700-3980)	30	10	647000	1@22	DFT_64QAM	21.52	PASS
n77(3700-3980)	30	10	647000	24@0	DFT_256QAM	19.41	PASS
n77(3700-3980)	30	10	647000	12@6	DFT_256QAM	19.34	PASS
n77(3700-3980)	30	10	647000	1@1	DFT_256QAM	19.62	PASS
n77(3700-3980)	30	10	647000	1@22	DFT_256QAM	19.55	PASS
n77(3700-3980)	30	10	647000	24@0	CP_QPSK	20.86	PASS
n77(3700-3980)	30	10	647000	12@6	CP_QPSK	22.39	PASS
n77(3700-3980)	30	10	647000	1@1	CP_QPSK	22.36	PASS
n77(3700-3980)	30	10	647000	1@22	CP_QPSK	22.28	PASS
n77(3700-3980)	30	10	647000	24@0	CP_16QAM	20.95	PASS
n77(3700-3980)	30	10	647000	12@6	CP_16QAM	21.84	PASS
n77(3700-3980)	30	10	647000	1@1	CP_16QAM	21.73	PASS
n77(3700-3980)	30	10	647000	1@22	CP_16QAM	21.71	PASS
n77(3700-3980)	30	10	647000	24@0	CP_64QAM	20.34	PASS
n77(3700-3980)	30	10	647000	12@6	CP_64QAM	20.51	PASS
n77(3700-3980)	30	10	647000	1@1	CP_64QAM	20.5	PASS
n77(3700-3980)	30	10	647000	1@22	CP_64QAM	20.49	PASS
n77(3700-3980)	30	10	647000	24@0	CP_256QAM	17.38	PASS
n77(3700-3980)	30	10	647000	12@6	CP_256QAM	17.46	PASS
n77(3700-3980)	30	10	647000	1@1	CP_256QAM	17.57	PASS
n77(3700-3980)	30	10	647000	1@22	CP_256QAM	17.51	PASS

n77(3700-3980)	30	10	656000	24@0	DFT_BPSK	23.53	PASS
n77(3700-3980)	30	10	656000	12@6	DFT_BPSK	24.05	PASS
n77(3700-3980)	30	10	656000	1@1	DFT_BPSK	23.92	PASS
n77(3700-3980)	30	10	656000	1@22	DFT_BPSK	23.99	PASS
n77(3700-3980)	30	10	656000	24@0	DFT_QPSK	23.01	PASS
n77(3700-3980)	30	10	656000	12@6	DFT_QPSK	24.05	PASS
n77(3700-3980)	30	10	656000	1@1	DFT_QPSK	23.97	PASS
n77(3700-3980)	30	10	656000	1@22	DFT_QPSK	24.01	PASS
n77(3700-3980)	30	10	656000	24@0	DFT_16QAM	22	PASS
n77(3700-3980)	30	10	656000	12@6	DFT_16QAM	23	PASS
n77(3700-3980)	30	10	656000	1@1	DFT_16QAM	23.18	PASS
n77(3700-3980)	30	10	656000	1@22	DFT_16QAM	23.25	PASS
n77(3700-3980)	30	10	656000	24@0	DFT_64QAM	21.53	PASS
n77(3700-3980)	30	10	656000	12@6	DFT_64QAM	21.54	PASS
n77(3700-3980)	30	10	656000	1@1	DFT_64QAM	21.67	PASS
n77(3700-3980)	30	10	656000	1@22	DFT_64QAM	21.69	PASS
n77(3700-3980)	30	10	656000	24@0	DFT_256QAM	19.55	PASS
n77(3700-3980)	30	10	656000	12@6	DFT_256QAM	19.51	PASS
n77(3700-3980)	30	10	656000	1@1	DFT_256QAM	19.69	PASS
n77(3700-3980)	30	10	656000	1@22	DFT_256QAM	19.74	PASS
n77(3700-3980)	30	10	656000	24@0	CP_QPSK	20.98	PASS
n77(3700-3980)	30	10	656000	12@6	CP_QPSK	22.52	PASS
n77(3700-3980)	30	10	656000	1@1	CP_QPSK	22.44	PASS
n77(3700-3980)	30	10	656000	1@22	CP_QPSK	22.48	PASS
n77(3700-3980)	30	10	656000	24@0	CP_16QAM	21.1	PASS
n77(3700-3980)	30	10	656000	12@6	CP_16QAM	21.92	PASS
n77(3700-3980)	30	10	656000	1@1	CP_16QAM	21.9	PASS
n77(3700-3980)	30	10	656000	1@22	CP_16QAM	21.9	PASS
n77(3700-3980)	30	10	656000	24@0	CP_64QAM	20.49	PASS
n77(3700-3980)	30	10	656000	12@6	CP_64QAM	20.59	PASS
n77(3700-3980)	30	10	656000	1@1	CP_64QAM	20.6	PASS
n77(3700-3980)	30	10	656000	1@22	CP_64QAM	20.68	PASS
n77(3700-3980)	30	10	656000	24@0	CP_256QAM	17.5	PASS
n77(3700-3980)	30	10	656000	12@6	CP_256QAM	17.65	PASS
n77(3700-3980)	30	10	656000	1@1	CP_256QAM	17.7	PASS
n77(3700-3980)	30	10	656000	1@22	CP_256QAM	17.7	PASS
n77(3700-3980)	30	10	665000	24@0	DFT_BPSK	23.56	PASS
n77(3700-	30	10	665000	12@6	DFT_BPSK	24.06	PASS

3980)							
n77(3700-3980)	30	10	665000	1@1	DFT_BPSK	23.96	PASS
n77(3700-3980)	30	10	665000	1@22	DFT_BPSK	24.02	PASS
n77(3700-3980)	30	10	665000	24@0	DFT_QPSK	23.01	PASS
n77(3700-3980)	30	10	665000	12@6	DFT_QPSK	24.11	PASS
n77(3700-3980)	30	10	665000	1@1	DFT_QPSK	23.98	PASS
n77(3700-3980)	30	10	665000	1@22	DFT_QPSK	24.02	PASS
n77(3700-3980)	30	10	665000	24@0	DFT_16QAM	22.01	PASS
n77(3700-3980)	30	10	665000	12@6	DFT_16QAM	23	PASS
n77(3700-3980)	30	10	665000	1@1	DFT_16QAM	23.22	PASS
n77(3700-3980)	30	10	665000	1@22	DFT_16QAM	23.24	PASS
n77(3700-3980)	30	10	665000	24@0	DFT_64QAM	21.55	PASS
n77(3700-3980)	30	10	665000	12@6	DFT_64QAM	21.59	PASS
n77(3700-3980)	30	10	665000	1@1	DFT_64QAM	21.67	PASS
n77(3700-3980)	30	10	665000	1@22	DFT_64QAM	21.69	PASS
n77(3700-3980)	30	10	665000	24@0	DFT_256QAM	19.54	PASS
n77(3700-3980)	30	10	665000	12@6	DFT_256QAM	19.47	PASS
n77(3700-3980)	30	10	665000	1@1	DFT_256QAM	19.61	PASS
n77(3700-3980)	30	10	665000	1@22	DFT_256QAM	19.68	PASS
n77(3700-3980)	30	10	665000	24@0	CP_QPSK	20.98	PASS
n77(3700-3980)	30	10	665000	12@6	CP_QPSK	22.51	PASS
n77(3700-3980)	30	10	665000	1@1	CP_QPSK	22.44	PASS
n77(3700-3980)	30	10	665000	1@22	CP_QPSK	22.48	PASS
n77(3700-3980)	30	10	665000	24@0	CP_16QAM	21.09	PASS
n77(3700-3980)	30	10	665000	12@6	CP_16QAM	21.99	PASS
n77(3700-3980)	30	10	665000	1@1	CP_16QAM	21.92	PASS
n77(3700-3980)	30	10	665000	1@22	CP_16QAM	21.84	PASS
n77(3700-3980)	30	10	665000	24@0	CP_64QAM	20.54	PASS
n77(3700-3980)	30	10	665000	12@6	CP_64QAM	20.68	PASS
n77(3700-3980)	30	10	665000	1@1	CP_64QAM	20.54	PASS
n77(3700-3980)	30	10	665000	1@22	CP_64QAM	20.53	PASS
n77(3700-3980)	30	10	665000	24@0	CP_256QAM	17.53	PASS
n77(3700-3980)	30	10	665000	12@6	CP_256QAM	17.61	PASS
n77(3700-3980)	30	10	665000	1@1	CP_256QAM	17.69	PASS
n77(3700-3980)	30	10	665000	1@22	CP_256QAM	17.68	PASS
n77(3700-3980)	30	15	647168	36@0	DFT_BPSK	23.33	PASS
n77(3700-3980)	30	15	647168	18@9	DFT_BPSK	23.78	PASS
n77(3700-3980)	30	15	647168	1@1	DFT_BPSK	23.77	PASS

n77(3700-3980)	30	15	647168	1@36	DFT_BPSK	23.77	PASS
n77(3700-3980)	30	15	647168	36@0	DFT_QPSK	22.81	PASS
n77(3700-3980)	30	15	647168	18@9	DFT_QPSK	23.79	PASS
n77(3700-3980)	30	15	647168	1@1	DFT_QPSK	23.84	PASS
n77(3700-3980)	30	15	647168	1@36	DFT_QPSK	23.8	PASS
n77(3700-3980)	30	15	647168	36@0	DFT_16QAM	21.84	PASS
n77(3700-3980)	30	15	647168	18@9	DFT_16QAM	22.79	PASS
n77(3700-3980)	30	15	647168	1@1	DFT_16QAM	23.07	PASS
n77(3700-3980)	30	15	647168	1@36	DFT_16QAM	23.02	PASS
n77(3700-3980)	30	15	647168	36@0	DFT_64QAM	21.32	PASS
n77(3700-3980)	30	15	647168	18@9	DFT_64QAM	21.32	PASS
n77(3700-3980)	30	15	647168	1@1	DFT_64QAM	21.56	PASS
n77(3700-3980)	30	15	647168	1@36	DFT_64QAM	21.51	PASS
n77(3700-3980)	30	15	647168	36@0	DFT_256QAM	19.28	PASS
n77(3700-3980)	30	15	647168	18@9	DFT_256QAM	19.33	PASS
n77(3700-3980)	30	15	647168	1@1	DFT_256QAM	19.44	PASS
n77(3700-3980)	30	15	647168	1@36	DFT_256QAM	19.43	PASS
n77(3700-3980)	30	15	647168	38@0	CP_QPSK	20.8	PASS
n77(3700-3980)	30	15	647168	19@9	CP_QPSK	22.26	PASS
n77(3700-3980)	30	15	647168	1@1	CP_QPSK	22.25	PASS
n77(3700-3980)	30	15	647168	1@36	CP_QPSK	22.21	PASS
n77(3700-3980)	30	15	647168	38@0	CP_16QAM	20.79	PASS
n77(3700-3980)	30	15	647168	19@9	CP_16QAM	21.81	PASS
n77(3700-3980)	30	15	647168	1@1	CP_16QAM	21.71	PASS
n77(3700-3980)	30	15	647168	1@36	CP_16QAM	21.73	PASS
n77(3700-3980)	30	15	647168	38@0	CP_64QAM	20.36	PASS
n77(3700-3980)	30	15	647168	19@9	CP_64QAM	20.28	PASS
n77(3700-3980)	30	15	647168	1@1	CP_64QAM	20.33	PASS
n77(3700-3980)	30	15	647168	1@36	CP_64QAM	20.33	PASS
n77(3700-3980)	30	15	647168	38@0	CP_256QAM	17.31	PASS
n77(3700-3980)	30	15	647168	19@9	CP_256QAM	17.26	PASS
n77(3700-3980)	30	15	647168	1@1	CP_256QAM	17.52	PASS
n77(3700-3980)	30	15	647168	1@36	CP_256QAM	17.52	PASS
n77(3700-3980)	30	15	656000	36@0	DFT_BPSK	23.47	PASS
n77(3700-3980)	30	15	656000	18@9	DFT_BPSK	23.93	PASS
n77(3700-3980)	30	15	656000	1@1	DFT_BPSK	23.85	PASS
n77(3700-3980)	30	15	656000	1@36	DFT_BPSK	23.94	PASS
n77(3700-	30	15	656000	36@0	DFT_QPSK	22.95	PASS

3980)							
n77(3700-3980)	30	15	656000	18@9	DFT_QPSK	23.92	PASS
n77(3700-3980)	30	15	656000	1@1	DFT_QPSK	23.87	PASS
n77(3700-3980)	30	15	656000	1@36	DFT_QPSK	23.97	PASS
n77(3700-3980)	30	15	656000	36@0	DFT_16QAM	21.97	PASS
n77(3700-3980)	30	15	656000	18@9	DFT_16QAM	22.98	PASS
n77(3700-3980)	30	15	656000	1@1	DFT_16QAM	23.16	PASS
n77(3700-3980)	30	15	656000	1@36	DFT_16QAM	23.28	PASS
n77(3700-3980)	30	15	656000	36@0	DFT_64QAM	21.45	PASS
n77(3700-3980)	30	15	656000	18@9	DFT_64QAM	21.5	PASS
n77(3700-3980)	30	15	656000	1@1	DFT_64QAM	21.57	PASS
n77(3700-3980)	30	15	656000	1@36	DFT_64QAM	21.71	PASS
n77(3700-3980)	30	15	656000	36@0	DFT_256QAM	19.42	PASS
n77(3700-3980)	30	15	656000	18@9	DFT_256QAM	19.47	PASS
n77(3700-3980)	30	15	656000	1@1	DFT_256QAM	19.57	PASS
n77(3700-3980)	30	15	656000	1@36	DFT_256QAM	19.66	PASS
n77(3700-3980)	30	15	656000	38@0	CP_QPSK	20.97	PASS
n77(3700-3980)	30	15	656000	19@9	CP_QPSK	22.46	PASS
n77(3700-3980)	30	15	656000	1@1	CP_QPSK	22.36	PASS
n77(3700-3980)	30	15	656000	1@36	CP_QPSK	22.42	PASS
n77(3700-3980)	30	15	656000	38@0	CP_16QAM	20.95	PASS
n77(3700-3980)	30	15	656000	19@9	CP_16QAM	22	PASS
n77(3700-3980)	30	15	656000	1@1	CP_16QAM	21.81	PASS
n77(3700-3980)	30	15	656000	1@36	CP_16QAM	21.94	PASS
n77(3700-3980)	30	15	656000	38@0	CP_64QAM	20.48	PASS
n77(3700-3980)	30	15	656000	19@9	CP_64QAM	20.44	PASS
n77(3700-3980)	30	15	656000	1@1	CP_64QAM	20.45	PASS
n77(3700-3980)	30	15	656000	1@36	CP_64QAM	20.53	PASS
n77(3700-3980)	30	15	656000	38@0	CP_256QAM	17.46	PASS
n77(3700-3980)	30	15	656000	19@9	CP_256QAM	17.47	PASS
n77(3700-3980)	30	15	656000	1@1	CP_256QAM	17.58	PASS
n77(3700-3980)	30	15	656000	1@36	CP_256QAM	17.7	PASS
n77(3700-3980)	30	15	664832	36@0	DFT_BPSK	23.4	PASS
n77(3700-3980)	30	15	664832	18@9	DFT_BPSK	23.92	PASS
n77(3700-3980)	30	15	664832	1@1	DFT_BPSK	23.84	PASS
n77(3700-3980)	30	15	664832	1@36	DFT_BPSK	23.89	PASS
n77(3700-3980)	30	15	664832	36@0	DFT_QPSK	22.94	PASS
n77(3700-3980)	30	15	664832	18@9	DFT_QPSK	23.92	PASS

n77(3700-3980)	30	15	664832	1@1	DFT_QPSK	23.81	PASS
n77(3700-3980)	30	15	664832	1@36	DFT_QPSK	23.92	PASS
n77(3700-3980)	30	15	664832	36@0	DFT_16QAM	21.95	PASS
n77(3700-3980)	30	15	664832	18@9	DFT_16QAM	22.96	PASS
n77(3700-3980)	30	15	664832	1@1	DFT_16QAM	23.08	PASS
n77(3700-3980)	30	15	664832	1@36	DFT_16QAM	23.19	PASS
n77(3700-3980)	30	15	664832	36@0	DFT_64QAM	21.41	PASS
n77(3700-3980)	30	15	664832	18@9	DFT_64QAM	21.48	PASS
n77(3700-3980)	30	15	664832	1@1	DFT_64QAM	21.62	PASS
n77(3700-3980)	30	15	664832	1@36	DFT_64QAM	21.67	PASS
n77(3700-3980)	30	15	664832	36@0	DFT_256QAM	19.38	PASS
n77(3700-3980)	30	15	664832	18@9	DFT_256QAM	19.41	PASS
n77(3700-3980)	30	15	664832	1@1	DFT_256QAM	19.48	PASS
n77(3700-3980)	30	15	664832	1@36	DFT_256QAM	19.58	PASS
n77(3700-3980)	30	15	664832	38@0	CP_QPSK	20.91	PASS
n77(3700-3980)	30	15	664832	19@9	CP_QPSK	22.42	PASS
n77(3700-3980)	30	15	664832	1@1	CP_QPSK	22.29	PASS
n77(3700-3980)	30	15	664832	1@36	CP_QPSK	22.39	PASS
n77(3700-3980)	30	15	664832	38@0	CP_16QAM	20.89	PASS
n77(3700-3980)	30	15	664832	19@9	CP_16QAM	21.97	PASS
n77(3700-3980)	30	15	664832	1@1	CP_16QAM	21.74	PASS
n77(3700-3980)	30	15	664832	1@36	CP_16QAM	21.83	PASS
n77(3700-3980)	30	15	664832	38@0	CP_64QAM	20.44	PASS
n77(3700-3980)	30	15	664832	19@9	CP_64QAM	20.41	PASS
n77(3700-3980)	30	15	664832	1@1	CP_64QAM	20.37	PASS
n77(3700-3980)	30	15	664832	1@36	CP_64QAM	20.43	PASS
n77(3700-3980)	30	15	664832	38@0	CP_256QAM	17.42	PASS
n77(3700-3980)	30	15	664832	19@9	CP_256QAM	17.41	PASS
n77(3700-3980)	30	15	664832	1@1	CP_256QAM	17.58	PASS
n77(3700-3980)	30	15	664832	1@36	CP_256QAM	17.61	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_BPSK	23.25	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_BPSK	23.79	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_BPSK	23.77	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_BPSK	23.78	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_QPSK	22.75	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_QPSK	23.77	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_QPSK	23.81	PASS
n77(3700-	30	20	647334	1@49	DFT_QPSK	23.78	PASS

3980)							
n77(3700-3980)	30	20	647334	50@0	DFT_16QAM	21.77	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_16QAM	22.78	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_16QAM	23.03	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_16QAM	23.04	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_64QAM	21.26	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_64QAM	21.21	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_64QAM	21.52	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_64QAM	21.56	PASS
n77(3700-3980)	30	20	647334	50@0	DFT_256QAM	19.3	PASS
n77(3700-3980)	30	20	647334	25@12	DFT_256QAM	19.31	PASS
n77(3700-3980)	30	20	647334	1@1	DFT_256QAM	19.49	PASS
n77(3700-3980)	30	20	647334	1@49	DFT_256QAM	19.47	PASS
n77(3700-3980)	30	20	647334	51@0	CP_QPSK	20.77	PASS
n77(3700-3980)	30	20	647334	25@12	CP_QPSK	22.25	PASS
n77(3700-3980)	30	20	647334	1@1	CP_QPSK	22.23	PASS
n77(3700-3980)	30	20	647334	1@49	CP_QPSK	22.2	PASS
n77(3700-3980)	30	20	647334	51@0	CP_16QAM	20.76	PASS
n77(3700-3980)	30	20	647334	25@12	CP_16QAM	21.79	PASS
n77(3700-3980)	30	20	647334	1@1	CP_16QAM	21.65	PASS
n77(3700-3980)	30	20	647334	1@49	CP_16QAM	21.64	PASS
n77(3700-3980)	30	20	647334	51@0	CP_64QAM	20.26	PASS
n77(3700-3980)	30	20	647334	25@12	CP_64QAM	20.28	PASS
n77(3700-3980)	30	20	647334	1@1	CP_64QAM	20.32	PASS
n77(3700-3980)	30	20	647334	1@49	CP_64QAM	20.33	PASS
n77(3700-3980)	30	20	647334	51@0	CP_256QAM	17.28	PASS
n77(3700-3980)	30	20	647334	25@12	CP_256QAM	17.24	PASS
n77(3700-3980)	30	20	647334	1@1	CP_256QAM	17.48	PASS
n77(3700-3980)	30	20	647334	1@49	CP_256QAM	17.41	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_BPSK	23.43	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_BPSK	23.97	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_BPSK	23.83	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_BPSK	23.97	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_QPSK	22.93	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_QPSK	23.95	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_QPSK	23.84	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_QPSK	23.99	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_16QAM	21.93	PASS

n77(3700-3980)	30	20	656000	25@12	DFT_16QAM	22.95	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_16QAM	23.09	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_16QAM	23.16	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_64QAM	21.43	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_64QAM	21.41	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_64QAM	21.59	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_64QAM	21.71	PASS
n77(3700-3980)	30	20	656000	50@0	DFT_256QAM	19.47	PASS
n77(3700-3980)	30	20	656000	25@12	DFT_256QAM	19.46	PASS
n77(3700-3980)	30	20	656000	1@1	DFT_256QAM	19.5	PASS
n77(3700-3980)	30	20	656000	1@49	DFT_256QAM	19.7	PASS
n77(3700-3980)	30	20	656000	51@0	CP_QPSK	20.92	PASS
n77(3700-3980)	30	20	656000	25@12	CP_QPSK	22.45	PASS
n77(3700-3980)	30	20	656000	1@1	CP_QPSK	22.27	PASS
n77(3700-3980)	30	20	656000	1@49	CP_QPSK	22.44	PASS
n77(3700-3980)	30	20	656000	51@0	CP_16QAM	20.97	PASS
n77(3700-3980)	30	20	656000	25@12	CP_16QAM	21.99	PASS
n77(3700-3980)	30	20	656000	1@1	CP_16QAM	21.72	PASS
n77(3700-3980)	30	20	656000	1@49	CP_16QAM	21.88	PASS
n77(3700-3980)	30	20	656000	51@0	CP_64QAM	20.49	PASS
n77(3700-3980)	30	20	656000	25@12	CP_64QAM	20.49	PASS
n77(3700-3980)	30	20	656000	1@1	CP_64QAM	20.41	PASS
n77(3700-3980)	30	20	656000	1@49	CP_64QAM	20.53	PASS
n77(3700-3980)	30	20	656000	51@0	CP_256QAM	17.47	PASS
n77(3700-3980)	30	20	656000	25@12	CP_256QAM	17.49	PASS
n77(3700-3980)	30	20	656000	1@1	CP_256QAM	17.36	PASS
n77(3700-3980)	30	20	656000	1@49	CP_256QAM	17.75	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_BPSK	23.45	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_BPSK	23.93	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_BPSK	23.77	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_BPSK	23.95	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_QPSK	22.92	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_QPSK	23.96	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_QPSK	23.82	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_QPSK	23.95	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_16QAM	21.92	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_16QAM	22.95	PASS
n77(3700-	30	20	664666	1@1	DFT_16QAM	23	PASS

3980)							
n77(3700-3980)	30	20	664666	1@49	DFT_16QAM	23.15	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_64QAM	21.44	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_64QAM	21.42	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_64QAM	21.54	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_64QAM	21.7	PASS
n77(3700-3980)	30	20	664666	50@0	DFT_256QAM	19.44	PASS
n77(3700-3980)	30	20	664666	25@12	DFT_256QAM	19.43	PASS
n77(3700-3980)	30	20	664666	1@1	DFT_256QAM	19.48	PASS
n77(3700-3980)	30	20	664666	1@49	DFT_256QAM	19.61	PASS
n77(3700-3980)	30	20	664666	51@0	CP_QPSK	20.93	PASS
n77(3700-3980)	30	20	664666	25@12	CP_QPSK	22.43	PASS
n77(3700-3980)	30	20	664666	1@1	CP_QPSK	22.26	PASS
n77(3700-3980)	30	20	664666	1@49	CP_QPSK	22.38	PASS
n77(3700-3980)	30	20	664666	51@0	CP_16QAM	20.96	PASS
n77(3700-3980)	30	20	664666	25@12	CP_16QAM	22.02	PASS
n77(3700-3980)	30	20	664666	1@1	CP_16QAM	21.68	PASS
n77(3700-3980)	30	20	664666	1@49	CP_16QAM	21.83	PASS
n77(3700-3980)	30	20	664666	51@0	CP_64QAM	20.44	PASS
n77(3700-3980)	30	20	664666	25@12	CP_64QAM	20.5	PASS
n77(3700-3980)	30	20	664666	1@1	CP_64QAM	20.35	PASS
n77(3700-3980)	30	20	664666	1@49	CP_64QAM	20.51	PASS
n77(3700-3980)	30	20	664666	51@0	CP_256QAM	17.43	PASS
n77(3700-3980)	30	20	664666	25@12	CP_256QAM	17.45	PASS
n77(3700-3980)	30	20	664666	1@1	CP_256QAM	17.53	PASS
n77(3700-3980)	30	20	664666	1@49	CP_256QAM	17.65	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_BPSK	23.42	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_BPSK	23.92	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_BPSK	23.82	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_BPSK	23.94	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_QPSK	22.89	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_QPSK	23.9	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_QPSK	23.87	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_QPSK	23.97	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_16QAM	21.88	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_16QAM	22.88	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_16QAM	23.11	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_16QAM	23.23	PASS

n77(3700-3980)	30	40	648000	100@0	DFT_64QAM	21.39	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_64QAM	21.41	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_64QAM	21.55	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_64QAM	21.64	PASS
n77(3700-3980)	30	40	648000	100@0	DFT_256QAM	19.42	PASS
n77(3700-3980)	30	40	648000	50@25	DFT_256QAM	19.42	PASS
n77(3700-3980)	30	40	648000	1@1	DFT_256QAM	19.5	PASS
n77(3700-3980)	30	40	648000	1@104	DFT_256QAM	19.59	PASS
n77(3700-3980)	30	40	648000	106@0	CP_QPSK	20.86	PASS
n77(3700-3980)	30	40	648000	53@26	CP_QPSK	22.36	PASS
n77(3700-3980)	30	40	648000	1@1	CP_QPSK	22.24	PASS
n77(3700-3980)	30	40	648000	1@104	CP_QPSK	22.41	PASS
n77(3700-3980)	30	40	648000	106@0	CP_16QAM	20.83	PASS
n77(3700-3980)	30	40	648000	53@26	CP_16QAM	21.91	PASS
n77(3700-3980)	30	40	648000	1@1	CP_16QAM	21.8	PASS
n77(3700-3980)	30	40	648000	1@104	CP_16QAM	21.92	PASS
n77(3700-3980)	30	40	648000	106@0	CP_64QAM	20.39	PASS
n77(3700-3980)	30	40	648000	53@26	CP_64QAM	20.43	PASS
n77(3700-3980)	30	40	648000	1@1	CP_64QAM	20.38	PASS
n77(3700-3980)	30	40	648000	1@104	CP_64QAM	20.52	PASS
n77(3700-3980)	30	40	648000	106@0	CP_256QAM	17.5	PASS
n77(3700-3980)	30	40	648000	53@26	CP_256QAM	17.41	PASS
n77(3700-3980)	30	40	648000	1@1	CP_256QAM	17.54	PASS
n77(3700-3980)	30	40	648000	1@104	CP_256QAM	17.62	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_BPSK	23.46	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_BPSK	23.96	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_BPSK	23.72	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_BPSK	24.01	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_QPSK	22.96	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_QPSK	23.94	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_QPSK	23.71	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_QPSK	24.01	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_16QAM	21.93	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_16QAM	22.94	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_16QAM	23.08	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_16QAM	23.38	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_64QAM	21.45	PASS
n77(3700-	30	40	656000	50@25	DFT_64QAM	21.51	PASS

3980)							
n77(3700-3980)	30	40	656000	1@1	DFT_64QAM	21.46	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_64QAM	21.79	PASS
n77(3700-3980)	30	40	656000	100@0	DFT_256QAM	19.47	PASS
n77(3700-3980)	30	40	656000	50@25	DFT_256QAM	19.47	PASS
n77(3700-3980)	30	40	656000	1@1	DFT_256QAM	19.47	PASS
n77(3700-3980)	30	40	656000	1@104	DFT_256QAM	19.82	PASS
n77(3700-3980)	30	40	656000	106@0	CP_QPSK	20.94	PASS
n77(3700-3980)	30	40	656000	53@26	CP_QPSK	22.44	PASS
n77(3700-3980)	30	40	656000	1@1	CP_QPSK	22.22	PASS
n77(3700-3980)	30	40	656000	1@104	CP_QPSK	22.52	PASS
n77(3700-3980)	30	40	656000	106@0	CP_16QAM	20.92	PASS
n77(3700-3980)	30	40	656000	53@26	CP_16QAM	21.98	PASS
n77(3700-3980)	30	40	656000	1@1	CP_16QAM	21.72	PASS
n77(3700-3980)	30	40	656000	1@104	CP_16QAM	22.02	PASS
n77(3700-3980)	30	40	656000	106@0	CP_64QAM	20.49	PASS
n77(3700-3980)	30	40	656000	53@26	CP_64QAM	20.51	PASS
n77(3700-3980)	30	40	656000	1@1	CP_64QAM	20.31	PASS
n77(3700-3980)	30	40	656000	1@104	CP_64QAM	20.64	PASS
n77(3700-3980)	30	40	656000	106@0	CP_256QAM	17.51	PASS
n77(3700-3980)	30	40	656000	53@26	CP_256QAM	17.5	PASS
n77(3700-3980)	30	40	656000	1@1	CP_256QAM	17.55	PASS
n77(3700-3980)	30	40	656000	1@104	CP_256QAM	17.3	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_BPSK	23.51	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_BPSK	23.98	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_BPSK	23.89	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_BPSK	24.04	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_QPSK	23	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_QPSK	23.97	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_QPSK	23.9	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_QPSK	24.09	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_16QAM	21.97	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_16QAM	22.95	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_16QAM	23.18	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_16QAM	23.34	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_64QAM	21.51	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_64QAM	21.48	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_64QAM	21.62	PASS

n77(3700-3980)	30	40	664000	1@104	DFT_64QAM	21.8	PASS
n77(3700-3980)	30	40	664000	100@0	DFT_256QAM	19.52	PASS
n77(3700-3980)	30	40	664000	50@25	DFT_256QAM	19.47	PASS
n77(3700-3980)	30	40	664000	1@1	DFT_256QAM	19.59	PASS
n77(3700-3980)	30	40	664000	1@104	DFT_256QAM	19.79	PASS
n77(3700-3980)	30	40	664000	106@0	CP_QPSK	20.92	PASS
n77(3700-3980)	30	40	664000	53@26	CP_QPSK	22.42	PASS
n77(3700-3980)	30	40	664000	1@1	CP_QPSK	22.34	PASS
n77(3700-3980)	30	40	664000	1@104	CP_QPSK	22.51	PASS
n77(3700-3980)	30	40	664000	106@0	CP_16QAM	20.95	PASS
n77(3700-3980)	30	40	664000	53@26	CP_16QAM	21.94	PASS
n77(3700-3980)	30	40	664000	1@1	CP_16QAM	21.86	PASS
n77(3700-3980)	30	40	664000	1@104	CP_16QAM	22.04	PASS
n77(3700-3980)	30	40	664000	106@0	CP_64QAM	20.51	PASS
n77(3700-3980)	30	40	664000	53@26	CP_64QAM	20.45	PASS
n77(3700-3980)	30	40	664000	1@1	CP_64QAM	20.49	PASS
n77(3700-3980)	30	40	664000	1@104	CP_64QAM	20.66	PASS
n77(3700-3980)	30	40	664000	106@0	CP_256QAM	17.53	PASS
n77(3700-3980)	30	40	664000	53@26	CP_256QAM	17.42	PASS
n77(3700-3980)	30	40	664000	1@1	CP_256QAM	17.7	PASS
n77(3700-3980)	30	40	664000	1@104	CP_256QAM	17.87	PASS
n77(3700-3980)	30	50	648334	128@0	DFT_BPSK	23.48	PASS
n77(3700-3980)	30	50	648334	64@32	DFT_BPSK	23.97	PASS
n77(3700-3980)	30	50	648334	1@1	DFT_BPSK	23.71	PASS
n77(3700-3980)	30	50	648334	1@131	DFT_BPSK	23.91	PASS
n77(3700-3980)	30	50	648334	128@0	DFT_QPSK	22.96	PASS
n77(3700-3980)	30	50	648334	64@32	DFT_QPSK	23.92	PASS
n77(3700-3980)	30	50	648334	1@1	DFT_QPSK	23.79	PASS
n77(3700-3980)	30	50	648334	1@131	DFT_QPSK	23.95	PASS
n77(3700-3980)	30	50	648334	128@0	DFT_16QAM	21.92	PASS
n77(3700-3980)	30	50	648334	64@32	DFT_16QAM	22.94	PASS
n77(3700-3980)	30	50	648334	1@1	DFT_16QAM	22.97	PASS
n77(3700-3980)	30	50	648334	1@131	DFT_16QAM	23.15	PASS
n77(3700-3980)	30	50	648334	128@0	DFT_64QAM	21.48	PASS
n77(3700-3980)	30	50	648334	64@32	DFT_64QAM	21.48	PASS
n77(3700-3980)	30	50	648334	1@1	DFT_64QAM	21.4	PASS
n77(3700-3980)	30	50	648334	1@131	DFT_64QAM	21.62	PASS
n77(3700-	30	50	648334	128@0	DFT_256QAM	19.47	PASS

3980)							
n77(3700-3980)	30	50	648334	64@32	DFT_256QAM	19.45	PASS
n77(3700-3980)	30	50	648334	1@1	DFT_256QAM	19.46	PASS
n77(3700-3980)	30	50	648334	1@131	DFT_256QAM	19.62	PASS
n77(3700-3980)	30	50	648334	133@0	CP_QPSK	20.91	PASS
n77(3700-3980)	30	50	648334	67@33	CP_QPSK	22.41	PASS
n77(3700-3980)	30	50	648334	1@1	CP_QPSK	22.19	PASS
n77(3700-3980)	30	50	648334	1@131	CP_QPSK	22.34	PASS
n77(3700-3980)	30	50	648334	133@0	CP_16QAM	20.95	PASS
n77(3700-3980)	30	50	648334	67@33	CP_16QAM	21.95	PASS
n77(3700-3980)	30	50	648334	1@1	CP_16QAM	21.68	PASS
n77(3700-3980)	30	50	648334	1@131	CP_16QAM	21.84	PASS
n77(3700-3980)	30	50	648334	133@0	CP_64QAM	20.42	PASS
n77(3700-3980)	30	50	648334	67@33	CP_64QAM	20.46	PASS
n77(3700-3980)	30	50	648334	1@1	CP_64QAM	20.32	PASS
n77(3700-3980)	30	50	648334	1@131	CP_64QAM	20.46	PASS
n77(3700-3980)	30	50	648334	133@0	CP_256QAM	17.46	PASS
n77(3700-3980)	30	50	648334	67@33	CP_256QAM	17.43	PASS
n77(3700-3980)	30	50	648334	1@1	CP_256QAM	17.45	PASS
n77(3700-3980)	30	50	648334	1@131	CP_256QAM	17.59	PASS
n77(3700-3980)	30	50	656000	128@0	DFT_BPSK	23.48	PASS
n77(3700-3980)	30	50	656000	64@32	DFT_BPSK	23.98	PASS
n77(3700-3980)	30	50	656000	1@1	DFT_BPSK	23.63	PASS
n77(3700-3980)	30	50	656000	1@131	DFT_BPSK	24.04	PASS
n77(3700-3980)	30	50	656000	128@0	DFT_QPSK	22.98	PASS
n77(3700-3980)	30	50	656000	64@32	DFT_QPSK	23.92	PASS
n77(3700-3980)	30	50	656000	1@1	DFT_QPSK	23.67	PASS
n77(3700-3980)	30	50	656000	1@131	DFT_QPSK	24.06	PASS
n77(3700-3980)	30	50	656000	128@0	DFT_16QAM	21.91	PASS
n77(3700-3980)	30	50	656000	64@32	DFT_16QAM	22.93	PASS
n77(3700-3980)	30	50	656000	1@1	DFT_16QAM	22.9	PASS
n77(3700-3980)	30	50	656000	1@131	DFT_16QAM	23.36	PASS
n77(3700-3980)	30	50	656000	128@0	DFT_64QAM	21.47	PASS
n77(3700-3980)	30	50	656000	64@32	DFT_64QAM	21.48	PASS
n77(3700-3980)	30	50	656000	1@1	DFT_64QAM	21.43	PASS
n77(3700-3980)	30	50	656000	1@131	DFT_64QAM	21.77	PASS
n77(3700-3980)	30	50	656000	128@0	DFT_256QAM	19.52	PASS
n77(3700-3980)	30	50	656000	64@32	DFT_256QAM	19.5	PASS

n77(3700-3980)	30	50	656000	1@1	DFT_256QAM	19.43	PASS
n77(3700-3980)	30	50	656000	1@131	DFT_256QAM	19.82	PASS
n77(3700-3980)	30	50	656000	133@0	CP_QPSK	20.94	PASS
n77(3700-3980)	30	50	656000	67@33	CP_QPSK	22.42	PASS
n77(3700-3980)	30	50	656000	1@1	CP_QPSK	22.15	PASS
n77(3700-3980)	30	50	656000	1@131	CP_QPSK	22.52	PASS
n77(3700-3980)	30	50	656000	133@0	CP_16QAM	20.94	PASS
n77(3700-3980)	30	50	656000	67@33	CP_16QAM	21.98	PASS
n77(3700-3980)	30	50	656000	1@1	CP_16QAM	21.65	PASS
n77(3700-3980)	30	50	656000	1@131	CP_16QAM	22.04	PASS
n77(3700-3980)	30	50	656000	133@0	CP_64QAM	20.45	PASS
n77(3700-3980)	30	50	656000	67@33	CP_64QAM	20.48	PASS
n77(3700-3980)	30	50	656000	1@1	CP_64QAM	20.34	PASS
n77(3700-3980)	30	50	656000	1@131	CP_64QAM	20.65	PASS
n77(3700-3980)	30	50	656000	133@0	CP_256QAM	17.5	PASS
n77(3700-3980)	30	50	656000	67@33	CP_256QAM	17.48	PASS
n77(3700-3980)	30	50	656000	1@1	CP_256QAM	17.46	PASS
n77(3700-3980)	30	50	656000	1@131	CP_256QAM	17.84	PASS
n77(3700-3980)	30	50	663666	128@0	DFT_BPSK	23.45	PASS
n77(3700-3980)	30	50	663666	64@32	DFT_BPSK	23.93	PASS
n77(3700-3980)	30	50	663666	1@1	DFT_BPSK	23.69	PASS
n77(3700-3980)	30	50	663666	1@131	DFT_BPSK	23.92	PASS
n77(3700-3980)	30	50	663666	128@0	DFT_QPSK	22.94	PASS
n77(3700-3980)	30	50	663666	64@32	DFT_QPSK	23.89	PASS
n77(3700-3980)	30	50	663666	1@1	DFT_QPSK	23.73	PASS
n77(3700-3980)	30	50	663666	1@131	DFT_QPSK	23.95	PASS
n77(3700-3980)	30	50	663666	128@0	DFT_16QAM	21.92	PASS
n77(3700-3980)	30	50	663666	64@32	DFT_16QAM	22.9	PASS
n77(3700-3980)	30	50	663666	1@1	DFT_16QAM	22.99	PASS
n77(3700-3980)	30	50	663666	1@131	DFT_16QAM	23.21	PASS
n77(3700-3980)	30	50	663666	128@0	DFT_64QAM	21.45	PASS
n77(3700-3980)	30	50	663666	64@32	DFT_64QAM	21.39	PASS
n77(3700-3980)	30	50	663666	1@1	DFT_64QAM	21.43	PASS
n77(3700-3980)	30	50	663666	1@131	DFT_64QAM	21.66	PASS
n77(3700-3980)	30	50	663666	128@0	DFT_256QAM	19.45	PASS
n77(3700-3980)	30	50	663666	64@32	DFT_256QAM	19.42	PASS
n77(3700-3980)	30	50	663666	1@1	DFT_256QAM	19.45	PASS
n77(3700-	30	50	663666	1@131	DFT_256QAM	19.7	PASS

3980)							
n77(3700-3980)	30	50	663666	133@0	CP_QPSK	20.87	PASS
n77(3700-3980)	30	50	663666	67@33	CP_QPSK	22.35	PASS
n77(3700-3980)	30	50	663666	1@1	CP_QPSK	22.17	PASS
n77(3700-3980)	30	50	663666	1@131	CP_QPSK	22.39	PASS
n77(3700-3980)	30	50	663666	133@0	CP_16QAM	20.92	PASS
n77(3700-3980)	30	50	663666	67@33	CP_16QAM	21.91	PASS
n77(3700-3980)	30	50	663666	1@1	CP_16QAM	21.68	PASS
n77(3700-3980)	30	50	663666	1@131	CP_16QAM	21.89	PASS
n77(3700-3980)	30	50	663666	133@0	CP_64QAM	20.38	PASS
n77(3700-3980)	30	50	663666	67@33	CP_64QAM	20.42	PASS
n77(3700-3980)	30	50	663666	1@1	CP_64QAM	20.32	PASS
n77(3700-3980)	30	50	663666	1@131	CP_64QAM	20.48	PASS
n77(3700-3980)	30	50	663666	133@0	CP_256QAM	17.39	PASS
n77(3700-3980)	30	50	663666	67@33	CP_256QAM	17.39	PASS
n77(3700-3980)	30	50	663666	1@1	CP_256QAM	17.47	PASS
n77(3700-3980)	30	50	663666	1@131	CP_256QAM	17.71	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_BPSK	23.44	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_BPSK	23.91	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_BPSK	23.72	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_BPSK	23.97	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_QPSK	22.9	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_QPSK	23.9	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_QPSK	23.74	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_QPSK	23.97	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_16QAM	21.91	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_16QAM	22.88	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_16QAM	22.94	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_16QAM	23.27	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_64QAM	21.42	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_64QAM	21.41	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_64QAM	21.46	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_64QAM	21.68	PASS
n77(3700-3980)	30	60	648668	162@0	DFT_256QAM	19.42	PASS
n77(3700-3980)	30	60	648668	81@40	DFT_256QAM	19.43	PASS
n77(3700-3980)	30	60	648668	1@1	DFT_256QAM	19.46	PASS
n77(3700-3980)	30	60	648668	1@160	DFT_256QAM	19.71	PASS
n77(3700-3980)	30	60	648668	162@0	CP_QPSK	20.85	PASS

n77(3700-3980)	30	60	648668	81@40	CP_QPSK	22.36	PASS
n77(3700-3980)	30	60	648668	1@1	CP_QPSK	22.15	PASS
n77(3700-3980)	30	60	648668	1@160	CP_QPSK	22.4	PASS
n77(3700-3980)	30	60	648668	162@0	CP_16QAM	20.93	PASS
n77(3700-3980)	30	60	648668	81@40	CP_16QAM	21.86	PASS
n77(3700-3980)	30	60	648668	1@1	CP_16QAM	21.71	PASS
n77(3700-3980)	30	60	648668	1@160	CP_16QAM	21.96	PASS
n77(3700-3980)	30	60	648668	162@0	CP_64QAM	20.39	PASS
n77(3700-3980)	30	60	648668	81@40	CP_64QAM	20.44	PASS
n77(3700-3980)	30	60	648668	1@1	CP_64QAM	20.28	PASS
n77(3700-3980)	30	60	648668	1@160	CP_64QAM	20.52	PASS
n77(3700-3980)	30	60	648668	162@0	CP_256QAM	17.33	PASS
n77(3700-3980)	30	60	648668	81@40	CP_256QAM	17.42	PASS
n77(3700-3980)	30	60	648668	1@1	CP_256QAM	17.46	PASS
n77(3700-3980)	30	60	648668	1@160	CP_256QAM	17.66	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_BPSK	23.43	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_BPSK	23.93	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_BPSK	23.59	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_BPSK	24.06	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_QPSK	22.89	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_QPSK	23.88	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_QPSK	23.59	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_QPSK	24.06	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_16QAM	21.86	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_16QAM	22.9	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_16QAM	22.7	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_16QAM	23.12	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_64QAM	21.36	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_64QAM	21.44	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_64QAM	20.95	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_64QAM	21.46	PASS
n77(3700-3980)	30	60	656000	162@0	DFT_256QAM	19.41	PASS
n77(3700-3980)	30	60	656000	81@40	DFT_256QAM	19.43	PASS
n77(3700-3980)	30	60	656000	1@1	DFT_256QAM	19.12	PASS
n77(3700-3980)	30	60	656000	1@160	DFT_256QAM	19.66	PASS
n77(3700-3980)	30	60	656000	162@0	CP_QPSK	20.86	PASS
n77(3700-3980)	30	60	656000	81@40	CP_QPSK	22.37	PASS
n77(3700-	30	60	656000	1@1	CP_QPSK	22.08	PASS

3980)							
n77(3700-3980)	30	60	656000	1@160	CP_QPSK	22.55	PASS
n77(3700-3980)	30	60	656000	162@0	CP_16QAM	20.88	PASS
n77(3700-3980)	30	60	656000	81@40	CP_16QAM	21.86	PASS
n77(3700-3980)	30	60	656000	1@1	CP_16QAM	21.82	PASS
n77(3700-3980)	30	60	656000	1@160	CP_16QAM	22.28	PASS
n77(3700-3980)	30	60	656000	162@0	CP_64QAM	20.39	PASS
n77(3700-3980)	30	60	656000	81@40	CP_64QAM	20.4	PASS
n77(3700-3980)	30	60	656000	1@1	CP_64QAM	20.16	PASS
n77(3700-3980)	30	60	656000	1@160	CP_64QAM	20.62	PASS
n77(3700-3980)	30	60	656000	162@0	CP_256QAM	17.41	PASS
n77(3700-3980)	30	60	656000	81@40	CP_256QAM	17.39	PASS
n77(3700-3980)	30	60	656000	1@1	CP_256QAM	17.41	PASS
n77(3700-3980)	30	60	656000	1@160	CP_256QAM	17.89	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_BPSK	23.34	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_BPSK	23.85	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_BPSK	23.64	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_BPSK	23.89	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_QPSK	22.83	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_QPSK	23.81	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_QPSK	23.66	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_QPSK	23.9	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_16QAM	21.83	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_16QAM	22.81	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_16QAM	22.74	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_16QAM	22.98	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_64QAM	21.31	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_64QAM	21.35	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_64QAM	21.03	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_64QAM	21.27	PASS
n77(3700-3980)	30	60	663332	162@0	DFT_256QAM	19.36	PASS
n77(3700-3980)	30	60	663332	81@40	DFT_256QAM	19.33	PASS
n77(3700-3980)	30	60	663332	1@1	DFT_256QAM	19.29	PASS
n77(3700-3980)	30	60	663332	1@160	DFT_256QAM	19.48	PASS
n77(3700-3980)	30	60	663332	162@0	CP_QPSK	20.82	PASS
n77(3700-3980)	30	60	663332	81@40	CP_QPSK	22.3	PASS
n77(3700-3980)	30	60	663332	1@1	CP_QPSK	22.15	PASS
n77(3700-3980)	30	60	663332	1@160	CP_QPSK	22.32	PASS

n77(3700-3980)	30	60	663332	162@0	CP_16QAM	20.82	PASS
n77(3700-3980)	30	60	663332	81@40	CP_16QAM	21.77	PASS
n77(3700-3980)	30	60	663332	1@1	CP_16QAM	21.87	PASS
n77(3700-3980)	30	60	663332	1@160	CP_16QAM	22.09	PASS
n77(3700-3980)	30	60	663332	162@0	CP_64QAM	20.31	PASS
n77(3700-3980)	30	60	663332	81@40	CP_64QAM	20.31	PASS
n77(3700-3980)	30	60	663332	1@1	CP_64QAM	20.21	PASS
n77(3700-3980)	30	60	663332	1@160	CP_64QAM	20.42	PASS
n77(3700-3980)	30	60	663332	162@0	CP_256QAM	17.29	PASS
n77(3700-3980)	30	60	663332	81@40	CP_256QAM	17.32	PASS
n77(3700-3980)	30	60	663332	1@1	CP_256QAM	17.53	PASS
n77(3700-3980)	30	60	663332	1@160	CP_256QAM	17.72	PASS
n77(3700-3980)	30	70	649000	180@0	DFT_BPSK	23.56	PASS
n77(3700-3980)	30	70	649000	90@45	DFT_BPSK	24.03	PASS
n77(3700-3980)	30	70	649000	1@1	DFT_BPSK	23.87	PASS
n77(3700-3980)	30	70	649000	1@187	DFT_BPSK	24.1	PASS
n77(3700-3980)	30	70	649000	180@0	DFT_QPSK	23.02	PASS
n77(3700-3980)	30	70	649000	90@45	DFT_QPSK	24.04	PASS
n77(3700-3980)	30	70	649000	1@1	DFT_QPSK	23.84	PASS
n77(3700-3980)	30	70	649000	1@187	DFT_QPSK	24.09	PASS
n77(3700-3980)	30	70	649000	180@0	DFT_16QAM	22.03	PASS
n77(3700-3980)	30	70	649000	90@45	DFT_16QAM	23.02	PASS
n77(3700-3980)	30	70	649000	1@1	DFT_16QAM	22.98	PASS
n77(3700-3980)	30	70	649000	1@187	DFT_16QAM	23.22	PASS
n77(3700-3980)	30	70	649000	180@0	DFT_64QAM	21.54	PASS
n77(3700-3980)	30	70	649000	90@45	DFT_64QAM	21.52	PASS
n77(3700-3980)	30	70	649000	1@1	DFT_64QAM	21.13	PASS
n77(3700-3980)	30	70	649000	1@187	DFT_64QAM	21.41	PASS
n77(3700-3980)	30	70	649000	180@0	DFT_256QAM	19.58	PASS
n77(3700-3980)	30	70	649000	90@45	DFT_256QAM	19.54	PASS
n77(3700-3980)	30	70	649000	1@1	DFT_256QAM	19.4	PASS
n77(3700-3980)	30	70	649000	1@187	DFT_256QAM	19.66	PASS
n77(3700-3980)	30	70	649000	189@0	CP_QPSK	21.03	PASS
n77(3700-3980)	30	70	649000	95@47	CP_QPSK	22.49	PASS
n77(3700-3980)	30	70	649000	1@1	CP_QPSK	22.31	PASS
n77(3700-3980)	30	70	649000	1@187	CP_QPSK	22.53	PASS
n77(3700-3980)	30	70	649000	189@0	CP_16QAM	21.02	PASS
n77(3700-	30	70	649000	95@47	CP_16QAM	22.01	PASS

3980)							
n77(3700-3980)	30	70	649000	1@1	CP_16QAM	22.02	PASS
n77(3700-3980)	30	70	649000	1@187	CP_16QAM	22.3	PASS
n77(3700-3980)	30	70	649000	189@0	CP_64QAM	20.51	PASS
n77(3700-3980)	30	70	649000	95@47	CP_64QAM	20.51	PASS
n77(3700-3980)	30	70	649000	1@1	CP_64QAM	20.33	PASS
n77(3700-3980)	30	70	649000	1@187	CP_64QAM	20.58	PASS
n77(3700-3980)	30	70	649000	189@0	CP_256QAM	17.58	PASS
n77(3700-3980)	30	70	649000	95@47	CP_256QAM	17.51	PASS
n77(3700-3980)	30	70	649000	1@1	CP_256QAM	17.6	PASS
n77(3700-3980)	30	70	649000	1@187	CP_256QAM	17.8	PASS
n77(3700-3980)	30	70	656000	180@0	DFT_BPSK	23.48	PASS
n77(3700-3980)	30	70	656000	90@45	DFT_BPSK	23.96	PASS
n77(3700-3980)	30	70	656000	1@1	DFT_BPSK	23.58	PASS
n77(3700-3980)	30	70	656000	1@187	DFT_BPSK	24.09	PASS
n77(3700-3980)	30	70	656000	180@0	DFT_QPSK	22.91	PASS
n77(3700-3980)	30	70	656000	90@45	DFT_QPSK	23.95	PASS
n77(3700-3980)	30	70	656000	1@1	DFT_QPSK	23.61	PASS
n77(3700-3980)	30	70	656000	1@187	DFT_QPSK	24.13	PASS
n77(3700-3980)	30	70	656000	180@0	DFT_16QAM	21.93	PASS
n77(3700-3980)	30	70	656000	90@45	DFT_16QAM	22.94	PASS
n77(3700-3980)	30	70	656000	1@1	DFT_16QAM	22.71	PASS
n77(3700-3980)	30	70	656000	1@187	DFT_16QAM	23.24	PASS
n77(3700-3980)	30	70	656000	180@0	DFT_64QAM	21.44	PASS
n77(3700-3980)	30	70	656000	90@45	DFT_64QAM	21.45	PASS
n77(3700-3980)	30	70	656000	1@1	DFT_64QAM	20.86	PASS
n77(3700-3980)	30	70	656000	1@187	DFT_64QAM	21.39	PASS
n77(3700-3980)	30	70	656000	180@0	DFT_256QAM	19.49	PASS
n77(3700-3980)	30	70	656000	90@45	DFT_256QAM	19.46	PASS
n77(3700-3980)	30	70	656000	1@1	DFT_256QAM	19.13	PASS
n77(3700-3980)	30	70	656000	1@187	DFT_256QAM	19.7	PASS
n77(3700-3980)	30	70	656000	189@0	CP_QPSK	20.93	PASS
n77(3700-3980)	30	70	656000	95@47	CP_QPSK	22.42	PASS
n77(3700-3980)	30	70	656000	1@1	CP_QPSK	22	PASS
n77(3700-3980)	30	70	656000	1@187	CP_QPSK	22.56	PASS
n77(3700-3980)	30	70	656000	189@0	CP_16QAM	20.92	PASS
n77(3700-3980)	30	70	656000	95@47	CP_16QAM	21.95	PASS
n77(3700-3980)	30	70	656000	1@1	CP_16QAM	21.77	PASS

n77(3700-3980)	30	70	656000	1@187	CP_16QAM	22.26	PASS
n77(3700-3980)	30	70	656000	189@0	CP_64QAM	20.44	PASS
n77(3700-3980)	30	70	656000	95@47	CP_64QAM	20.44	PASS
n77(3700-3980)	30	70	656000	1@1	CP_64QAM	20.08	PASS
n77(3700-3980)	30	70	656000	1@187	CP_64QAM	20.61	PASS
n77(3700-3980)	30	70	656000	189@0	CP_256QAM	17.47	PASS
n77(3700-3980)	30	70	656000	95@47	CP_256QAM	17.42	PASS
n77(3700-3980)	30	70	656000	1@1	CP_256QAM	17.28	PASS
n77(3700-3980)	30	70	656000	1@187	CP_256QAM	17.88	PASS
n77(3700-3980)	30	70	663000	180@0	DFT_BPSK	23.46	PASS
n77(3700-3980)	30	70	663000	90@45	DFT_BPSK	23.95	PASS
n77(3700-3980)	30	70	663000	1@1	DFT_BPSK	23.77	PASS
n77(3700-3980)	30	70	663000	1@187	DFT_BPSK	23.96	PASS
n77(3700-3980)	30	70	663000	180@0	DFT_QPSK	22.96	PASS
n77(3700-3980)	30	70	663000	90@45	DFT_QPSK	23.94	PASS
n77(3700-3980)	30	70	663000	1@1	DFT_QPSK	23.77	PASS
n77(3700-3980)	30	70	663000	1@187	DFT_QPSK	24.01	PASS
n77(3700-3980)	30	70	663000	180@0	DFT_16QAM	21.97	PASS
n77(3700-3980)	30	70	663000	90@45	DFT_16QAM	22.9	PASS
n77(3700-3980)	30	70	663000	1@1	DFT_16QAM	22.88	PASS
n77(3700-3980)	30	70	663000	1@187	DFT_16QAM	23.08	PASS
n77(3700-3980)	30	70	663000	180@0	DFT_64QAM	21.45	PASS
n77(3700-3980)	30	70	663000	90@45	DFT_64QAM	21.4	PASS
n77(3700-3980)	30	70	663000	1@1	DFT_64QAM	21.06	PASS
n77(3700-3980)	30	70	663000	1@187	DFT_64QAM	21.24	PASS
n77(3700-3980)	30	70	663000	180@0	DFT_256QAM	19.48	PASS
n77(3700-3980)	30	70	663000	90@45	DFT_256QAM	19.4	PASS
n77(3700-3980)	30	70	663000	1@1	DFT_256QAM	19.31	PASS
n77(3700-3980)	30	70	663000	1@187	DFT_256QAM	19.5	PASS
n77(3700-3980)	30	70	663000	189@0	CP_QPSK	20.92	PASS
n77(3700-3980)	30	70	663000	95@47	CP_QPSK	22.43	PASS
n77(3700-3980)	30	70	663000	1@1	CP_QPSK	22.18	PASS
n77(3700-3980)	30	70	663000	1@187	CP_QPSK	22.42	PASS
n77(3700-3980)	30	70	663000	189@0	CP_16QAM	20.95	PASS
n77(3700-3980)	30	70	663000	95@47	CP_16QAM	21.91	PASS
n77(3700-3980)	30	70	663000	1@1	CP_16QAM	21.95	PASS
n77(3700-3980)	30	70	663000	1@187	CP_16QAM	22.15	PASS
n77(3700-	30	70	663000	189@0	CP_64QAM	20.4	PASS

3980)							
n77(3700-3980)	30	70	663000	95@47	CP_64QAM	20.41	PASS
n77(3700-3980)	30	70	663000	1@1	CP_64QAM	20.23	PASS
n77(3700-3980)	30	70	663000	1@187	CP_64QAM	20.46	PASS
n77(3700-3980)	30	70	663000	189@0	CP_256QAM	17.66	PASS
n77(3700-3980)	30	70	663000	95@47	CP_256QAM	17.45	PASS
n77(3700-3980)	30	70	663000	1@1	CP_256QAM	17.45	PASS
n77(3700-3980)	30	70	663000	1@187	CP_256QAM	17.67	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_BPSK	23.57	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_BPSK	24.03	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_BPSK	23.82	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_BPSK	24.08	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_QPSK	23.02	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_QPSK	24.03	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_QPSK	23.84	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_QPSK	24.07	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_16QAM	22.01	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_16QAM	23.03	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_16QAM	22.9	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_16QAM	23.2	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_64QAM	21.51	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_64QAM	21.51	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_64QAM	21.19	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_64QAM	21.48	PASS
n77(3700-3980)	30	80	649334	216@0	DFT_256QAM	19.54	PASS
n77(3700-3980)	30	80	649334	108@54	DFT_256QAM	19.57	PASS
n77(3700-3980)	30	80	649334	1@1	DFT_256QAM	19.37	PASS
n77(3700-3980)	30	80	649334	1@215	DFT_256QAM	19.61	PASS
n77(3700-3980)	30	80	649334	217@0	CP_QPSK	20.99	PASS
n77(3700-3980)	30	80	649334	109@54	CP_QPSK	22.46	PASS
n77(3700-3980)	30	80	649334	1@1	CP_QPSK	22.29	PASS
n77(3700-3980)	30	80	649334	1@215	CP_QPSK	22.53	PASS
n77(3700-3980)	30	80	649334	217@0	CP_16QAM	20.98	PASS
n77(3700-3980)	30	80	649334	109@54	CP_16QAM	21.99	PASS
n77(3700-3980)	30	80	649334	1@1	CP_16QAM	22.03	PASS
n77(3700-3980)	30	80	649334	1@215	CP_16QAM	22.31	PASS
n77(3700-3980)	30	80	649334	217@0	CP_64QAM	20.47	PASS
n77(3700-3980)	30	80	649334	109@54	CP_64QAM	20.49	PASS

n77(3700-3980)	30	80	649334	1@1	CP_64QAM	20.31	PASS
n77(3700-3980)	30	80	649334	1@215	CP_64QAM	20.6	PASS
n77(3700-3980)	30	80	649334	217@0	CP_256QAM	17.57	PASS
n77(3700-3980)	30	80	649334	109@54	CP_256QAM	17.52	PASS
n77(3700-3980)	30	80	649334	1@1	CP_256QAM	17.6	PASS
n77(3700-3980)	30	80	649334	1@215	CP_256QAM	17.88	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_BPSK	23.5	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_BPSK	23.99	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_BPSK	23.48	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_BPSK	24.19	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_QPSK	22.98	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_QPSK	23.97	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_QPSK	23.56	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_QPSK	24.21	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_16QAM	21.98	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_16QAM	22.98	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_16QAM	22.81	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_16QAM	23.51	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_64QAM	21.53	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_64QAM	21.5	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_64QAM	21.26	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_64QAM	21.92	PASS
n77(3700-3980)	30	80	656000	216@0	DFT_256QAM	19.51	PASS
n77(3700-3980)	30	80	656000	108@54	DFT_256QAM	19.53	PASS
n77(3700-3980)	30	80	656000	1@1	DFT_256QAM	19.26	PASS
n77(3700-3980)	30	80	656000	1@215	DFT_256QAM	20	PASS
n77(3700-3980)	30	80	656000	217@0	CP_QPSK	20.91	PASS
n77(3700-3980)	30	80	656000	109@54	CP_QPSK	22.44	PASS
n77(3700-3980)	30	80	656000	1@1	CP_QPSK	22.01	PASS
n77(3700-3980)	30	80	656000	1@215	CP_QPSK	22.63	PASS
n77(3700-3980)	30	80	656000	217@0	CP_16QAM	20.93	PASS
n77(3700-3980)	30	80	656000	109@54	CP_16QAM	21.93	PASS
n77(3700-3980)	30	80	656000	1@1	CP_16QAM	21.5	PASS
n77(3700-3980)	30	80	656000	1@215	CP_16QAM	22.13	PASS
n77(3700-3980)	30	80	656000	217@0	CP_64QAM	20.46	PASS
n77(3700-3980)	30	80	656000	109@54	CP_64QAM	20.48	PASS
n77(3700-3980)	30	80	656000	1@1	CP_64QAM	20.13	PASS
n77(3700-	30	80	656000	1@215	CP_64QAM	20.77	PASS

3980)							
n77(3700-3980)	30	80	656000	217@0	CP_256QAM	17.52	PASS
n77(3700-3980)	30	80	656000	109@54	CP_256QAM	17.49	PASS
n77(3700-3980)	30	80	656000	1@1	CP_256QAM	17.3	PASS
n77(3700-3980)	30	80	656000	1@215	CP_256QAM	17.99	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_BPSK	23.44	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_BPSK	23.93	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_BPSK	23.62	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_BPSK	23.96	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_QPSK	22.93	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_QPSK	23.93	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_QPSK	23.67	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_QPSK	24.01	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_16QAM	21.89	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_16QAM	22.93	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_16QAM	22.94	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_16QAM	23.2	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_64QAM	21.41	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_64QAM	21.45	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_64QAM	21.4	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_64QAM	21.71	PASS
n77(3700-3980)	30	80	662666	216@0	DFT_256QAM	19.44	PASS
n77(3700-3980)	30	80	662666	108@54	DFT_256QAM	19.45	PASS
n77(3700-3980)	30	80	662666	1@1	DFT_256QAM	19.39	PASS
n77(3700-3980)	30	80	662666	1@215	DFT_256QAM	19.69	PASS
n77(3700-3980)	30	80	662666	217@0	CP_QPSK	20.84	PASS
n77(3700-3980)	30	80	662666	109@54	CP_QPSK	22.35	PASS
n77(3700-3980)	30	80	662666	1@1	CP_QPSK	22.08	PASS
n77(3700-3980)	30	80	662666	1@215	CP_QPSK	22.43	PASS
n77(3700-3980)	30	80	662666	217@0	CP_16QAM	20.88	PASS
n77(3700-3980)	30	80	662666	109@54	CP_16QAM	21.84	PASS
n77(3700-3980)	30	80	662666	1@1	CP_16QAM	21.6	PASS
n77(3700-3980)	30	80	662666	1@215	CP_16QAM	21.91	PASS
n77(3700-3980)	30	80	662666	217@0	CP_64QAM	20.36	PASS
n77(3700-3980)	30	80	662666	109@54	CP_64QAM	20.4	PASS
n77(3700-3980)	30	80	662666	1@1	CP_64QAM	20.23	PASS
n77(3700-3980)	30	80	662666	1@215	CP_64QAM	20.59	PASS
n77(3700-3980)	30	80	662666	217@0	CP_256QAM	17.47	PASS

n77(3700-3980)	30	80	662666	109@54	CP_256QAM	17.4	PASS
n77(3700-3980)	30	80	662666	1@1	CP_256QAM	17.37	PASS
n77(3700-3980)	30	80	662666	1@215	CP_256QAM	17.68	PASS
n77(3700-3980)	30	90	649668	243@0	DFT_BPSK	23.58	PASS
n77(3700-3980)	30	90	649668	120@60	DFT_BPSK	24.05	PASS
n77(3700-3980)	30	90	649668	1@1	DFT_BPSK	23.82	PASS
n77(3700-3980)	30	90	649668	1@243	DFT_BPSK	24.19	PASS
n77(3700-3980)	30	90	649668	243@0	DFT_QPSK	23.09	PASS
n77(3700-3980)	30	90	649668	120@60	DFT_QPSK	24.06	PASS
n77(3700-3980)	30	90	649668	1@1	DFT_QPSK	23.84	PASS
n77(3700-3980)	30	90	649668	1@243	DFT_QPSK	24.22	PASS
n77(3700-3980)	30	90	649668	243@0	DFT_16QAM	22.06	PASS
n77(3700-3980)	30	90	649668	120@60	DFT_16QAM	23.01	PASS
n77(3700-3980)	30	90	649668	1@1	DFT_16QAM	23.08	PASS
n77(3700-3980)	30	90	649668	1@243	DFT_16QAM	23.51	PASS
n77(3700-3980)	30	90	649668	243@0	DFT_64QAM	21.61	PASS
n77(3700-3980)	30	90	649668	120@60	DFT_64QAM	21.56	PASS
n77(3700-3980)	30	90	649668	1@1	DFT_64QAM	21.53	PASS
n77(3700-3980)	30	90	649668	1@243	DFT_64QAM	21.93	PASS
n77(3700-3980)	30	90	649668	243@0	DFT_256QAM	19.58	PASS
n77(3700-3980)	30	90	649668	120@60	DFT_256QAM	19.61	PASS
n77(3700-3980)	30	90	649668	1@1	DFT_256QAM	19.53	PASS
n77(3700-3980)	30	90	649668	1@243	DFT_256QAM	19.9	PASS
n77(3700-3980)	30	90	649668	245@0	CP_QPSK	21.06	PASS
n77(3700-3980)	30	90	649668	123@61	CP_QPSK	22.5	PASS
n77(3700-3980)	30	90	649668	1@1	CP_QPSK	22.25	PASS
n77(3700-3980)	30	90	649668	1@243	CP_QPSK	22.64	PASS
n77(3700-3980)	30	90	649668	245@0	CP_16QAM	21.05	PASS
n77(3700-3980)	30	90	649668	123@61	CP_16QAM	22.03	PASS
n77(3700-3980)	30	90	649668	1@1	CP_16QAM	21.79	PASS
n77(3700-3980)	30	90	649668	1@243	CP_16QAM	22.18	PASS
n77(3700-3980)	30	90	649668	245@0	CP_64QAM	20.55	PASS
n77(3700-3980)	30	90	649668	123@61	CP_64QAM	20.55	PASS
n77(3700-3980)	30	90	649668	1@1	CP_64QAM	20.41	PASS
n77(3700-3980)	30	90	649668	1@243	CP_64QAM	20.83	PASS
n77(3700-3980)	30	90	649668	245@0	CP_256QAM	17.16	PASS
n77(3700-3980)	30	90	649668	123@61	CP_256QAM	17.6	PASS
n77(3700-	30	90	649668	1@1	CP_256QAM	17.54	PASS

3980)							
n77(3700-3980)	30	90	649668	1@243	CP_256QAM	17.9	PASS
n77(3700-3980)	30	90	656000	243@0	DFT_BPSK	23.48	PASS
n77(3700-3980)	30	90	656000	120@60	DFT_BPSK	23.99	PASS
n77(3700-3980)	30	90	656000	1@1	DFT_BPSK	23.33	PASS
n77(3700-3980)	30	90	656000	1@243	DFT_BPSK	24.2	PASS
n77(3700-3980)	30	90	656000	243@0	DFT_QPSK	22.98	PASS
n77(3700-3980)	30	90	656000	120@60	DFT_QPSK	23.96	PASS
n77(3700-3980)	30	90	656000	1@1	DFT_QPSK	23.41	PASS
n77(3700-3980)	30	90	656000	1@243	DFT_QPSK	24.25	PASS
n77(3700-3980)	30	90	656000	243@0	DFT_16QAM	21.94	PASS
n77(3700-3980)	30	90	656000	120@60	DFT_16QAM	22.93	PASS
n77(3700-3980)	30	90	656000	1@1	DFT_16QAM	22.67	PASS
n77(3700-3980)	30	90	656000	1@243	DFT_16QAM	23.51	PASS
n77(3700-3980)	30	90	656000	243@0	DFT_64QAM	21.48	PASS
n77(3700-3980)	30	90	656000	120@60	DFT_64QAM	21.5	PASS
n77(3700-3980)	30	90	656000	1@1	DFT_64QAM	21.14	PASS
n77(3700-3980)	30	90	656000	1@243	DFT_64QAM	21.97	PASS
n77(3700-3980)	30	90	656000	243@0	DFT_256QAM	19.48	PASS
n77(3700-3980)	30	90	656000	120@60	DFT_256QAM	19.54	PASS
n77(3700-3980)	30	90	656000	1@1	DFT_256QAM	19.14	PASS
n77(3700-3980)	30	90	656000	1@243	DFT_256QAM	20	PASS
n77(3700-3980)	30	90	656000	245@0	CP_QPSK	20.93	PASS
n77(3700-3980)	30	90	656000	123@61	CP_QPSK	22.41	PASS
n77(3700-3980)	30	90	656000	1@1	CP_QPSK	21.86	PASS
n77(3700-3980)	30	90	656000	1@243	CP_QPSK	22.71	PASS
n77(3700-3980)	30	90	656000	245@0	CP_16QAM	20.95	PASS
n77(3700-3980)	30	90	656000	123@61	CP_16QAM	21.96	PASS
n77(3700-3980)	30	90	656000	1@1	CP_16QAM	21.35	PASS
n77(3700-3980)	30	90	656000	1@243	CP_16QAM	22.22	PASS
n77(3700-3980)	30	90	656000	245@0	CP_64QAM	20.46	PASS
n77(3700-3980)	30	90	656000	123@61	CP_64QAM	20.47	PASS
n77(3700-3980)	30	90	656000	1@1	CP_64QAM	20.02	PASS
n77(3700-3980)	30	90	656000	1@243	CP_64QAM	20.86	PASS
n77(3700-3980)	30	90	656000	245@0	CP_256QAM	17.5	PASS
n77(3700-3980)	30	90	656000	123@61	CP_256QAM	17.48	PASS
n77(3700-3980)	30	90	656000	1@1	CP_256QAM	17.13	PASS
n77(3700-3980)	30	90	656000	1@243	CP_256QAM	17.98	PASS

n77(3700-3980)	30	90	662332	243@0	DFT_BPSK	23.56	PASS
n77(3700-3980)	30	90	662332	120@60	DFT_BPSK	24.1	PASS
n77(3700-3980)	30	90	662332	1@1	DFT_BPSK	23.63	PASS
n77(3700-3980)	30	90	662332	1@243	DFT_BPSK	24.08	PASS
n77(3700-3980)	30	90	662332	243@0	DFT_QPSK	23.03	PASS
n77(3700-3980)	30	90	662332	120@60	DFT_QPSK	24.07	PASS
n77(3700-3980)	30	90	662332	1@1	DFT_QPSK	23.66	PASS
n77(3700-3980)	30	90	662332	1@243	DFT_QPSK	24.09	PASS
n77(3700-3980)	30	90	662332	243@0	DFT_16QAM	22.03	PASS
n77(3700-3980)	30	90	662332	120@60	DFT_16QAM	23.05	PASS
n77(3700-3980)	30	90	662332	1@1	DFT_16QAM	22.88	PASS
n77(3700-3980)	30	90	662332	1@243	DFT_16QAM	23.33	PASS
n77(3700-3980)	30	90	662332	243@0	DFT_64QAM	21.54	PASS
n77(3700-3980)	30	90	662332	120@60	DFT_64QAM	21.6	PASS
n77(3700-3980)	30	90	662332	1@1	DFT_64QAM	21.34	PASS
n77(3700-3980)	30	90	662332	1@243	DFT_64QAM	21.79	PASS
n77(3700-3980)	30	90	662332	243@0	DFT_256QAM	19.55	PASS
n77(3700-3980)	30	90	662332	120@60	DFT_256QAM	19.62	PASS
n77(3700-3980)	30	90	662332	1@1	DFT_256QAM	19.35	PASS
n77(3700-3980)	30	90	662332	1@243	DFT_256QAM	19.82	PASS
n77(3700-3980)	30	90	662332	245@0	CP_QPSK	21	PASS
n77(3700-3980)	30	90	662332	123@61	CP_QPSK	22.52	PASS
n77(3700-3980)	30	90	662332	1@1	CP_QPSK	22.12	PASS
n77(3700-3980)	30	90	662332	1@243	CP_QPSK	22.62	PASS
n77(3700-3980)	30	90	662332	245@0	CP_16QAM	21.03	PASS
n77(3700-3980)	30	90	662332	123@61	CP_16QAM	22.07	PASS
n77(3700-3980)	30	90	662332	1@1	CP_16QAM	21.58	PASS
n77(3700-3980)	30	90	662332	1@243	CP_16QAM	22.08	PASS
n77(3700-3980)	30	90	662332	245@0	CP_64QAM	20.5	PASS
n77(3700-3980)	30	90	662332	123@61	CP_64QAM	20.56	PASS
n77(3700-3980)	30	90	662332	1@1	CP_64QAM	20.23	PASS
n77(3700-3980)	30	90	662332	1@243	CP_64QAM	20.72	PASS
n77(3700-3980)	30	90	662332	245@0	CP_256QAM	17.59	PASS
n77(3700-3980)	30	90	662332	123@61	CP_256QAM	17.56	PASS
n77(3700-3980)	30	90	662332	1@1	CP_256QAM	17.32	PASS
n77(3700-3980)	30	90	662332	1@243	CP_256QAM	17.9	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_BPSK	23.61	PASS
n77(3700-	30	100	650000	135@67	DFT_BPSK	24.08	PASS

3980)							
n77(3700-3980)	30	100	650000	1@1	DFT_BPSK	23.78	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_BPSK	24.25	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_QPSK	23.09	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_QPSK	24.09	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_QPSK	23.81	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_QPSK	24.28	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_16QAM	22.08	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_16QAM	23.08	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_16QAM	23.06	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_16QAM	23.51	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_64QAM	21.61	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_64QAM	21.6	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_64QAM	21.5	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_64QAM	21.98	PASS
n77(3700-3980)	30	100	650000	270@0	DFT_256QAM	19.61	PASS
n77(3700-3980)	30	100	650000	135@67	DFT_256QAM	19.6	PASS
n77(3700-3980)	30	100	650000	1@1	DFT_256QAM	19.5	PASS
n77(3700-3980)	30	100	650000	1@271	DFT_256QAM	20.04	PASS
n77(3700-3980)	30	100	650000	273@0	CP_QPSK	21.05	PASS
n77(3700-3980)	30	100	650000	137@68	CP_QPSK	22.54	PASS
n77(3700-3980)	30	100	650000	1@1	CP_QPSK	22.27	PASS
n77(3700-3980)	30	100	650000	1@271	CP_QPSK	22.75	PASS
n77(3700-3980)	30	100	650000	273@0	CP_16QAM	21.09	PASS
n77(3700-3980)	30	100	650000	137@68	CP_16QAM	22.1	PASS
n77(3700-3980)	30	100	650000	1@1	CP_16QAM	21.78	PASS
n77(3700-3980)	30	100	650000	1@271	CP_16QAM	22.24	PASS
n77(3700-3980)	30	100	650000	273@0	CP_64QAM	20.57	PASS
n77(3700-3980)	30	100	650000	137@68	CP_64QAM	20.54	PASS
n77(3700-3980)	30	100	650000	1@1	CP_64QAM	20.37	PASS
n77(3700-3980)	30	100	650000	1@271	CP_64QAM	20.88	PASS
n77(3700-3980)	30	100	650000	273@0	CP_256QAM	17.62	PASS
n77(3700-3980)	30	100	650000	137@68	CP_256QAM	17.66	PASS
n77(3700-3980)	30	100	650000	1@1	CP_256QAM	17.51	PASS
n77(3700-3980)	30	100	650000	1@271	CP_256QAM	17.97	PASS
n77(3700-3980)	30	100	656000	270@0	DFT_BPSK	23.49	PASS
n77(3700-3980)	30	100	656000	135@67	DFT_BPSK	23.98	PASS
n77(3700-3980)	30	100	656000	1@1	DFT_BPSK	23.31	PASS