(Channel Bandwidth: 3 MHz)_MCH_16QAM_1RB#0







(Channel Bandwidth: 3 MHz)_MCH_16QAM_1RB#7


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:25:57 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 90.780 kHz
-52.336 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:26:03 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 150 kHz
-52.686 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 6/100
10:26:07 AM May 12, 2017
Ref Offset 8.96 dB
10 dB/div
Ref 30.00 dBm
Mkr2 25.662 GHz
-27.356 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth: 3 MHz)_HCH_16QAM_1RB#0







(Channel Bandwidth: 3 MHz)_HCH_16QAM_1RB#7


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:27:24 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 77.244 kHz
-51.862 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 8/100
10:27:29 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 150 kHz
-52.776 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 6/100
10:27:33 AM May 12, 2017
Ref Offset 8.96 dB
10 dB/div
Ref 30.00 dBm
Mkr2 25.714 GHz
-27.754 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

Channel Bandwidth: 5 MHz

(Channel Bandwidth: 5 MHz)_LCH_QPSK_1RB#0







(Channel Bandwidth: 5 MHz)_LCH_QPSK_1RB#12







(Channel Bandwidth: 5 MHz)_LCH_QPSK_1RB#24


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:28:21 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 90.639 kHz
-50.519 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:28:26 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 150 kHz
-52.627 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:28:30 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Log
Mkr2 25.662 GHz
-27.490 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth: 5 MHz)_MCH_QPSK_1RB#0







(Channel Bandwidth: 5 MHz)_MCH_QPSK_1RB#12







(Channel Bandwidth: 5 MHz)_MCH_QPSK_1RB#24


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:29:45 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 86.409 kHz
-54.005 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 6/100
10:29:50 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 150 kHz
-55.751 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:29:53 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Log
Mkr2 25.636 GHz
-27.356 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth: 5 MHz)_HCH_QPSK_1RB#0







(Channel Bandwidth: 5 MHz)_HCH_QPSK_1RB#12







(Channel Bandwidth: 5 MHz)_HCH_QPSK_1RB#24


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:31:14 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 90.921 kHz
-53.552 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:31:19 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 150 kHz
-55.551 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:31:23 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Mkr2 25.688 GHz
-27.149 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth: 5 MHz)_LCH_16QAM_1RB#0







(Channel Bandwidth: 5 MHz)_LCH_16QAM_1RB#12







(Channel Bandwidth: 5 MHz)_LCH_16QAM_1RB#24


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:29:03 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 19.857 kHz
-51.577 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:29:08 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 150 kHz
-51.188 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:29:12 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Log
Mkr2 25.662 GHz
-27.569 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth: 5 MHz)_MCH_16QAM_1RB#0







(Channel Bandwidth: 5 MHz)_MCH_16QAM_1RB#12







(Channel Bandwidth: 5 MHz)_MCH_16QAM_1RB#24


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:30:26 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 18.870 kHz
-54.193 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 16 dB
Avg Type: RMS
Avg|Hold: 9/100
10:30:35 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 150 kHz
-59.110 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:30:39 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Log
Mkr2 25.636 GHz
-27.182 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth: 5 MHz)_HCH_16QAM_1RB#0







(Channel Bandwidth: 5 MHz)_HCH_16QAM_1RB#12







(Channel Bandwidth: 5 MHz)_HCH_16QAM_1RB#24


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:31:57 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 19.857 kHz
-52.095 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:32:02 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 150 kHz
-53.022 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:32:06 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Log
Mkr2 25.662 GHz
-27.206 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

Channel Bandwidth: 10 MHz

Channel Bandwidth: 10 MHz_LCH_QPSK_1RB#0



Channel Bandwidth: 10 MHz_LCH_QPSK_1RB#24







Channel Bandwidth: 10 MHz_LCH_QPSK_1RB#49


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:32:41 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 90.921 kHz
-49.895 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:32:46 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 150 kHz
-52.531 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:32:50 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Mkr2 25.662 GHz
-27.455 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

Channel Bandwidth: 10 MHz_MCH_QPSK_1RB#0



Channel Bandwidth: 10 MHz_MCH_QPSK_1RB#24





Channel Bandwidth: 10 MHz_MCH_QPSK_1RB#49


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:34:05 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 90.921 kHz
-50.567 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:34:10 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 150 kHz
-53.155 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:34:14 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Log
Mkr2 25.610 GHz
-27.605 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

Channel Bandwidth: 10 MHz_HCH_QPSK_1RB#0



Channel Bandwidth: 10 MHz_HCH_QPSK_1RB#24







Channel Bandwidth: 10 MHz_HCH_QPSK_1RB#49


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:35:31 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 90.921 kHz
-50.840 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:35:36 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 150 kHz
-52.227 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:35:41 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Mkr2 25.636 GHz
-27.200 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

Channel Bandwidth: 10 MHz_LCH_16QAM_1RB#0



Channel Bandwidth: 10 MHz_LCH_16QAM_1RB#24







Channel Bandwidth: 10 MHz_LCH_16QAM_1RB#49


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:33:23 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 34.944 kHz
-50.258 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:33:29 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Mkr1 150 kHz
-50.464 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:33:32 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Mkr2 25.636 GHz
-27.559 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

Channel Bandwidth: 10 MHz_MCH_16QAM_1RB#0



Channel Bandwidth: 10 MHz_MCH_16QAM_1RB#24





Channel Bandwidth: 10 MHz_MCH_16QAM_1RB#49


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:34:47 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 90.639 kHz
-52.840 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:34:52 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 150 kHz
-54.688 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:34:56 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Log
Mkr2 25.636 GHz
-27.689 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

Channel Bandwidth: 10 MHz_HCH_16QAM_1RB#0



Channel Bandwidth: 10 MHz_HCH_16QAM_1RB#24







Channel Bandwidth: 10 MHz_HCH_16QAM_1RB#49


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:36:14 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 15.627 kHz
-52.167 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.0 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 9/100
10:36:19 AM May 12, 2017
Ref Offset 9 dB
10 dB/div
Ref 9.00 dBm
Log
Mkr1 150 kHz
-53.271 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.3 ms (1001 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 5/100
10:36:23 AM May 12, 2017
Ref Offset 8.95 dB
10 dB/div
Ref 30.00 dBm
Log
Mkr2 25.117 GHz
-27.831 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.93 ms (1001 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

Appendix F: Frequency Stability

Test Result

Channel Bandwidth: 1.4 MHz

Channel Bandwidth: 1.4 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	3.89	0.004717	± 2.5	PASS
		VN	TN	2.75	0.003335	± 2.5	PASS
		VH	TN	4.05	0.004911	± 2.5	PASS
	MCH	VL	TN	-1.51	-0.001805	± 2.5	PASS
		VN	TN	-1.46	-0.001745	± 2.5	PASS
		VH	TN	0.68	0.000813	± 2.5	PASS
	HCH	VL	TN	0.3	0.000354	± 2.5	PASS
		VN	TN	-1.23	-0.001450	± 2.5	PASS
		VH	TN	0.45	0.000530	± 2.5	PASS
16QAM	LCH	VL	TN	0.17	0.000206	± 2.5	PASS
		VN	TN	-0.75	-0.000909	± 2.5	PASS
		VH	TN	-1.48	-0.001795	± 2.5	PASS
	MCH	VL	TN	2.04	0.002439	± 2.5	PASS
		VN	TN	3.47	0.004148	± 2.5	PASS
		VH	TN	-0.28	-0.000335	± 2.5	PASS
	HCH	VL	TN	2.86	0.003371	± 2.5	PASS
		VN	TN	-0.28	-0.000330	± 2.5	PASS
		VH	TN	-1.9	-0.002240	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	-0.43	-0.000521	± 2.5	PASS
		VN	-20	3.27	0.003965	± 2.5	PASS
		VN	-10	1.23	0.001491	± 2.5	PASS
		VN	0	1.7	0.002061	± 2.5	PASS
		VN	10	1.36	0.001649	± 2.5	PASS
		VN	20	4.81	0.005832	± 2.5	PASS
		VN	30	2.73	0.003310	± 2.5	PASS
		VN	40	2.71	0.003286	± 2.5	PASS
		VN	50	0.12	0.000146	± 2.5	PASS
	MCH	VN	-30	2.96	0.003539	± 2.5	PASS

		VN	-20	-0.49	-0.000586	± 2.5	PASS
		VN	-10	-0.15	-0.000179	± 2.5	PASS
		VN	0	-0.06	-0.000072	± 2.5	PASS
		VN	10	3.01	0.003598	± 2.5	PASS
		VN	20	2.12	0.002534	± 2.5	PASS
		VN	30	2.34	0.002797	± 2.5	PASS
		VN	40	1.91	0.002283	± 2.5	PASS
		VN	50	4.83	0.005774	± 2.5	PASS
	HCH	VN	-30	4.11	0.004845	± 2.5	PASS
		VN	-20	4.78	0.005635	± 2.5	PASS
		VN	-10	4.13	0.004869	± 2.5	PASS
		VN	0	4.67	0.005505	± 2.5	PASS
		VN	10	-0.44	-0.000519	± 2.5	PASS
		VN	20	-0.18	-0.000212	± 2.5	PASS
		VN	30	1.48	0.001745	± 2.5	PASS
		VN	40	3.1	0.003654	± 2.5	PASS
		VN	50	2.08	0.002452	± 2.5	PASS
16QAM	LCH	VN	-30	0.3	0.000364	± 2.5	PASS
		VN	-20	2.23	0.002704	± 2.5	PASS
		VN	-10	3.14	0.003807	± 2.5	PASS
		VN	0	-0.06	-0.000073	± 2.5	PASS
		VN	10	4.72	0.005723	± 2.5	PASS
		VN	20	1.71	0.002073	± 2.5	PASS
		VN	30	0.17	0.000206	± 2.5	PASS
		VN	40	-1.24	-0.001504	± 2.5	PASS
		VN	50	1.81	0.002195	± 2.5	PASS
	MCH	VN	-30	2.61	0.003077	± 2.5	PASS
		VN	-20	-1.25	-0.001474	± 2.5	PASS
		VN	-10	3.74	0.004409	± 2.5	PASS
		VN	0	1.73	0.002039	± 2.5	PASS
		VN	10	4.25	0.005010	± 2.5	PASS
		VN	20	4.96	0.005847	± 2.5	PASS
		VN	30	2.12	0.002499	± 2.5	PASS
		VN	40	2.2	0.002593	± 2.5	PASS
		VN	50	-1.5	-0.001768	± 2.5	PASS
	HCH	VN	-30	3.88	0.004574	± 2.5	PASS
		VN	-20	2.38	0.002806	± 2.5	PASS
		VN	-10	0.31	0.000365	± 2.5	PASS
		VN	0	3.79	0.004468	± 2.5	PASS
		VN	10	2.97	0.003501	± 2.5	PASS
		VN	20	3.71	0.004373	± 2.5	PASS

		VN	30	-0.15	-0.000177	± 2.5	PASS
		VN	40	2.35	0.002770	± 2.5	PASS
		VN	50	2.07	0.002440	± 2.5	PASS

Channel Bandwidth: 3 MHz

Channel Bandwidth: 3 MHz+							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	-1.86	-0.002253	± 2.5	PASS
		VN	TN	2.42	0.002932	± 2.5	PASS
		VH	TN	2.83	0.003428	± 2.5	PASS
	MCH	VL	TN	4.95	0.005918	± 2.5	PASS
		VN	TN	-1.94	-0.002319	± 2.5	PASS
		VH	TN	4.22	0.005045	± 2.5	PASS
	HCH	VL	TN	1.36	0.001605	± 2.5	PASS
		VN	TN	-0.01	-0.000012	± 2.5	PASS
		VH	TN	4.32	0.005097	± 2.5	PASS
16QAM	LCH	VL	TN	-0.08	-0.000097	± 2.5	PASS
		VN	TN	1.18	0.001429	± 2.5	PASS
		VH	TN	3.34	0.004046	± 2.5	PASS
	MCH	VL	TN	1.11	0.001327	± 2.5	PASS
		VN	TN	-0.11	-0.000132	± 2.5	PASS
		VH	TN	4.27	0.005105	± 2.5	PASS
	HCH	VL	TN	3.86	0.004555	± 2.5	PASS
		VN	TN	1.16	0.001369	± 2.5	PASS
		VH	TN	-0.4	-0.000472	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	-1.25	-0.001514	± 2.5	PASS
		VN	-20	1.61	0.001950	± 2.5	PASS
		VN	-10	-0.67	-0.000812	± 2.5	PASS
		VN	0	-1.64	-0.001987	± 2.5	PASS
		VN	10	-0.64	-0.000775	± 2.5	PASS
		VN	20	3.48	0.004216	± 2.5	PASS
		VN	30	-1.16	-0.001405	± 2.5	PASS
		VN	40	4.01	0.004858	± 2.5	PASS
		VN	50	0.33	0.000400	± 2.5	PASS
	MCH	VN	-30	-0.39	-0.000466	± 2.5	PASS
		VN	-20	-1.86	-0.002224	± 2.5	PASS

		VN	-10	-0.52	-0.000622	± 2.5	PASS
		VN	0	0.23	0.000275	± 2.5	PASS
		VN	10	4.06	0.004854	± 2.5	PASS
		VN	20	-0.75	-0.000897	± 2.5	PASS
		VN	30	2.33	0.002785	± 2.5	PASS
		VN	40	3.73	0.004459	± 2.5	PASS
		VN	50	-1.08	-0.001291	± 2.5	PASS
	HCH	VN	-30	4.55	0.005369	± 2.5	PASS
		VN	-20	2.32	0.002737	± 2.5	PASS
		VN	-10	3.3	0.003894	± 2.5	PASS
		VN	0	3.62	0.004271	± 2.5	PASS
		VN	10	3.15	0.003717	± 2.5	PASS
		VN	20	3.42	0.004035	± 2.5	PASS
		VN	30	2.17	0.002560	± 2.5	PASS
		VN	40	0.47	0.000555	± 2.5	PASS
		VN	50	2.15	0.002537	± 2.5	PASS
16QAM	LCH	VN	-30	4.91	0.005870	± 2.5	PASS
		VN	-20	1.96	0.002343	± 2.5	PASS
		VN	-10	4.36	0.005212	± 2.5	PASS
		VN	0	4.32	0.005164	± 2.5	PASS
		VN	10	4.52	0.005403	± 2.5	PASS
		VN	20	0.62	0.000741	± 2.5	PASS
		VN	30	-1.42	-0.001698	± 2.5	PASS
		VN	40	0.99	0.001184	± 2.5	PASS
		VN	50	0.4	0.000478	± 2.5	PASS
	MCH	VN	-30	3.35	0.003953	± 2.5	PASS
		VN	-20	-1.18	-0.001392	± 2.5	PASS
		VN	-10	-0.57	-0.000673	± 2.5	PASS
		VN	0	2.14	0.002525	± 2.5	PASS
		VN	10	1.73	0.002041	± 2.5	PASS
		VN	20	1.12	0.001322	± 2.5	PASS
		VN	30	1.36	0.001605	± 2.5	PASS
		VN	40	-0.16	-0.000189	± 2.5	PASS
		VN	50	2.84	0.003351	± 2.5	PASS
	HCH	VN	-30	4.96	0.005853	± 2.5	PASS
		VN	-20	-0.51	-0.000602	± 2.5	PASS
		VN	-10	2.14	0.002525	± 2.5	PASS
		VN	0	4.91	0.005794	± 2.5	PASS
		VN	10	3.53	0.004165	± 2.5	PASS
		VN	20	1.73	0.002041	± 2.5	PASS
		VN	30	2.18	0.002572	± 2.5	PASS

		VN	40	-0.65	-0.000767	± 2.5	PASS
		VN	50	-1.02	-0.001204	± 2.5	PASS

Channel Bandwidth: 5 MHz

Channel Bandwidth: 5 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	-1.83	-0.002214	± 2.5	PASS
		VN	TN	2.39	0.002892	± 2.5	PASS
		VH	TN	3.18	0.003848	± 2.5	PASS
	MCH	VL	TN	3.16	0.003778	± 2.5	PASS
		VN	TN	-0.27	-0.000323	± 2.5	PASS
		VH	TN	-0.46	-0.000550	± 2.5	PASS
	HCH	VL	TN	3.77	0.004454	± 2.5	PASS
		VN	TN	0.18	0.000213	± 2.5	PASS
		VH	TN	0.9	0.001063	± 2.5	PASS
16QAM	LCH	VL	TN	3.19	0.003860	± 2.5	PASS
		VN	TN	-0.12	-0.000145	± 2.5	PASS
		VH	TN	-0.66	-0.000799	± 2.5	PASS
	MCH	VL	TN	2.52	0.003013	± 2.5	PASS
		VN	TN	0.54	0.000646	± 2.5	PASS
		VH	TN	1.13	0.001351	± 2.5	PASS
	HCH	VL	TN	-1.5	-0.001772	± 2.5	PASS
		VN	TN	-1.13	-0.001335	± 2.5	PASS
		VH	TN	3.71	0.004383	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	0.5	0.000605	± 2.5	PASS
		VN	-20	-1.12	-0.001355	± 2.5	PASS
		VN	-10	0.81	0.000980	± 2.5	PASS
		VN	0	4.15	0.005021	± 2.5	PASS
		VN	10	1.59	0.001924	± 2.5	PASS
		VN	20	1.75	0.002117	± 2.5	PASS
		VN	30	3.46	0.004186	± 2.5	PASS
		VN	40	4.09	0.004949	± 2.5	PASS
		VN	50	-0.54	-0.000653	± 2.5	PASS
	MCH	VN	-30	3.17	0.003790	± 2.5	PASS
		VN	-20	4.4	0.005260	± 2.5	PASS
		VN	-10	1.52	0.001817	± 2.5	PASS

		VN	0	0.01	0.000012	± 2.5	PASS
		VN	10	2.3	0.002750	± 2.5	PASS
		VN	20	1.9	0.002271	± 2.5	PASS
		VN	30	-1.01	-0.001207	± 2.5	PASS
		VN	40	-1.43	-0.001710	± 2.5	PASS
		VN	50	-0.4	-0.000478	± 2.5	PASS
	HCH	VN	-30	1.85	0.002185	± 2.5	PASS
		VN	-20	3.24	0.003828	± 2.5	PASS
		VN	-10	2.93	0.003461	± 2.5	PASS
		VN	0	-1.74	-0.002056	± 2.5	PASS
		VN	10	0.47	0.000555	± 2.5	PASS
		VN	20	3.06	0.003615	± 2.5	PASS
		VN	30	1.15	0.001359	± 2.5	PASS
		VN	40	4.49	0.005304	± 2.5	PASS
		VN	50	1.51	0.001784	± 2.5	PASS
16QAM	LCH	VN	-30	2.08	0.002487	± 2.5	PASS
		VN	-20	2.24	0.002678	± 2.5	PASS
		VN	-10	0.77	0.000921	± 2.5	PASS
		VN	0	0.44	0.000526	± 2.5	PASS
		VN	10	2.73	0.003264	± 2.5	PASS
		VN	20	2.25	0.002690	± 2.5	PASS
		VN	30	-0.62	-0.000741	± 2.5	PASS
		VN	40	-1.66	-0.001984	± 2.5	PASS
		VN	50	2.17	0.002594	± 2.5	PASS
	MCH	VN	-30	-1.66	-0.001961	± 2.5	PASS
		VN	-20	-0.34	-0.000402	± 2.5	PASS
		VN	-10	2.35	0.002776	± 2.5	PASS
		VN	0	-0.45	-0.000532	± 2.5	PASS
		VN	10	0.53	0.000626	± 2.5	PASS
		VN	20	3.3	0.003898	± 2.5	PASS
		VN	30	-1.72	-0.002032	± 2.5	PASS
		VN	40	1.74	0.002056	± 2.5	PASS
		VN	50	2.54	0.003001	± 2.5	PASS
	HCH	VN	-30	4.25	0.005021	± 2.5	PASS
		VN	-20	0.88	0.001040	± 2.5	PASS
		VN	-10	-1.34	-0.001583	± 2.5	PASS
		VN	0	1.76	0.002079	± 2.5	PASS
		VN	10	0.55	0.000650	± 2.5	PASS
		VN	20	0.57	0.000673	± 2.5	PASS
		VN	30	-1.72	-0.002032	± 2.5	PASS
		VN	40	4.77	0.005635	± 2.5	PASS

		VN	50	0.95	0.001122	± 2.5	PASS

Channel Bandwidth: 10 MHz

Channel Bandwidth: 10 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	1.45	0.001749	± 2.5	PASS
		VN	TN	3.2	0.003860	± 2.5	PASS
		VH	TN	2.25	0.002714	± 2.5	PASS
	MCH	VL	TN	4.14	0.004949	± 2.5	PASS
		VN	TN	0.19	0.000227	± 2.5	PASS
		VH	TN	-1.99	-0.002379	± 2.5	PASS
	HCH	VL	TN	2.16	0.002559	± 2.5	PASS
		VN	TN	2.53	0.002998	± 2.5	PASS
		VH	TN	3.33	0.003945	± 2.5	PASS
16QAM	LCH	VL	TN	2.2	0.002654	± 2.5	PASS
		VN	TN	-0.8	-0.000965	± 2.5	PASS
		VH	TN	4.6	0.005549	± 2.5	PASS
	MCH	VL	TN	3.59	0.004292	± 2.5	PASS
		VN	TN	-0.8	-0.000956	± 2.5	PASS
		VH	TN	4.25	0.005081	± 2.5	PASS
	HCH	VL	TN	4.63	0.005486	± 2.5	PASS
		VN	TN	0.87	0.001031	± 2.5	PASS
		VH	TN	2.18	0.002583	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
16QAM	LCH	VN	-30	3.51	0.004234	± 2.5	PASS
		VN	-20	4.06	0.004897	± 2.5	PASS
		VN	-10	2.21	0.002666	± 2.5	PASS
		VN	0	-0.78	-0.000941	± 2.5	PASS
		VN	10	4.89	0.005899	± 2.5	PASS
		VN	20	-0.92	-0.001110	± 2.5	PASS
		VN	30	-0.2	-0.000241	± 2.5	PASS
		VN	40	0.76	0.000917	± 2.5	PASS
		VN	50	2.27	0.002738	± 2.5	PASS
	MCH	VN	-30	4.9	0.005858	± 2.5	PASS
		VN	-20	-1.28	-0.001530	± 2.5	PASS
		VN	-10	-1.64	-0.001961	± 2.5	PASS
		VN	0	4.14	0.004949	± 2.5	PASS

		VN	10	2.02	0.002415	± 2.5	PASS
		VN	20	3.44	0.004112	± 2.5	PASS
		VN	30	1.26	0.001506	± 2.5	PASS
		VN	40	2.02	0.002415	± 2.5	PASS
		VN	50	1.43	0.001710	± 2.5	PASS
	HCH	VN	-30	0.92	0.001090	± 2.5	PASS
		VN	-20	-1.93	-0.002287	± 2.5	PASS
		VN	-10	-0.68	-0.000806	± 2.5	PASS
		VN	0	-1.87	-0.002216	± 2.5	PASS
		VN	10	-0.87	-0.001031	± 2.5	PASS
		VN	20	4.03	0.004775	± 2.5	PASS
		VN	30	-1.78	-0.002109	± 2.5	PASS
		VN	40	-0.56	-0.000664	± 2.5	PASS
		VN	50	-1.49	-0.001765	± 2.5	PASS
QPSK	LCH	VN	-30	1.25	0.001494	± 2.5	PASS
		VN	-20	0.32	0.000383	± 2.5	PASS
		VN	-10	2.38	0.002845	± 2.5	PASS
		VN	0	1.02	0.001219	± 2.5	PASS
		VN	10	1.03	0.001231	± 2.5	PASS
		VN	20	0.59	0.000705	± 2.5	PASS
		VN	30	3.93	0.004698	± 2.5	PASS
		VN	40	2.48	0.002965	± 2.5	PASS
		VN	50	-0.23	-0.000275	± 2.5	PASS
	MCH	VN	-30	1.54	0.001825	± 2.5	PASS
		VN	-20	2.55	0.003021	± 2.5	PASS
		VN	-10	-1.28	-0.001517	± 2.5	PASS
		VN	0	3.55	0.004206	± 2.5	PASS
		VN	10	-1.46	-0.001730	± 2.5	PASS
		VN	20	2.18	0.002583	± 2.5	PASS
		VN	30	-1.81	-0.002145	± 2.5	PASS
		VN	40	0.8	0.000948	± 2.5	PASS
		VN	50	1.47	0.001742	± 2.5	PASS
	HCH	VN	-30	2.14	0.002536	± 2.5	PASS
		VN	-20	3.54	0.004194	± 2.5	PASS
		VN	-10	0.27	0.000320	± 2.5	PASS
		VN	0	3.35	0.003969	± 2.5	PASS
		VN	10	4.02	0.004763	± 2.5	PASS
		VN	20	4.94	0.005853	± 2.5	PASS
		VN	30	0.25	0.000296	± 2.5	PASS
		VN	40	3.73	0.004419	± 2.5	PASS
		VN	50	3.43	0.004064	± 2.5	PASS