

Appendix A.9

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B14_5MHz_ERP

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	790.5	1	0	22.57	-0.40	20.02	<=34.77	Pass
			13	22.98	-0.40	20.43	<=34.77	Pass
			24	22.81	-0.40	20.26	<=34.77	Pass
		12	0	21.93	-0.40	19.38	<=34.77	Pass
			6	21.93	-0.40	19.38	<=34.77	Pass
			13	21.89	-0.40	19.34	<=34.77	Pass
		25	0	21.90	-0.40	19.35	<=34.77	Pass
	793	1	0	22.73	-0.40	20.18	<=34.77	Pass
			13	22.77	-0.40	20.22	<=34.77	Pass
			24	22.91	-0.40	20.36	<=34.77	Pass
		12	0	22.02	-0.40	19.47	<=34.77	Pass
			6	22.00	-0.40	19.45	<=34.77	Pass
			13	21.94	-0.40	19.39	<=34.77	Pass
		25	0	22.03	-0.40	19.48	<=34.77	Pass
	795.5	1	0	22.91	-0.40	20.36	<=34.77	Pass
			13	23.13	-0.40	20.58	<=34.77	Pass
			24	22.93	-0.40	20.38	<=34.77	Pass
		12	0	21.80	-0.40	19.25	<=34.77	Pass
			6	22.00	-0.40	19.45	<=34.77	Pass
			13	21.70	-0.40	19.15	<=34.77	Pass
		25	0	21.56	-0.40	19.01	<=34.77	Pass
16QAM	790.5	1	0	21.49	-0.40	18.94	<=34.77	Pass
			13	21.61	-0.40	19.06	<=34.77	Pass
			24	21.70	-0.40	19.15	<=34.77	Pass
		12	0	20.68	-0.40	18.13	<=34.77	Pass
			6	20.80	-0.40	18.25	<=34.77	Pass
			13	20.78	-0.40	18.23	<=34.77	Pass
		25	0	20.88	-0.40	18.33	<=34.77	Pass
	793	1	0	21.57	-0.40	19.02	<=34.77	Pass
			13	21.64	-0.40	19.09	<=34.77	Pass
			24	21.57	-0.40	19.02	<=34.77	Pass
		12	0	20.85	-0.40	18.30	<=34.77	Pass
			6	20.79	-0.40	18.24	<=34.77	Pass
			13	20.84	-0.40	18.29	<=34.77	Pass
		25	0	20.86	-0.40	18.31	<=34.77	Pass
	795.5	1	0	21.74	-0.40	19.19	<=34.77	Pass
			13	21.60	-0.40	19.05	<=34.77	Pass
			24	21.51	-0.40	18.96	<=34.77	Pass
		12	0	20.74	-0.40	18.19	<=34.77	Pass
			6	20.73	-0.40	18.18	<=34.77	Pass
			13	20.80	-0.40	18.25	<=34.77	Pass
		25	0	20.61	-0.40	18.06	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B14_10MHz_ERP

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	793	1	0	22.71	-0.40	20.16	<=34.77	Pass
			25	23.08	-0.40	20.53	<=34.77	Pass
			49	22.92	-0.40	20.37	<=34.77	Pass
		25	0	21.96	-0.40	19.41	<=34.77	Pass
			13	21.90	-0.40	19.35	<=34.77	Pass
			25	21.95	-0.40	19.40	<=34.77	Pass
		50	0	21.97	-0.40	19.42	<=34.77	Pass
16QAM	793	1	0	21.84	-0.40	19.29	<=34.77	Pass
			25	22.06	-0.40	19.51	<=34.77	Pass
			49	21.63	-0.40	19.08	<=34.77	Pass
		25	0	21.04	-0.40	18.49	<=34.77	Pass
			13	20.98	-0.40	18.43	<=34.77	Pass
			25	21.04	-0.40	18.49	<=34.77	Pass
		50	0	20.96	-0.40	18.41	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VAC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	793	50	0	20	102	0.800	0.0010	-2.5 to 2.5	Pass
					120	-0.700	-0.0009	-2.5 to 2.5	Pass
					138	-2.100	-0.0026	-2.5 to 2.5	Pass
				-30	120	-0.800	-0.0010	-2.5 to 2.5	Pass
				-20	120	-0.900	-0.0011	-2.5 to 2.5	Pass
				-10	120	-1.400	-0.0018	-2.5 to 2.5	Pass
				0	120	-1.600	-0.0020	-2.5 to 2.5	Pass
				10	120	-2.100	-0.0026	-2.5 to 2.5	Pass
				30	120	0.500	0.0006	-2.5 to 2.5	Pass
				40	120	0.600	0.0008	-2.5 to 2.5	Pass
				50	120	0.200	0.0003	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band14_OBW


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	4.475	/	Pass
	16QAM	793	25	0	4.480	/	Pass
10	QPSK	793	50	0	8.932	/	Pass
	16QAM	793	50	0	8.914	/	Pass

3.1.2 Band14_XDB


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	4.924	/	Pass
	16QAM	793	25	0	4.896	/	Pass
10	QPSK	793	50	0	9.590	/	Pass
	16QAM	793	50	0	9.605	/	Pass

3.2 Test Graph


3.2.1 Band14_OBW




Band14 10MHz QPSK MCH 793MHz RB 50 0 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 50 0 NTNV




3.2.2 Band14_XDB



Band14 10MHz QPSK MCH 793MHz RB 50 0 NTNV



Band14 10MHz 16QAM MCH 793MHz RB 50 0 NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	793	50	0	5.98	<=13	Pass
16QAM	793	50	0	6.77	<=13	Pass

4.2 Test Graph

4.2.1 B14_10MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B14_5MHz


Band: 14 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B14_5MHz




Band14 5MHz QPSK LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz QPSK MCH 793MHz RB 1 0 NTNV



Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.016	-26.89	-13	Pass
798.1	799	0.1	CHP	2	798.152	-33.69	-13	Pass
799	805	0.00625	CHP	3	799.365	-59.04	-35	Pass
805	810	0.1	CHP	4	806.304	-62.89	-13	Pass

Band14 5MHz QPSK HCH 795.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.016	-32.13	-13	Pass
798.1	799	0.1	CHP	2	798.152	-30.84	-13	Pass
799	805	0.00625	CHP	3	799.045	-46.04	-35	Pass
805	810	0.1	CHP	4	805.052	-54.26	-13	Pass

5.2.2 B14_10MHz




Band14 10MHz QPSK LCH 793MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	766.988	-63.46	-13	Pass
769	775	0.00625	CHP	2	774.856	-74.91	-35	Pass
775	787.9	0.1	CHP	3	787.848	-32.49	-13	Pass
787.9	788	0.03	CHP	4	787.984	-35.62	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.019	-37.85	-13	Pass
798.1	799	0.1	CHP	6	798.152	-34.15	-13	Pass
799	803	0.00625	CHP	7	799.009	-48.85	-35	Pass

Band14 10MHz QPSK HCH 793MHz RB 1 49 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	784.125	-54.09	-13	Pass
787.9	788	0.03	CHP	2	787.985	-57.69	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.016	-39.73	-13	Pass
798.1	799	0.1	CHP	4	798.152	-40.81	-13	Pass
799	805	0.00625	CHP	5	799.141	-59.20	-35	Pass
805	810	0.1	CHP	6	806.229	-58.49	-13	Pass

Band14 10MHz QPSK HCH 793MHz RB 50 0 NTN



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.850	-32.45	-13	Pass
787.9	788	0.03	CHP	2	787.985	-35.85	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.023	-37.63	-13	Pass
798.1	799	0.1	CHP	4	798.152	-34.24	-13	Pass
799	805	0.00625	CHP	5	799.008	-48.81	-35	Pass
805	810	0.1	CHP	6	805.063	-52.71	-13	Pass

6. Emission Mask

6.1 Test Result

6.1.1 B14_5MHz

Band: 14 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	790.5	1	0	773	778	-62.84	-13	Pass
				778	785.5	-50.41	-14.34	Pass
				785.5	787.95	-22.83	-4.34	Pass
				787.95	793.05	20.66	20.66	Pass
				793.05	795.5	-55.31	-4.34	Pass
				795.5	803	-40.73	-14.34	Pass
				803	808	-62.92	-13	Pass
			13	773	778	-62.83	-13	Pass
				778	785.5	-59.76	-13.57	Pass
				785.5	787.95	-47.55	-3.57	Pass
				787.95	793.05	21.43	21.43	Pass
				793.05	795.5	-47.55	-3.57	Pass
				795.5	803	-59.18	-13.57	Pass
				803	808	-62.71	-13	Pass
			24	773	778	-63.15	-13	Pass
				778	785.5	-39.23	-14.26	Pass
				785.5	787.95	-54.13	-4.26	Pass
				787.95	793.05	20.74	20.74	Pass
				793.05	795.5	-21.61	-4.26	Pass
				795.5	803	-50.32	-14.26	Pass
				803	808	-62.76	-13	Pass
		12	0	773	778	-63.12	-13	Pass
				778	785.5	-43.08	-24.66	Pass
				785.5	787.95	-26.27	-14.66	Pass
				787.95	793.05	10.34	10.34	Pass
				793.05	795.5	-40.40	-14.66	Pass
				795.5	803	-46.65	-24.66	Pass
				803	808	-62.77	-13	Pass
			6	773	778	-62.85	-13	Pass
				778	785.5	-43.56	-24.78	Pass
				785.5	787.95	-31.11	-14.78	Pass
				787.95	793.05	10.22	10.22	Pass
				793.05	795.5	-35.02	-14.78	Pass
				795.5	803	-45.24	-24.78	Pass
				803	808	-62.58	-13	Pass
			13	773	778	-62.94	-13	Pass
				778	785.5	-46.53	-24.72	Pass
				785.5	787.95	-40.77	-14.72	Pass
				787.95	793.05	10.28	10.28	Pass
				793.05	795.5	-24.39	-14.72	Pass
				795.5	803	-42.44	-24.72	Pass
				803	808	-62.29	-13	Pass
		25	0	773	778	-59.11	-13	Pass
				778	785.5	-36.07	-27.22	Pass
				785.5	787.95	-26.85	-17.22	Pass
				787.95	793.05	7.78	7.78	Pass

				793.05	795.5	-27.56	-17.22	Pass
				795.5	803	-39.17	-27.22	Pass
				803	808	-54.80	-13	Pass
	793	1	0	775.5	780.5	-62.94	-13	Pass
				780.5	788	-50.54	-14.13	Pass
				788	790.45	-23.64	-4.13	Pass
				790.45	795.55	20.87	20.87	Pass
				795.55	798	-54.65	-4.13	Pass
				798	805.5	-39.73	-14.13	Pass
				805.5	810.5	-62.97	-13	Pass
			13	775.5	780.5	-62.66	-13	Pass
				780.5	788	-59.05	-13.9	Pass
				788	790.45	-47.44	-3.9	Pass
				790.45	795.55	21.10	21.1	Pass
				795.55	798	-48.31	-3.9	Pass
				798	805.5	-59.47	-13.9	Pass
				805.5	810.5	-62.96	-13	Pass
			24	775.5	780.5	-62.77	-13	Pass
				780.5	788	-35.83	-13.57	Pass
				788	790.45	-54.48	-3.57	Pass
				790.45	795.55	21.43	21.43	Pass
				795.55	798	-19.11	-3.57	Pass
				798	805.5	-50.83	-13.57	Pass
			12	805.5	810.5	-63.02	-13	Pass
				775.5	780.5	-62.53	-13	Pass
				780.5	788	-42.42	-24.89	Pass
				788	790.45	-26.04	-14.89	Pass
				790.45	795.55	10.11	10.11	Pass
				795.55	798	-39.33	-14.89	Pass
				798	805.5	-47.43	-24.89	Pass
				805.5	810.5	-62.96	-13	Pass
				775.5	780.5	-62.75	-13	Pass
				780.5	788	-42.16	-24.43	Pass
				788	790.45	-31.25	-14.43	Pass
				790.45	795.55	10.57	10.57	Pass
				795.55	798	-34.53	-14.43	Pass
				798	805.5	-45.21	-24.43	Pass
				805.5	810.5	-62.66	-13	Pass
				775.5	780.5	-62.95	-13	Pass
				780.5	788	-47.10	-24.77	Pass
				788	790.45	-40.61	-14.77	Pass
				790.45	795.55	10.23	10.23	Pass
				795.55	798	-22.77	-14.77	Pass
				798	805.5	-43.33	-24.77	Pass
				805.5	810.5	-62.83	-13	Pass
		25	0	775.5	780.5	-56.02	-13	Pass
				780.5	788	-36.57	-27.58	Pass
				788	790.45	-26.98	-17.58	Pass
				790.45	795.55	7.42	7.42	Pass
				795.55	798	-27.72	-17.58	Pass
				798	805.5	-39.17	-27.58	Pass
	795.5	1	0	805.5	810.5	-59.39	-13	Pass
				778	783	-62.85	-13	Pass
				783	790.5	-49.70	-13.6	Pass
				790.5	792.95	-24.12	-3.6	Pass
				792.95	798.05	21.40	21.4	Pass
				798.05	800.5	-56.73	-3.6	Pass
				800.5	808	-40.90	-13.6	Pass
				808	813	-63.02	-13	Pass

			13	778	783	-62.94	-13	Pass
				783	790.5	-57.31	-13.71	Pass
				790.5	792.95	-48.24	-3.71	Pass
				792.95	798.05	21.29	21.29	Pass
				798.05	800.5	-48.78	-3.71	Pass
				800.5	808	-57.75	-13.71	Pass
				808	813	-63.03	-13	Pass
			24	778	783	-62.46	-13	Pass
				783	790.5	-39.82	-14.63	Pass
				790.5	792.95	-52.99	-4.63	Pass
				792.95	798.05	20.37	20.37	Pass
				798.05	800.5	-22.06	-4.63	Pass
				800.5	808	-50.17	-14.63	Pass
				808	813	-62.83	-13	Pass
		12	0	778	783	-62.30	-13	Pass
				783	790.5	-42.44	-24.69	Pass
				790.5	792.95	-27.56	-14.69	Pass
				792.95	798.05	10.31	10.31	Pass
				798.05	800.5	-40.27	-14.69	Pass
				800.5	808	-48.44	-24.69	Pass
				808	813	-63.16	-13	Pass
			6	778	783	-62.67	-13	Pass
				783	790.5	-41.96	-24.47	Pass
				790.5	792.95	-30.92	-14.47	Pass
				792.95	798.05	10.53	10.53	Pass
				798.05	800.5	-33.00	-14.47	Pass
				800.5	808	-45.88	-24.47	Pass
				808	813	-62.93	-13	Pass
			13	778	783	-62.90	-13	Pass
				783	790.5	-46.07	-24.48	Pass
				790.5	792.95	-39.20	-14.48	Pass
				792.95	798.05	10.52	10.52	Pass
				798.05	800.5	-24.63	-14.48	Pass
				800.5	808	-44.03	-24.48	Pass
				808	813	-62.77	-13	Pass
		25	0	778	783	-52.86	-13	Pass
				783	790.5	-35.56	-27.41	Pass
				790.5	792.95	-28.54	-17.41	Pass
				792.95	798.05	7.59	7.59	Pass
				798.05	800.5	-28.27	-17.41	Pass
				800.5	808	-36.65	-27.41	Pass
16QAM	790.5	1	0	808	813	-61.84	-13	Pass
				773	778	-62.87	-13	Pass
				778	785.5	-51.91	-15.1	Pass
				785.5	787.95	-25.31	-5.1	Pass
				787.95	793.05	19.90	19.9	Pass
				793.05	795.5	-56.06	-5.1	Pass
				795.5	803	-41.55	-15.1	Pass
			13	803	808	-62.95	-13	Pass
				773	778	-63.18	-13	Pass
				778	785.5	-59.77	-15.44	Pass
				785.5	787.95	-48.70	-5.44	Pass
				787.95	793.05	19.56	19.56	Pass
				793.05	795.5	-48.57	-5.44	Pass
				795.5	803	-59.49	-15.44	Pass
			24	803	808	-62.57	-13	Pass
				773	778	-62.99	-13	Pass
				778	785.5	-40.82	-15.59	Pass
				785.5	787.95	-54.97	-5.59	Pass

				787.95	793.05	19.41	19.41	Pass
				793.05	795.5	-24.50	-5.59	Pass
				795.5	803	-50.32	-15.59	Pass
				803	808	-62.68	-13	Pass
		12	0	773	778	-63.10	-13	Pass
				778	785.5	-43.24	-25.27	Pass
				785.5	787.95	-27.38	-15.27	Pass
				787.95	793.05	9.73	9.73	Pass
				793.05	795.5	-40.51	-15.27	Pass
				795.5	803	-49.49	-25.27	Pass
				803	808	-62.81	-13	Pass
				773	778	-62.85	-13	Pass
			6	778	785.5	-46.34	-25.52	Pass
				785.5	787.95	-33.77	-15.52	Pass
				787.95	793.05	9.48	9.48	Pass
				793.05	795.5	-36.86	-15.52	Pass
				795.5	803	-45.99	-25.52	Pass
				803	808	-62.68	-13	Pass
				773	778	-63.22	-13	Pass
			13	778	785.5	-49.10	-25.9	Pass
				785.5	787.95	-41.79	-15.9	Pass
				787.95	793.05	9.10	9.1	Pass
				793.05	795.5	-25.88	-15.9	Pass
				795.5	803	-42.06	-25.9	Pass
				803	808	-62.77	-13	Pass
		25	0	773	778	-60.05	-13	Pass
				778	785.5	-37.84	-28.87	Pass
				785.5	787.95	-30.00	-18.87	Pass
				787.95	793.05	6.13	6.13	Pass
				793.05	795.5	-28.84	-18.87	Pass
				795.5	803	-39.10	-28.87	Pass
	793	1	0	803	808	-55.43	-13	Pass
				775.5	780.5	-62.94	-13	Pass
				780.5	788	-51.87	-15.05	Pass
				788	790.45	-25.66	-5.05	Pass
				790.45	795.55	19.95	19.95	Pass
				795.55	798	-56.36	-5.05	Pass
				798	805.5	-42.46	-15.05	Pass
				805.5	810.5	-63.10	-13	Pass
			13	775.5	780.5	-63.04	-13	Pass
				780.5	788	-55.21	-15.34	Pass
				788	790.45	-49.56	-5.34	Pass
				790.45	795.55	19.66	19.66	Pass
				795.55	798	-48.67	-5.34	Pass
				798	805.5	-57.49	-15.34	Pass
				805.5	810.5	-63.11	-13	Pass
			24	775.5	780.5	-63.12	-13	Pass
				780.5	788	-40.80	-15.3	Pass
				788	790.45	-55.35	-5.3	Pass
				790.45	795.55	19.70	19.7	Pass
				795.55	798	-22.34	-5.3	Pass
				798	805.5	-52.73	-15.3	Pass
				805.5	810.5	-63.05	-13	Pass
		12	0	775.5	780.5	-62.31	-13	Pass
				780.5	788	-43.02	-25.99	Pass
				788	790.45	-28.67	-15.99	Pass
				790.45	795.55	9.01	9.01	Pass
				795.55	798	-41.09	-15.99	Pass
				798	805.5	-49.12	-25.99	Pass

				805.5	810.5	-63.28	-13	Pass
			6	775.5	780.5	-63.12	-13	Pass
				780.5	788	-45.94	-25.71	Pass
				788	790.45	-34.68	-15.71	Pass
				790.45	795.55	9.29	9.29	Pass
				795.55	798	-35.87	-15.71	Pass
				798	805.5	-46.40	-25.71	Pass
				805.5	810.5	-62.05	-13	Pass
			13	775.5	780.5	-63.08	-13	Pass
				780.5	788	-48.26	-25.52	Pass
				788	790.45	-40.65	-15.52	Pass
				790.45	795.55	9.48	9.48	Pass
				795.55	798	-28.20	-15.52	Pass
				798	805.5	-42.76	-25.52	Pass
				805.5	810.5	-62.95	-13	Pass
		25	0	775.5	780.5	-57.59	-13	Pass
				780.5	788	-37.47	-28.66	Pass
				788	790.45	-30.82	-18.66	Pass
				790.45	795.55	6.34	6.34	Pass
				795.55	798	-28.40	-18.66	Pass
				798	805.5	-40.15	-28.66	Pass
				805.5	810.5	-60.29	-13	Pass
	795.5	1	0	778	783	-62.69	-13	Pass
				783	790.5	-50.25	-15.02	Pass
				790.5	792.95	-24.71	-5.02	Pass
				792.95	798.05	19.98	19.98	Pass
				798.05	800.5	-57.27	-5.02	Pass
				800.5	808	-43.55	-15.02	Pass
				808	813	-63.09	-13	Pass
			13	778	783	-62.95	-13	Pass
				783	790.5	-59.99	-15.42	Pass
				790.5	792.95	-49.65	-5.42	Pass
				792.95	798.05	19.58	19.58	Pass
				798.05	800.5	-48.90	-5.42	Pass
				800.5	808	-59.92	-15.42	Pass
				808	813	-62.82	-13	Pass
			24	778	783	-62.80	-13	Pass
				783	790.5	-38.22	-15.23	Pass
				790.5	792.95	-54.62	-5.23	Pass
				792.95	798.05	19.77	19.77	Pass
				798.05	800.5	-21.90	-5.23	Pass
				800.5	808	-52.08	-15.23	Pass
				808	813	-62.86	-13	Pass
		12	0	778	783	-62.54	-13	Pass
				783	790.5	-42.66	-25.82	Pass
				790.5	792.95	-28.23	-15.82	Pass
				792.95	798.05	9.18	9.18	Pass
				798.05	800.5	-40.47	-15.82	Pass
				800.5	808	-50.52	-25.82	Pass
				808	813	-63.18	-13	Pass
			6	778	783	-62.75	-13	Pass
				783	790.5	-46.06	-25.7	Pass
				790.5	792.95	-33.31	-15.7	Pass
				792.95	798.05	9.30	9.3	Pass
				798.05	800.5	-35.92	-15.7	Pass
				800.5	808	-47.76	-25.7	Pass
				808	813	-62.93	-13	Pass
			13	778	783	-62.97	-13	Pass
				783	790.5	-48.67	-25.3	Pass

				790.5	792.95	-40.59	-15.3	Pass
				792.95	798.05	9.70	9.7	Pass
				798.05	800.5	-24.23	-15.3	Pass
				800.5	808	-43.86	-25.3	Pass
				808	813	-62.86	-13	Pass
		25	0	778	783	-54.53	-13	Pass
				783	790.5	-38.29	-28.74	Pass
				790.5	792.95	-28.46	-18.74	Pass
				792.95	798.05	6.26	6.26	Pass
				798.05	800.5	-29.01	-18.74	Pass
				800.5	808	-38.88	-28.74	Pass
				808	813	-61.73	-13	Pass


6.1.2 B14_10MHz

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	793	1	0	758	768	-61.41	-13	Pass
				768	783	-58.63	-14.17	Pass
				783	787.95	-38.11	-4.17	Pass
				787.95	798.05	20.83	20.83	Pass
				798.05	803	-56.80	-4.17	Pass
				803	818	-61.22	-14.17	Pass
				818	828	-63.22	-13	Pass
			25	758	768	-62.06	-13	Pass
				768	783	-62.81	-13.62	Pass
				783	787.95	-55.88	-3.62	Pass
				787.95	798.05	21.38	21.38	Pass
				798.05	803	-57.28	-3.62	Pass
				803	818	-63.02	-13.62	Pass
				818	828	-62.86	-13	Pass
			49	758	768	-62.31	-13	Pass
				768	783	-57.28	-14.28	Pass
				783	787.95	-52.27	-4.28	Pass
				787.95	798.05	20.72	20.72	Pass
				798.05	803	-37.12	-4.28	Pass
				803	818	-58.00	-14.28	Pass
				818	828	-63.15	-13	Pass
		25	0	758	768	-62.05	-13	Pass
				768	783	-48.36	-27.68	Pass
				783	787.95	-29.50	-17.68	Pass
				787.95	798.05	7.32	7.32	Pass
				798.05	803	-40.34	-17.68	Pass
				803	818	-54.08	-27.68	Pass
				818	828	-62.91	-13	Pass
			13	758	768	-62.21	-13	Pass
				768	783	-47.85	-27.76	Pass
				783	787.95	-34.04	-17.76	Pass
				787.95	798.05	7.24	7.24	Pass
				798.05	803	-37.08	-17.76	Pass
				803	818	-49.10	-27.76	Pass
				818	828	-63.18	-13	Pass
			25	758	768	-62.09	-13	Pass
				768	783	-53.21	-27.65	Pass
				783	787.95	-40.32	-17.65	Pass
				787.95	798.05	7.35	7.35	Pass


				798.05	803	-30.93	-17.65	Pass
				803	818	-49.65	-27.65	Pass
				818	828	-62.78	-13	Pass
		50	0	758	768	-62.15	-13	Pass
				768	783	-41.32	-30.67	Pass
				783	787.95	-31.45	-20.67	Pass
				787.95	798.05	4.33	4.33	Pass
				798.05	803	-33.48	-20.67	Pass
				803	818	-44.88	-30.67	Pass
				818	828	-63.05	-13	Pass
16QAM	793	1	0	758	768	-62.26	-13	Pass
				768	783	-60.13	-15.87	Pass
				783	787.95	-37.56	-5.87	Pass
				787.95	798.05	19.13	19.13	Pass
				798.05	803	-57.86	-5.87	Pass
				803	818	-61.82	-15.87	Pass
			25	818	828	-62.90	-13	Pass
				758	768	-62.16	-13	Pass
				768	783	-62.79	-16.08	Pass
				783	787.95	-56.98	-6.08	Pass
				787.95	798.05	18.92	18.92	Pass
				798.05	803	-58.14	-6.08	Pass
			49	803	818	-63.12	-16.08	Pass
				818	828	-62.92	-13	Pass
				758	768	-61.95	-13	Pass
				768	783	-58.08	-15.56	Pass
				783	787.95	-53.92	-5.56	Pass
				787.95	798.05	19.44	19.44	Pass
			25	798.05	803	-37.17	-5.56	Pass
				803	818	-59.91	-15.56	Pass
				818	828	-62.87	-13	Pass
				758	768	-62.28	-13	Pass
				768	783	-47.68	-28.52	Pass
				783	787.95	-30.67	-18.52	Pass
				787.95	798.05	6.48	6.48	Pass
				798.05	803	-43.73	-18.52	Pass
				803	818	-54.67	-28.52	Pass
				818	828	-63.15	-13	Pass
				758	768	-62.10	-13	Pass
				768	783	-50.59	-28.84	Pass
			13	783	787.95	-37.74	-18.84	Pass
				787.95	798.05	6.16	6.16	Pass
				798.05	803	-38.78	-18.84	Pass
				803	818	-51.90	-28.84	Pass
				818	828	-62.73	-13	Pass
				758	768	-62.18	-13	Pass
			25	768	783	-54.04	-28.69	Pass
				783	787.95	-41.99	-18.69	Pass
				787.95	798.05	6.31	6.31	Pass
				798.05	803	-32.42	-18.69	Pass
				803	818	-49.09	-28.69	Pass
				818	828	-63.18	-13	Pass
		50	0	758	768	-62.30	-13	Pass
				768	783	-42.19	-31.35	Pass
				783	787.95	-33.11	-21.35	Pass
				787.95	798.05	3.65	3.65	Pass
				798.05	803	-35.51	-21.35	Pass
				803	818	-45.34	-31.35	Pass
				818	828	-63.19	-13	Pass

6.2 Test Graph


6.2.1 B14_5MHz




Band14 5MHz QPSK LCH 790.5MHz RB 1 24 NTNV




Band14 5MHz QPSK LCH 790.5MHz RB 12_0 NTNV




Band14 5MHz QPSK LCH 790.5MHz RB 12 6 NTNV




Band14 5MHz QPSK LCH 790.5MHz RB 12 13 NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14 5MHz QPSK HCH 795.5MHz RB 1 0 NTN




Band14 5MHz QPSK HCH 795.5MHz RB 1 13 NTN




Band14 5MHz QPSK HCH 795.5MHz RB 1 24 NTNV




Band14 5MHz QPSK HCH 795.5MHz RB 12 0 NTNV




Band14 5MHz QPSK HCH 795.5MHz RB 12 6 NTV




Band14 5MHz QPSK HCH 795.5MHz RB 12 13 NTV




Band14 5MHz QPSK HCH 795.5MHz RB 25 0 NTN




Band14 5MHz 16QAM LCH 790.5MHz RB 1 0 NTN




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 12 13 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz 16QAM MCH 793MHz RB 1 0 NTN




Band14 5MHz 16QAM MCH 793MHz RB 1 13 NTN




Band14 5MHz 16QAM MCH 793MHz RB 1 24 NTNV




Band14 5MHz 16QAM MCH 793MHz RB 12_0 NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_6_NTNV




Band14 5MHz 16QAM HCH 795.5MHz RB 12 13 NTN




Band14 5MHz 16QAM HCH 795.5MHz RB 25 0 NTN




6.2.2 B14_10MHz




Band14 10MHz QPSK MCH 793MHz RB 1 49 NTNV




Band14 10MHz QPSK MCH 793MHz RB 25_0 NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_13_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_25_NTNV




Band14 10MHz QPSK MCH 793MHz RB 50 0 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 1 0 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 1 25 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 1 49 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 25 0 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 25 13 NTNV



Band14 10MHz 16QAM MCH 793MHz RB 25 25 NTN



Band14 10MHz 16QAM MCH 793MHz RB 50 0 NTN



---End of Attachment---