





-26BW_NVNT_ANT2_802_11ac(VHT80)_5775




3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	75.00	1.25
NVNT	ANT2	802.11a	5745.00	81.82	0.87
NVNT	ANT1	802.11a	5785.00	75.00	1.25
NVNT	ANT2	802.11a	5785.00	75.00	1.25
NVNT	ANT1	802.11a	5825.00	75.00	1.25
NVNT	ANT2	802.11a	5825.00	81.82	0.87
NVNT	ANT1	802.11n(HT20)	5745.00	85.71	0.67
NVNT	ANT2	802.11n(HT20)	5745.00	85.71	0.67
NVNT	ANT1	802.11n(HT20)	5785.00	85.71	0.67
NVNT	ANT2	802.11n(HT20)	5785.00	85.71	0.67
NVNT	ANT1	802.11n(HT20)	5825.00	85.71	0.67
NVNT	ANT2	802.11n(HT20)	5825.00	85.71	0.67
NVNT	ANT1	802.11ac(VHT20)	5745.00	71.43	1.46
NVNT	ANT2	802.11ac(VHT20)	5745.00	71.43	1.46
NVNT	ANT1	802.11ac(VHT20)	5785.00	57.14	2.43
NVNT	ANT2	802.11ac(VHT20)	5785.00	57.14	2.43
NVNT	ANT1	802.11ac(VHT20)	5825.00	57.14	2.43
NVNT	ANT2	802.11ac(VHT20)	5825.00	57.14	2.43
NVNT	ANT1	802.11n(HT40)	5755.00	83.33	0.79
NVNT	ANT2	802.11n(HT40)	5755.00	76.92	1.14
NVNT	ANT1	802.11n(HT40)	5795.00	83.33	0.79
NVNT	ANT2	802.11n(HT40)	5795.00	83.33	0.79
NVNT	ANT1	802.11ac(VHT40)	5755.00	50.00	3.01
NVNT	ANT2	802.11ac(VHT40)	5755.00	57.14	2.43
NVNT	ANT1	802.11ac(VHT40)	5795.00	50.00	3.01
NVNT	ANT2	802.11ac(VHT40)	5795.00	50.00	3.01
NVNT	ANT1	802.11ac(VHT80)	5775.00	50.00	3.01
NVNT	ANT2	802.11ac(VHT80)	5775.00	50.00	3.01


Duty_Cycle_NVNT_ANT1_802_11a_5745




Duty_Cycle_NVNT_ANT2_802_11a_5745




Duty_Cycle_NVNT_ANT1_802_11a_5785




Duty_Cycle_NVNT_ANT2_802_11a_5785




Duty_Cycle_NVNT_ANT1_802_11a_5825




Duty_Cycle_NVNT_ANT2_802_11a_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5745




Duty_Cycle_NVNT_ANT2_802_11n(HT20)_5745




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5785




Duty_Cycle_NVNT_ANT2_802_11n(HT20)_5785




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5825




Duty_Cycle_NVNT_ANT2_802_11n(HT20)_5825




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5745




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5745




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5785




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5785




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5825




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5755




Duty_Cycle_NVNT_ANT2_802_11n(HT40)_5755




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5795




Duty_Cycle_NVNT_ANT2_802_11n(HT40)_5795




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5755




Duty_Cycle_NVNT_ANT2_802_11ac(VHT40)_5755




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5795




Duty_Cycle_NVNT_ANT2_802_11ac(VHT40)_5795



Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5775



Duty_Cycle_NVNT_ANT2_802_11ac(VHT80)_5775



4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	11.33	1.25	12.58	30	Pass
NVNT	ANT2	802.11a	5745.00	14.21	0.87	15.08	30	Pass
NVNT	ANT1	802.11a	5785.00	10.51	1.25	11.76	30	Pass
NVNT	ANT2	802.11a	5785.00	14.37	1.25	15.62	30	Pass
NVNT	ANT1	802.11a	5825.00	10.99	1.25	12.24	30	Pass
NVNT	ANT2	802.11a	5825.00	14.02	0.87	14.89	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	13.09	0.67	13.76	30	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	16.12	0.67	16.79	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	12.53	0.67	13.20	30	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	16.49	0.67	17.16	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	12.84	0.67	13.51	30	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	15.99	0.67	16.66	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	8.78	1.46	10.24	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	11.75	1.46	13.21	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	7.91	2.43	10.34	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	11.84	2.43	14.27	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	8.57	2.43	11.00	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	11.53	2.43	13.96	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	12.54	0.79	13.33	30	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	15.75	1.14	16.89	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	11.99	0.79	12.78	30	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	15.76	0.79	16.55	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	7.90	3.01	10.91	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	11.06	2.43	13.49	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	7.27	3.01	10.28	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	10.93	3.01	13.94	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	6.74	3.01	9.75	30	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	10.30	3.01	13.31	30	Pass

Condition	Antenna	Mode	Frequency(MHz)	MIMO_Conducted_Power(dBm)	Limit (dBm)	Result
NVNT	MIMO_TX	802.11n(HT20)	5745.00	18.55	29.96	Pass
NVNT	MIMO_TX	802.11n(HT20)	5785.00	18.62	29.96	Pass
NVNT	MIMO_TX	802.11n(HT20)	5825.00	18.38	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5745.00	14.99	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5785.00	15.75	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5825.00	15.74	29.96	Pass
NVNT	MIMO_TX	802.11n(HT40)	5755.00	18.47	29.96	Pass
NVNT	MIMO_TX	802.11n(HT40)	5795.00	18.07	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5755.00	15.40	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5795.00	15.49	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT80)	5775.00	14.89	29.96	Pass

MIMO Gain=10*log[(10G1/20+10G2/20+...)/2 /Nant] , so mimo gain is 6.04dBi>6.0dBi, So MIMO limit is 30-(6.04-6)=23.96dBm

5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA (dBm/RBW)	Duty factor (dB)	RB factor (dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-12.95	1.25	-0.09	-11.78	30	Pass
NVNT	ANT2	802.11a	5745.00	-10.15	0.87	-0.09	-9.37	30	Pass
NVNT	ANT1	802.11a	5785.00	-13.19	1.25	-0.09	-12.03	30	Pass
NVNT	ANT2	802.11a	5785.00	-10.72	1.25	-0.09	-9.56	30	Pass
NVNT	ANT1	802.11a	5825.00	-14.10	1.25	-0.09	-12.93	30	Pass
NVNT	ANT2	802.11a	5825.00	-9.79	0.87	-0.09	-9.01	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-7.41	0.67	-0.09	-6.83	30	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	-4.65	0.67	-0.09	-4.07	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-7.02	0.67	-0.09	-6.43	30	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	-4.58	0.67	-0.09	-4.00	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-7.42	0.67	-0.09	-6.84	30	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	-5.22	0.67	-0.09	-4.64	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-24.73	1.46	-0.09	-23.35	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	-16.81	1.46	-0.09	-15.44	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-24.39	2.43	-0.09	-22.05	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	-20.75	2.43	-0.09	-18.41	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-24.45	2.43	-0.09	-22.11	30	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	-17.83	2.43	-0.09	-15.49	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-13.64	0.79	-0.09	-12.94	30	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	-10.02	1.14	-0.09	-8.97	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-15.99	0.79	-0.09	-15.29	30	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	-11.16	0.79	-0.09	-10.45	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-31.95	3.01	-0.09	-29.03	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	-24.14	2.43	-0.09	-21.79	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-27.62	3.01	-0.09	-24.70	30	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	-24.05	3.01	-0.09	-21.12	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-34.81	3.01	-0.09	-31.89	30	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	-31.24	3.01	-0.09	-28.32	30	Pass


PSD(dBm/500kHz)=PSD_SA+Duty factor+RB factor

RB factor (dB)=10*log(500/510)= -0.09dB

Power_Spectral_Density_NVNT_ANT1_802_11a_5745



Power_Spectral_Density_NVNT_ANT2_802_11a_5745



Power_Spectral_Density_NVNT_ANT1_802_11a_5785



Power_Spectral_Density_NVNT_ANT2_802_11a_5785



Power_Spectral_Density_NVNT_ANT1_802_11a_5825



Power_Spectral_Density_NVNT_ANT2_802_11a_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745



Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785



Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5825



Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5745



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5785



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT40)_5755




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5795



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5775




Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT80)_5775




Condition	Antenna	Mode	Frequency (MHz)	MIMO PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
NVNT	MIMO_TX	802.11n(HT20)	5745.00	-2.61	29.96	Pass
NVNT	MIMO_TX	802.11n(HT20)	5785.00	-2.61	29.96	Pass
NVNT	MIMO_TX	802.11n(HT20)	5825.00	-3.03	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5745.00	-15.10	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5785.00	-17.96	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5825.00	-15.04	29.96	Pass
NVNT	MIMO_TX	802.11n(HT40)	5755.00	-8.57	29.96	Pass
NVNT	MIMO_TX	802.11n(HT40)	5795.00	-9.51	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5755.00	-21.29	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5795.00	-20.64	29.96	Pass
NVNT	MIMO_TX	802.11ac(VHT80)	5775.00	-27.52	29.96	Pass

MIMO Gain=10*log[(10G1/20+10G2/20+...)/2 /Nant] , so mimo gain is 6.04dBi>6.0dBi, So MIMO limit is 30-(6.04-6)=23.96dBm


NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5745




NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5785




NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5825




NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5745




NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5785




NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5825




NVNT_MIMO_TX_802_11n(HT40)_Power_Spectral_Density_5755




NVNT_MIMO_TX_802_11n(HT40)_Power_Spectral_Density_5795




NVNT_MIMO_TX_802_11ac(VHT40)_Power_Spectral_Density_5755



NVNT_MIMO_TX_802_11ac(VHT40)_Power_Spectral_Density_5795



NVNT_MIMO_TX_802_11ac(VHT80)_Power_Spectral_Density_5775




6. Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5635.920	-47.54	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5658.510	-48.19	-24.11	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5700.620	-47.56	10.17	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5720.850	-46.95	17.54	Pass
NVNT	ANT2	802.11a	LCH	5565-5655	5643.120	-44.90	-27.00	Pass
NVNT	ANT2	802.11a	LCH	5655-5700	5662.965	-45.30	-20.45	Pass
NVNT	ANT2	802.11a	LCH	5700-5720	5702.560	-44.43	10.72	Pass
NVNT	ANT2	802.11a	LCH	5720-5725	5720.560	-43.58	16.88	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5854.845	-47.14	15.95	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5874.600	-46.89	10.11	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5917.525	-47.62	-24.96	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5953.575	-43.08	-27.00	Pass
NVNT	ANT2	802.11a	HCH	5850-5855	5852.745	-43.92	20.74	Pass
NVNT	ANT2	802.11a	HCH	5855-5875	5871.080	-43.91	11.10	Pass
NVNT	ANT2	802.11a	HCH	5875-5920	5918.020	-44.27	-25.37	Pass
NVNT	ANT2	802.11a	HCH	5920-6005	5965.220	-40.58	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5644.200	-47.78	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5682.045	-47.84	-4.76	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5705.220	-47.26	11.46	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5722.115	-46.12	20.42	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5565-5655	5637.630	-44.79	-27.00	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5655-5700	5659.185	-44.72	-23.56	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5700-5720	5705.240	-44.07	11.47	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5720-5725	5721.950	-43.22	20.05	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5854.140	-46.85	17.56	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5864.120	-45.94	13.05	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5913.970	-47.62	-22.04	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5985.960	-43.48	-27.00	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5850-5855	5854.475	-43.74	16.80	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5855-5875	5871.480	-43.62	10.99	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5875-5920	5912.260	-43.99	-20.64	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5920-6005	5991.315	-39.77	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5617.200	-48.20	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5660.040	-48.23	-22.86	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5701.540	-47.32	10.43	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5720.575	-47.38	16.91	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5565-5655	5654.100	-45.32	-27.00	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5655-5700	5666.565	-45.45	-17.49	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5700-5720	5702.680	-44.53	10.75	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5720-5725	5720.850	-44.75	17.54	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5854.410	-47.46	16.95	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5873.860	-47.50	10.32	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5911.045	-47.70	-19.64	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5936.830	-42.88	-27.00	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5850-5855	5854.695	-43.79	16.30	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5855-5875	5874.560	-43.97	10.12	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5875-5920	5910.550	-44.83	-19.23	Pass

NVNT	ANT2	802.11ac(VHT20)	HCH	5920-6005	5965.475	-39.58	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5632.560	-47.96	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5668.140	-47.82	-16.20	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5704.780	-46.06	11.34	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5720.715	-42.54	17.23	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5595-5655	5627.040	-45.04	-27.00	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5655-5700	5670.030	-44.77	-14.64	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5700-5720	5717.100	-41.43	14.79	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5720-5725	5721.470	-39.66	18.95	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5854.135	-45.89	17.57	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5863.240	-46.35	13.29	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5907.445	-47.66	-16.68	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5923.220	-42.47	-27.00	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5850-5855	5854.420	-42.12	16.92	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5855-5875	5872.680	-41.72	10.65	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5875-5920	5915.410	-43.54	-23.23	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5920-5955	5945.935	-39.99	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5653.200	-47.63	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5655.990	-48.39	-26.19	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5700.440	-47.80	10.12	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5724.035	-46.72	24.80	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5595-5655	5610.000	-45.44	-27.00	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5655-5700	5674.800	-45.04	-10.72	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5700-5720	5718.780	-41.75	15.26	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5720-5725	5720.995	-41.37	17.87	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5854.635	-47.19	16.43	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5874.080	-47.84	10.26	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5913.565	-47.81	-21.71	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5926.160	-43.04	-27.00	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5850-5855	5854.800	-44.60	16.06	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5855-5875	5873.940	-44.45	10.30	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5875-5920	5914.870	-44.63	-22.78	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5920-5955	5945.200	-40.48	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5651.535	-48.44	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5680.650	-48.16	-5.91	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5701.900	-47.77	10.53	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5721.790	-45.53	19.68	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5854.915	-47.01	15.79	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5871.580	-45.87	10.96	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5913.880	-48.03	-21.97	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5920.360	-43.99	-27.00	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5650-5655	5654.870	-45.35	-27.00	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5655-5700	5675.835	-44.04	-9.87	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5700-5720	5703.140	-42.12	10.88	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5720-5725	5720.145	-42.57	15.93	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5850-5855	5854.790	-43.72	16.08	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5855-5875	5870.780	-43.53	11.18	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5875-5920	5918.065	-44.81	-25.41	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5920-5925	5922.865	-39.27	-27.00	Pass


Bandedge_NVNT_ANT1_802_11a_5745



Bandedge_NVNT_ANT2_802_11a_5745




Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT2_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745



Bandedge_NVNT_ANT2_802_11n(HT20)_5745




Bandedge_NVNT_ANT1_802_11n(HT20)_5825




Bandedge_NVNT_ANT2_802_11n(HT20)_5825




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745




Bandedge_NVNT_ANT2_802_11ac(VHT20)_5745




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825



Bandedge_NVNT_ANT2_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755



Bandedge_NVNT_ANT2_802_11n(HT40)_5755




Bandedge_NVNT_ANT1_802_11n(HT40)_5795




Bandedge_NVNT_ANT2_802_11n(HT40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755




Bandedge_NVNT_ANT2_802_11ac(VHT40)_5755




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795



Bandedge_NVNT_ANT2_802_11ac(VHT40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up



Bandedge_NVNT_ANT2_802_11ac(VHT80)_5775_low




Bandedge_NVNT_ANT2_802_11ac(VHT80)_5775_up




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25022.97	-36.20	-27	Pass
NVNT	ANT2	802.11a	5745.00	25120.91	-33.78	-27	Pass
NVNT	ANT1	802.11a	5785.00	25097.09	-36.64	-27	Pass
NVNT	ANT2	802.11a	5785.00	25054.74	-33.47	-27	Pass
NVNT	ANT1	802.11a	5825.00	25044.15	-36.97	-27	Pass
NVNT	ANT2	802.11a	5825.00	25041.50	-33.98	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	25052.09	-35.94	-27	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	25626.49	-33.59	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	25062.68	-36.84	-27	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	24467.10	-33.82	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	25020.33	-35.30	-27	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	25004.44	-33.65	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	25033.56	-35.48	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	25044.15	-34.80	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	25073.27	-36.20	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	24999.15	-32.93	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	25067.97	-37.16	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	25038.86	-34.45	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	25033.56	-37.35	-27	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	25033.56	-33.74	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	25054.74	-36.94	-27	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	25044.15	-33.55	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	25038.86	-36.69	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	25004.44	-33.93	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	25075.91	-37.07	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	25086.50	-33.85	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	25083.85	-37.08	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	25028.27	-34.04	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5745




Spurious_Emission_NVNT_ANT2_802_11a_5745




Spurious_Emission_NVNT_ANT1_802_11a_5785




Spurious_Emission_NVNT_ANT2_802_11a_5785




Spurious_Emission_NVNT_ANT1_802_11a_5825




Spurious_Emission_NVNT_ANT2_802_11a_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT2_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT2_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755




Spurious_Emission_NVNT_ANT2_802_11ac(VHT40)_5755




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795




Spurious_Emission_NVNT_ANT2_802_11ac(VHT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775



Spurious_Emission_NVNT_ANT2_802_11ac(VHT80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
HTNV	ANT1	802.11a	5745.00	5744.996	5736.520	5753.472	5725~5850	Pass
NTNV	ANT1	802.11a	5745.00	5744.986	5736.864	5753.108	5725~5850	Pass
LTNV	ANT1	802.11a	5745.00	5744.998	5737.088	5752.908	5725~5850	Pass
NTHV	ANT1	802.11a	5745.00	5744.980	5737.132	5752.828	5725~5850	Pass
NTNV	ANT1	802.11a	5745.00	5744.990	5737.188	5752.792	5725~5850	Pass
NTLV	ANT1	802.11a	5745.00	5744.970	5737.244	5752.696	5725~5850	Pass
HTNV	ANT2	802.11a	5745.00	5744.996	5736.524	5753.468	5725~5850	Pass
NTNV	ANT2	802.11a	5745.00	5744.984	5736.860	5753.108	5725~5850	Pass
LTNV	ANT2	802.11a	5745.00	5745.012	5737.088	5752.936	5725~5850	Pass
NTHV	ANT2	802.11a	5745.00	5745.000	5737.144	5752.856	5725~5850	Pass
NTNV	ANT2	802.11a	5745.00	5744.996	5737.196	5752.796	5725~5850	Pass
NTLV	ANT2	802.11a	5745.00	5744.994	5737.256	5752.732	5725~5850	Pass
HTNV	ANT1	802.11a	5785.00	5785.000	5776.504	5793.496	5725~5850	Pass
NTNV	ANT1	802.11a	5785.00	5785.006	5776.892	5793.120	5725~5850	Pass
LTNV	ANT1	802.11a	5785.00	5785.014	5777.120	5792.908	5725~5850	Pass
NTHV	ANT1	802.11a	5785.00	5785.008	5777.168	5792.848	5725~5850	Pass
NTNV	ANT1	802.11a	5785.00	5785.010	5777.220	5792.800	5725~5850	Pass
NTLV	ANT1	802.11a	5785.00	5785.032	5777.276	5792.788	5725~5850	Pass
HTNV	ANT2	802.11a	5785.00	5784.984	5776.512	5793.456	5725~5850	Pass
NTNV	ANT2	802.11a	5785.00	5784.986	5776.860	5793.112	5725~5850	Pass
LTNV	ANT2	802.11a	5785.00	5784.984	5777.068	5792.900	5725~5850	Pass
NTHV	ANT2	802.11a	5785.00	5785.010	5777.116	5792.904	5725~5850	Pass
NTNV	ANT2	802.11a	5785.00	5784.968	5777.164	5792.772	5725~5850	Pass
NTLV	ANT2	802.11a	5785.00	5784.968	5777.212	5792.724	5725~5850	Pass
HTNV	ANT1	802.11a	5825.00	5825.014	5816.512	5833.516	5725~5850	Pass
NTNV	ANT1	802.11a	5825.00	5824.994	5816.868	5833.120	5725~5850	Pass
LTNV	ANT1	802.11a	5825.00	5825.000	5817.072	5832.928	5725~5850	Pass
NTHV	ANT1	802.11a	5825.00	5825.014	5817.132	5832.896	5725~5850	Pass
NTNV	ANT1	802.11a	5825.00	5824.990	5817.184	5832.796	5725~5850	Pass
NTLV	ANT1	802.11a	5825.00	5824.994	5817.236	5832.752	5725~5850	Pass
HTNV	ANT2	802.11a	5825.00	5824.992	5816.508	5833.476	5725~5850	Pass
NTNV	ANT2	802.11a	5825.00	5824.998	5816.880	5833.116	5725~5850	Pass
LTNV	ANT2	802.11a	5825.00	5825.000	5817.124	5832.876	5725~5850	Pass
NTHV	ANT2	802.11a	5825.00	5825.046	5817.180	5832.912	5725~5850	Pass
NTNV	ANT2	802.11a	5825.00	5825.026	5817.240	5832.812	5725~5850	Pass
NTLV	ANT2	802.11a	5825.00	5825.036	5817.296	5832.776	5725~5850	Pass
HTNV	ANT1	802.11n(HT20)	5745.00	5745.092	5735.912	5754.272	5725~5850	Pass
NTNV	ANT1	802.11n(HT20)	5745.00	5745.000	5736.280	5753.720	5725~5850	Pass
LTNV	ANT1	802.11n(HT20)	5745.00	5744.986	5736.512	5753.460	5725~5850	Pass
NTHV	ANT1	802.11n(HT20)	5745.00	5744.970	5736.560	5753.380	5725~5850	Pass
NTNV	ANT1	802.11n(HT20)	5745.00	5744.988	5736.616	5753.360	5725~5850	Pass
NTLV	ANT1	802.11n(HT20)	5745.00	5744.960	5736.676	5753.244	5725~5850	Pass
HTNV	ANT2	802.11n(HT20)	5745.00	5745.090	5735.912	5754.268	5725~5850	Pass
NTNV	ANT2	802.11n(HT20)	5745.00	5745.000	5736.272	5753.728	5725~5850	Pass
LTNV	ANT2	802.11n(HT20)	5745.00	5744.998	5736.528	5753.468	5725~5850	Pass
NTHV	ANT2	802.11n(HT20)	5745.00	5744.988	5736.580	5753.396	5725~5850	Pass
NTNV	ANT2	802.11n(HT20)	5745.00	5744.990	5736.628	5753.352	5725~5850	Pass

NTLV	ANT2	802.11n(HT20)	5745.00	5744.974	5736.676	5753.272	5725~5850	Pass
HTNV	ANT1	802.11n(HT20)	5785.00	5785.006	5775.920	5794.092	5725~5850	Pass
NTNV	ANT1	802.11n(HT20)	5785.00	5784.984	5776.288	5793.680	5725~5850	Pass
LTNV	ANT1	802.11n(HT20)	5785.00	5784.994	5776.544	5793.444	5725~5850	Pass
NTHV	ANT1	802.11n(HT20)	5785.00	5785.004	5776.600	5793.408	5725~5850	Pass
NTNV	ANT1	802.11n(HT20)	5785.00	5784.998	5776.656	5793.340	5725~5850	Pass
NTLV	ANT1	802.11n(HT20)	5785.00	5784.988	5776.712	5793.264	5725~5850	Pass
HTNV	ANT2	802.11n(HT20)	5785.00	5784.996	5775.920	5794.072	5725~5850	Pass
NTNV	ANT2	802.11n(HT20)	5785.00	5784.982	5776.260	5793.704	5725~5850	Pass
LTNV	ANT2	802.11n(HT20)	5785.00	5784.962	5776.500	5793.424	5725~5850	Pass
NTHV	ANT2	802.11n(HT20)	5785.00	5784.960	5776.548	5793.372	5725~5850	Pass
NTNV	ANT2	802.11n(HT20)	5785.00	5784.956	5776.600	5793.312	5725~5850	Pass
NTLV	ANT2	802.11n(HT20)	5785.00	5784.958	5776.660	5793.256	5725~5850	Pass
HTNV	ANT1	802.11n(HT20)	5825.00	5824.890	5815.680	5834.100	5725~5850	Pass
NTNV	ANT1	802.11n(HT20)	5825.00	5824.986	5816.260	5833.712	5725~5850	Pass
LTNV	ANT1	802.11n(HT20)	5825.00	5824.990	5816.508	5833.472	5725~5850	Pass
NTHV	ANT1	802.11n(HT20)	5825.00	5824.986	5816.572	5833.400	5725~5850	Pass
NTNV	ANT1	802.11n(HT20)	5825.00	5824.988	5816.636	5833.340	5725~5850	Pass
NTLV	ANT1	802.11n(HT20)	5825.00	5824.990	5816.700	5833.280	5725~5850	Pass
HTNV	ANT2	802.11n(HT20)	5825.00	5824.930	5815.716	5834.144	5725~5850	Pass
NTNV	ANT2	802.11n(HT20)	5825.00	5824.986	5816.256	5833.716	5725~5850	Pass
LTNV	ANT2	802.11n(HT20)	5825.00	5824.990	5816.504	5833.476	5725~5850	Pass
NTHV	ANT2	802.11n(HT20)	5825.00	5824.986	5816.556	5833.416	5725~5850	Pass
NTNV	ANT2	802.11n(HT20)	5825.00	5824.992	5816.608	5833.376	5725~5850	Pass
NTLV	ANT2	802.11n(HT20)	5825.00	5824.976	5816.668	5833.284	5725~5850	Pass
HTNV	ANT1	802.11ac(VHT20)	5745.00	5744.900	5735.720	5754.080	5725~5850	Pass
NTNV	ANT1	802.11ac(VHT20)	5745.00	5744.970	5736.172	5753.768	5725~5850	Pass
LTNV	ANT1	802.11ac(VHT20)	5745.00	5744.962	5736.376	5753.548	5725~5850	Pass
NTHV	ANT1	802.11ac(VHT20)	5745.00	5744.984	5736.424	5753.544	5725~5850	Pass
NTNV	ANT1	802.11ac(VHT20)	5745.00	5744.960	5736.472	5753.448	5725~5850	Pass
NTLV	ANT1	802.11ac(VHT20)	5745.00	5744.962	5736.524	5753.400	5725~5850	Pass
HTNV	ANT2	802.11ac(VHT20)	5745.00	5745.100	5735.884	5754.316	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT20)	5745.00	5745.014	5736.208	5753.820	5725~5850	Pass
LTNV	ANT2	802.11ac(VHT20)	5745.00	5744.992	5736.392	5753.592	5725~5850	Pass
NTHV	ANT2	802.11ac(VHT20)	5745.00	5744.972	5736.428	5753.516	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT20)	5745.00	5744.988	5736.464	5753.512	5725~5850	Pass
NTLV	ANT2	802.11ac(VHT20)	5745.00	5744.980	5736.512	5753.448	5725~5850	Pass
HTNV	ANT1	802.11ac(VHT20)	5785.00	5784.886	5775.684	5794.088	5725~5850	Pass
NTNV	ANT1	802.11ac(VHT20)	5785.00	5784.950	5776.140	5793.760	5725~5850	Pass
LTNV	ANT1	802.11ac(VHT20)	5785.00	5784.944	5776.356	5793.532	5725~5850	Pass
NTHV	ANT1	802.11ac(VHT20)	5785.00	5784.968	5776.404	5793.532	5725~5850	Pass
NTNV	ANT1	802.11ac(VHT20)	5785.00	5784.970	5776.448	5793.492	5725~5850	Pass
NTLV	ANT1	802.11ac(VHT20)	5785.00	5784.984	5776.496	5793.472	5725~5850	Pass
HTNV	ANT2	802.11ac(VHT20)	5785.00	5785.126	5775.876	5794.376	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT20)	5785.00	5785.010	5776.200	5793.820	5725~5850	Pass
LTNV	ANT2	802.11ac(VHT20)	5785.00	5784.984	5776.376	5793.592	5725~5850	Pass
NTHV	ANT2	802.11ac(VHT20)	5785.00	5784.980	5776.416	5793.544	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT20)	5785.00	5784.952	5776.464	5793.440	5725~5850	Pass
NTLV	ANT2	802.11ac(VHT20)	5785.00	5784.968	5776.508	5793.428	5725~5850	Pass
HTNV	ANT1	802.11ac(VHT20)	5825.00	5824.890	5815.728	5834.052	5725~5850	Pass

NTNV	ANT1	802.11ac(VHT20)	5825.00	5824.978	5816.196	5833.760	5725~5850	Pass
LTNV	ANT1	802.11ac(VHT20)	5825.00	5824.990	5816.396	5833.584	5725~5850	Pass
NTHV	ANT1	802.11ac(VHT20)	5825.00	5824.994	5816.448	5833.540	5725~5850	Pass
NTNV	ANT1	802.11ac(VHT20)	5825.00	5824.992	5816.500	5833.484	5725~5850	Pass
NTLV	ANT1	802.11ac(VHT20)	5825.00	5824.996	5816.540	5833.452	5725~5850	Pass
HTNV	ANT2	802.11ac(VHT20)	5825.00	5825.108	5815.872	5834.344	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT20)	5825.00	5825.012	5816.212	5833.812	5725~5850	Pass
LTNV	ANT2	802.11ac(VHT20)	5825.00	5824.994	5816.396	5833.592	5725~5850	Pass
NTHV	ANT2	802.11ac(VHT20)	5825.00	5825.002	5816.444	5833.560	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT20)	5825.00	5824.990	5816.480	5833.500	5725~5850	Pass
NTLV	ANT2	802.11ac(VHT20)	5825.00	5824.996	5816.532	5833.460	5725~5850	Pass
HTNV	ANT1	802.11n(HT40)	5755.00	5755.116	5736.760	5773.472	5725~5850	Pass
NTNV	ANT1	802.11n(HT40)	5755.00	5755.016	5737.304	5772.728	5725~5850	Pass
LTNV	ANT1	802.11n(HT40)	5755.00	5754.996	5737.792	5772.200	5725~5850	Pass
NTHV	ANT1	802.11n(HT40)	5755.00	5754.988	5737.936	5772.040	5725~5850	Pass
NTNV	ANT1	802.11n(HT40)	5755.00	5754.988	5738.080	5771.896	5725~5850	Pass
NTLV	ANT1	802.11n(HT40)	5755.00	5754.976	5738.248	5771.704	5725~5850	Pass
HTNV	ANT2	802.11n(HT40)	5755.00	5755.156	5736.768	5773.544	5725~5850	Pass
NTNV	ANT2	802.11n(HT40)	5755.00	5755.072	5737.344	5772.800	5725~5850	Pass
LTNV	ANT2	802.11n(HT40)	5755.00	5755.104	5737.856	5772.352	5725~5850	Pass
NTHV	ANT2	802.11n(HT40)	5755.00	5755.076	5738.000	5772.152	5725~5850	Pass
NTNV	ANT2	802.11n(HT40)	5755.00	5755.060	5738.152	5771.968	5725~5850	Pass
NTLV	ANT2	802.11n(HT40)	5755.00	5755.104	5738.272	5771.936	5725~5850	Pass
HTNV	ANT1	802.11n(HT40)	5795.00	5794.988	5776.744	5813.232	5725~5850	Pass
NTNV	ANT1	802.11n(HT40)	5795.00	5794.980	5777.240	5812.720	5725~5850	Pass
LTNV	ANT1	802.11n(HT40)	5795.00	5794.936	5777.752	5812.120	5725~5850	Pass
NTHV	ANT1	802.11n(HT40)	5795.00	5794.976	5777.920	5812.032	5725~5850	Pass
NTNV	ANT1	802.11n(HT40)	5795.00	5794.944	5778.048	5811.840	5725~5850	Pass
NTLV	ANT1	802.11n(HT40)	5795.00	5795.008	5778.184	5811.832	5725~5850	Pass
HTNV	ANT2	802.11n(HT40)	5795.00	5794.992	5776.816	5813.168	5725~5850	Pass
NTNV	ANT2	802.11n(HT40)	5795.00	5795.020	5777.344	5812.696	5725~5850	Pass
LTNV	ANT2	802.11n(HT40)	5795.00	5794.976	5777.816	5812.136	5725~5850	Pass
NTHV	ANT2	802.11n(HT40)	5795.00	5794.992	5777.976	5812.008	5725~5850	Pass
NTNV	ANT2	802.11n(HT40)	5795.00	5794.944	5778.120	5811.768	5725~5850	Pass
NTLV	ANT2	802.11n(HT40)	5795.00	5794.976	5778.256	5811.696	5725~5850	Pass
HTNV	ANT1	802.11ac(VHT40)	5755.00	5755.008	5736.664	5773.352	5725~5850	Pass
NTNV	ANT1	802.11ac(VHT40)	5755.00	5754.984	5737.032	5772.936	5725~5850	Pass
LTNV	ANT1	802.11ac(VHT40)	5755.00	5755.000	5737.432	5772.568	5725~5850	Pass
NTHV	ANT1	802.11ac(VHT40)	5755.00	5754.996	5737.496	5772.496	5725~5850	Pass
NTNV	ANT1	802.11ac(VHT40)	5755.00	5755.008	5737.560	5772.456	5725~5850	Pass
NTLV	ANT1	802.11ac(VHT40)	5755.00	5755.008	5737.632	5772.384	5725~5850	Pass
HTNV	ANT2	802.11ac(VHT40)	5755.00	5755.080	5736.704	5773.456	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT40)	5755.00	5755.064	5737.056	5773.072	5725~5850	Pass
LTNV	ANT2	802.11ac(VHT40)	5755.00	5755.052	5737.336	5772.768	5725~5850	Pass
NTHV	ANT2	802.11ac(VHT40)	5755.00	5755.072	5737.432	5772.712	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT40)	5755.00	5755.076	5737.496	5772.656	5725~5850	Pass
NTLV	ANT2	802.11ac(VHT40)	5755.00	5755.068	5737.560	5772.576	5725~5850	Pass
HTNV	ANT1	802.11ac(VHT40)	5795.00	5795.012	5776.680	5813.344	5725~5850	Pass
NTNV	ANT1	802.11ac(VHT40)	5795.00	5795.008	5777.064	5812.952	5725~5850	Pass
LTNV	ANT1	802.11ac(VHT40)	5795.00	5794.992	5777.392	5812.592	5725~5850	Pass

NTHV	ANT1	802.11ac(VHT40)	5795.00	5794.992	5777.464	5812.520	5725~5850	Pass
NTNV	ANT1	802.11ac(VHT40)	5795.00	5795.008	5777.528	5812.488	5725~5850	Pass
NTLV	ANT1	802.11ac(VHT40)	5795.00	5795.004	5777.592	5812.416	5725~5850	Pass
HTNV	ANT2	802.11ac(VHT40)	5795.00	5795.060	5776.688	5813.432	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT40)	5795.00	5795.072	5777.088	5813.056	5725~5850	Pass
LTNV	ANT2	802.11ac(VHT40)	5795.00	5795.072	5777.424	5812.720	5725~5850	Pass
NTHV	ANT2	802.11ac(VHT40)	5795.00	5795.084	5777.496	5812.672	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT40)	5795.00	5795.068	5777.560	5812.576	5725~5850	Pass
NTLV	ANT2	802.11ac(VHT40)	5795.00	5795.064	5777.624	5812.504	5725~5850	Pass
HTNV	ANT1	802.11ac(VHT80)	5775.00	5775.024	5736.876	5813.172	5725~5850	Pass
NTNV	ANT1	802.11ac(VHT80)	5775.00	5774.976	5737.380	5812.572	5725~5850	Pass
LTNV	ANT1	802.11ac(VHT80)	5775.00	5774.976	5737.944	5812.008	5725~5850	Pass
NTHV	ANT1	802.11ac(VHT80)	5775.00	5774.940	5738.088	5811.792	5725~5850	Pass
NTNV	ANT1	802.11ac(VHT80)	5775.00	5774.916	5738.268	5811.564	5725~5850	Pass
NTLV	ANT1	802.11ac(VHT80)	5775.00	5774.922	5738.484	5811.360	5725~5850	Pass
HTNV	ANT2	802.11ac(VHT80)	5775.00	5775.066	5736.972	5813.160	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT80)	5775.00	5775.096	5737.536	5812.656	5725~5850	Pass
LTNV	ANT2	802.11ac(VHT80)	5775.00	5775.108	5738.244	5811.972	5725~5850	Pass
NTHV	ANT2	802.11ac(VHT80)	5775.00	5775.138	5738.424	5811.852	5725~5850	Pass
NTNV	ANT2	802.11ac(VHT80)	5775.00	5775.108	5738.616	5811.600	5725~5850	Pass
NTLV	ANT2	802.11ac(VHT80)	5775.00	5775.060	5738.760	5811.360	5725~5850	Pass

***** End of Report *****