

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	ERP/EIRP (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	23.16	19.09	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.01	18.94	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.13	19.06	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.15	19.08	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.25	19.18	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	23.07	19	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.53	18.46	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	19.71	15.64	PASS
Band5	1.4MHz	64QAM	20407	1RB#2	19.41	15.34	PASS
Band5	1.4MHz	64QAM	20407	1RB#5	19.85	15.78	PASS
Band5	1.4MHz	64QAM	20407	3RB#0	19.56	15.49	PASS
Band5	1.4MHz	64QAM	20407	3RB#1	19.89	15.82	PASS
Band5	1.4MHz	64QAM	20407	3RB#3	19.71	15.64	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	18.9	14.83	PASS
Band5	1.4MHz	256QAM	20407	1RB#0	17.97	13.9	PASS
Band5	1.4MHz	256QAM	20407	1RB#2	17.92	13.85	PASS
Band5	1.4MHz	256QAM	20407	1RB#5	17.54	13.47	PASS
Band5	1.4MHz	256QAM	20407	3RB#0	17.73	13.66	PASS
Band5	1.4MHz	256QAM	20407	3RB#1	17.89	13.82	PASS
Band5	1.4MHz	256QAM	20407	3RB#3	17.83	13.76	PASS
Band5	1.4MHz	256QAM	20407	6RB#0	18	13.93	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	21.71	17.64	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.1	18.03	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	21.68	17.61	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	21.91	17.84	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.27	18.2	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	22.34	18.27	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	20.95	16.88	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	22.9	18.83	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.08	19.01	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.19	19.12	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.11	19.04	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.42	19.35	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	23.11	19.04	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22	17.93	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	20.23	16.16	PASS
Band5	1.4MHz	64QAM	20525	1RB#2	20.06	15.99	PASS
Band5	1.4MHz	64QAM	20525	1RB#5	20.25	16.18	PASS

Band5	1.4MHz	64QAM	20525	3RB#0	20.04	15.97	PASS
Band5	1.4MHz	64QAM	20525	3RB#1	20.03	15.96	PASS
Band5	1.4MHz	64QAM	20525	3RB#3	19.93	15.86	PASS
Band5	1.4MHz	64QAM	20525	6RB#0	19.38	15.31	PASS
Band5	1.4MHz	256QAM	20525	1RB#0	17.77	13.7	PASS
Band5	1.4MHz	256QAM	20525	1RB#2	17.62	13.55	PASS
Band5	1.4MHz	256QAM	20525	1RB#5	17.75	13.68	PASS
Band5	1.4MHz	256QAM	20525	3RB#0	17.79	13.72	PASS
Band5	1.4MHz	256QAM	20525	3RB#1	18.04	13.97	PASS
Band5	1.4MHz	256QAM	20525	3RB#3	17.52	13.45	PASS
Band5	1.4MHz	256QAM	20525	6RB#0	17.98	13.91	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	21.89	17.82	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	22.04	17.97	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	21.68	17.61	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	21.69	17.62	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	22.35	18.28	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	21.84	17.77	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	20.97	16.9	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.06	18.99	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	23.06	18.99	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	22.87	18.8	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	22.79	18.72	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	22.71	18.64	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	22.9	18.83	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.24	18.17	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	19.81	15.74	PASS
Band5	1.4MHz	64QAM	20643	1RB#2	20.41	16.34	PASS
Band5	1.4MHz	64QAM	20643	1RB#5	20.25	16.18	PASS
Band5	1.4MHz	64QAM	20643	3RB#0	20.07	16	PASS
Band5	1.4MHz	64QAM	20643	3RB#1	20.44	16.37	PASS
Band5	1.4MHz	64QAM	20643	3RB#3	19.88	15.81	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	19.22	15.15	PASS
Band5	1.4MHz	256QAM	20643	1RB#0	17.51	13.44	PASS
Band5	1.4MHz	256QAM	20643	1RB#2	17.68	13.61	PASS
Band5	1.4MHz	256QAM	20643	1RB#5	17.89	13.82	PASS
Band5	1.4MHz	256QAM	20643	3RB#0	17.83	13.76	PASS
Band5	1.4MHz	256QAM	20643	3RB#1	18.11	14.04	PASS
Band5	1.4MHz	256QAM	20643	3RB#3	17.72	13.65	PASS
Band5	1.4MHz	256QAM	20643	6RB#0	17.77	13.7	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	21.53	17.46	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.07	18	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	21.74	17.67	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	21.64	17.57	PASS

Band5	1.4MHz	16QAM	20643	3RB#1	21.59	17.52	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	21.49	17.42	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	21.05	16.98	PASS
Band5	3MHz	QPSK	20415	1RB#0	22.95	18.88	PASS
Band5	3MHz	QPSK	20415	1RB#8	22.99	18.92	PASS
Band5	3MHz	QPSK	20415	1RB#14	22.95	18.88	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.2	18.13	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.1	18.03	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.08	18.01	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.13	18.06	PASS
Band5	3MHz	64QAM	20415	1RB#0	19.55	15.48	PASS
Band5	3MHz	64QAM	20415	1RB#8	19.35	15.28	PASS
Band5	3MHz	64QAM	20415	1RB#14	19.66	15.59	PASS
Band5	3MHz	64QAM	20415	8RB#0	18.69	14.62	PASS
Band5	3MHz	64QAM	20415	8RB#4	18.76	14.69	PASS
Band5	3MHz	64QAM	20415	8RB#7	18.71	14.64	PASS
Band5	3MHz	64QAM	20415	15RB#0	18.48	14.41	PASS
Band5	3MHz	256QAM	20415	1RB#0	17.98	13.91	PASS
Band5	3MHz	256QAM	20415	1RB#8	18.48	14.41	PASS
Band5	3MHz	256QAM	20415	1RB#14	18.42	14.35	PASS
Band5	3MHz	256QAM	20415	8RB#0	18.49	14.42	PASS
Band5	3MHz	256QAM	20415	8RB#4	18.22	14.15	PASS
Band5	3MHz	256QAM	20415	8RB#7	18.33	14.26	PASS
Band5	3MHz	256QAM	20415	15RB#0	18.54	14.47	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.05	17.98	PASS
Band5	3MHz	16QAM	20415	1RB#8	22.4	18.33	PASS
Band5	3MHz	16QAM	20415	1RB#14	21.69	17.62	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.38	17.31	PASS
Band5	3MHz	16QAM	20415	8RB#4	21.4	17.33	PASS
Band5	3MHz	16QAM	20415	8RB#7	20.91	16.84	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.23	17.16	PASS
Band5	3MHz	QPSK	20525	1RB#0	22.98	18.91	PASS
Band5	3MHz	QPSK	20525	1RB#8	22.95	18.88	PASS
Band5	3MHz	QPSK	20525	1RB#14	22.82	18.75	PASS
Band5	3MHz	QPSK	20525	8RB#0	21.92	17.85	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.11	18.04	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.17	18.1	PASS
Band5	3MHz	QPSK	20525	15RB#0	21.91	17.84	PASS
Band5	3MHz	64QAM	20525	1RB#0	19.71	15.64	PASS
Band5	3MHz	64QAM	20525	1RB#8	20.05	15.98	PASS
Band5	3MHz	64QAM	20525	1RB#14	19.76	15.69	PASS
Band5	3MHz	64QAM	20525	8RB#0	18.82	14.75	PASS
Band5	3MHz	64QAM	20525	8RB#4	18.65	14.58	PASS

Band5	3MHz	64QAM	20525	8RB#7	19.11	15.04	PASS
Band5	3MHz	64QAM	20525	15RB#0	18.85	14.78	PASS
Band5	3MHz	256QAM	20525	1RB#0	18.53	14.46	PASS
Band5	3MHz	256QAM	20525	1RB#8	18.59	14.52	PASS
Band5	3MHz	256QAM	20525	1RB#14	18.15	14.08	PASS
Band5	3MHz	256QAM	20525	8RB#0	18.47	14.4	PASS
Band5	3MHz	256QAM	20525	8RB#4	18.58	14.51	PASS
Band5	3MHz	256QAM	20525	8RB#7	18.52	14.45	PASS
Band5	3MHz	256QAM	20525	15RB#0	18.76	14.69	PASS
Band5	3MHz	16QAM	20525	1RB#0	21.57	17.5	PASS
Band5	3MHz	16QAM	20525	1RB#8	21.95	17.88	PASS
Band5	3MHz	16QAM	20525	1RB#14	21.85	17.78	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.39	17.32	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.17	17.1	PASS
Band5	3MHz	16QAM	20525	8RB#7	21.11	17.04	PASS
Band5	3MHz	16QAM	20525	15RB#0	20.96	16.89	PASS
Band5	3MHz	QPSK	20635	1RB#0	22.7	18.63	PASS
Band5	3MHz	QPSK	20635	1RB#8	22.95	18.88	PASS
Band5	3MHz	QPSK	20635	1RB#14	22.82	18.75	PASS
Band5	3MHz	QPSK	20635	8RB#0	21.83	17.76	PASS
Band5	3MHz	QPSK	20635	8RB#4	22.06	17.99	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.06	17.99	PASS
Band5	3MHz	QPSK	20635	15RB#0	21.9	17.83	PASS
Band5	3MHz	64QAM	20635	1RB#0	19.83	15.76	PASS
Band5	3MHz	64QAM	20635	1RB#8	20.12	16.05	PASS
Band5	3MHz	64QAM	20635	1RB#14	20.01	15.94	PASS
Band5	3MHz	64QAM	20635	8RB#0	18.91	14.84	PASS
Band5	3MHz	64QAM	20635	8RB#4	19.18	15.11	PASS
Band5	3MHz	64QAM	20635	8RB#7	19.03	14.96	PASS
Band5	3MHz	64QAM	20635	15RB#0	19.05	14.98	PASS
Band5	3MHz	256QAM	20635	1RB#0	18.38	14.31	PASS
Band5	3MHz	256QAM	20635	1RB#8	18.63	14.56	PASS
Band5	3MHz	256QAM	20635	1RB#14	18.58	14.51	PASS
Band5	3MHz	256QAM	20635	8RB#0	18.36	14.29	PASS
Band5	3MHz	256QAM	20635	8RB#4	18.22	14.15	PASS
Band5	3MHz	256QAM	20635	8RB#7	18.66	14.59	PASS
Band5	3MHz	256QAM	20635	15RB#0	18.73	14.66	PASS
Band5	3MHz	16QAM	20635	1RB#0	21.8	17.73	PASS
Band5	3MHz	16QAM	20635	1RB#8	21.87	17.8	PASS
Band5	3MHz	16QAM	20635	1RB#14	21.53	17.46	PASS
Band5	3MHz	16QAM	20635	8RB#0	21.21	17.14	PASS
Band5	3MHz	16QAM	20635	8RB#4	21.13	17.06	PASS
Band5	3MHz	16QAM	20635	8RB#7	20.79	16.72	PASS

Band5	3MHz	16QAM	20635	15RB#0	20.99	16.92	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.29	19.22	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.21	19.14	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.02	18.95	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.17	18.1	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.02	17.95	PASS
Band5	5MHz	QPSK	20425	12RB#13	22.3	18.23	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.33	18.26	PASS
Band5	5MHz	64QAM	20425	1RB#0	19.54	15.47	PASS
Band5	5MHz	64QAM	20425	1RB#12	20.07	16	PASS
Band5	5MHz	64QAM	20425	1RB#24	20.09	16.02	PASS
Band5	5MHz	64QAM	20425	12RB#0	18.51	14.44	PASS
Band5	5MHz	64QAM	20425	12RB#6	18.84	14.77	PASS
Band5	5MHz	64QAM	20425	12RB#13	19.07	15	PASS
Band5	5MHz	64QAM	20425	25RB#0	18.73	14.66	PASS
Band5	5MHz	256QAM	20425	1RB#0	18.19	14.12	PASS
Band5	5MHz	256QAM	20425	1RB#12	18.6	14.53	PASS
Band5	5MHz	256QAM	20425	1RB#24	18.28	14.21	PASS
Band5	5MHz	256QAM	20425	12RB#0	18.27	14.2	PASS
Band5	5MHz	256QAM	20425	12RB#6	18.64	14.57	PASS
Band5	5MHz	256QAM	20425	12RB#13	18.43	14.36	PASS
Band5	5MHz	256QAM	20425	25RB#0	18.49	14.42	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.19	18.12	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.02	17.95	PASS
Band5	5MHz	16QAM	20425	1RB#24	21.92	17.85	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.09	17.02	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.12	17.05	PASS
Band5	5MHz	16QAM	20425	12RB#13	21.49	17.42	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.27	17.2	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.17	19.1	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.16	19.09	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.1	19.03	PASS
Band5	5MHz	QPSK	20525	12RB#0	22.27	18.2	PASS
Band5	5MHz	QPSK	20525	12RB#6	22.23	18.16	PASS
Band5	5MHz	QPSK	20525	12RB#13	22.17	18.1	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.27	18.2	PASS
Band5	5MHz	64QAM	20525	1RB#0	19.9	15.83	PASS
Band5	5MHz	64QAM	20525	1RB#12	20.12	16.05	PASS
Band5	5MHz	64QAM	20525	1RB#24	19.85	15.78	PASS
Band5	5MHz	64QAM	20525	12RB#0	18.94	14.87	PASS
Band5	5MHz	64QAM	20525	12RB#6	18.78	14.71	PASS
Band5	5MHz	64QAM	20525	12RB#13	18.84	14.77	PASS
Band5	5MHz	64QAM	20525	25RB#0	18.94	14.87	PASS

Band5	5MHz	256QAM	20525	1RB#0	18.09	14.02	PASS
Band5	5MHz	256QAM	20525	1RB#12	18.41	14.34	PASS
Band5	5MHz	256QAM	20525	1RB#24	17.9	13.83	PASS
Band5	5MHz	256QAM	20525	12RB#0	18.35	14.28	PASS
Band5	5MHz	256QAM	20525	12RB#6	18.35	14.28	PASS
Band5	5MHz	256QAM	20525	12RB#13	18.42	14.35	PASS
Band5	5MHz	256QAM	20525	25RB#0	18.26	14.19	PASS
Band5	5MHz	16QAM	20525	1RB#0	22.18	18.11	PASS
Band5	5MHz	16QAM	20525	1RB#12	22.19	18.12	PASS
Band5	5MHz	16QAM	20525	1RB#24	22.18	18.11	PASS
Band5	5MHz	16QAM	20525	12RB#0	21.19	17.12	PASS
Band5	5MHz	16QAM	20525	12RB#6	21.29	17.22	PASS
Band5	5MHz	16QAM	20525	12RB#13	21.02	16.95	PASS
Band5	5MHz	16QAM	20525	25RB#0	21.01	16.94	PASS
Band5	5MHz	QPSK	20625	1RB#0	23	18.93	PASS
Band5	5MHz	QPSK	20625	1RB#12	22.82	18.75	PASS
Band5	5MHz	QPSK	20625	1RB#24	22.88	18.81	PASS
Band5	5MHz	QPSK	20625	12RB#0	22.2	18.13	PASS
Band5	5MHz	QPSK	20625	12RB#6	21.91	17.84	PASS
Band5	5MHz	QPSK	20625	12RB#13	21.79	17.72	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.2	18.13	PASS
Band5	5MHz	64QAM	20625	1RB#0	19.74	15.67	PASS
Band5	5MHz	64QAM	20625	1RB#12	21.08	17.01	PASS
Band5	5MHz	64QAM	20625	1RB#24	19.89	15.82	PASS
Band5	5MHz	64QAM	20625	12RB#0	19.31	15.24	PASS
Band5	5MHz	64QAM	20625	12RB#6	19.19	15.12	PASS
Band5	5MHz	64QAM	20625	12RB#13	19.18	15.11	PASS
Band5	5MHz	64QAM	20625	25RB#0	19.17	15.1	PASS
Band5	5MHz	256QAM	20625	1RB#0	18.51	14.44	PASS
Band5	5MHz	256QAM	20625	1RB#12	18.46	14.39	PASS
Band5	5MHz	256QAM	20625	1RB#24	18.56	14.49	PASS
Band5	5MHz	256QAM	20625	12RB#0	18.4	14.33	PASS
Band5	5MHz	256QAM	20625	12RB#6	18.17	14.1	PASS
Band5	5MHz	256QAM	20625	12RB#13	18.43	14.36	PASS
Band5	5MHz	256QAM	20625	25RB#0	18.48	14.41	PASS
Band5	5MHz	16QAM	20625	1RB#0	21.95	17.88	PASS
Band5	5MHz	16QAM	20625	1RB#12	21.98	17.91	PASS
Band5	5MHz	16QAM	20625	1RB#24	21.8	17.73	PASS
Band5	5MHz	16QAM	20625	12RB#0	20.75	16.68	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.05	16.98	PASS
Band5	5MHz	16QAM	20625	12RB#13	21.14	17.07	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.21	17.14	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.49	19.42	PASS

Band5	10MHz	QPSK	20450	1RB#24	23.56	19.49	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.13	19.06	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.36	18.29	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.3	18.23	PASS
Band5	10MHz	QPSK	20450	25RB#25	22.19	18.12	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.13	18.06	PASS
Band5	10MHz	64QAM	20450	1RB#0	19.78	15.71	PASS
Band5	10MHz	64QAM	20450	1RB#24	20.03	15.96	PASS
Band5	10MHz	64QAM	20450	1RB#49	19.57	15.5	PASS
Band5	10MHz	64QAM	20450	25RB#0	18.69	14.62	PASS
Band5	10MHz	64QAM	20450	25RB#12	19.02	14.95	PASS
Band5	10MHz	64QAM	20450	25RB#25	18.85	14.78	PASS
Band5	10MHz	64QAM	20450	50RB#0	18.93	14.86	PASS
Band5	10MHz	256QAM	20450	1RB#0	18.16	14.09	PASS
Band5	10MHz	256QAM	20450	1RB#24	18.32	14.25	PASS
Band5	10MHz	256QAM	20450	1RB#49	18.59	14.52	PASS
Band5	10MHz	256QAM	20450	25RB#0	18.7	14.63	PASS
Band5	10MHz	256QAM	20450	25RB#12	18.59	14.52	PASS
Band5	10MHz	256QAM	20450	25RB#25	18.29	14.22	PASS
Band5	10MHz	256QAM	20450	50RB#0	18.53	14.46	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.02	17.95	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.33	18.26	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.04	17.97	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.16	17.09	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.42	17.35	PASS
Band5	10MHz	16QAM	20450	25RB#25	21.2	17.13	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.55	17.48	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.11	19.04	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.11	19.04	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.34	19.27	PASS
Band5	10MHz	QPSK	20525	25RB#0	21.95	17.88	PASS
Band5	10MHz	QPSK	20525	25RB#12	22.41	18.34	PASS
Band5	10MHz	QPSK	20525	25RB#25	21.9	17.83	PASS
Band5	10MHz	QPSK	20525	50RB#0	21.94	17.87	PASS
Band5	10MHz	64QAM	20525	1RB#0	19.65	15.58	PASS
Band5	10MHz	64QAM	20525	1RB#24	20.32	16.25	PASS
Band5	10MHz	64QAM	20525	1RB#49	20.15	16.08	PASS
Band5	10MHz	64QAM	20525	25RB#0	19.3	15.23	PASS
Band5	10MHz	64QAM	20525	25RB#12	19.06	14.99	PASS
Band5	10MHz	64QAM	20525	25RB#25	19.06	14.99	PASS
Band5	10MHz	64QAM	20525	50RB#0	18.74	14.67	PASS
Band5	10MHz	256QAM	20525	1RB#0	18.23	14.16	PASS
Band5	10MHz	256QAM	20525	1RB#24	18.44	14.37	PASS

Band5	10MHz	256QAM	20525	1RB#49	18.03	13.96	PASS
Band5	10MHz	256QAM	20525	25RB#0	18.34	14.27	PASS
Band5	10MHz	256QAM	20525	25RB#12	18.33	14.26	PASS
Band5	10MHz	256QAM	20525	25RB#25	18.65	14.58	PASS
Band5	10MHz	256QAM	20525	50RB#0	18.47	14.4	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.21	18.14	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.27	18.2	PASS
Band5	10MHz	16QAM	20525	1RB#49	21.76	17.69	PASS
Band5	10MHz	16QAM	20525	25RB#0	21.26	17.19	PASS
Band5	10MHz	16QAM	20525	25RB#12	21.47	17.4	PASS
Band5	10MHz	16QAM	20525	25RB#25	21.21	17.14	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.34	17.27	PASS
Band5	10MHz	QPSK	20600	1RB#0	23.4	19.33	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.04	18.97	PASS
Band5	10MHz	QPSK	20600	1RB#49	23.19	19.12	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.22	18.15	PASS
Band5	10MHz	QPSK	20600	25RB#12	22.16	18.09	PASS
Band5	10MHz	QPSK	20600	25RB#25	21.98	17.91	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.01	17.94	PASS
Band5	10MHz	64QAM	20600	1RB#0	19.64	15.57	PASS
Band5	10MHz	64QAM	20600	1RB#24	20.59	16.52	PASS
Band5	10MHz	64QAM	20600	1RB#49	20	15.93	PASS
Band5	10MHz	64QAM	20600	25RB#0	19.28	15.21	PASS
Band5	10MHz	64QAM	20600	25RB#12	18.93	14.86	PASS
Band5	10MHz	64QAM	20600	25RB#25	19.4	15.33	PASS
Band5	10MHz	64QAM	20600	50RB#0	19.12	15.05	PASS
Band5	10MHz	256QAM	20600	1RB#0	18.18	14.11	PASS
Band5	10MHz	256QAM	20600	1RB#24	18.38	14.31	PASS
Band5	10MHz	256QAM	20600	1RB#49	18.15	14.08	PASS
Band5	10MHz	256QAM	20600	25RB#0	18.26	14.19	PASS
Band5	10MHz	256QAM	20600	25RB#12	18.36	14.29	PASS
Band5	10MHz	256QAM	20600	25RB#25	18.16	14.09	PASS
Band5	10MHz	256QAM	20600	50RB#0	18.66	14.59	PASS
Band5	10MHz	16QAM	20600	1RB#0	21.91	17.84	PASS
Band5	10MHz	16QAM	20600	1RB#24	22.19	18.12	PASS
Band5	10MHz	16QAM	20600	1RB#49	22.09	18.02	PASS
Band5	10MHz	16QAM	20600	25RB#0	21.05	16.98	PASS
Band5	10MHz	16QAM	20600	25RB#12	21.33	17.26	PASS
Band5	10MHz	16QAM	20600	25RB#25	20.79	16.72	PASS
Band5	10MHz	16QAM	20600	50RB#0	20.85	16.78	PASS


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	4.52	13	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	5.28	13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	5.59	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	6.14	13	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	4.46	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.30	13	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	5.39	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	6.20	13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	4.03	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	4.75	13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	5.22	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	5.65	13	PASS
Band5	3MHz	QPSK	20415	1RB#0	4.61	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.16	13	PASS
Band5	3MHz	16QAM	20415	1RB#0	5.54	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	6.17	13	PASS
Band5	3MHz	QPSK	20525	1RB#0	4.35	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.10	13	PASS
Band5	3MHz	16QAM	20525	1RB#0	5.30	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	6.09	13	PASS
Band5	3MHz	QPSK	20635	1RB#0	4.75	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	4.84	13	PASS
Band5	3MHz	16QAM	20635	1RB#0	5.91	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	5.97	13	PASS
Band5	5MHz	QPSK	20425	1RB#0	4.38	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	5.22	13	PASS
Band5	5MHz	16QAM	20425	1RB#0	5.19	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	6.17	13	PASS
Band5	5MHz	QPSK	20525	1RB#0	4.32	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.22	13	PASS
Band5	5MHz	16QAM	20525	1RB#0	5.16	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	6.12	13	PASS
Band5	5MHz	QPSK	20625	1RB#0	5.30	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.19	13	PASS
Band5	5MHz	16QAM	20625	1RB#0	6.03	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	6.09	13	PASS
Band5	10MHz	QPSK	20450	1RB#0	4.41	13	PASS


Band5	10MHz	QPSK	20450	50RB#0	5.16	13	PASS
Band5	10MHz	16QAM	20450	1RB#0	5.30	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	6.14	13	PASS
Band5	10MHz	QPSK	20525	1RB#0	4.29	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.25	13	PASS
Band5	10MHz	16QAM	20525	1RB#0	5.25	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.23	13	PASS
Band5	10MHz	QPSK	20600	1RB#0	4.90	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.30	13	PASS
Band5	10MHz	16QAM	20600	1RB#0	5.97	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	6.35	13	PASS

Test Graphs







Band5-1.4MHz-QPSK-20525-1RB#0-PASS




Band5-1.4MHz-QPSK-20525-6RB#0-PASS





Band5-1.4MHz-16QAM-20525-1RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS









Band5-3MHz-QPSK-20525-1RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS





Band5-3MHz-16QAM-20525-1RB#0-PASS





Band5-3MHz-16QAM-20525-15RB#0-PASS

















Band5-10MHz-QPSK-20525-1RB#0-PASS




Band5-10MHz-QPSK-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-1RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-QPSK-20600-1RB#0-PASS



Band5-10MHz-QPSK-20600-50RB#0-PASS



Band5-10MHz-16QAM-20600-1RB#0-PASS




Band5-10MHz-16QAM-20600-50RB#0-PASS

Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	1.093	1.28	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.098	1.29	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.103	1.30	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.088	1.28	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.098	1.29	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.103	1.30	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.686	2.95	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.676	2.95	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.696	2.97	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.696	3.00	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.686	2.95	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.676	2.94	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.496	4.93	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.505	4.91	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.496	4.90	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.496	4.95	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.496	4.92	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.496	4.93	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.985	9.77	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.985	9.80	PASS
Band5	10MHz	QPSK	20525	50RB#0	8.985	9.87	PASS
Band5	10MHz	16QAM	20525	50RB#0	8.985	9.83	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.952	9.80	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.952	9.73	PASS

Test Graphs




Band5-1.4MHz-QPSK-20407-6RB#0-PASS




Band5-1.4MHz-16QAM-20407-6RB#0-PASS




Band5-1.4MHz-QPSK-20525-6RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Band5-1.4MHz-16QAM-20643-6RB#0-PASS




Band5-3MHz-QPSK-20415-15RB#0-PASS




Band5-3MHz-16QAM-20415-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-16QAM-20525-15RB#0-PASS





Band5-3MHz-QPSK-20635-15RB#0-PASS



Band5-3MHz-16QAM-20635-15RB#0-PASS








Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	-26.03	13.03	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	-46.65	33.65	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	-31.69	18.69	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	-27.13	14.13	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	-47.41	34.41	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	-32.20	19.20	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	-47.10	34.10	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	-22.32	9.32	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	-31.28	18.28	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	-48.18	35.18	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	-26.84	13.84	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	-31.96	18.96	PASS
Band5	3MHz	QPSK	20415	1RB#0	-17.40	4.40	PASS
Band5	3MHz	QPSK	20415	1RB#14	-40.77	27.77	PASS
Band5	3MHz	QPSK	20415	15RB#0	-28.17	15.17	PASS
Band5	3MHz	16QAM	20415	1RB#0	-18.58	5.58	PASS
Band5	3MHz	16QAM	20415	1RB#14	-41.23	28.23	PASS
Band5	3MHz	16QAM	20415	15RB#0	-29.40	16.40	PASS
Band5	3MHz	QPSK	20635	1RB#0	-41.11	28.11	PASS
Band5	3MHz	QPSK	20635	1RB#14	-15.75	2.75	PASS
Band5	3MHz	QPSK	20635	15RB#0	-29.38	16.38	PASS
Band5	3MHz	16QAM	20635	1RB#0	-41.93	28.93	PASS
Band5	3MHz	16QAM	20635	1RB#14	-17.10	4.10	PASS
Band5	3MHz	16QAM	20635	15RB#0	-30.48	17.48	PASS
Band5	5MHz	QPSK	20425	1RB#0	-22.47	9.47	PASS
Band5	5MHz	QPSK	20425	1RB#24	-43.38	30.38	PASS
Band5	5MHz	QPSK	20425	25RB#0	-33.00	20.00	PASS
Band5	5MHz	16QAM	20425	1RB#0	-23.10	10.10	PASS
Band5	5MHz	16QAM	20425	1RB#24	-44.26	31.26	PASS
Band5	5MHz	16QAM	20425	25RB#0	-33.67	20.67	PASS
Band5	5MHz	QPSK	20625	1RB#0	-42.72	29.72	PASS
Band5	5MHz	QPSK	20625	1RB#24	-21.94	8.94	PASS
Band5	5MHz	QPSK	20625	25RB#0	-33.62	20.62	PASS
Band5	5MHz	16QAM	20625	1RB#0	-44.33	31.33	PASS
Band5	5MHz	16QAM	20625	1RB#24	-23.33	10.33	PASS
Band5	5MHz	16QAM	20625	25RB#0	-34.27	21.27	PASS
Band5	10MHz	QPSK	20450	1RB#0	-26.20	13.20	PASS

Band5	10MHz	QPSK	20450	1RB#49	-43.24	30.24	PASS
Band5	10MHz	QPSK	20450	50RB#0	-34.22	21.22	PASS
Band5	10MHz	16QAM	20450	1RB#0	-27.17	14.17	PASS
Band5	10MHz	16QAM	20450	1RB#49	-44.16	31.16	PASS
Band5	10MHz	16QAM	20450	50RB#0	-34.98	21.98	PASS
Band5	10MHz	QPSK	20600	1RB#0	-41.93	28.93	PASS
Band5	10MHz	QPSK	20600	1RB#49	-25.49	12.49	PASS
Band5	10MHz	QPSK	20600	50RB#0	-32.54	19.54	PASS
Band5	10MHz	16QAM	20600	1RB#0	-42.73	29.73	PASS
Band5	10MHz	16QAM	20600	1RB#49	-27.39	14.39	PASS
Band5	10MHz	16QAM	20600	50RB#0	-33.77	20.77	PASS


Test Graphs






Date: 29.SEP.2023 09:54:04

Band5-1.4MHz-QPSK-20407-6RB#0-PASS




Date: 29.SEP.2023 09:53:29

Band5-1.4MHz-16QAM-20407-1RB#0-PASS




Date: 29.SEP.2023 09:53:51


Band5-1.4MHz-16QAM-20407-1RB#5-PASS





Date: 29.SEP.2023 09:56:14


Band5-1.4MHz-16QAM-20407-6RB#0-PASS





























Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	0.009~0.15	-58.32	-33.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	0.15~30	-56.36	-23.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	30~1000	-44.53	-13.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	1000~3000	-43.16	-13.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	3000~10000	-48.33	-13.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	0.009~0.15	-58.88	-33.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	0.15~30	-56.57	-23.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	30~1000	-43.26	-13.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	1000~3000	-43.08	-13.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	3000~10000	-47.93	-13.0	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	0.009~0.15	-67.01	-33.0	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	0.15~30	-54.86	-23.0	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	30~1000	-33.27	-13.0	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	1000~3000	-46.60	-13.0	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	3000~10000	-48.35	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.009~0.15	-58.98	-33.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.15~30	-58.82	-23.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	30~1000	-46.57	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	1000~3000	-44.94	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	3000~10000	-48.35	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	0.009~0.15	-58.75	-33.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	0.15~30	-56.03	-23.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	30~1000	-43.40	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	1000~3000	-44.85	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	3000~10000	-48.40	-13.0	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	0.009~0.15	-65.38	-33.0	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	0.15~30	-55.62	-23.0	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	30~1000	-34.57	-13.0	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1000~3000	-47.23	-13.0	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	3000~10000	-48.37	-13.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.009~0.15	-58.56	-33.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.15~30	-59.14	-23.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	30~1000	-60.42	-13.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	1000~3000	-43.23	-13.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	3000~10000	-48.27	-13.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	0.009~0.15	-57.66	-33.0	PASS

Band5	1.4MHz	QPSK	20525	1RB#5	0.15~30	-55.67	-23.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	30~1000	-59.64	-13.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	1000~3000	-42.40	-13.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	3000~10000	-48.38	-13.0	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	0.009~0.15	-65.76	-33.0	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	0.15~30	-55.15	-23.0	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	30~1000	-60.22	-13.0	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1000~3000	-45.49	-13.0	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	3000~10000	-48.07	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.009~0.15	-59.28	-33.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.15~30	-57.13	-23.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	30~1000	-59.70	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	1000~3000	-44.53	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	3000~10000	-48.21	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	0.009~0.15	-59.26	-33.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	0.15~30	-57.52	-23.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	30~1000	-59.53	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	1000~3000	-43.50	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	3000~10000	-48.27	-13.0	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	0.009~0.15	-66.57	-33.0	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	0.15~30	-54.66	-23.0	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	30~1000	-59.86	-13.0	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1000~3000	-46.57	-13.0	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	3000~10000	-47.94	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.009~0.15	-57.80	-33.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.15~30	-57.37	-23.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	30~1000	-46.39	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	1000~3000	-44.08	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	3000~10000	-48.30	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	0.009~0.15	-59.53	-33.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	0.15~30	-62.47	-23.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	30~1000	-44.63	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	1000~3000	-45.16	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	3000~10000	-48.38	-13.0	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	0.009~0.15	-68.09	-33.0	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	0.15~30	-56.13	-23.0	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	30~1000	-31.71	-13.0	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1000~3000	-46.93	-13.0	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	3000~10000	-48.34	-13.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.009~0.15	-58.77	-33.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.15~30	-59.84	-23.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	30~1000	-46.86	-13.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	1000~3000	-45.84	-13.0	PASS

Band5	1.4MHz	16QAM	20643	1RB#0	3000~10000	-48.21	-13.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	0.009~0.15	-60.90	-33.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	0.15~30	-58.23	-23.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	30~1000	-47.35	-13.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	1000~3000	-45.86	-13.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	3000~10000	-48.08	-13.0	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	0.009~0.15	-66.09	-33.0	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	0.15~30	-58.68	-23.0	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	30~1000	-33.80	-13.0	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1000~3000	-48.04	-13.0	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	3000~10000	-48.18	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.009~0.15	-59.97	-33.0	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.15~30	-57.07	-23.0	PASS
Band5	3MHz	QPSK	20415	1RB#0	30~1000	-43.94	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#0	1000~3000	-43.61	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#0	3000~10000	-48.32	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#14	0.009~0.15	-59.82	-33.0	PASS
Band5	3MHz	QPSK	20415	1RB#14	0.15~30	-57.93	-23.0	PASS
Band5	3MHz	QPSK	20415	1RB#14	30~1000	-36.82	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#14	1000~3000	-44.07	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#14	3000~10000	-48.36	-13.0	PASS
Band5	3MHz	QPSK	20415	15RB#0	0.009~0.15	-67.49	-33.0	PASS
Band5	3MHz	QPSK	20415	15RB#0	0.15~30	-61.09	-23.0	PASS
Band5	3MHz	QPSK	20415	15RB#0	30~1000	-31.53	-13.0	PASS
Band5	3MHz	QPSK	20415	15RB#0	1000~3000	-49.49	-13.0	PASS
Band5	3MHz	QPSK	20415	15RB#0	3000~10000	-48.28	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#0	0.009~0.15	-57.92	-33.0	PASS
Band5	3MHz	16QAM	20415	1RB#0	0.15~30	-58.86	-23.0	PASS
Band5	3MHz	16QAM	20415	1RB#0	30~1000	-44.88	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#0	1000~3000	-43.81	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#0	3000~10000	-48.24	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#14	0.009~0.15	-58.95	-33.0	PASS
Band5	3MHz	16QAM	20415	1RB#14	0.15~30	-60.28	-23.0	PASS
Band5	3MHz	16QAM	20415	1RB#14	30~1000	-36.34	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#14	1000~3000	-45.43	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#14	3000~10000	-48.29	-13.0	PASS
Band5	3MHz	16QAM	20415	15RB#0	0.009~0.15	-65.51	-33.0	PASS
Band5	3MHz	16QAM	20415	15RB#0	0.15~30	-62.24	-23.0	PASS
Band5	3MHz	16QAM	20415	15RB#0	30~1000	-32.24	-13.0	PASS
Band5	3MHz	16QAM	20415	15RB#0	1000~3000	-50.05	-13.0	PASS
Band5	3MHz	16QAM	20415	15RB#0	3000~10000	-48.17	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.009~0.15	-57.71	-33.0	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.15~30	-55.84	-23.0	PASS

Band5	3MHz	QPSK	20525	1RB#0	30~1000	-59.62	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#0	1000~3000	-43.87	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#0	3000~10000	-48.18	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#14	0.009~0.15	-57.72	-33.0	PASS
Band5	3MHz	QPSK	20525	1RB#14	0.15~30	-56.51	-23.0	PASS
Band5	3MHz	QPSK	20525	1RB#14	30~1000	-59.09	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#14	1000~3000	-43.55	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#14	3000~10000	-48.33	-13.0	PASS
Band5	3MHz	QPSK	20525	15RB#0	0.009~0.15	-64.58	-33.0	PASS
Band5	3MHz	QPSK	20525	15RB#0	0.15~30	-61.11	-23.0	PASS
Band5	3MHz	QPSK	20525	15RB#0	30~1000	-57.60	-13.0	PASS
Band5	3MHz	QPSK	20525	15RB#0	1000~3000	-48.97	-13.0	PASS
Band5	3MHz	QPSK	20525	15RB#0	3000~10000	-48.23	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.009~0.15	-59.59	-33.0	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.15~30	-57.83	-23.0	PASS
Band5	3MHz	16QAM	20525	1RB#0	30~1000	-60.10	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#0	1000~3000	-46.19	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#0	3000~10000	-48.05	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#14	0.009~0.15	-57.82	-33.0	PASS
Band5	3MHz	16QAM	20525	1RB#14	0.15~30	-60.33	-23.0	PASS
Band5	3MHz	16QAM	20525	1RB#14	30~1000	-59.39	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#14	1000~3000	-45.75	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#14	3000~10000	-48.15	-13.0	PASS
Band5	3MHz	16QAM	20525	15RB#0	0.009~0.15	-67.92	-33.0	PASS
Band5	3MHz	16QAM	20525	15RB#0	0.15~30	-62.26	-23.0	PASS
Band5	3MHz	16QAM	20525	15RB#0	30~1000	-55.71	-13.0	PASS
Band5	3MHz	16QAM	20525	15RB#0	1000~3000	-49.52	-13.0	PASS
Band5	3MHz	16QAM	20525	15RB#0	3000~10000	-48.15	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.009~0.15	-59.35	-33.0	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.15~30	-58.67	-23.0	PASS
Band5	3MHz	QPSK	20635	1RB#0	30~1000	-36.72	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#0	1000~3000	-44.43	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#0	3000~10000	-48.15	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#14	0.009~0.15	-59.85	-33.0	PASS
Band5	3MHz	QPSK	20635	1RB#14	0.15~30	-60.53	-23.0	PASS
Band5	3MHz	QPSK	20635	1RB#14	30~1000	-43.37	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#14	1000~3000	-44.21	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#14	3000~10000	-48.23	-13.0	PASS
Band5	3MHz	QPSK	20635	15RB#0	0.009~0.15	-67.18	-33.0	PASS
Band5	3MHz	QPSK	20635	15RB#0	0.15~30	-61.46	-23.0	PASS
Band5	3MHz	QPSK	20635	15RB#0	30~1000	-30.74	-13.0	PASS
Band5	3MHz	QPSK	20635	15RB#0	1000~3000	-49.73	-13.0	PASS
Band5	3MHz	QPSK	20635	15RB#0	3000~10000	-48.30	-13.0	PASS

Band5	3MHz	16QAM	20635	1RB#0	0.009~0.15	-59.57	-33.0	PASS
Band5	3MHz	16QAM	20635	1RB#0	0.15~30	-61.54	-23.0	PASS
Band5	3MHz	16QAM	20635	1RB#0	30~1000	-37.50	-13.0	PASS
Band5	3MHz	16QAM	20635	1RB#0	1000~3000	-46.34	-13.0	PASS
Band5	3MHz	16QAM	20635	1RB#0	3000~10000	-48.34	-13.0	PASS
Band5	3MHz	16QAM	20635	1RB#14	0.009~0.15	-59.01	-33.0	PASS
Band5	3MHz	16QAM	20635	1RB#14	0.15~30	-61.06	-23.0	PASS
Band5	3MHz	16QAM	20635	1RB#14	30~1000	-42.41	-13.0	PASS
Band5	3MHz	16QAM	20635	1RB#14	1000~3000	-45.67	-13.0	PASS
Band5	3MHz	16QAM	20635	1RB#14	3000~10000	-48.00	-13.0	PASS
Band5	3MHz	16QAM	20635	15RB#0	0.009~0.15	-67.16	-33.0	PASS
Band5	3MHz	16QAM	20635	15RB#0	0.15~30	-62.26	-23.0	PASS
Band5	3MHz	16QAM	20635	15RB#0	30~1000	-33.79	-13.0	PASS
Band5	3MHz	16QAM	20635	15RB#0	1000~3000	-50.37	-13.0	PASS
Band5	3MHz	16QAM	20635	15RB#0	3000~10000	-48.11	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.009~0.15	-57.63	-33.0	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.15~30	-59.87	-23.0	PASS
Band5	5MHz	QPSK	20425	1RB#0	30~1000	-40.65	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#0	1000~3000	-42.95	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#0	3000~10000	-48.32	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#24	0.009~0.15	-58.67	-33.0	PASS
Band5	5MHz	QPSK	20425	1RB#24	0.15~30	-57.29	-23.0	PASS
Band5	5MHz	QPSK	20425	1RB#24	30~1000	-39.08	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#24	1000~3000	-43.98	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#24	3000~10000	-47.95	-13.0	PASS
Band5	5MHz	QPSK	20425	25RB#0	0.009~0.15	-66.76	-33.0	PASS
Band5	5MHz	QPSK	20425	25RB#0	0.15~30	-60.24	-23.0	PASS
Band5	5MHz	QPSK	20425	25RB#0	30~1000	-32.41	-13.0	PASS
Band5	5MHz	QPSK	20425	25RB#0	1000~3000	-50.67	-13.0	PASS
Band5	5MHz	QPSK	20425	25RB#0	3000~10000	-48.04	-13.0	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.009~0.15	-58.71	-33.0	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.15~30	-56.71	-23.0	PASS
Band5	5MHz	16QAM	20425	1RB#0	30~1000	-43.66	-13.0	PASS
Band5	5MHz	16QAM	20425	1RB#0	1000~3000	-43.16	-13.0	PASS
Band5	5MHz	16QAM	20425	1RB#0	3000~10000	-48.18	-13.0	PASS
Band5	5MHz	16QAM	20425	1RB#24	0.009~0.15	-59.56	-33.0	PASS
Band5	5MHz	16QAM	20425	1RB#24	0.15~30	-58.41	-23.0	PASS
Band5	5MHz	16QAM	20425	1RB#24	30~1000	-37.98	-13.0	PASS
Band5	5MHz	16QAM	20425	1RB#24	1000~3000	-44.22	-13.0	PASS
Band5	5MHz	16QAM	20425	1RB#24	3000~10000	-48.31	-13.0	PASS
Band5	5MHz	16QAM	20425	25RB#0	0.009~0.15	-64.20	-33.0	PASS
Band5	5MHz	16QAM	20425	25RB#0	0.15~30	-61.05	-23.0	PASS
Band5	5MHz	16QAM	20425	25RB#0	30~1000	-31.56	-13.0	PASS

Band5	5MHz	16QAM	20425	25RB#0	1000~3000	-51.22	-13.0	PASS
Band5	5MHz	16QAM	20425	25RB#0	3000~10000	-48.25	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.009~0.15	-58.54	-33.0	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.15~30	-55.35	-23.0	PASS
Band5	5MHz	QPSK	20525	1RB#0	30~1000	-60.29	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#0	1000~3000	-42.49	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#0	3000~10000	-48.21	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#24	0.009~0.15	-57.22	-33.0	PASS
Band5	5MHz	QPSK	20525	1RB#24	0.15~30	-57.16	-23.0	PASS
Band5	5MHz	QPSK	20525	1RB#24	30~1000	-60.02	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#24	1000~3000	-43.51	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#24	3000~10000	-48.28	-13.0	PASS
Band5	5MHz	QPSK	20525	25RB#0	0.009~0.15	-65.42	-33.0	PASS
Band5	5MHz	QPSK	20525	25RB#0	0.15~30	-60.70	-23.0	PASS
Band5	5MHz	QPSK	20525	25RB#0	30~1000	-47.27	-13.0	PASS
Band5	5MHz	QPSK	20525	25RB#0	1000~3000	-49.93	-13.0	PASS
Band5	5MHz	QPSK	20525	25RB#0	3000~10000	-48.23	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#0	0.009~0.15	-60.86	-33.0	PASS
Band5	5MHz	16QAM	20525	1RB#0	0.15~30	-61.15	-23.0	PASS
Band5	5MHz	16QAM	20525	1RB#0	30~1000	-60.04	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#0	1000~3000	-43.73	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#0	3000~10000	-48.28	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#24	0.009~0.15	-59.27	-33.0	PASS
Band5	5MHz	16QAM	20525	1RB#24	0.15~30	-58.92	-23.0	PASS
Band5	5MHz	16QAM	20525	1RB#24	30~1000	-60.14	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#24	1000~3000	-44.20	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#24	3000~10000	-48.23	-13.0	PASS
Band5	5MHz	16QAM	20525	25RB#0	0.009~0.15	-67.75	-33.0	PASS
Band5	5MHz	16QAM	20525	25RB#0	0.15~30	-62.11	-23.0	PASS
Band5	5MHz	16QAM	20525	25RB#0	30~1000	-49.87	-13.0	PASS
Band5	5MHz	16QAM	20525	25RB#0	1000~3000	-50.22	-13.0	PASS
Band5	5MHz	16QAM	20525	25RB#0	3000~10000	-48.16	-13.0	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.009~0.15	-58.79	-33.0	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.15~30	-55.39	-23.0	PASS
Band5	5MHz	QPSK	20625	1RB#0	30~1000	-40.68	-13.0	PASS
Band5	5MHz	QPSK	20625	1RB#0	1000~3000	-43.57	-13.0	PASS
Band5	5MHz	QPSK	20625	1RB#0	3000~10000	-48.36	-13.0	PASS
Band5	5MHz	QPSK	20625	1RB#24	0.009~0.15	-61.30	-33.0	PASS
Band5	5MHz	QPSK	20625	1RB#24	0.15~30	-58.02	-23.0	PASS
Band5	5MHz	QPSK	20625	1RB#24	30~1000	-42.25	-13.0	PASS
Band5	5MHz	QPSK	20625	1RB#24	1000~3000	-44.24	-13.0	PASS
Band5	5MHz	QPSK	20625	1RB#24	3000~10000	-48.09	-13.0	PASS
Band5	5MHz	QPSK	20625	25RB#0	0.009~0.15	-68.11	-33.0	PASS

Band5	5MHz	QPSK	20625	25RB#0	0.15~30	-60.86	-23.0	PASS
Band5	5MHz	QPSK	20625	25RB#0	30~1000	-31.86	-13.0	PASS
Band5	5MHz	QPSK	20625	25RB#0	1000~3000	-51.33	-13.0	PASS
Band5	5MHz	QPSK	20625	25RB#0	3000~10000	-48.15	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.009~0.15	-57.15	-33.0	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.15~30	-57.79	-23.0	PASS
Band5	5MHz	16QAM	20625	1RB#0	30~1000	-39.97	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#0	1000~3000	-44.78	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#0	3000~10000	-48.20	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#24	0.009~0.15	-59.75	-33.0	PASS
Band5	5MHz	16QAM	20625	1RB#24	0.15~30	-58.14	-23.0	PASS
Band5	5MHz	16QAM	20625	1RB#24	30~1000	-43.70	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#24	1000~3000	-45.52	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#24	3000~10000	-48.24	-13.0	PASS
Band5	5MHz	16QAM	20625	25RB#0	0.009~0.15	-68.40	-33.0	PASS
Band5	5MHz	16QAM	20625	25RB#0	0.15~30	-60.89	-23.0	PASS
Band5	5MHz	16QAM	20625	25RB#0	30~1000	-34.46	-13.0	PASS
Band5	5MHz	16QAM	20625	25RB#0	1000~3000	-51.45	-13.0	PASS
Band5	5MHz	16QAM	20625	25RB#0	3000~10000	-48.30	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.009~0.15	-57.56	-33.0	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.15~30	-55.96	-23.0	PASS
Band5	10MHz	QPSK	20450	1RB#0	30~1000	-39.58	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#0	1000~3000	-42.64	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#0	3000~10000	-48.30	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#49	0.009~0.15	-59.68	-33.0	PASS
Band5	10MHz	QPSK	20450	1RB#49	0.15~30	-58.56	-23.0	PASS
Band5	10MHz	QPSK	20450	1RB#49	30~1000	-36.52	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#49	1000~3000	-43.36	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#49	3000~10000	-48.22	-13.0	PASS
Band5	10MHz	QPSK	20450	50RB#0	0.009~0.15	-64.70	-33.0	PASS
Band5	10MHz	QPSK	20450	50RB#0	0.15~30	-63.10	-23.0	PASS
Band5	10MHz	QPSK	20450	50RB#0	30~1000	-33.33	-13.0	PASS
Band5	10MHz	QPSK	20450	50RB#0	1000~3000	-52.29	-13.0	PASS
Band5	10MHz	QPSK	20450	50RB#0	3000~10000	-48.12	-13.0	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.009~0.15	-58.21	-33.0	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.15~30	-63.86	-23.0	PASS
Band5	10MHz	16QAM	20450	1RB#0	30~1000	-44.04	-13.0	PASS
Band5	10MHz	16QAM	20450	1RB#0	1000~3000	-43.18	-13.0	PASS
Band5	10MHz	16QAM	20450	1RB#0	3000~10000	-48.03	-13.0	PASS
Band5	10MHz	16QAM	20450	1RB#49	0.009~0.15	-56.33	-33.0	PASS
Band5	10MHz	16QAM	20450	1RB#49	0.15~30	-55.93	-23.0	PASS
Band5	10MHz	16QAM	20450	1RB#49	30~1000	-38.65	-13.0	PASS
Band5	10MHz	16QAM	20450	1RB#49	1000~3000	-44.86	-13.0	PASS

Band5	10MHz	16QAM	20450	1RB#49	3000~10000	-48.34	-13.0	PASS
Band5	10MHz	16QAM	20450	50RB#0	0.009~0.15	-66.82	-33.0	PASS
Band5	10MHz	16QAM	20450	50RB#0	0.15~30	-65.26	-23.0	PASS
Band5	10MHz	16QAM	20450	50RB#0	30~1000	-33.46	-13.0	PASS
Band5	10MHz	16QAM	20450	50RB#0	1000~3000	-52.51	-13.0	PASS
Band5	10MHz	16QAM	20450	50RB#0	3000~10000	-48.18	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.009~0.15	-58.31	-33.0	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.15~30	-55.32	-23.0	PASS
Band5	10MHz	QPSK	20525	1RB#0	30~1000	-50.69	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#0	1000~3000	-43.01	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#0	3000~10000	-48.32	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#49	0.009~0.15	-58.02	-33.0	PASS
Band5	10MHz	QPSK	20525	1RB#49	0.15~30	-60.44	-23.0	PASS
Band5	10MHz	QPSK	20525	1RB#49	30~1000	-51.67	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#49	1000~3000	-42.96	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#49	3000~10000	-48.03	-13.0	PASS
Band5	10MHz	QPSK	20525	50RB#0	0.009~0.15	-71.79	-33.0	PASS
Band5	10MHz	QPSK	20525	50RB#0	0.15~30	-63.60	-23.0	PASS
Band5	10MHz	QPSK	20525	50RB#0	30~1000	-40.25	-13.0	PASS
Band5	10MHz	QPSK	20525	50RB#0	1000~3000	-51.53	-13.0	PASS
Band5	10MHz	QPSK	20525	50RB#0	3000~10000	-48.38	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.009~0.15	-58.57	-33.0	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.15~30	-60.87	-23.0	PASS
Band5	10MHz	16QAM	20525	1RB#0	30~1000	-51.07	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#0	1000~3000	-45.59	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#0	3000~10000	-48.23	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#49	0.009~0.15	-57.77	-33.0	PASS
Band5	10MHz	16QAM	20525	1RB#49	0.15~30	-58.01	-23.0	PASS
Band5	10MHz	16QAM	20525	1RB#49	30~1000	-50.78	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#49	1000~3000	-43.34	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#49	3000~10000	-48.26	-13.0	PASS
Band5	10MHz	16QAM	20525	50RB#0	0.009~0.15	-68.15	-33.0	PASS
Band5	10MHz	16QAM	20525	50RB#0	0.15~30	-63.66	-23.0	PASS
Band5	10MHz	16QAM	20525	50RB#0	30~1000	-41.08	-13.0	PASS
Band5	10MHz	16QAM	20525	50RB#0	1000~3000	-51.84	-13.0	PASS
Band5	10MHz	16QAM	20525	50RB#0	3000~10000	-48.28	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.009~0.15	-58.38	-33.0	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.15~30	-59.86	-23.0	PASS
Band5	10MHz	QPSK	20600	1RB#0	30~1000	-49.77	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#0	1000~3000	-42.74	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#0	3000~10000	-48.28	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#49	0.009~0.15	-58.64	-33.0	PASS
Band5	10MHz	QPSK	20600	1RB#49	0.15~30	-57.64	-23.0	PASS

Band5	10MHz	QPSK	20600	1RB#49	30~1000	-44.73	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#49	1000~3000	-43.80	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#49	3000~10000	-48.38	-13.0	PASS
Band5	10MHz	QPSK	20600	50RB#0	0.009~0.15	-67.05	-33.0	PASS
Band5	10MHz	QPSK	20600	50RB#0	0.15~30	-63.07	-23.0	PASS
Band5	10MHz	QPSK	20600	50RB#0	30~1000	-32.27	-13.0	PASS
Band5	10MHz	QPSK	20600	50RB#0	1000~3000	-52.37	-13.0	PASS
Band5	10MHz	QPSK	20600	50RB#0	3000~10000	-48.13	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.009~0.15	-59.38	-33.0	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.15~30	-58.69	-23.0	PASS
Band5	10MHz	16QAM	20600	1RB#0	30~1000	-50.19	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#0	1000~3000	-42.50	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#0	3000~10000	-48.31	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#49	0.009~0.15	-60.11	-33.0	PASS
Band5	10MHz	16QAM	20600	1RB#49	0.15~30	-58.33	-23.0	PASS
Band5	10MHz	16QAM	20600	1RB#49	30~1000	-46.75	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#49	1000~3000	-44.82	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#49	3000~10000	-48.26	-13.0	PASS
Band5	10MHz	16QAM	20600	50RB#0	0.009~0.15	-67.39	-33.0	PASS
Band5	10MHz	16QAM	20600	50RB#0	0.15~30	-63.20	-23.0	PASS
Band5	10MHz	16QAM	20600	50RB#0	30~1000	-34.57	-13.0	PASS
Band5	10MHz	16QAM	20600	50RB#0	1000~3000	-52.34	-13.0	PASS
Band5	10MHz	16QAM	20600	50RB#0	3000~10000	-48.37	-13.0	PASS

Test Graphs

