

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result – Ant3

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	ERP/EIRP (dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	23.38	21.58	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.51	21.71	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	23.39	21.59	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	23.60	21.8	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	23.65	21.85	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	23.51	21.71	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	22.59	20.79	PASS
Band25	1.4MHz	64QAM	26047	1RB#0	21.50	19.7	PASS
Band25	1.4MHz	64QAM	26047	1RB#2	21.55	19.75	PASS
Band25	1.4MHz	64QAM	26047	1RB#5	21.40	19.6	PASS
Band25	1.4MHz	64QAM	26047	3RB#0	21.43	19.63	PASS
Band25	1.4MHz	64QAM	26047	3RB#1	21.74	19.94	PASS
Band25	1.4MHz	64QAM	26047	3RB#3	21.73	19.93	PASS
Band25	1.4MHz	64QAM	26047	6RB#0	20.54	18.74	PASS
Band25	1.4MHz	256QAM	26047	1RB#0	19.79	17.99	PASS
Band25	1.4MHz	256QAM	26047	1RB#2	19.84	18.04	PASS
Band25	1.4MHz	256QAM	26047	1RB#5	19.76	17.96	PASS
Band25	1.4MHz	256QAM	26047	3RB#0	19.90	18.1	PASS
Band25	1.4MHz	256QAM	26047	3RB#1	19.98	18.18	PASS
Band25	1.4MHz	256QAM	26047	3RB#3	19.95	18.15	PASS
Band25	1.4MHz	256QAM	26047	6RB#0	19.78	17.98	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	22.33	20.53	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	22.59	20.79	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	22.32	20.52	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	22.37	20.57	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	22.57	20.77	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	22.35	20.55	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	21.61	19.81	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	23.27	21.47	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	23.35	21.55	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	23.26	21.46	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	23.42	21.62	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	23.41	21.61	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	23.37	21.57	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	22.36	20.56	PASS
Band25	1.4MHz	64QAM	26365	1RB#0	21.34	19.54	PASS
Band25	1.4MHz	64QAM	26365	1RB#2	21.32	19.52	PASS
Band25	1.4MHz	64QAM	26365	1RB#5	21.40	19.6	PASS

Band25	1.4MHz	64QAM	26365	3RB#0	21.36	19.56	PASS
Band25	1.4MHz	64QAM	26365	3RB#1	21.56	19.76	PASS
Band25	1.4MHz	64QAM	26365	3RB#3	21.37	19.57	PASS
Band25	1.4MHz	64QAM	26365	6RB#0	20.50	18.7	PASS
Band25	1.4MHz	256QAM	26365	1RB#0	19.87	18.07	PASS
Band25	1.4MHz	256QAM	26365	1RB#2	20.10	18.3	PASS
Band25	1.4MHz	256QAM	26365	1RB#5	19.95	18.15	PASS
Band25	1.4MHz	256QAM	26365	3RB#0	19.91	18.11	PASS
Band25	1.4MHz	256QAM	26365	3RB#1	20.07	18.27	PASS
Band25	1.4MHz	256QAM	26365	3RB#3	19.96	18.16	PASS
Band25	1.4MHz	256QAM	26365	6RB#0	20.07	18.27	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	22.14	20.34	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	22.47	20.67	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	22.09	20.29	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	22.23	20.43	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	22.37	20.57	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	22.19	20.39	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	21.27	19.47	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	23.39	21.59	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	23.46	21.66	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	23.37	21.57	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	23.53	21.73	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	23.55	21.75	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	23.57	21.77	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	22.52	20.72	PASS
Band25	1.4MHz	64QAM	26683	1RB#0	21.35	19.55	PASS
Band25	1.4MHz	64QAM	26683	1RB#2	21.27	19.47	PASS
Band25	1.4MHz	64QAM	26683	1RB#5	21.45	19.65	PASS
Band25	1.4MHz	64QAM	26683	3RB#0	21.39	19.59	PASS
Band25	1.4MHz	64QAM	26683	3RB#1	21.38	19.58	PASS
Band25	1.4MHz	64QAM	26683	3RB#3	21.28	19.48	PASS
Band25	1.4MHz	64QAM	26683	6RB#0	20.37	18.57	PASS
Band25	1.4MHz	256QAM	26683	1RB#0	20.36	18.56	PASS
Band25	1.4MHz	256QAM	26683	1RB#2	20.33	18.53	PASS
Band25	1.4MHz	256QAM	26683	1RB#5	20.34	18.54	PASS
Band25	1.4MHz	256QAM	26683	3RB#0	20.42	18.62	PASS
Band25	1.4MHz	256QAM	26683	3RB#1	20.40	18.6	PASS
Band25	1.4MHz	256QAM	26683	3RB#3	20.42	18.62	PASS
Band25	1.4MHz	256QAM	26683	6RB#0	20.32	18.52	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	22.20	20.4	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	22.38	20.58	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	22.18	20.38	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	22.29	20.49	PASS

Band25	1.4MHz	16QAM	26683	3RB#1	22.44	20.64	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	22.29	20.49	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	21.51	19.71	PASS
Band25	3MHz	QPSK	26055	1RB#0	23.35	21.55	PASS
Band25	3MHz	QPSK	26055	1RB#8	23.39	21.59	PASS
Band25	3MHz	QPSK	26055	1RB#14	23.34	21.54	PASS
Band25	3MHz	QPSK	26055	8RB#0	22.48	20.68	PASS
Band25	3MHz	QPSK	26055	8RB#4	22.53	20.73	PASS
Band25	3MHz	QPSK	26055	8RB#7	22.50	20.7	PASS
Band25	3MHz	QPSK	26055	15RB#0	22.55	20.75	PASS
Band25	3MHz	64QAM	26055	1RB#0	21.52	19.72	PASS
Band25	3MHz	64QAM	26055	1RB#8	21.59	19.79	PASS
Band25	3MHz	64QAM	26055	1RB#14	21.46	19.66	PASS
Band25	3MHz	64QAM	26055	8RB#0	20.61	18.81	PASS
Band25	3MHz	64QAM	26055	8RB#4	20.64	18.84	PASS
Band25	3MHz	64QAM	26055	8RB#7	20.63	18.83	PASS
Band25	3MHz	64QAM	26055	15RB#0	20.56	18.76	PASS
Band25	3MHz	256QAM	26055	1RB#0	19.63	17.83	PASS
Band25	3MHz	256QAM	26055	1RB#8	19.78	17.98	PASS
Band25	3MHz	256QAM	26055	1RB#14	19.68	17.88	PASS
Band25	3MHz	256QAM	26055	8RB#0	19.70	17.9	PASS
Band25	3MHz	256QAM	26055	8RB#4	19.77	17.97	PASS
Band25	3MHz	256QAM	26055	8RB#7	19.81	18.01	PASS
Band25	3MHz	256QAM	26055	15RB#0	19.70	17.9	PASS
Band25	3MHz	16QAM	26055	1RB#0	22.34	20.54	PASS
Band25	3MHz	16QAM	26055	1RB#8	22.36	20.56	PASS
Band25	3MHz	16QAM	26055	1RB#14	22.39	20.59	PASS
Band25	3MHz	16QAM	26055	8RB#0	21.54	19.74	PASS
Band25	3MHz	16QAM	26055	8RB#4	21.61	19.81	PASS
Band25	3MHz	16QAM	26055	8RB#7	21.57	19.77	PASS
Band25	3MHz	16QAM	26055	15RB#0	21.63	19.83	PASS
Band25	3MHz	QPSK	26365	1RB#0	23.18	21.38	PASS
Band25	3MHz	QPSK	26365	1RB#8	23.20	21.4	PASS
Band25	3MHz	QPSK	26365	1RB#14	23.20	21.4	PASS
Band25	3MHz	QPSK	26365	8RB#0	22.27	20.47	PASS
Band25	3MHz	QPSK	26365	8RB#4	22.40	20.6	PASS
Band25	3MHz	QPSK	26365	8RB#7	22.36	20.56	PASS
Band25	3MHz	QPSK	26365	15RB#0	22.37	20.57	PASS
Band25	3MHz	64QAM	26365	1RB#0	21.23	19.43	PASS
Band25	3MHz	64QAM	26365	1RB#8	21.08	19.28	PASS
Band25	3MHz	64QAM	26365	1RB#14	21.22	19.42	PASS
Band25	3MHz	64QAM	26365	8RB#0	20.32	18.52	PASS
Band25	3MHz	64QAM	26365	8RB#4	20.31	18.51	PASS

Band25	3MHz	64QAM	26365	8RB#7	20.42	18.62	PASS
Band25	3MHz	64QAM	26365	15RB#0	20.35	18.55	PASS
Band25	3MHz	256QAM	26365	1RB#0	19.66	17.86	PASS
Band25	3MHz	256QAM	26365	1RB#8	20.03	18.23	PASS
Band25	3MHz	256QAM	26365	1RB#14	19.68	17.88	PASS
Band25	3MHz	256QAM	26365	8RB#0	19.82	18.02	PASS
Band25	3MHz	256QAM	26365	8RB#4	19.98	18.18	PASS
Band25	3MHz	256QAM	26365	8RB#7	19.98	18.18	PASS
Band25	3MHz	256QAM	26365	15RB#0	19.82	18.02	PASS
Band25	3MHz	16QAM	26365	1RB#0	22.05	20.25	PASS
Band25	3MHz	16QAM	26365	1RB#8	22.35	20.55	PASS
Band25	3MHz	16QAM	26365	1RB#14	22.09	20.29	PASS
Band25	3MHz	16QAM	26365	8RB#0	21.30	19.5	PASS
Band25	3MHz	16QAM	26365	8RB#4	21.33	19.53	PASS
Band25	3MHz	16QAM	26365	8RB#7	21.34	19.54	PASS
Band25	3MHz	16QAM	26365	15RB#0	21.26	19.46	PASS
Band25	3MHz	QPSK	26675	1RB#0	23.24	21.44	PASS
Band25	3MHz	QPSK	26675	1RB#8	23.32	21.52	PASS
Band25	3MHz	QPSK	26675	1RB#14	23.28	21.48	PASS
Band25	3MHz	QPSK	26675	8RB#0	22.46	20.66	PASS
Band25	3MHz	QPSK	26675	8RB#4	22.50	20.7	PASS
Band25	3MHz	QPSK	26675	8RB#7	22.45	20.65	PASS
Band25	3MHz	QPSK	26675	15RB#0	22.48	20.68	PASS
Band25	3MHz	64QAM	26675	1RB#0	21.19	19.39	PASS
Band25	3MHz	64QAM	26675	1RB#8	21.40	19.6	PASS
Band25	3MHz	64QAM	26675	1RB#14	21.28	19.48	PASS
Band25	3MHz	64QAM	26675	8RB#0	20.44	18.64	PASS
Band25	3MHz	64QAM	26675	8RB#4	20.46	18.66	PASS
Band25	3MHz	64QAM	26675	8RB#7	20.46	18.66	PASS
Band25	3MHz	64QAM	26675	15RB#0	20.48	18.68	PASS
Band25	3MHz	256QAM	26675	1RB#0	20.16	18.36	PASS
Band25	3MHz	256QAM	26675	1RB#8	20.35	18.55	PASS
Band25	3MHz	256QAM	26675	1RB#14	20.28	18.48	PASS
Band25	3MHz	256QAM	26675	8RB#0	20.19	18.39	PASS
Band25	3MHz	256QAM	26675	8RB#4	20.32	18.52	PASS
Band25	3MHz	256QAM	26675	8RB#7	20.23	18.43	PASS
Band25	3MHz	256QAM	26675	15RB#0	20.23	18.43	PASS
Band25	3MHz	16QAM	26675	1RB#0	22.02	20.22	PASS
Band25	3MHz	16QAM	26675	1RB#8	22.37	20.57	PASS
Band25	3MHz	16QAM	26675	1RB#14	21.99	20.19	PASS
Band25	3MHz	16QAM	26675	8RB#0	21.46	19.66	PASS
Band25	3MHz	16QAM	26675	8RB#4	21.45	19.65	PASS
Band25	3MHz	16QAM	26675	8RB#7	21.48	19.68	PASS

Band25	3MHz	16QAM	26675	15RB#0	21.46	19.66	PASS
Band25	5MHz	QPSK	26065	1RB#0	23.64	21.84	PASS
Band25	5MHz	QPSK	26065	1RB#12	23.66	21.86	PASS
Band25	5MHz	QPSK	26065	1RB#24	23.63	21.83	PASS
Band25	5MHz	QPSK	26065	12RB#0	22.55	20.75	PASS
Band25	5MHz	QPSK	26065	12RB#6	22.65	20.85	PASS
Band25	5MHz	QPSK	26065	12RB#13	22.69	20.89	PASS
Band25	5MHz	QPSK	26065	25RB#0	22.63	20.83	PASS
Band25	5MHz	64QAM	26065	1RB#0	21.50	19.7	PASS
Band25	5MHz	64QAM	26065	1RB#12	21.72	19.92	PASS
Band25	5MHz	64QAM	26065	1RB#24	21.52	19.72	PASS
Band25	5MHz	64QAM	26065	12RB#0	20.44	18.64	PASS
Band25	5MHz	64QAM	26065	12RB#6	20.45	18.65	PASS
Band25	5MHz	64QAM	26065	12RB#13	20.48	18.68	PASS
Band25	5MHz	64QAM	26065	25RB#0	20.49	18.69	PASS
Band25	5MHz	256QAM	26065	1RB#0	19.75	17.95	PASS
Band25	5MHz	256QAM	26065	1RB#12	19.88	18.08	PASS
Band25	5MHz	256QAM	26065	1RB#24	19.66	17.86	PASS
Band25	5MHz	256QAM	26065	12RB#0	19.66	17.86	PASS
Band25	5MHz	256QAM	26065	12RB#6	19.81	18.01	PASS
Band25	5MHz	256QAM	26065	12RB#13	19.85	18.05	PASS
Band25	5MHz	256QAM	26065	25RB#0	19.82	18.02	PASS
Band25	5MHz	16QAM	26065	1RB#0	22.71	20.91	PASS
Band25	5MHz	16QAM	26065	1RB#12	22.75	20.95	PASS
Band25	5MHz	16QAM	26065	1RB#24	22.69	20.89	PASS
Band25	5MHz	16QAM	26065	12RB#0	21.66	19.86	PASS
Band25	5MHz	16QAM	26065	12RB#6	21.72	19.92	PASS
Band25	5MHz	16QAM	26065	12RB#13	21.72	19.92	PASS
Band25	5MHz	16QAM	26065	25RB#0	21.66	19.86	PASS
Band25	5MHz	QPSK	26365	1RB#0	23.45	21.65	PASS
Band25	5MHz	QPSK	26365	1RB#12	23.39	21.59	PASS
Band25	5MHz	QPSK	26365	1RB#24	23.46	21.66	PASS
Band25	5MHz	QPSK	26365	12RB#0	22.47	20.67	PASS
Band25	5MHz	QPSK	26365	12RB#6	22.42	20.62	PASS
Band25	5MHz	QPSK	26365	12RB#13	22.39	20.59	PASS
Band25	5MHz	QPSK	26365	25RB#0	22.49	20.69	PASS
Band25	5MHz	64QAM	26365	1RB#0	21.28	19.48	PASS
Band25	5MHz	64QAM	26365	1RB#12	21.37	19.57	PASS
Band25	5MHz	64QAM	26365	1RB#24	20.98	19.18	PASS
Band25	5MHz	64QAM	26365	12RB#0	20.42	18.62	PASS
Band25	5MHz	64QAM	26365	12RB#6	20.41	18.61	PASS
Band25	5MHz	64QAM	26365	12RB#13	20.43	18.63	PASS
Band25	5MHz	64QAM	26365	25RB#0	20.42	18.62	PASS

Band25	5MHz	256QAM	26365	1RB#0	19.83	18.03	PASS
Band25	5MHz	256QAM	26365	1RB#12	20.06	18.26	PASS
Band25	5MHz	256QAM	26365	1RB#24	19.94	18.14	PASS
Band25	5MHz	256QAM	26365	12RB#0	19.87	18.07	PASS
Band25	5MHz	256QAM	26365	12RB#6	19.90	18.1	PASS
Band25	5MHz	256QAM	26365	12RB#13	19.96	18.16	PASS
Band25	5MHz	256QAM	26365	25RB#0	19.91	18.11	PASS
Band25	5MHz	16QAM	26365	1RB#0	22.39	20.59	PASS
Band25	5MHz	16QAM	26365	1RB#12	22.45	20.65	PASS
Band25	5MHz	16QAM	26365	1RB#24	22.31	20.51	PASS
Band25	5MHz	16QAM	26365	12RB#0	21.48	19.68	PASS
Band25	5MHz	16QAM	26365	12RB#6	21.47	19.67	PASS
Band25	5MHz	16QAM	26365	12RB#13	21.46	19.66	PASS
Band25	5MHz	16QAM	26365	25RB#0	21.46	19.66	PASS
Band25	5MHz	QPSK	26665	1RB#0	23.56	21.76	PASS
Band25	5MHz	QPSK	26665	1RB#12	23.54	21.74	PASS
Band25	5MHz	QPSK	26665	1RB#24	23.57	21.77	PASS
Band25	5MHz	QPSK	26665	12RB#0	22.63	20.83	PASS
Band25	5MHz	QPSK	26665	12RB#6	22.60	20.8	PASS
Band25	5MHz	QPSK	26665	12RB#13	22.50	20.7	PASS
Band25	5MHz	QPSK	26665	25RB#0	22.56	20.76	PASS
Band25	5MHz	64QAM	26665	1RB#0	21.39	19.59	PASS
Band25	5MHz	64QAM	26665	1RB#12	21.68	19.88	PASS
Band25	5MHz	64QAM	26665	1RB#24	21.22	19.42	PASS
Band25	5MHz	64QAM	26665	12RB#0	20.35	18.55	PASS
Band25	5MHz	64QAM	26665	12RB#6	20.44	18.64	PASS
Band25	5MHz	64QAM	26665	12RB#13	20.34	18.54	PASS
Band25	5MHz	64QAM	26665	25RB#0	20.32	18.52	PASS
Band25	5MHz	256QAM	26665	1RB#0	20.14	18.34	PASS
Band25	5MHz	256QAM	26665	1RB#12	20.36	18.56	PASS
Band25	5MHz	256QAM	26665	1RB#24	20.25	18.45	PASS
Band25	5MHz	256QAM	26665	12RB#0	20.18	18.38	PASS
Band25	5MHz	256QAM	26665	12RB#6	20.31	18.51	PASS
Band25	5MHz	256QAM	26665	12RB#13	20.33	18.53	PASS
Band25	5MHz	256QAM	26665	25RB#0	20.26	18.46	PASS
Band25	5MHz	16QAM	26665	1RB#0	22.50	20.7	PASS
Band25	5MHz	16QAM	26665	1RB#12	22.51	20.71	PASS
Band25	5MHz	16QAM	26665	1RB#24	22.49	20.69	PASS
Band25	5MHz	16QAM	26665	12RB#0	21.58	19.78	PASS
Band25	5MHz	16QAM	26665	12RB#6	21.66	19.86	PASS
Band25	5MHz	16QAM	26665	12RB#13	21.51	19.71	PASS
Band25	5MHz	16QAM	26665	25RB#0	21.63	19.83	PASS
Band25	10MHz	QPSK	26090	1RB#0	23.61	21.81	PASS

Band25	10MHz	QPSK	26090	1RB#24	23.71	21.91	PASS
Band25	10MHz	QPSK	26090	1RB#49	23.58	21.78	PASS
Band25	10MHz	QPSK	26090	25RB#0	22.54	20.74	PASS
Band25	10MHz	QPSK	26090	25RB#12	22.65	20.85	PASS
Band25	10MHz	QPSK	26090	25RB#25	22.62	20.82	PASS
Band25	10MHz	QPSK	26090	50RB#0	22.60	20.8	PASS
Band25	10MHz	64QAM	26090	1RB#0	21.42	19.62	PASS
Band25	10MHz	64QAM	26090	1RB#24	21.47	19.67	PASS
Band25	10MHz	64QAM	26090	1RB#49	21.61	19.81	PASS
Band25	10MHz	64QAM	26090	25RB#0	20.59	18.79	PASS
Band25	10MHz	64QAM	26090	25RB#12	20.56	18.76	PASS
Band25	10MHz	64QAM	26090	25RB#25	20.50	18.7	PASS
Band25	10MHz	64QAM	26090	50RB#0	20.54	18.74	PASS
Band25	10MHz	256QAM	26090	1RB#0	19.64	17.84	PASS
Band25	10MHz	256QAM	26090	1RB#24	19.93	18.13	PASS
Band25	10MHz	256QAM	26090	1RB#49	19.82	18.02	PASS
Band25	10MHz	256QAM	26090	25RB#0	19.89	18.09	PASS
Band25	10MHz	256QAM	26090	25RB#12	19.91	18.11	PASS
Band25	10MHz	256QAM	26090	25RB#25	19.89	18.09	PASS
Band25	10MHz	256QAM	26090	50RB#0	19.88	18.08	PASS
Band25	10MHz	16QAM	26090	1RB#0	22.66	20.86	PASS
Band25	10MHz	16QAM	26090	1RB#24	22.67	20.87	PASS
Band25	10MHz	16QAM	26090	1RB#49	22.59	20.79	PASS
Band25	10MHz	16QAM	26090	25RB#0	21.51	19.71	PASS
Band25	10MHz	16QAM	26090	25RB#12	21.75	19.95	PASS
Band25	10MHz	16QAM	26090	25RB#25	21.68	19.88	PASS
Band25	10MHz	16QAM	26090	50RB#0	21.63	19.83	PASS
Band25	10MHz	QPSK	26365	1RB#0	23.49	21.69	PASS
Band25	10MHz	QPSK	26365	1RB#24	23.52	21.72	PASS
Band25	10MHz	QPSK	26365	1RB#49	23.51	21.71	PASS
Band25	10MHz	QPSK	26365	25RB#0	22.43	20.63	PASS
Band25	10MHz	QPSK	26365	25RB#12	22.51	20.71	PASS
Band25	10MHz	QPSK	26365	25RB#25	22.47	20.67	PASS
Band25	10MHz	QPSK	26365	50RB#0	22.47	20.67	PASS
Band25	10MHz	64QAM	26365	1RB#0	21.41	19.61	PASS
Band25	10MHz	64QAM	26365	1RB#24	21.81	20.01	PASS
Band25	10MHz	64QAM	26365	1RB#49	21.30	19.5	PASS
Band25	10MHz	64QAM	26365	25RB#0	20.49	18.69	PASS
Band25	10MHz	64QAM	26365	25RB#12	20.51	18.71	PASS
Band25	10MHz	64QAM	26365	25RB#25	20.40	18.6	PASS
Band25	10MHz	64QAM	26365	50RB#0	20.43	18.63	PASS
Band25	10MHz	256QAM	26365	1RB#0	19.84	18.04	PASS
Band25	10MHz	256QAM	26365	1RB#24	19.96	18.16	PASS

Band25	10MHz	256QAM	26365	1RB#49	19.84	18.04	PASS
Band25	10MHz	256QAM	26365	25RB#0	19.98	18.18	PASS
Band25	10MHz	256QAM	26365	25RB#12	19.93	18.13	PASS
Band25	10MHz	256QAM	26365	25RB#25	19.99	18.19	PASS
Band25	10MHz	256QAM	26365	50RB#0	19.96	18.16	PASS
Band25	10MHz	16QAM	26365	1RB#0	22.44	20.64	PASS
Band25	10MHz	16QAM	26365	1RB#24	22.66	20.86	PASS
Band25	10MHz	16QAM	26365	1RB#49	22.35	20.55	PASS
Band25	10MHz	16QAM	26365	25RB#0	21.48	19.68	PASS
Band25	10MHz	16QAM	26365	25RB#12	21.58	19.78	PASS
Band25	10MHz	16QAM	26365	25RB#25	21.43	19.63	PASS
Band25	10MHz	16QAM	26365	50RB#0	21.54	19.74	PASS
Band25	10MHz	QPSK	26640	1RB#0	23.47	21.67	PASS
Band25	10MHz	QPSK	26640	1RB#24	23.68	21.88	PASS
Band25	10MHz	QPSK	26640	1RB#49	23.63	21.83	PASS
Band25	10MHz	QPSK	26640	25RB#0	22.54	20.74	PASS
Band25	10MHz	QPSK	26640	25RB#12	22.59	20.79	PASS
Band25	10MHz	QPSK	26640	25RB#25	22.53	20.73	PASS
Band25	10MHz	QPSK	26640	50RB#0	22.56	20.76	PASS
Band25	10MHz	64QAM	26640	1RB#0	21.05	19.25	PASS
Band25	10MHz	64QAM	26640	1RB#24	21.79	19.99	PASS
Band25	10MHz	64QAM	26640	1RB#49	21.51	19.71	PASS
Band25	10MHz	64QAM	26640	25RB#0	20.38	18.58	PASS
Band25	10MHz	64QAM	26640	25RB#12	20.37	18.57	PASS
Band25	10MHz	64QAM	26640	25RB#25	20.35	18.55	PASS
Band25	10MHz	64QAM	26640	50RB#0	20.38	18.58	PASS
Band25	10MHz	256QAM	26640	1RB#0	20.00	18.2	PASS
Band25	10MHz	256QAM	26640	1RB#24	20.34	18.54	PASS
Band25	10MHz	256QAM	26640	1RB#49	20.15	18.35	PASS
Band25	10MHz	256QAM	26640	25RB#0	20.26	18.46	PASS
Band25	10MHz	256QAM	26640	25RB#12	20.30	18.5	PASS
Band25	10MHz	256QAM	26640	25RB#25	20.27	18.47	PASS
Band25	10MHz	256QAM	26640	50RB#0	20.28	18.48	PASS
Band25	10MHz	16QAM	26640	1RB#0	22.27	20.47	PASS
Band25	10MHz	16QAM	26640	1RB#24	22.64	20.84	PASS
Band25	10MHz	16QAM	26640	1RB#49	22.45	20.65	PASS
Band25	10MHz	16QAM	26640	25RB#0	21.63	19.83	PASS
Band25	10MHz	16QAM	26640	25RB#12	21.68	19.88	PASS
Band25	10MHz	16QAM	26640	25RB#25	21.64	19.84	PASS
Band25	10MHz	16QAM	26640	50RB#0	21.61	19.81	PASS
Band25	15MHz	QPSK	26115	1RB#0	23.55	21.75	PASS
Band25	15MHz	QPSK	26115	1RB#38	23.77	21.97	PASS
Band25	15MHz	QPSK	26115	1RB#74	23.46	21.66	PASS

Band25	15MHz	QPSK	26115	38RB#0	22.68	20.88	PASS
Band25	15MHz	QPSK	26115	38RB#18	22.60	20.8	PASS
Band25	15MHz	QPSK	26115	38RB#37	22.62	20.82	PASS
Band25	15MHz	QPSK	26115	75RB#0	22.59	20.79	PASS
Band25	15MHz	64QAM	26115	1RB#0	21.44	19.64	PASS
Band25	15MHz	64QAM	26115	1RB#38	21.98	20.18	PASS
Band25	15MHz	64QAM	26115	1RB#74	21.42	19.62	PASS
Band25	15MHz	64QAM	26115	38RB#0	21.35	19.55	PASS
Band25	15MHz	64QAM	26115	38RB#18	20.55	18.75	PASS
Band25	15MHz	64QAM	26115	38RB#37	21.52	19.72	PASS
Band25	15MHz	64QAM	26115	75RB#0	20.55	18.75	PASS
Band25	15MHz	256QAM	26115	1RB#0	19.73	17.93	PASS
Band25	15MHz	256QAM	26115	1RB#38	19.85	18.05	PASS
Band25	15MHz	256QAM	26115	1RB#74	20.11	18.31	PASS
Band25	15MHz	256QAM	26115	38RB#0	19.68	17.88	PASS
Band25	15MHz	256QAM	26115	38RB#18	19.93	18.13	PASS
Band25	15MHz	256QAM	26115	38RB#37	19.72	17.92	PASS
Band25	15MHz	256QAM	26115	75RB#0	19.90	18.1	PASS
Band25	15MHz	16QAM	26115	1RB#0	22.71	20.91	PASS
Band25	15MHz	16QAM	26115	1RB#38	22.71	20.91	PASS
Band25	15MHz	16QAM	26115	1RB#74	22.63	20.83	PASS
Band25	15MHz	16QAM	26115	38RB#0	22.71	20.91	PASS
Band25	15MHz	16QAM	26115	38RB#18	21.62	19.82	PASS
Band25	15MHz	16QAM	26115	38RB#37	22.58	20.78	PASS
Band25	15MHz	16QAM	26115	75RB#0	21.56	19.76	PASS
Band25	15MHz	QPSK	26365	1RB#0	23.47	21.67	PASS
Band25	15MHz	QPSK	26365	1RB#38	23.54	21.74	PASS
Band25	15MHz	QPSK	26365	1RB#74	23.44	21.64	PASS
Band25	15MHz	QPSK	26365	38RB#0	22.25	20.45	PASS
Band25	15MHz	QPSK	26365	38RB#18	22.45	20.65	PASS
Band25	15MHz	QPSK	26365	38RB#37	22.17	20.37	PASS
Band25	15MHz	QPSK	26365	75RB#0	22.51	20.71	PASS
Band25	15MHz	64QAM	26365	1RB#0	21.52	19.72	PASS
Band25	15MHz	64QAM	26365	1RB#38	21.32	19.52	PASS
Band25	15MHz	64QAM	26365	1RB#74	21.24	19.44	PASS
Band25	15MHz	64QAM	26365	38RB#0	21.50	19.7	PASS
Band25	15MHz	64QAM	26365	38RB#18	20.30	18.5	PASS
Band25	15MHz	64QAM	26365	38RB#37	21.30	19.5	PASS
Band25	15MHz	64QAM	26365	75RB#0	20.32	18.52	PASS
Band25	15MHz	256QAM	26365	1RB#0	19.87	18.07	PASS
Band25	15MHz	256QAM	26365	1RB#38	19.98	18.18	PASS
Band25	15MHz	256QAM	26365	1RB#74	19.83	18.03	PASS
Band25	15MHz	256QAM	26365	38RB#0	19.78	17.98	PASS

Band25	15MHz	256QAM	26365	38RB#18	19.93	18.13	PASS
Band25	15MHz	256QAM	26365	38RB#37	19.92	18.12	PASS
Band25	15MHz	256QAM	26365	75RB#0	19.94	18.14	PASS
Band25	15MHz	16QAM	26365	1RB#0	22.29	20.49	PASS
Band25	15MHz	16QAM	26365	1RB#38	22.49	20.69	PASS
Band25	15MHz	16QAM	26365	1RB#74	22.20	20.4	PASS
Band25	15MHz	16QAM	26365	38RB#0	22.31	20.51	PASS
Band25	15MHz	16QAM	26365	38RB#18	21.50	19.7	PASS
Band25	15MHz	16QAM	26365	38RB#37	22.22	20.42	PASS
Band25	15MHz	16QAM	26365	75RB#0	21.46	19.66	PASS
Band25	15MHz	QPSK	26615	1RB#0	23.35	21.55	PASS
Band25	15MHz	QPSK	26615	1RB#38	23.65	21.85	PASS
Band25	15MHz	QPSK	26615	1RB#74	23.53	21.73	PASS
Band25	15MHz	QPSK	26615	38RB#0	22.44	20.64	PASS
Band25	15MHz	QPSK	26615	38RB#18	22.52	20.72	PASS
Band25	15MHz	QPSK	26615	38RB#37	22.63	20.83	PASS
Band25	15MHz	QPSK	26615	75RB#0	22.49	20.69	PASS
Band25	15MHz	64QAM	26615	1RB#0	21.00	19.2	PASS
Band25	15MHz	64QAM	26615	1RB#38	21.32	19.52	PASS
Band25	15MHz	64QAM	26615	1RB#74	21.09	19.29	PASS
Band25	15MHz	64QAM	26615	38RB#0	21.13	19.33	PASS
Band25	15MHz	64QAM	26615	38RB#18	20.34	18.54	PASS
Band25	15MHz	64QAM	26615	38RB#37	21.01	19.21	PASS
Band25	15MHz	64QAM	26615	75RB#0	20.34	18.54	PASS
Band25	15MHz	256QAM	26615	1RB#0	20.19	18.39	PASS
Band25	15MHz	256QAM	26615	1RB#38	20.16	18.36	PASS
Band25	15MHz	256QAM	26615	1RB#74	20.13	18.33	PASS
Band25	15MHz	256QAM	26615	38RB#0	20.10	18.3	PASS
Band25	15MHz	256QAM	26615	38RB#18	20.22	18.42	PASS
Band25	15MHz	256QAM	26615	38RB#37	20.12	18.32	PASS
Band25	15MHz	256QAM	26615	75RB#0	20.22	18.42	PASS
Band25	15MHz	16QAM	26615	1RB#0	22.48	20.68	PASS
Band25	15MHz	16QAM	26615	1RB#38	22.59	20.79	PASS
Band25	15MHz	16QAM	26615	1RB#74	22.62	20.82	PASS
Band25	15MHz	16QAM	26615	38RB#0	22.48	20.68	PASS
Band25	15MHz	16QAM	26615	38RB#18	21.56	19.76	PASS
Band25	15MHz	16QAM	26615	38RB#37	22.63	20.83	PASS
Band25	15MHz	16QAM	26615	75RB#0	21.45	19.65	PASS
Band25	20MHz	QPSK	26140	1RB#0	23.58	21.78	PASS
Band25	20MHz	QPSK	26140	1RB#49	23.61	21.81	PASS
Band25	20MHz	QPSK	26140	1RB#99	23.40	21.6	PASS
Band25	20MHz	QPSK	26140	50RB#0	22.47	20.67	PASS
Band25	20MHz	QPSK	26140	50RB#25	22.63	20.83	PASS

Band25	20MHz	QPSK	26140	50RB#50	22.58	20.78	PASS
Band25	20MHz	QPSK	26140	100RB#0	22.48	20.68	PASS
Band25	20MHz	64QAM	26140	1RB#0	21.45	19.65	PASS
Band25	20MHz	64QAM	26140	1RB#49	21.64	19.84	PASS
Band25	20MHz	64QAM	26140	1RB#99	21.40	19.6	PASS
Band25	20MHz	64QAM	26140	50RB#0	20.57	18.77	PASS
Band25	20MHz	64QAM	26140	50RB#25	20.62	18.82	PASS
Band25	20MHz	64QAM	26140	50RB#50	20.58	18.78	PASS
Band25	20MHz	64QAM	26140	100RB#0	20.58	18.78	PASS
Band25	20MHz	256QAM	26140	1RB#0	19.73	17.93	PASS
Band25	20MHz	256QAM	26140	1RB#49	20.02	18.22	PASS
Band25	20MHz	256QAM	26140	1RB#99	20.04	18.24	PASS
Band25	20MHz	256QAM	26140	50RB#0	19.86	18.06	PASS
Band25	20MHz	256QAM	26140	50RB#25	19.89	18.09	PASS
Band25	20MHz	256QAM	26140	50RB#50	19.90	18.1	PASS
Band25	20MHz	256QAM	26140	100RB#0	19.82	18.02	PASS
Band25	20MHz	16QAM	26140	1RB#0	22.65	20.85	PASS
Band25	20MHz	16QAM	26140	1RB#49	22.82	21.02	PASS
Band25	20MHz	16QAM	26140	1RB#99	22.59	20.79	PASS
Band25	20MHz	16QAM	26140	50RB#0	21.54	19.74	PASS
Band25	20MHz	16QAM	26140	50RB#25	21.68	19.88	PASS
Band25	20MHz	16QAM	26140	50RB#50	21.58	19.78	PASS
Band25	20MHz	16QAM	26140	100RB#0	21.47	19.67	PASS
Band25	20MHz	QPSK	26365	1RB#0	23.35	21.55	PASS
Band25	20MHz	QPSK	26365	1RB#49	23.53	21.73	PASS
Band25	20MHz	QPSK	26365	1RB#99	23.33	21.53	PASS
Band25	20MHz	QPSK	26365	50RB#0	22.41	20.61	PASS
Band25	20MHz	QPSK	26365	50RB#25	22.52	20.72	PASS
Band25	20MHz	QPSK	26365	50RB#50	22.54	20.74	PASS
Band25	20MHz	QPSK	26365	100RB#0	22.43	20.63	PASS
Band25	20MHz	64QAM	26365	1RB#0	21.41	19.61	PASS
Band25	20MHz	64QAM	26365	1RB#49	21.61	19.81	PASS
Band25	20MHz	64QAM	26365	1RB#99	21.24	19.44	PASS
Band25	20MHz	64QAM	26365	50RB#0	20.52	18.72	PASS
Band25	20MHz	64QAM	26365	50RB#25	20.43	18.63	PASS
Band25	20MHz	64QAM	26365	50RB#50	20.29	18.49	PASS
Band25	20MHz	64QAM	26365	100RB#0	20.51	18.71	PASS
Band25	20MHz	256QAM	26365	1RB#0	19.95	18.15	PASS
Band25	20MHz	256QAM	26365	1RB#49	20.12	18.32	PASS
Band25	20MHz	256QAM	26365	1RB#99	19.94	18.14	PASS
Band25	20MHz	256QAM	26365	50RB#0	19.95	18.15	PASS
Band25	20MHz	256QAM	26365	50RB#25	19.97	18.17	PASS
Band25	20MHz	256QAM	26365	50RB#50	19.97	18.17	PASS

Band25	20MHz	256QAM	26365	100RB#0	19.96	18.16	PASS
Band25	20MHz	16QAM	26365	1RB#0	22.19	20.39	PASS
Band25	20MHz	16QAM	26365	1RB#49	22.44	20.64	PASS
Band25	20MHz	16QAM	26365	1RB#99	22.20	20.4	PASS
Band25	20MHz	16QAM	26365	50RB#0	21.51	19.71	PASS
Band25	20MHz	16QAM	26365	50RB#25	21.66	19.86	PASS
Band25	20MHz	16QAM	26365	50RB#50	21.60	19.8	PASS
Band25	20MHz	16QAM	26365	100RB#0	21.51	19.71	PASS
Band25	20MHz	QPSK	26590	1RB#0	23.42	21.62	PASS
Band25	20MHz	QPSK	26590	1RB#49	23.54	21.74	PASS
Band25	20MHz	QPSK	26590	1RB#99	23.52	21.72	PASS
Band25	20MHz	QPSK	26590	50RB#0	22.58	20.78	PASS
Band25	20MHz	QPSK	26590	50RB#25	22.58	20.78	PASS
Band25	20MHz	QPSK	26590	50RB#50	22.44	20.64	PASS
Band25	20MHz	QPSK	26590	100RB#0	22.51	20.71	PASS
Band25	20MHz	64QAM	26590	1RB#0	21.11	19.31	PASS
Band25	20MHz	64QAM	26590	1RB#49	20.96	19.16	PASS
Band25	20MHz	64QAM	26590	1RB#99	21.23	19.43	PASS
Band25	20MHz	64QAM	26590	50RB#0	20.24	18.44	PASS
Band25	20MHz	64QAM	26590	50RB#25	20.23	18.43	PASS
Band25	20MHz	64QAM	26590	50RB#50	20.39	18.59	PASS
Band25	20MHz	64QAM	26590	100RB#0	20.30	18.5	PASS
Band25	20MHz	256QAM	26590	1RB#0	20.03	18.23	PASS
Band25	20MHz	256QAM	26590	1RB#49	20.43	18.63	PASS
Band25	20MHz	256QAM	26590	1RB#99	20.29	18.49	PASS
Band25	20MHz	256QAM	26590	50RB#0	20.20	18.4	PASS
Band25	20MHz	256QAM	26590	50RB#25	20.27	18.47	PASS
Band25	20MHz	256QAM	26590	50RB#50	20.28	18.48	PASS
Band25	20MHz	256QAM	26590	100RB#0	20.28	18.48	PASS
Band25	20MHz	16QAM	26590	1RB#0	22.39	20.59	PASS
Band25	20MHz	16QAM	26590	1RB#49	22.61	20.81	PASS
Band25	20MHz	16QAM	26590	1RB#99	22.44	20.64	PASS
Band25	20MHz	16QAM	26590	50RB#0	21.54	19.74	PASS
Band25	20MHz	16QAM	26590	50RB#25	21.57	19.77	PASS
Band25	20MHz	16QAM	26590	50RB#50	21.45	19.65	PASS
Band25	20MHz	16QAM	26590	100RB#0	21.51	19.71	PASS

Test Result – Ant2 (for ENDC only)

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	ERP/EIRP (dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	23.45	23.84	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.44	23.83	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	23.26	23.65	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	23.66	24.05	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	23.74	24.13	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	23.31	23.7	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	22.62	23.01	PASS
Band25	1.4MHz	64QAM	26047	1RB#0	21.55	21.94	PASS
Band25	1.4MHz	64QAM	26047	1RB#2	21.63	22.02	PASS
Band25	1.4MHz	64QAM	26047	1RB#5	21.45	21.84	PASS
Band25	1.4MHz	64QAM	26047	3RB#0	21.62	22.01	PASS
Band25	1.4MHz	64QAM	26047	3RB#1	21.62	22.01	PASS
Band25	1.4MHz	64QAM	26047	3RB#3	21.86	22.25	PASS
Band25	1.4MHz	64QAM	26047	6RB#0	20.52	20.91	PASS
Band25	1.4MHz	256QAM	26047	1RB#0	19.62	20.01	PASS
Band25	1.4MHz	256QAM	26047	1RB#2	19.85	20.24	PASS
Band25	1.4MHz	256QAM	26047	1RB#5	19.7	20.09	PASS
Band25	1.4MHz	256QAM	26047	3RB#0	19.86	20.25	PASS
Band25	1.4MHz	256QAM	26047	3RB#1	19.92	20.31	PASS
Band25	1.4MHz	256QAM	26047	3RB#3	19.94	20.33	PASS
Band25	1.4MHz	256QAM	26047	6RB#0	19.91	20.3	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	22.49	22.88	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	22.43	22.82	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	22.42	22.81	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	22.24	22.63	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	22.46	22.85	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	22.34	22.73	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	21.48	21.87	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	23.22	23.61	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	23.34	23.73	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	23.08	23.47	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	23.51	23.9	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	23.24	23.63	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	23.38	23.77	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	22.34	22.73	PASS
Band25	1.4MHz	64QAM	26365	1RB#0	21.35	21.74	PASS
Band25	1.4MHz	64QAM	26365	1RB#2	21.43	21.82	PASS
Band25	1.4MHz	64QAM	26365	1RB#5	21.27	21.66	PASS
Band25	1.4MHz	64QAM	26365	3RB#0	21.4	21.79	PASS
Band25	1.4MHz	64QAM	26365	3RB#1	21.36	21.75	PASS

Band25	1.4MHz	64QAM	26365	3RB#3	21.46	21.85	PASS
Band25	1.4MHz	64QAM	26365	6RB#0	20.53	20.92	PASS
Band25	1.4MHz	256QAM	26365	1RB#0	19.81	20.2	PASS
Band25	1.4MHz	256QAM	26365	1RB#2	20.28	20.67	PASS
Band25	1.4MHz	256QAM	26365	1RB#5	19.86	20.25	PASS
Band25	1.4MHz	256QAM	26365	3RB#0	20.01	20.4	PASS
Band25	1.4MHz	256QAM	26365	3RB#1	20.25	20.64	PASS
Band25	1.4MHz	256QAM	26365	3RB#3	19.92	20.31	PASS
Band25	1.4MHz	256QAM	26365	6RB#0	20.07	20.46	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	21.99	22.38	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	22.34	22.73	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	21.97	22.36	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	22.31	22.7	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	22.35	22.74	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	22.33	22.72	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	21.27	21.66	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	23.48	23.87	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	23.6	23.99	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	23.27	23.66	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	23.48	23.87	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	23.45	23.84	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	23.72	24.11	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	22.69	23.08	PASS
Band25	1.4MHz	64QAM	26683	1RB#0	21.29	21.68	PASS
Band25	1.4MHz	64QAM	26683	1RB#2	21.07	21.46	PASS
Band25	1.4MHz	64QAM	26683	1RB#5	21.31	21.7	PASS
Band25	1.4MHz	64QAM	26683	3RB#0	21.47	21.86	PASS
Band25	1.4MHz	64QAM	26683	3RB#1	21.42	21.81	PASS
Band25	1.4MHz	64QAM	26683	3RB#3	21.18	21.57	PASS
Band25	1.4MHz	64QAM	26683	6RB#0	20.18	20.57	PASS
Band25	1.4MHz	256QAM	26683	1RB#0	20.2	20.59	PASS
Band25	1.4MHz	256QAM	26683	1RB#2	20.38	20.77	PASS
Band25	1.4MHz	256QAM	26683	1RB#5	20.35	20.74	PASS
Band25	1.4MHz	256QAM	26683	3RB#0	20.45	20.84	PASS
Band25	1.4MHz	256QAM	26683	3RB#1	20.29	20.68	PASS
Band25	1.4MHz	256QAM	26683	3RB#3	20.25	20.64	PASS
Band25	1.4MHz	256QAM	26683	6RB#0	20.27	20.66	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	22.39	22.78	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	22.18	22.57	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	22.3	22.69	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	22.31	22.7	PASS
Band25	1.4MHz	16QAM	26683	3RB#1	22.47	22.86	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	22.1	22.49	PASS

Band25	1.4MHz	16QAM	26683	6RB#0	21.6	21.99	PASS
Band25	3MHz	QPSK	26055	1RB#0	23.23	23.62	PASS
Band25	3MHz	QPSK	26055	1RB#8	23.56	23.95	PASS
Band25	3MHz	QPSK	26055	1RB#14	23.37	23.76	PASS
Band25	3MHz	QPSK	26055	8RB#0	22.64	23.03	PASS
Band25	3MHz	QPSK	26055	8RB#4	22.46	22.85	PASS
Band25	3MHz	QPSK	26055	8RB#7	22.63	23.02	PASS
Band25	3MHz	QPSK	26055	15RB#0	22.67	23.06	PASS
Band25	3MHz	64QAM	26055	1RB#0	21.37	21.76	PASS
Band25	3MHz	64QAM	26055	1RB#8	21.66	22.05	PASS
Band25	3MHz	64QAM	26055	1RB#14	21.5	21.89	PASS
Band25	3MHz	64QAM	26055	8RB#0	20.57	20.96	PASS
Band25	3MHz	64QAM	26055	8RB#4	20.68	21.07	PASS
Band25	3MHz	64QAM	26055	8RB#7	20.71	21.1	PASS
Band25	3MHz	64QAM	26055	15RB#0	20.63	21.02	PASS
Band25	3MHz	256QAM	26055	1RB#0	19.61	20	PASS
Band25	3MHz	256QAM	26055	1RB#8	19.81	20.2	PASS
Band25	3MHz	256QAM	26055	1RB#14	19.62	20.01	PASS
Band25	3MHz	256QAM	26055	8RB#0	19.51	19.9	PASS
Band25	3MHz	256QAM	26055	8RB#4	19.79	20.18	PASS
Band25	3MHz	256QAM	26055	8RB#7	19.67	20.06	PASS
Band25	3MHz	256QAM	26055	15RB#0	19.82	20.21	PASS
Band25	3MHz	16QAM	26055	1RB#0	22.49	22.88	PASS
Band25	3MHz	16QAM	26055	1RB#8	22.5	22.89	PASS
Band25	3MHz	16QAM	26055	1RB#14	22.46	22.85	PASS
Band25	3MHz	16QAM	26055	8RB#0	21.68	22.07	PASS
Band25	3MHz	16QAM	26055	8RB#4	21.79	22.18	PASS
Band25	3MHz	16QAM	26055	8RB#7	21.58	21.97	PASS
Band25	3MHz	16QAM	26055	15RB#0	21.72	22.11	PASS
Band25	3MHz	QPSK	26365	1RB#0	23.35	23.74	PASS
Band25	3MHz	QPSK	26365	1RB#8	23	23.39	PASS
Band25	3MHz	QPSK	26365	1RB#14	23.13	23.52	PASS
Band25	3MHz	QPSK	26365	8RB#0	22.46	22.85	PASS
Band25	3MHz	QPSK	26365	8RB#4	22.41	22.8	PASS
Band25	3MHz	QPSK	26365	8RB#7	22.34	22.73	PASS
Band25	3MHz	QPSK	26365	15RB#0	22.32	22.71	PASS
Band25	3MHz	64QAM	26365	1RB#0	21.27	21.66	PASS
Band25	3MHz	64QAM	26365	1RB#8	20.95	21.34	PASS
Band25	3MHz	64QAM	26365	1RB#14	21.36	21.75	PASS
Band25	3MHz	64QAM	26365	8RB#0	20.4	20.79	PASS
Band25	3MHz	64QAM	26365	8RB#4	20.49	20.88	PASS
Band25	3MHz	64QAM	26365	8RB#7	20.62	21.01	PASS
Band25	3MHz	64QAM	26365	15RB#0	20.27	20.66	PASS

Band25	3MHz	256QAM	26365	1RB#0	19.69	20.08	PASS
Band25	3MHz	256QAM	26365	1RB#8	19.92	20.31	PASS
Band25	3MHz	256QAM	26365	1RB#14	19.55	19.94	PASS
Band25	3MHz	256QAM	26365	8RB#0	19.88	20.27	PASS
Band25	3MHz	256QAM	26365	8RB#4	20.06	20.45	PASS
Band25	3MHz	256QAM	26365	8RB#7	20.16	20.55	PASS
Band25	3MHz	256QAM	26365	15RB#0	19.67	20.06	PASS
Band25	3MHz	16QAM	26365	1RB#0	21.97	22.36	PASS
Band25	3MHz	16QAM	26365	1RB#8	22.27	22.66	PASS
Band25	3MHz	16QAM	26365	1RB#14	22.19	22.58	PASS
Band25	3MHz	16QAM	26365	8RB#0	21.4	21.79	PASS
Band25	3MHz	16QAM	26365	8RB#4	21.26	21.65	PASS
Band25	3MHz	16QAM	26365	8RB#7	21.53	21.92	PASS
Band25	3MHz	16QAM	26365	15RB#0	21.19	21.58	PASS
Band25	3MHz	QPSK	26675	1RB#0	23.34	23.73	PASS
Band25	3MHz	QPSK	26675	1RB#8	23.23	23.62	PASS
Band25	3MHz	QPSK	26675	1RB#14	23.15	23.54	PASS
Band25	3MHz	QPSK	26675	8RB#0	22.28	22.67	PASS
Band25	3MHz	QPSK	26675	8RB#4	22.54	22.93	PASS
Band25	3MHz	QPSK	26675	8RB#7	22.53	22.92	PASS
Band25	3MHz	QPSK	26675	15RB#0	22.28	22.67	PASS
Band25	3MHz	64QAM	26675	1RB#0	21.2	21.59	PASS
Band25	3MHz	64QAM	26675	1RB#8	21.3	21.69	PASS
Band25	3MHz	64QAM	26675	1RB#14	21.24	21.63	PASS
Band25	3MHz	64QAM	26675	8RB#0	20.38	20.77	PASS
Band25	3MHz	64QAM	26675	8RB#4	20.5	20.89	PASS
Band25	3MHz	64QAM	26675	8RB#7	20.51	20.9	PASS
Band25	3MHz	64QAM	26675	15RB#0	20.66	21.05	PASS
Band25	3MHz	256QAM	26675	1RB#0	20.03	20.42	PASS
Band25	3MHz	256QAM	26675	1RB#8	20.23	20.62	PASS
Band25	3MHz	256QAM	26675	1RB#14	20.19	20.58	PASS
Band25	3MHz	256QAM	26675	8RB#0	20.21	20.6	PASS
Band25	3MHz	256QAM	26675	8RB#4	20.38	20.77	PASS
Band25	3MHz	256QAM	26675	8RB#7	20.23	20.62	PASS
Band25	3MHz	256QAM	26675	15RB#0	20.4	20.79	PASS
Band25	3MHz	16QAM	26675	1RB#0	21.9	22.29	PASS
Band25	3MHz	16QAM	26675	1RB#8	22.28	22.67	PASS
Band25	3MHz	16QAM	26675	1RB#14	22.08	22.47	PASS
Band25	3MHz	16QAM	26675	8RB#0	21.49	21.88	PASS
Band25	3MHz	16QAM	26675	8RB#4	21.43	21.82	PASS
Band25	3MHz	16QAM	26675	8RB#7	21.66	22.05	PASS
Band25	3MHz	16QAM	26675	15RB#0	21.54	21.93	PASS
Band25	5MHz	QPSK	26065	1RB#0	23.55	23.94	PASS

Band25	5MHz	QPSK	26065	1RB#12	23.65	24.04	PASS
Band25	5MHz	QPSK	26065	1RB#24	23.82	24.21	PASS
Band25	5MHz	QPSK	26065	12RB#0	22.46	22.85	PASS
Band25	5MHz	QPSK	26065	12RB#6	22.61	23	PASS
Band25	5MHz	QPSK	26065	12RB#13	22.82	23.21	PASS
Band25	5MHz	QPSK	26065	25RB#0	22.71	23.1	PASS
Band25	5MHz	64QAM	26065	1RB#0	21.3	21.69	PASS
Band25	5MHz	64QAM	26065	1RB#12	21.9	22.29	PASS
Band25	5MHz	64QAM	26065	1RB#24	21.71	22.1	PASS
Band25	5MHz	64QAM	26065	12RB#0	20.32	20.71	PASS
Band25	5MHz	64QAM	26065	12RB#6	20.3	20.69	PASS
Band25	5MHz	64QAM	26065	12RB#13	20.37	20.76	PASS
Band25	5MHz	64QAM	26065	25RB#0	20.45	20.84	PASS
Band25	5MHz	256QAM	26065	1RB#0	19.89	20.28	PASS
Band25	5MHz	256QAM	26065	1RB#12	20.01	20.4	PASS
Band25	5MHz	256QAM	26065	1RB#24	19.59	19.98	PASS
Band25	5MHz	256QAM	26065	12RB#0	19.66	20.05	PASS
Band25	5MHz	256QAM	26065	12RB#6	19.62	20.01	PASS
Band25	5MHz	256QAM	26065	12RB#13	19.88	20.27	PASS
Band25	5MHz	256QAM	26065	25RB#0	19.99	20.38	PASS
Band25	5MHz	16QAM	26065	1RB#0	22.9	23.29	PASS
Band25	5MHz	16QAM	26065	1RB#12	22.7	23.09	PASS
Band25	5MHz	16QAM	26065	1RB#24	22.55	22.94	PASS
Band25	5MHz	16QAM	26065	12RB#0	21.48	21.87	PASS
Band25	5MHz	16QAM	26065	12RB#6	21.74	22.13	PASS
Band25	5MHz	16QAM	26065	12RB#13	21.59	21.98	PASS
Band25	5MHz	16QAM	26065	25RB#0	21.85	22.24	PASS
Band25	5MHz	QPSK	26365	1RB#0	23.39	23.78	PASS
Band25	5MHz	QPSK	26365	1RB#12	23.22	23.61	PASS
Band25	5MHz	QPSK	26365	1RB#24	23.34	23.73	PASS
Band25	5MHz	QPSK	26365	12RB#0	22.56	22.95	PASS
Band25	5MHz	QPSK	26365	12RB#6	22.38	22.77	PASS
Band25	5MHz	QPSK	26365	12RB#13	22.47	22.86	PASS
Band25	5MHz	QPSK	26365	25RB#0	22.29	22.68	PASS
Band25	5MHz	64QAM	26365	1RB#0	21.14	21.53	PASS
Band25	5MHz	64QAM	26365	1RB#12	21.4	21.79	PASS
Band25	5MHz	64QAM	26365	1RB#24	20.85	21.24	PASS
Band25	5MHz	64QAM	26365	12RB#0	20.54	20.93	PASS
Band25	5MHz	64QAM	26365	12RB#6	20.61	21	PASS
Band25	5MHz	64QAM	26365	12RB#13	20.26	20.65	PASS
Band25	5MHz	64QAM	26365	25RB#0	20.44	20.83	PASS
Band25	5MHz	256QAM	26365	1RB#0	19.99	20.38	PASS
Band25	5MHz	256QAM	26365	1RB#12	20.08	20.47	PASS

Band25	5MHz	256QAM	26365	1RB#24	20.11	20.5	PASS
Band25	5MHz	256QAM	26365	12RB#0	19.84	20.23	PASS
Band25	5MHz	256QAM	26365	12RB#6	19.93	20.32	PASS
Band25	5MHz	256QAM	26365	12RB#13	19.87	20.26	PASS
Band25	5MHz	256QAM	26365	25RB#0	20.04	20.43	PASS
Band25	5MHz	16QAM	26365	1RB#0	22.53	22.92	PASS
Band25	5MHz	16QAM	26365	1RB#12	22.36	22.75	PASS
Band25	5MHz	16QAM	26365	1RB#24	22.15	22.54	PASS
Band25	5MHz	16QAM	26365	12RB#0	21.65	22.04	PASS
Band25	5MHz	16QAM	26365	12RB#6	21.52	21.91	PASS
Band25	5MHz	16QAM	26365	12RB#13	21.34	21.73	PASS
Band25	5MHz	16QAM	26365	25RB#0	21.61	22	PASS
Band25	5MHz	QPSK	26665	1RB#0	23.44	23.83	PASS
Band25	5MHz	QPSK	26665	1RB#12	23.65	24.04	PASS
Band25	5MHz	QPSK	26665	1RB#24	23.52	23.91	PASS
Band25	5MHz	QPSK	26665	12RB#0	22.6	22.99	PASS
Band25	5MHz	QPSK	26665	12RB#6	22.69	23.08	PASS
Band25	5MHz	QPSK	26665	12RB#13	22.59	22.98	PASS
Band25	5MHz	QPSK	26665	25RB#0	22.49	22.88	PASS
Band25	5MHz	64QAM	26665	1RB#0	21.35	21.74	PASS
Band25	5MHz	64QAM	26665	1RB#12	21.73	22.12	PASS
Band25	5MHz	64QAM	26665	1RB#24	21.41	21.8	PASS
Band25	5MHz	64QAM	26665	12RB#0	20.47	20.86	PASS
Band25	5MHz	64QAM	26665	12RB#6	20.46	20.85	PASS
Band25	5MHz	64QAM	26665	12RB#13	20.31	20.7	PASS
Band25	5MHz	64QAM	26665	25RB#0	20.18	20.57	PASS
Band25	5MHz	256QAM	26665	1RB#0	20.19	20.58	PASS
Band25	5MHz	256QAM	26665	1RB#12	20.31	20.7	PASS
Band25	5MHz	256QAM	26665	1RB#24	20.41	20.8	PASS
Band25	5MHz	256QAM	26665	12RB#0	20.07	20.46	PASS
Band25	5MHz	256QAM	26665	12RB#6	20.37	20.76	PASS
Band25	5MHz	256QAM	26665	12RB#13	20.27	20.66	PASS
Band25	5MHz	256QAM	26665	25RB#0	20.22	20.61	PASS
Band25	5MHz	16QAM	26665	1RB#0	22.4	22.79	PASS
Band25	5MHz	16QAM	26665	1RB#12	22.54	22.93	PASS
Band25	5MHz	16QAM	26665	1RB#24	22.69	23.08	PASS
Band25	5MHz	16QAM	26665	12RB#0	21.66	22.05	PASS
Band25	5MHz	16QAM	26665	12RB#6	21.47	21.86	PASS
Band25	5MHz	16QAM	26665	12RB#13	21.58	21.97	PASS
Band25	5MHz	16QAM	26665	25RB#0	21.83	22.22	PASS
Band25	10MHz	QPSK	26090	1RB#0	23.65	24.04	PASS
Band25	10MHz	QPSK	26090	1RB#24	23.78	24.17	PASS
Band25	10MHz	QPSK	26090	1RB#49	23.43	23.82	PASS

Band25	10MHz	QPSK	26090	25RB#0	22.61	23	PASS
Band25	10MHz	QPSK	26090	25RB#12	22.72	23.11	PASS
Band25	10MHz	QPSK	26090	25RB#25	22.47	22.86	PASS
Band25	10MHz	QPSK	26090	50RB#0	22.44	22.83	PASS
Band25	10MHz	64QAM	26090	1RB#0	21.52	21.91	PASS
Band25	10MHz	64QAM	26090	1RB#24	21.58	21.97	PASS
Band25	10MHz	64QAM	26090	1RB#49	21.47	21.86	PASS
Band25	10MHz	64QAM	26090	25RB#0	20.76	21.15	PASS
Band25	10MHz	64QAM	26090	25RB#12	20.59	20.98	PASS
Band25	10MHz	64QAM	26090	25RB#25	20.62	21.01	PASS
Band25	10MHz	64QAM	26090	50RB#0	20.72	21.11	PASS
Band25	10MHz	256QAM	26090	1RB#0	19.76	20.15	PASS
Band25	10MHz	256QAM	26090	1RB#24	19.74	20.13	PASS
Band25	10MHz	256QAM	26090	1RB#49	19.66	20.05	PASS
Band25	10MHz	256QAM	26090	25RB#0	19.89	20.28	PASS
Band25	10MHz	256QAM	26090	25RB#12	20.01	20.4	PASS
Band25	10MHz	256QAM	26090	25RB#25	20.05	20.44	PASS
Band25	10MHz	256QAM	26090	50RB#0	19.8	20.19	PASS
Band25	10MHz	16QAM	26090	1RB#0	22.61	23	PASS
Band25	10MHz	16QAM	26090	1RB#24	22.76	23.15	PASS
Band25	10MHz	16QAM	26090	1RB#49	22.65	23.04	PASS
Band25	10MHz	16QAM	26090	25RB#0	21.33	21.72	PASS
Band25	10MHz	16QAM	26090	25RB#12	21.93	22.32	PASS
Band25	10MHz	16QAM	26090	25RB#25	21.62	22.01	PASS
Band25	10MHz	16QAM	26090	50RB#0	21.82	22.21	PASS
Band25	10MHz	QPSK	26365	1RB#0	23.65	24.04	PASS
Band25	10MHz	QPSK	26365	1RB#24	23.36	23.75	PASS
Band25	10MHz	QPSK	26365	1RB#49	23.57	23.96	PASS
Band25	10MHz	QPSK	26365	25RB#0	22.45	22.84	PASS
Band25	10MHz	QPSK	26365	25RB#12	22.39	22.78	PASS
Band25	10MHz	QPSK	26365	25RB#25	22.62	23.01	PASS
Band25	10MHz	QPSK	26365	50RB#0	22.5	22.89	PASS
Band25	10MHz	64QAM	26365	1RB#0	21.53	21.92	PASS
Band25	10MHz	64QAM	26365	1RB#24	21.94	22.33	PASS
Band25	10MHz	64QAM	26365	1RB#49	21.15	21.54	PASS
Band25	10MHz	64QAM	26365	25RB#0	20.36	20.75	PASS
Band25	10MHz	64QAM	26365	25RB#12	20.68	21.07	PASS
Band25	10MHz	64QAM	26365	25RB#25	20.49	20.88	PASS
Band25	10MHz	64QAM	26365	50RB#0	20.52	20.91	PASS
Band25	10MHz	256QAM	26365	1RB#0	19.64	20.03	PASS
Band25	10MHz	256QAM	26365	1RB#24	19.94	20.33	PASS
Band25	10MHz	256QAM	26365	1RB#49	19.78	20.17	PASS
Band25	10MHz	256QAM	26365	25RB#0	19.94	20.33	PASS

Band25	10MHz	256QAM	26365	25RB#12	20.02	20.41	PASS
Band25	10MHz	256QAM	26365	25RB#25	20.02	20.41	PASS
Band25	10MHz	256QAM	26365	50RB#0	19.8	20.19	PASS
Band25	10MHz	16QAM	26365	1RB#0	22.53	22.92	PASS
Band25	10MHz	16QAM	26365	1RB#24	22.83	23.22	PASS
Band25	10MHz	16QAM	26365	1RB#49	22.46	22.85	PASS
Band25	10MHz	16QAM	26365	25RB#0	21.56	21.95	PASS
Band25	10MHz	16QAM	26365	25RB#12	21.56	21.95	PASS
Band25	10MHz	16QAM	26365	25RB#25	21.44	21.83	PASS
Band25	10MHz	16QAM	26365	50RB#0	21.65	22.04	PASS
Band25	10MHz	QPSK	26640	1RB#0	23.4	23.79	PASS
Band25	10MHz	QPSK	26640	1RB#24	23.83	24.22	PASS
Band25	10MHz	QPSK	26640	1RB#49	23.46	23.85	PASS
Band25	10MHz	QPSK	26640	25RB#0	22.73	23.12	PASS
Band25	10MHz	QPSK	26640	25RB#12	22.47	22.86	PASS
Band25	10MHz	QPSK	26640	25RB#25	22.46	22.85	PASS
Band25	10MHz	QPSK	26640	50RB#0	22.64	23.03	PASS
Band25	10MHz	64QAM	26640	1RB#0	21.03	21.42	PASS
Band25	10MHz	64QAM	26640	1RB#24	21.8	22.19	PASS
Band25	10MHz	64QAM	26640	1RB#49	21.44	21.83	PASS
Band25	10MHz	64QAM	26640	25RB#0	20.38	20.77	PASS
Band25	10MHz	64QAM	26640	25RB#12	20.49	20.88	PASS
Band25	10MHz	64QAM	26640	25RB#25	20.4	20.79	PASS
Band25	10MHz	64QAM	26640	50RB#0	20.21	20.6	PASS
Band25	10MHz	256QAM	26640	1RB#0	19.95	20.34	PASS
Band25	10MHz	256QAM	26640	1RB#24	20.18	20.57	PASS
Band25	10MHz	256QAM	26640	1RB#49	19.98	20.37	PASS
Band25	10MHz	256QAM	26640	25RB#0	20.16	20.55	PASS
Band25	10MHz	256QAM	26640	25RB#12	20.34	20.73	PASS
Band25	10MHz	256QAM	26640	25RB#25	20.13	20.52	PASS
Band25	10MHz	256QAM	26640	50RB#0	20.43	20.82	PASS
Band25	10MHz	16QAM	26640	1RB#0	22.07	22.46	PASS
Band25	10MHz	16QAM	26640	1RB#24	22.64	23.03	PASS
Band25	10MHz	16QAM	26640	1RB#49	22.52	22.91	PASS
Band25	10MHz	16QAM	26640	25RB#0	21.46	21.85	PASS
Band25	10MHz	16QAM	26640	25RB#12	21.88	22.27	PASS
Band25	10MHz	16QAM	26640	25RB#25	21.44	21.83	PASS
Band25	10MHz	16QAM	26640	50RB#0	21.81	22.2	PASS
Band25	15MHz	QPSK	26115	1RB#0	23.5	23.89	PASS
Band25	15MHz	QPSK	26115	1RB#38	23.63	24.02	PASS
Band25	15MHz	QPSK	26115	1RB#74	23.59	23.98	PASS
Band25	15MHz	QPSK	26115	38RB#0	22.73	23.12	PASS
Band25	15MHz	QPSK	26115	38RB#18	22.73	23.12	PASS

Band25	15MHz	QPSK	26115	38RB#37	22.74	23.13	PASS
Band25	15MHz	QPSK	26115	75RB#0	22.45	22.84	PASS
Band25	15MHz	64QAM	26115	1RB#0	21.36	21.75	PASS
Band25	15MHz	64QAM	26115	1RB#38	21.82	22.21	PASS
Band25	15MHz	64QAM	26115	1RB#74	21.43	21.82	PASS
Band25	15MHz	64QAM	26115	38RB#0	21.5	21.89	PASS
Band25	15MHz	64QAM	26115	38RB#18	20.67	21.06	PASS
Band25	15MHz	64QAM	26115	38RB#37	21.49	21.88	PASS
Band25	15MHz	64QAM	26115	75RB#0	20.59	20.98	PASS
Band25	15MHz	256QAM	26115	1RB#0	19.71	20.1	PASS
Band25	15MHz	256QAM	26115	1RB#38	19.7	20.09	PASS
Band25	15MHz	256QAM	26115	1RB#74	19.91	20.3	PASS
Band25	15MHz	256QAM	26115	38RB#0	19.72	20.11	PASS
Band25	15MHz	256QAM	26115	38RB#18	19.91	20.3	PASS
Band25	15MHz	256QAM	26115	38RB#37	19.83	20.22	PASS
Band25	15MHz	256QAM	26115	75RB#0	20.1	20.49	PASS
Band25	15MHz	16QAM	26115	1RB#0	22.72	23.11	PASS
Band25	15MHz	16QAM	26115	1RB#38	22.83	23.22	PASS
Band25	15MHz	16QAM	26115	1RB#74	22.52	22.91	PASS
Band25	15MHz	16QAM	26115	38RB#0	22.88	23.27	PASS
Band25	15MHz	16QAM	26115	38RB#18	21.51	21.9	PASS
Band25	15MHz	16QAM	26115	38RB#37	22.77	23.16	PASS
Band25	15MHz	16QAM	26115	75RB#0	21.69	22.08	PASS
Band25	15MHz	QPSK	26365	1RB#0	23.64	24.03	PASS
Band25	15MHz	QPSK	26365	1RB#38	23.72	24.11	PASS
Band25	15MHz	QPSK	26365	1RB#74	23.25	23.64	PASS
Band25	15MHz	QPSK	26365	38RB#0	22.44	22.83	PASS
Band25	15MHz	QPSK	26365	38RB#18	22.36	22.75	PASS
Band25	15MHz	QPSK	26365	38RB#37	22.07	22.46	PASS
Band25	15MHz	QPSK	26365	75RB#0	22.49	22.88	PASS
Band25	15MHz	64QAM	26365	1RB#0	21.45	21.84	PASS
Band25	15MHz	64QAM	26365	1RB#38	21.21	21.6	PASS
Band25	15MHz	64QAM	26365	1RB#74	21.27	21.66	PASS
Band25	15MHz	64QAM	26365	38RB#0	21.52	21.91	PASS
Band25	15MHz	64QAM	26365	38RB#18	20.43	20.82	PASS
Band25	15MHz	64QAM	26365	38RB#37	21.23	21.62	PASS
Band25	15MHz	64QAM	26365	75RB#0	20.43	20.82	PASS
Band25	15MHz	256QAM	26365	1RB#0	19.89	20.28	PASS
Band25	15MHz	256QAM	26365	1RB#38	20.14	20.53	PASS
Band25	15MHz	256QAM	26365	1RB#74	19.63	20.02	PASS
Band25	15MHz	256QAM	26365	38RB#0	19.69	20.08	PASS
Band25	15MHz	256QAM	26365	38RB#18	19.82	20.21	PASS
Band25	15MHz	256QAM	26365	38RB#37	19.8	20.19	PASS

Band25	15MHz	256QAM	26365	75RB#0	19.76	20.15	PASS
Band25	15MHz	16QAM	26365	1RB#0	22.48	22.87	PASS
Band25	15MHz	16QAM	26365	1RB#38	22.41	22.8	PASS
Band25	15MHz	16QAM	26365	1RB#74	22.21	22.6	PASS
Band25	15MHz	16QAM	26365	38RB#0	22.27	22.66	PASS
Band25	15MHz	16QAM	26365	38RB#18	21.33	21.72	PASS
Band25	15MHz	16QAM	26365	38RB#37	22.1	22.49	PASS
Band25	15MHz	16QAM	26365	75RB#0	21.27	21.66	PASS
Band25	15MHz	QPSK	26615	1RB#0	23.16	23.55	PASS
Band25	15MHz	QPSK	26615	1RB#38	23.83	24.22	PASS
Band25	15MHz	QPSK	26615	1RB#74	23.58	23.97	PASS
Band25	15MHz	QPSK	26615	38RB#0	22.36	22.75	PASS
Band25	15MHz	QPSK	26615	38RB#18	22.6	22.99	PASS
Band25	15MHz	QPSK	26615	38RB#37	22.71	23.1	PASS
Band25	15MHz	QPSK	26615	75RB#0	22.55	22.94	PASS
Band25	15MHz	64QAM	26615	1RB#0	21.17	21.56	PASS
Band25	15MHz	64QAM	26615	1RB#38	21.52	21.91	PASS
Band25	15MHz	64QAM	26615	1RB#74	21.13	21.52	PASS
Band25	15MHz	64QAM	26615	38RB#0	21.08	21.47	PASS
Band25	15MHz	64QAM	26615	38RB#18	20.22	20.61	PASS
Band25	15MHz	64QAM	26615	38RB#37	21.13	21.52	PASS
Band25	15MHz	64QAM	26615	75RB#0	20.29	20.68	PASS
Band25	15MHz	256QAM	26615	1RB#0	20.15	20.54	PASS
Band25	15MHz	256QAM	26615	1RB#38	20.35	20.74	PASS
Band25	15MHz	256QAM	26615	1RB#74	19.96	20.35	PASS
Band25	15MHz	256QAM	26615	38RB#0	20.14	20.53	PASS
Band25	15MHz	256QAM	26615	38RB#18	20.11	20.5	PASS
Band25	15MHz	256QAM	26615	38RB#37	20.09	20.48	PASS
Band25	15MHz	256QAM	26615	75RB#0	20.23	20.62	PASS
Band25	15MHz	16QAM	26615	1RB#0	22.44	22.83	PASS
Band25	15MHz	16QAM	26615	1RB#38	22.75	23.14	PASS
Band25	15MHz	16QAM	26615	1RB#74	22.66	23.05	PASS
Band25	15MHz	16QAM	26615	38RB#0	22.3	22.69	PASS
Band25	15MHz	16QAM	26615	38RB#18	21.6	21.99	PASS
Band25	15MHz	16QAM	26615	38RB#37	22.66	23.05	PASS
Band25	15MHz	16QAM	26615	75RB#0	21.26	21.65	PASS
Band25	20MHz	QPSK	26140	1RB#0	23.69	24.08	PASS
Band25	20MHz	QPSK	26140	1RB#49	23.48	23.87	PASS
Band25	20MHz	QPSK	26140	1RB#99	23.46	23.85	PASS
Band25	20MHz	QPSK	26140	50RB#0	22.31	22.7	PASS
Band25	20MHz	QPSK	26140	50RB#25	22.76	23.15	PASS
Band25	20MHz	QPSK	26140	50RB#50	22.68	23.07	PASS
Band25	20MHz	QPSK	26140	100RB#0	22.42	22.81	PASS

Band25	20MHz	64QAM	26140	1RB#0	21.49	21.88	PASS
Band25	20MHz	64QAM	26140	1RB#49	21.78	22.17	PASS
Band25	20MHz	64QAM	26140	1RB#99	21.33	21.72	PASS
Band25	20MHz	64QAM	26140	50RB#0	20.61	21	PASS
Band25	20MHz	64QAM	26140	50RB#25	20.49	20.88	PASS
Band25	20MHz	64QAM	26140	50RB#50	20.62	21.01	PASS
Band25	20MHz	64QAM	26140	100RB#0	20.68	21.07	PASS
Band25	20MHz	256QAM	26140	1RB#0	19.73	20.12	PASS
Band25	20MHz	256QAM	26140	1RB#49	19.88	20.27	PASS
Band25	20MHz	256QAM	26140	1RB#99	20.17	20.56	PASS
Band25	20MHz	256QAM	26140	50RB#0	20	20.39	PASS
Band25	20MHz	256QAM	26140	50RB#25	19.93	20.32	PASS
Band25	20MHz	256QAM	26140	50RB#50	20.03	20.42	PASS
Band25	20MHz	256QAM	26140	100RB#0	19.73	20.12	PASS
Band25	20MHz	16QAM	26140	1RB#0	22.59	22.98	PASS
Band25	20MHz	16QAM	26140	1RB#49	22.99	23.38	PASS
Band25	20MHz	16QAM	26140	1RB#99	22.63	23.02	PASS
Band25	20MHz	16QAM	26140	50RB#0	21.73	22.12	PASS
Band25	20MHz	16QAM	26140	50RB#25	21.51	21.9	PASS
Band25	20MHz	16QAM	26140	50RB#50	21.44	21.83	PASS
Band25	20MHz	16QAM	26140	100RB#0	21.44	21.83	PASS
Band25	20MHz	QPSK	26365	1RB#0	23.44	23.83	PASS
Band25	20MHz	QPSK	26365	1RB#49	23.39	23.78	PASS
Band25	20MHz	QPSK	26365	1RB#99	23.22	23.61	PASS
Band25	20MHz	QPSK	26365	50RB#0	22.3	22.69	PASS
Band25	20MHz	QPSK	26365	50RB#25	22.43	22.82	PASS
Band25	20MHz	QPSK	26365	50RB#50	22.66	23.05	PASS
Band25	20MHz	QPSK	26365	100RB#0	22.3	22.69	PASS
Band25	20MHz	64QAM	26365	1RB#0	21.6	21.99	PASS
Band25	20MHz	64QAM	26365	1RB#49	21.48	21.87	PASS
Band25	20MHz	64QAM	26365	1RB#99	21.29	21.68	PASS
Band25	20MHz	64QAM	26365	50RB#0	20.54	20.93	PASS
Band25	20MHz	64QAM	26365	50RB#25	20.48	20.87	PASS
Band25	20MHz	64QAM	26365	50RB#50	20.26	20.65	PASS
Band25	20MHz	64QAM	26365	100RB#0	20.35	20.74	PASS
Band25	20MHz	256QAM	26365	1RB#0	19.77	20.16	PASS
Band25	20MHz	256QAM	26365	1RB#49	20.23	20.62	PASS
Band25	20MHz	256QAM	26365	1RB#99	20.11	20.5	PASS
Band25	20MHz	256QAM	26365	50RB#0	20.03	20.42	PASS
Band25	20MHz	256QAM	26365	50RB#25	19.85	20.24	PASS
Band25	20MHz	256QAM	26365	50RB#50	19.97	20.36	PASS
Band25	20MHz	256QAM	26365	100RB#0	19.81	20.2	PASS
Band25	20MHz	16QAM	26365	1RB#0	22.22	22.61	PASS

Band25	20MHz	16QAM	26365	1RB#49	22.63	23.02	PASS
Band25	20MHz	16QAM	26365	1RB#99	22.26	22.65	PASS
Band25	20MHz	16QAM	26365	50RB#0	21.6	21.99	PASS
Band25	20MHz	16QAM	26365	50RB#25	21.66	22.05	PASS
Band25	20MHz	16QAM	26365	50RB#50	21.61	22	PASS
Band25	20MHz	16QAM	26365	100RB#0	21.57	21.96	PASS
Band25	20MHz	QPSK	26590	1RB#0	23.37	23.76	PASS
Band25	20MHz	QPSK	26590	1RB#49	23.69	24.08	PASS
Band25	20MHz	QPSK	26590	1RB#99	23.54	23.93	PASS
Band25	20MHz	QPSK	26590	50RB#0	22.67	23.06	PASS
Band25	20MHz	QPSK	26590	50RB#25	22.63	23.02	PASS
Band25	20MHz	QPSK	26590	50RB#50	22.42	22.81	PASS
Band25	20MHz	QPSK	26590	100RB#0	22.66	23.05	PASS
Band25	20MHz	64QAM	26590	1RB#0	21.12	21.51	PASS
Band25	20MHz	64QAM	26590	1RB#49	20.95	21.34	PASS
Band25	20MHz	64QAM	26590	1RB#99	21.36	21.75	PASS
Band25	20MHz	64QAM	26590	50RB#0	20.05	20.44	PASS
Band25	20MHz	64QAM	26590	50RB#25	20.04	20.43	PASS
Band25	20MHz	64QAM	26590	50RB#50	20.36	20.75	PASS
Band25	20MHz	64QAM	26590	100RB#0	20.48	20.87	PASS
Band25	20MHz	256QAM	26590	1RB#0	19.86	20.25	PASS
Band25	20MHz	256QAM	26590	1RB#49	20.59	20.98	PASS
Band25	20MHz	256QAM	26590	1RB#99	20.32	20.71	PASS
Band25	20MHz	256QAM	26590	50RB#0	20.02	20.41	PASS
Band25	20MHz	256QAM	26590	50RB#25	20.43	20.82	PASS
Band25	20MHz	256QAM	26590	50RB#50	20.32	20.71	PASS
Band25	20MHz	256QAM	26590	100RB#0	20.39	20.78	PASS
Band25	20MHz	16QAM	26590	1RB#0	22.52	22.91	PASS
Band25	20MHz	16QAM	26590	1RB#49	22.7	23.09	PASS
Band25	20MHz	16QAM	26590	1RB#99	22.27	22.66	PASS
Band25	20MHz	16QAM	26590	50RB#0	21.53	21.92	PASS
Band25	20MHz	16QAM	26590	50RB#25	21.5	21.89	PASS
Band25	20MHz	16QAM	26590	50RB#50	21.45	21.84	PASS
Band25	20MHz	16QAM	26590	100RB#0	21.38	21.77	PASS


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	5.16	13	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	5.59	13	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	6.32	13	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	6.46	13	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	5.36	13	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	5.68	13	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	6.38	13	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	6.49	13	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	5.19	13	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	5.65	13	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	6.00	13	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	6.55	13	PASS
Band25	3MHz	QPSK	26055	1RB#0	5.16	13	PASS
Band25	3MHz	QPSK	26055	15RB#0	5.25	13	PASS
Band25	3MHz	16QAM	26055	1RB#0	6.32	13	PASS
Band25	3MHz	16QAM	26055	15RB#0	6.32	13	PASS
Band25	3MHz	QPSK	26365	1RB#0	5.39	13	PASS
Band25	3MHz	QPSK	26365	15RB#0	5.39	13	PASS
Band25	3MHz	16QAM	26365	1RB#0	6.26	13	PASS
Band25	3MHz	16QAM	26365	15RB#0	6.41	13	PASS
Band25	3MHz	QPSK	26675	1RB#0	5.36	13	PASS
Band25	3MHz	QPSK	26675	15RB#0	5.42	13	PASS
Band25	3MHz	16QAM	26675	1RB#0	6.12	13	PASS
Band25	3MHz	16QAM	26675	15RB#0	6.38	13	PASS
Band25	5MHz	QPSK	26065	1RB#0	5.25	13	PASS
Band25	5MHz	QPSK	26065	25RB#0	5.42	13	PASS
Band25	5MHz	16QAM	26065	1RB#0	5.83	13	PASS
Band25	5MHz	16QAM	26065	25RB#0	6.32	13	PASS
Band25	5MHz	QPSK	26365	1RB#0	5.42	13	PASS
Band25	5MHz	QPSK	26365	25RB#0	5.51	13	PASS
Band25	5MHz	16QAM	26365	1RB#0	6.09	13	PASS
Band25	5MHz	16QAM	26365	25RB#0	6.38	13	PASS
Band25	5MHz	QPSK	26665	1RB#0	5.10	13	PASS
Band25	5MHz	QPSK	26665	25RB#0	5.54	13	PASS
Band25	5MHz	16QAM	26665	1RB#0	5.80	13	PASS
Band25	5MHz	16QAM	26665	25RB#0	6.43	13	PASS
Band25	10MHz	QPSK	26090	1RB#0	5.04	13	PASS
Band25	10MHz	QPSK	26090	50RB#0	5.30	13	PASS


Band25	10MHz	16QAM	26090	1RB#0	6.17	13	PASS
Band25	10MHz	16QAM	26090	50RB#0	6.26	13	PASS
Band25	10MHz	QPSK	26365	1RB#0	5.33	13	PASS
Band25	10MHz	QPSK	26365	50RB#0	5.45	13	PASS
Band25	10MHz	16QAM	26365	1RB#0	6.20	13	PASS
Band25	10MHz	16QAM	26365	50RB#0	6.41	13	PASS
Band25	10MHz	QPSK	26640	1RB#0	5.04	13	PASS
Band25	10MHz	QPSK	26640	50RB#0	5.45	13	PASS
Band25	10MHz	16QAM	26640	1RB#0	5.86	13	PASS
Band25	10MHz	16QAM	26640	50RB#0	6.43	13	PASS
Band25	15MHz	QPSK	26115	1RB#0	5.16	13	PASS
Band25	15MHz	QPSK	26115	75RB#0	5.74	13	PASS
Band25	15MHz	16QAM	26115	1RB#0	6.03	13	PASS
Band25	15MHz	16QAM	26115	75RB#0	6.38	13	PASS
Band25	15MHz	QPSK	26365	1RB#0	5.48	13	PASS
Band25	15MHz	QPSK	26365	75RB#0	5.91	13	PASS
Band25	15MHz	16QAM	26365	1RB#0	6.32	13	PASS
Band25	15MHz	16QAM	26365	75RB#0	6.52	13	PASS
Band25	15MHz	QPSK	26615	1RB#0	5.16	13	PASS
Band25	15MHz	QPSK	26615	75RB#0	5.94	13	PASS
Band25	15MHz	16QAM	26615	1RB#0	6.29	13	PASS
Band25	15MHz	16QAM	26615	75RB#0	6.55	13	PASS
Band25	20MHz	QPSK	26140	1RB#0	5.04	13	PASS
Band25	20MHz	QPSK	26140	100RB#0	5.33	13	PASS
Band25	20MHz	16QAM	26140	1RB#0	5.71	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	6.29	13	PASS
Band25	20MHz	QPSK	26365	1RB#0	5.57	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	5.48	13	PASS
Band25	20MHz	16QAM	26365	1RB#0	6.43	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	6.41	13	PASS
Band25	20MHz	QPSK	26590	1RB#0	5.16	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	5.45	13	PASS
Band25	20MHz	16QAM	26590	1RB#0	6.20	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	6.43	13	PASS

Test Graphs







Band25-1.4MHz-QPSK-26365-1RB#0-PASS




Band25-1.4MHz-QPSK-26365-6RB#0-PASS




Band25-1.4MHz-16QAM-26365-1RB#0-PASS




Band25-1.4MHz-16QAM-26365-6RB#0-PASS







Band25-3MHz-QPSK-26055-1RB#0-PASS




Band25-3MHz-QPSK-26055-15RB#0-PASS




Band25-3MHz-16QAM-26055-1RB#0-PASS




Band25-3MHz-16QAM-26055-15RB#0-PASS




Band25-3MHz-QPSK-26365-1RB#0-PASS




Band25-3MHz-QPSK-26365-15RB#0-PASS




Band25-3MHz-16QAM-26365-1RB#0-PASS




Band25-3MHz-16QAM-26365-15RB#0-PASS




Band25-3MHz-QPSK-26675-1RB#0-PASS




Band25-3MHz-QPSK-26675-15RB#0-PASS




Band25-3MHz-16QAM-26675-1RB#0-PASS




Band25-3MHz-16QAM-26675-15RB#0-PASS




Band25-5MHz-QPSK-26065-1RB#0-PASS




Band25-5MHz-QPSK-26065-25RB#0-PASS




Band25-5MHz-16QAM-26065-1RB#0-PASS




Band25-5MHz-16QAM-26065-25RB#0-PASS




Band25-5MHz-QPSK-26365-1RB#0-PASS




Band25-5MHz-QPSK-26365-25RB#0-PASS




Band25-5MHz-16QAM-26365-1RB#0-PASS




Band25-5MHz-16QAM-26365-25RB#0-PASS




Band25-5MHz-QPSK-26665-1RB#0-PASS




Band25-5MHz-QPSK-26665-25RB#0-PASS




Band25-5MHz-16QAM-26665-1RB#0-PASS




Band25-5MHz-16QAM-26665-25RB#0-PASS







Band25-10MHz-QPSK-26365-1RB#0-PASS




Band25-10MHz-QPSK-26365-50RB#0-PASS




Band25-10MHz-16QAM-26365-1RB#0-PASS




Band25-10MHz-16QAM-26365-50RB#0-PASS




Band25-10MHz-QPSK-26640-1RB#0-PASS




Band25-10MHz-QPSK-26640-50RB#0-PASS




Band25-10MHz-16QAM-26640-1RB#0-PASS




Band25-10MHz-16QAM-26640-50RB#0-PASS







Band25-15MHz-QPSK-26365-1RB#0-PASS




Band25-15MHz-QPSK-26365-75RB#0-PASS




Band25-15MHz-16QAM-26365-1RB#0-PASS




Band25-15MHz-16QAM-26365-75RB#0-PASS




Band25-15MHz-QPSK-26615-1RB#0-PASS




Band25-15MHz-QPSK-26615-75RB#0-PASS




Band25-15MHz-16QAM-26615-1RB#0-PASS




Band25-15MHz-16QAM-26615-75RB#0-PASS







Band25-20MHz-QPSK-26365-1RB#0-PASS




Band25-20MHz-QPSK-26365-100RB#0-PASS



Band25-20MHz-16QAM-26365-1RB#0-PASS



Band25-20MHz-16QAM-26365-100RB#0-PASS



Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.093	1.29	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.098	1.31	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.098	1.29	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.098	1.30	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.103	1.31	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.088	1.28	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.686	2.96	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.676	2.96	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.686	2.98	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.686	2.99	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.686	2.96	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.696	2.97	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.496	4.90	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.496	4.95	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.496	4.92	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.515	4.94	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.505	4.93	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.496	4.90	PASS
Band25	10MHz	QPSK	26090	50RB#0	8.985	9.83	PASS
Band25	10MHz	16QAM	26090	50RB#0	8.952	9.77	PASS
Band25	10MHz	QPSK	26365	50RB#0	8.985	9.77	PASS
Band25	10MHz	16QAM	26365	50RB#0	8.985	9.83	PASS
Band25	10MHz	QPSK	26640	50RB#0	8.952	9.73	PASS
Band25	10MHz	16QAM	26640	50RB#0	8.985	9.73	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.428	14.75	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.428	14.60	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.478	14.65	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.428	14.65	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.428	14.60	PASS
Band25	15MHz	16QAM	26615	75RB#0	13.428	14.65	PASS
Band25	20MHz	QPSK	26140	100RB#0	18.037	19.80	PASS
Band25	20MHz	16QAM	26140	100RB#0	18.037	19.53	PASS
Band25	20MHz	QPSK	26365	100RB#0	17.903	19.67	PASS
Band25	20MHz	16QAM	26365	100RB#0	17.97	19.60	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.97	19.60	PASS




Band25	20MHz	16QAM	26590	100RB#0	17.97	19.67	PASS
--------	-------	-------	-------	---------	-------	-------	------


Test Graphs




Band25-1.4MHz-QPSK-26047-6RB#0-PASS




Band25-1.4MHz-16QAM-26047-6RB#0-PASS




Band25-1.4MHz-QPSK-26365-6RB#0-PASS




Band25-1.4MHz-16QAM-26365-6RB#0-PASS







Band25-3MHz-QPSK-26365-15RB#0-PASS




Band25-3MHz-16QAM-26365-15RB#0-PASS




Band25-3MHz-QPSK-26675-15RB#0-PASS




Band25-3MHz-16QAM-26675-15RB#0-PASS




Band25-5MHz-QPSK-26065-25RB#0-PASS




Band25-5MHz-16QAM-26065-25RB#0-PASS




Band25-5MHz-QPSK-26365-25RB#0-PASS




Band25-5MHz-16QAM-26365-25RB#0-PASS




Band25-5MHz-QPSK-26665-25RB#0-PASS




Band25-5MHz-16QAM-26665-25RB#0-PASS




Band25-10MHz-QPSK-26090-50RB#0-PASS




Band25-10MHz-16QAM-26090-50RB#0-PASS




Band25-10MHz-QPSK-26365-50RB#0-PASS




Band25-10MHz-16QAM-26365-50RB#0-PASS





Band25-10MHz-QPSK-26640-50RB#0-PASS



Band25-10MHz-16QAM-26640-50RB#0-PASS








Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	-28.35	15.35	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	-44.73	31.73	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	-32.02	19.02	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	-29.52	16.52	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	-45.24	32.24	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	-32.21	19.21	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	-47.09	34.09	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	-28.28	15.28	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	-32.79	19.79	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	-47.18	34.18	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	-30.45	17.45	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	-33.68	20.68	PASS
Band25	3MHz	QPSK	26055	1RB#0	-18.26	5.26	PASS
Band25	3MHz	QPSK	26055	1RB#14	-42.14	29.14	PASS
Band25	3MHz	QPSK	26055	15RB#0	-29.16	16.16	PASS
Band25	3MHz	16QAM	26055	1RB#0	-18.75	5.75	PASS
Band25	3MHz	16QAM	26055	1RB#14	-42.30	29.30	PASS
Band25	3MHz	16QAM	26055	15RB#0	-30.88	17.88	PASS
Band25	3MHz	QPSK	26675	1RB#0	-41.84	28.84	PASS
Band25	3MHz	QPSK	26675	1RB#14	-18.00	5.00	PASS
Band25	3MHz	QPSK	26675	15RB#0	-29.07	16.07	PASS
Band25	3MHz	16QAM	26675	1RB#0	-43.16	30.16	PASS
Band25	3MHz	16QAM	26675	1RB#14	-20.14	7.14	PASS
Band25	3MHz	16QAM	26675	15RB#0	-29.88	16.88	PASS
Band25	5MHz	QPSK	26065	1RB#0	-23.32	10.32	PASS
Band25	5MHz	QPSK	26065	1RB#24	-44.79	31.79	PASS
Band25	5MHz	QPSK	26065	25RB#0	-34.85	21.85	PASS
Band25	5MHz	16QAM	26065	1RB#0	-24.95	11.95	PASS
Band25	5MHz	16QAM	26065	1RB#24	-45.72	32.72	PASS
Band25	5MHz	16QAM	26065	25RB#0	-34.98	21.98	PASS
Band25	5MHz	QPSK	26665	1RB#0	-43.73	30.73	PASS
Band25	5MHz	QPSK	26665	1RB#24	-23.96	10.96	PASS
Band25	5MHz	QPSK	26665	25RB#0	-33.13	20.13	PASS
Band25	5MHz	16QAM	26665	1RB#0	-45.02	32.02	PASS
Band25	5MHz	16QAM	26665	1RB#24	-24.19	11.19	PASS
Band25	5MHz	16QAM	26665	25RB#0	-33.93	20.93	PASS
Band25	10MHz	QPSK	26090	1RB#0	-27.49	14.49	PASS


Band25	10MHz	QPSK	26090	1RB#49	-45.55	32.55	PASS
Band25	10MHz	QPSK	26090	50RB#0	-34.96	21.96	PASS
Band25	10MHz	16QAM	26090	1RB#0	-28.62	15.62	PASS
Band25	10MHz	16QAM	26090	1RB#49	-45.90	32.90	PASS
Band25	10MHz	16QAM	26090	50RB#0	-35.89	22.89	PASS
Band25	10MHz	QPSK	26640	1RB#0	-44.00	31.00	PASS
Band25	10MHz	QPSK	26640	1RB#49	-26.74	13.74	PASS
Band25	10MHz	QPSK	26640	50RB#0	-34.78	21.78	PASS
Band25	10MHz	16QAM	26640	1RB#0	-44.75	31.75	PASS
Band25	10MHz	16QAM	26640	1RB#49	-28.17	15.17	PASS
Band25	10MHz	16QAM	26640	50RB#0	-35.74	22.74	PASS
Band25	15MHz	QPSK	26115	1RB#0	-28.58	15.58	PASS
Band25	15MHz	QPSK	26115	1RB#74	-39.72	26.72	PASS
Band25	15MHz	QPSK	26115	75RB#0	-36.83	23.83	PASS
Band25	15MHz	16QAM	26115	1RB#0	-29.42	16.42	PASS
Band25	15MHz	16QAM	26115	1RB#74	-40.70	27.70	PASS
Band25	15MHz	16QAM	26115	75RB#0	-36.20	23.20	PASS
Band25	15MHz	QPSK	26615	1RB#0	-40.03	27.03	PASS
Band25	15MHz	QPSK	26615	1RB#74	-28.38	15.38	PASS
Band25	15MHz	QPSK	26615	75RB#0	-33.83	20.83	PASS
Band25	15MHz	16QAM	26615	1RB#0	-41.03	28.03	PASS
Band25	15MHz	16QAM	26615	1RB#74	-28.98	15.98	PASS
Band25	15MHz	16QAM	26615	75RB#0	-34.18	21.18	PASS
Band25	20MHz	QPSK	26140	1RB#0	-30.62	17.62	PASS
Band25	20MHz	QPSK	26140	1RB#99	-39.69	26.69	PASS
Band25	20MHz	QPSK	26140	100RB#0	-40.65	27.65	PASS
Band25	20MHz	16QAM	26140	1RB#0	-30.87	17.87	PASS
Band25	20MHz	16QAM	26140	1RB#99	-41.02	28.02	PASS
Band25	20MHz	16QAM	26140	100RB#0	-39.57	26.57	PASS
Band25	20MHz	QPSK	26590	1RB#0	-39.93	26.93	PASS
Band25	20MHz	QPSK	26590	1RB#99	-31.27	18.27	PASS
Band25	20MHz	QPSK	26590	100RB#0	-34.39	21.39	PASS
Band25	20MHz	16QAM	26590	1RB#0	-40.97	27.97	PASS
Band25	20MHz	16QAM	26590	1RB#99	-31.83	18.83	PASS
Band25	20MHz	16QAM	26590	100RB#0	-35.27	22.27	PASS

Test Graphs







Band25-1.4MHz-16QAM-26047-1RB#5-PASS




Band25-1.4MHz-16QAM-26047-6RB#0-PASS





Band25-1.4MHz-QPSK-26683-1RB#0-PASS




Band25-1.4MHz-QPSK-26683-1RB#5-PASS








Band25-3MHz-16QAM-26055-1RB#14-PASS




Band25-3MHz-16QAM-26055-15RB#0-PASS




Band25-3MHz-QPSK-26675-1RB#0-PASS




Band25-3MHz-QPSK-26675-1RB#14-PASS




Band25-3MHz-QPSK-26675-15RB#0-PASS




Band25-3MHz-16QAM-26675-1RB#0-PASS



Band25-3MHz-16QAM-26675-1RB#14-PASS




Band25-3MHz-16QAM-26675-15RB#0-PASS







Band25-5MHz-16QAM-26065-1RB#24-PASS




Band25-5MHz-16QAM-26065-25RB#0-PASS



Band25-5MHz-QPSK-26665-1RB#0-PASS




Band25-5MHz-QPSK-26665-1RB#24-PASS




Date: 20.SEP.2025 10:53:03

Band25-5MHz-QPSK-26665-25RB#0-PASS




Date: 20.SEP.2025 10:53:17

Band25-5MHz-16QAM-26665-1RB#0-PASS




Date: 20.SEP.2025 10:53:48

Band25-5MHz-16QAM-26665-1RB#24-PASS



Date: 20.SEP.2025 10:54:03


Band25-5MHz-16QAM-26665-25RB#0-PASS




Band25-10MHz-QPSK-26090-1RB#0-PASS



Band25-10MHz-QPSK-26090-1RB#49-PASS




Band25-10MHz-QPSK-26090-50RB#0-PASS




Band25-10MHz-16QAM-26090-1RB#0-PASS




Band25-10MHz-16QAM-26090-1RB#49-PASS




Band25-10MHz-16QAM-26090-50RB#0-PASS




Band25-10MHz-QPSK-26640-1RB#0-PASS



Band25-10MHz-QPSK-26640-1RB#49-PASS




Band25-10MHz-QPSK-26640-50RB#0-PASS




Band25-10MHz-16QAM-26640-1RB#0-PASS




Band25-10MHz-16QAM-26640-1RB#49-PASS




Band25-10MHz-16QAM-26640-50RB#0-PASS






Date: 30.SEP.2025 12:25:36

Band25-15MHz-16QAM-26115-1RB#74-PASS




Date: 30.SEP.2025 12:25:39

Band25-15MHz-16QAM-26115-75RB#0-PASS




Date: 30.SEP.2025 12:26:13


Band25-15MHz-QPSK-26615-1RB#0-PASS





Date: 30.SEP.2025 12:26:37

Band25-15MHz-QPSK-26615-1RB#74-PASS









Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	0.009~0.15	-63.34	-43.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	0.15~30	-62.58	-33.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	30~1000	-59.94	-23.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	1000~3000	-17.57	-13.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	3000~20000	-44.24	-13.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	0.009~0.15	-61.20	-43.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	0.15~30	-65.53	-33.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	30~1000	-59.75	-23.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	1000~3000	-38.55	-13.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	3000~20000	-44.35	-13.0	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	0.009~0.15	-67.67	-43.0	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	0.15~30	-61.20	-33.0	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	30~1000	-60.01	-23.0	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	1000~3000	-21.95	-13.0	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	3000~20000	-44.49	-13.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	0.009~0.15	-62.77	-43.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	0.15~30	-63.75	-33.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	30~1000	-59.62	-23.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	1000~3000	-15.85	-13.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	3000~20000	-44.45	-13.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	0.009~0.15	-64.49	-43.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	0.15~30	-66.30	-33.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	30~1000	-60.35	-23.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	1000~3000	-38.97	-13.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	3000~20000	-44.66	-13.0	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	0.009~0.15	-69.93	-43.0	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	0.15~30	-62.36	-33.0	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	30~1000	-60.40	-23.0	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1000~3000	-21.95	-13.0	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	3000~20000	-44.61	-13.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	0.009~0.15	-64.57	-43.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	0.15~30	-69.15	-33.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	30~1000	-60.35	-23.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	1000~3000	-52.46	-13.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	3000~20000	-44.63	-13.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	0.009~0.15	-63.83	-43.0	PASS

Band25	1.4MHz	QPSK	26365	1RB#5	0.15~30	-64.65	-33.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	30~1000	-60.22	-23.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	1000~3000	-52.14	-13.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	3000~20000	-44.53	-13.0	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	0.009~0.15	-68.12	-43.0	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	0.15~30	-60.03	-33.0	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	30~1000	-60.13	-23.0	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1000~3000	-52.67	-13.0	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	3000~20000	-44.60	-13.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	0.009~0.15	-63.56	-43.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	0.15~30	-63.56	-33.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	30~1000	-59.43	-23.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	1000~3000	-52.51	-13.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	3000~20000	-44.65	-13.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	0.009~0.15	-63.84	-43.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	0.15~30	-66.62	-33.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	30~1000	-59.80	-23.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	1000~3000	-52.51	-13.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	3000~20000	-44.14	-13.0	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	0.009~0.15	-70.33	-43.0	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	0.15~30	-64.14	-33.0	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	30~1000	-59.36	-23.0	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1000~3000	-52.43	-13.0	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	3000~20000	-44.56	-13.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	0.009~0.15	-65.14	-43.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	0.15~30	-66.56	-33.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	30~1000	-60.49	-23.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	1000~3000	-38.83	-13.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	3000~20000	-44.26	-13.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	0.009~0.15	-64.70	-43.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	0.15~30	-64.51	-33.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	30~1000	-60.06	-23.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	1000~3000	-17.41	-13.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	3000~20000	-44.31	-13.0	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	0.009~0.15	-65.95	-43.0	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	0.15~30	-60.57	-33.0	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	30~1000	-59.97	-23.0	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1000~3000	-25.05	-13.0	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	3000~20000	-44.71	-13.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	0.009~0.15	-63.81	-43.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	0.15~30	-65.43	-33.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	30~1000	-59.74	-23.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	1000~3000	-39.16	-13.0	PASS

Band25	1.4MHz	16QAM	26683	1RB#0	3000~20000	-44.71	-13.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	0.009~0.15	-63.91	-43.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	0.15~30	-65.63	-33.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	30~1000	-59.81	-23.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	1000~3000	-18.63	-13.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	3000~20000	-44.48	-13.0	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	0.009~0.15	-67.76	-43.0	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	0.15~30	-62.54	-33.0	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	30~1000	-59.54	-23.0	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1000~3000	-23.80	-13.0	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	3000~20000	-44.74	-13.0	PASS
Band25	3MHz	QPSK	26055	1RB#0	0.009~0.15	-63.47	-43.0	PASS
Band25	3MHz	QPSK	26055	1RB#0	0.15~30	-64.69	-33.0	PASS
Band25	3MHz	QPSK	26055	1RB#0	30~1000	-59.64	-23.0	PASS
Band25	3MHz	QPSK	26055	1RB#0	1000~3000	-16.23	-13.0	PASS
Band25	3MHz	QPSK	26055	1RB#0	3000~20000	-44.05	-13.0	PASS
Band25	3MHz	QPSK	26055	1RB#14	0.009~0.15	-64.46	-43.0	PASS
Band25	3MHz	QPSK	26055	1RB#14	0.15~30	-66.02	-33.0	PASS
Band25	3MHz	QPSK	26055	1RB#14	30~1000	-60.36	-23.0	PASS
Band25	3MHz	QPSK	26055	1RB#14	1000~3000	-35.52	-13.0	PASS
Band25	3MHz	QPSK	26055	1RB#14	3000~20000	-44.65	-13.0	PASS
Band25	3MHz	QPSK	26055	15RB#0	0.009~0.15	-68.10	-43.0	PASS
Band25	3MHz	QPSK	26055	15RB#0	0.15~30	-66.89	-33.0	PASS
Band25	3MHz	QPSK	26055	15RB#0	30~1000	-60.03	-23.0	PASS
Band25	3MHz	QPSK	26055	15RB#0	1000~3000	-24.20	-13.0	PASS
Band25	3MHz	QPSK	26055	15RB#0	3000~20000	-44.28	-13.0	PASS
Band25	3MHz	16QAM	26055	1RB#0	0.009~0.15	-63.38	-43.0	PASS
Band25	3MHz	16QAM	26055	1RB#0	0.15~30	-66.78	-33.0	PASS
Band25	3MHz	16QAM	26055	1RB#0	30~1000	-59.86	-23.0	PASS
Band25	3MHz	16QAM	26055	1RB#0	1000~3000	-18.11	-13.0	PASS
Band25	3MHz	16QAM	26055	1RB#0	3000~20000	-44.47	-13.0	PASS
Band25	3MHz	16QAM	26055	1RB#14	0.009~0.15	-63.56	-43.0	PASS
Band25	3MHz	16QAM	26055	1RB#14	0.15~30	-66.00	-33.0	PASS
Band25	3MHz	16QAM	26055	1RB#14	30~1000	-60.12	-23.0	PASS
Band25	3MHz	16QAM	26055	1RB#14	1000~3000	-36.23	-13.0	PASS
Band25	3MHz	16QAM	26055	1RB#14	3000~20000	-44.56	-13.0	PASS
Band25	3MHz	16QAM	26055	15RB#0	0.009~0.15	-66.01	-43.0	PASS
Band25	3MHz	16QAM	26055	15RB#0	0.15~30	-66.62	-33.0	PASS
Band25	3MHz	16QAM	26055	15RB#0	30~1000	-60.42	-23.0	PASS
Band25	3MHz	16QAM	26055	15RB#0	1000~3000	-25.07	-13.0	PASS
Band25	3MHz	16QAM	26055	15RB#0	3000~20000	-44.71	-13.0	PASS
Band25	3MHz	QPSK	26365	1RB#0	0.009~0.15	-63.68	-43.0	PASS
Band25	3MHz	QPSK	26365	1RB#0	0.15~30	-65.84	-33.0	PASS

Band25	3MHz	QPSK	26365	1RB#0	30~1000	-60.38	-23.0	PASS
Band25	3MHz	QPSK	26365	1RB#0	1000~3000	-52.50	-13.0	PASS
Band25	3MHz	QPSK	26365	1RB#0	3000~20000	-44.49	-13.0	PASS
Band25	3MHz	QPSK	26365	1RB#14	0.009~0.15	-64.83	-43.0	PASS
Band25	3MHz	QPSK	26365	1RB#14	0.15~30	-63.88	-33.0	PASS
Band25	3MHz	QPSK	26365	1RB#14	30~1000	-58.93	-23.0	PASS
Band25	3MHz	QPSK	26365	1RB#14	1000~3000	-52.52	-13.0	PASS
Band25	3MHz	QPSK	26365	1RB#14	3000~20000	-44.69	-13.0	PASS
Band25	3MHz	QPSK	26365	15RB#0	0.009~0.15	-65.45	-43.0	PASS
Band25	3MHz	QPSK	26365	15RB#0	0.15~30	-67.74	-33.0	PASS
Band25	3MHz	QPSK	26365	15RB#0	30~1000	-60.31	-23.0	PASS
Band25	3MHz	QPSK	26365	15RB#0	1000~3000	-52.48	-13.0	PASS
Band25	3MHz	QPSK	26365	15RB#0	3000~20000	-44.56	-13.0	PASS
Band25	3MHz	16QAM	26365	1RB#0	0.009~0.15	-66.21	-43.0	PASS
Band25	3MHz	16QAM	26365	1RB#0	0.15~30	-66.35	-33.0	PASS
Band25	3MHz	16QAM	26365	1RB#0	30~1000	-59.82	-23.0	PASS
Band25	3MHz	16QAM	26365	1RB#0	1000~3000	-52.48	-13.0	PASS
Band25	3MHz	16QAM	26365	1RB#0	3000~20000	-44.63	-13.0	PASS
Band25	3MHz	16QAM	26365	1RB#14	0.009~0.15	-63.50	-43.0	PASS
Band25	3MHz	16QAM	26365	1RB#14	0.15~30	-67.11	-33.0	PASS
Band25	3MHz	16QAM	26365	1RB#14	30~1000	-59.87	-23.0	PASS
Band25	3MHz	16QAM	26365	1RB#14	1000~3000	-52.44	-13.0	PASS
Band25	3MHz	16QAM	26365	1RB#14	3000~20000	-44.78	-13.0	PASS
Band25	3MHz	16QAM	26365	15RB#0	0.009~0.15	-67.40	-43.0	PASS
Band25	3MHz	16QAM	26365	15RB#0	0.15~30	-67.58	-33.0	PASS
Band25	3MHz	16QAM	26365	15RB#0	30~1000	-60.14	-23.0	PASS
Band25	3MHz	16QAM	26365	15RB#0	1000~3000	-52.38	-13.0	PASS
Band25	3MHz	16QAM	26365	15RB#0	3000~20000	-44.26	-13.0	PASS
Band25	3MHz	QPSK	26675	1RB#0	0.009~0.15	-64.15	-43.0	PASS
Band25	3MHz	QPSK	26675	1RB#0	0.15~30	-66.64	-33.0	PASS
Band25	3MHz	QPSK	26675	1RB#0	30~1000	-60.03	-23.0	PASS
Band25	3MHz	QPSK	26675	1RB#0	1000~3000	-36.05	-13.0	PASS
Band25	3MHz	QPSK	26675	1RB#0	3000~20000	-44.67	-13.0	PASS
Band25	3MHz	QPSK	26675	1RB#14	0.009~0.15	-61.42	-43.0	PASS
Band25	3MHz	QPSK	26675	1RB#14	0.15~30	-64.97	-33.0	PASS
Band25	3MHz	QPSK	26675	1RB#14	30~1000	-59.52	-23.0	PASS
Band25	3MHz	QPSK	26675	1RB#14	1000~3000	-17.84	-13.0	PASS
Band25	3MHz	QPSK	26675	1RB#14	3000~20000	-44.50	-13.0	PASS
Band25	3MHz	QPSK	26675	15RB#0	0.009~0.15	-67.73	-43.0	PASS
Band25	3MHz	QPSK	26675	15RB#0	0.15~30	-68.23	-33.0	PASS
Band25	3MHz	QPSK	26675	15RB#0	30~1000	-59.71	-23.0	PASS
Band25	3MHz	QPSK	26675	15RB#0	1000~3000	-23.92	-13.0	PASS
Band25	3MHz	QPSK	26675	15RB#0	3000~20000	-44.15	-13.0	PASS

Band25	3MHz	16QAM	26675	1RB#0	0.009~0.15	-66.87	-43.0	PASS
Band25	3MHz	16QAM	26675	1RB#0	0.15~30	-67.95	-33.0	PASS
Band25	3MHz	16QAM	26675	1RB#0	30~1000	-60.19	-23.0	PASS
Band25	3MHz	16QAM	26675	1RB#0	1000~3000	-36.25	-13.0	PASS
Band25	3MHz	16QAM	26675	1RB#0	3000~20000	-44.53	-13.0	PASS
Band25	3MHz	16QAM	26675	1RB#14	0.009~0.15	-66.74	-43.0	PASS
Band25	3MHz	16QAM	26675	1RB#14	0.15~30	-64.86	-33.0	PASS
Band25	3MHz	16QAM	26675	1RB#14	30~1000	-59.68	-23.0	PASS
Band25	3MHz	16QAM	26675	1RB#14	1000~3000	-19.23	-13.0	PASS
Band25	3MHz	16QAM	26675	1RB#14	3000~20000	-44.31	-13.0	PASS
Band25	3MHz	16QAM	26675	15RB#0	0.009~0.15	-68.87	-43.0	PASS
Band25	3MHz	16QAM	26675	15RB#0	0.15~30	-68.33	-33.0	PASS
Band25	3MHz	16QAM	26675	15RB#0	30~1000	-60.41	-23.0	PASS
Band25	3MHz	16QAM	26675	15RB#0	1000~3000	-25.14	-13.0	PASS
Band25	3MHz	16QAM	26675	15RB#0	3000~20000	-44.42	-13.0	PASS
Band25	5MHz	QPSK	26065	1RB#0	0.009~0.15	-62.97	-43.0	PASS
Band25	5MHz	QPSK	26065	1RB#0	0.15~30	-65.79	-33.0	PASS
Band25	5MHz	QPSK	26065	1RB#0	30~1000	-60.14	-23.0	PASS
Band25	5MHz	QPSK	26065	1RB#0	1000~3000	-20.17	-13.0	PASS
Band25	5MHz	QPSK	26065	1RB#0	3000~20000	-44.53	-13.0	PASS
Band25	5MHz	QPSK	26065	1RB#24	0.009~0.15	-62.79	-43.0	PASS
Band25	5MHz	QPSK	26065	1RB#24	0.15~30	-64.09	-33.0	PASS
Band25	5MHz	QPSK	26065	1RB#24	30~1000	-59.81	-23.0	PASS
Band25	5MHz	QPSK	26065	1RB#24	1000~3000	-35.02	-13.0	PASS
Band25	5MHz	QPSK	26065	1RB#24	3000~20000	-44.20	-13.0	PASS
Band25	5MHz	QPSK	26065	25RB#0	0.009~0.15	-66.12	-43.0	PASS
Band25	5MHz	QPSK	26065	25RB#0	0.15~30	-67.03	-33.0	PASS
Band25	5MHz	QPSK	26065	25RB#0	30~1000	-59.78	-23.0	PASS
Band25	5MHz	QPSK	26065	25RB#0	1000~3000	-26.83	-13.0	PASS
Band25	5MHz	QPSK	26065	25RB#0	3000~20000	-44.54	-13.0	PASS
Band25	5MHz	16QAM	26065	1RB#0	0.009~0.15	-63.17	-43.0	PASS
Band25	5MHz	16QAM	26065	1RB#0	0.15~30	-65.69	-33.0	PASS
Band25	5MHz	16QAM	26065	1RB#0	30~1000	-59.77	-23.0	PASS
Band25	5MHz	16QAM	26065	1RB#0	1000~3000	-20.96	-13.0	PASS
Band25	5MHz	16QAM	26065	1RB#0	3000~20000	-44.68	-13.0	PASS
Band25	5MHz	16QAM	26065	1RB#24	0.009~0.15	-63.52	-43.0	PASS
Band25	5MHz	16QAM	26065	1RB#24	0.15~30	-64.74	-33.0	PASS
Band25	5MHz	16QAM	26065	1RB#24	30~1000	-59.78	-23.0	PASS
Band25	5MHz	16QAM	26065	1RB#24	1000~3000	-35.91	-13.0	PASS
Band25	5MHz	16QAM	26065	1RB#24	3000~20000	-44.70	-13.0	PASS
Band25	5MHz	16QAM	26065	25RB#0	0.009~0.15	-68.69	-43.0	PASS
Band25	5MHz	16QAM	26065	25RB#0	0.15~30	-67.02	-33.0	PASS
Band25	5MHz	16QAM	26065	25RB#0	30~1000	-60.25	-23.0	PASS

Band25	5MHz	16QAM	26065	25RB#0	1000~3000	-24.65	-13.0	PASS
Band25	5MHz	16QAM	26065	25RB#0	3000~20000	-44.76	-13.0	PASS
Band25	5MHz	QPSK	26365	1RB#0	0.009~0.15	-62.71	-43.0	PASS
Band25	5MHz	QPSK	26365	1RB#0	0.15~30	-62.74	-33.0	PASS
Band25	5MHz	QPSK	26365	1RB#0	30~1000	-59.86	-23.0	PASS
Band25	5MHz	QPSK	26365	1RB#0	1000~3000	-52.39	-13.0	PASS
Band25	5MHz	QPSK	26365	1RB#0	3000~20000	-44.58	-13.0	PASS
Band25	5MHz	QPSK	26365	1RB#24	0.009~0.15	-63.83	-43.0	PASS
Band25	5MHz	QPSK	26365	1RB#24	0.15~30	-65.00	-33.0	PASS
Band25	5MHz	QPSK	26365	1RB#24	30~1000	-60.00	-23.0	PASS
Band25	5MHz	QPSK	26365	1RB#24	1000~3000	-52.61	-13.0	PASS
Band25	5MHz	QPSK	26365	1RB#24	3000~20000	-44.55	-13.0	PASS
Band25	5MHz	QPSK	26365	25RB#0	0.009~0.15	-67.19	-43.0	PASS
Band25	5MHz	QPSK	26365	25RB#0	0.15~30	-67.55	-33.0	PASS
Band25	5MHz	QPSK	26365	25RB#0	30~1000	-59.59	-23.0	PASS
Band25	5MHz	QPSK	26365	25RB#0	1000~3000	-52.52	-13.0	PASS
Band25	5MHz	QPSK	26365	25RB#0	3000~20000	-44.55	-13.0	PASS
Band25	5MHz	16QAM	26365	1RB#0	0.009~0.15	-63.17	-43.0	PASS
Band25	5MHz	16QAM	26365	1RB#0	0.15~30	-66.10	-33.0	PASS
Band25	5MHz	16QAM	26365	1RB#0	30~1000	-59.92	-23.0	PASS
Band25	5MHz	16QAM	26365	1RB#0	1000~3000	-52.36	-13.0	PASS
Band25	5MHz	16QAM	26365	1RB#0	3000~20000	-44.65	-13.0	PASS
Band25	5MHz	16QAM	26365	1RB#24	0.009~0.15	-63.61	-43.0	PASS
Band25	5MHz	16QAM	26365	1RB#24	0.15~30	-66.46	-33.0	PASS
Band25	5MHz	16QAM	26365	1RB#24	30~1000	-60.05	-23.0	PASS
Band25	5MHz	16QAM	26365	1RB#24	1000~3000	-52.44	-13.0	PASS
Band25	5MHz	16QAM	26365	1RB#24	3000~20000	-44.36	-13.0	PASS
Band25	5MHz	16QAM	26365	25RB#0	0.009~0.15	-68.28	-43.0	PASS
Band25	5MHz	16QAM	26365	25RB#0	0.15~30	-68.59	-33.0	PASS
Band25	5MHz	16QAM	26365	25RB#0	30~1000	-60.19	-23.0	PASS
Band25	5MHz	16QAM	26365	25RB#0	1000~3000	-52.52	-13.0	PASS
Band25	5MHz	16QAM	26365	25RB#0	3000~20000	-44.38	-13.0	PASS
Band25	5MHz	QPSK	26665	1RB#0	0.009~0.15	-62.16	-43.0	PASS
Band25	5MHz	QPSK	26665	1RB#0	0.15~30	-65.26	-33.0	PASS
Band25	5MHz	QPSK	26665	1RB#0	30~1000	-60.61	-23.0	PASS
Band25	5MHz	QPSK	26665	1RB#0	1000~3000	-36.49	-13.0	PASS
Band25	5MHz	QPSK	26665	1RB#0	3000~20000	-44.59	-13.0	PASS
Band25	5MHz	QPSK	26665	1RB#24	0.009~0.15	-63.58	-43.0	PASS
Band25	5MHz	QPSK	26665	1RB#24	0.15~30	-66.52	-33.0	PASS
Band25	5MHz	QPSK	26665	1RB#24	30~1000	-60.48	-23.0	PASS
Band25	5MHz	QPSK	26665	1RB#24	1000~3000	-20.65	-13.0	PASS
Band25	5MHz	QPSK	26665	1RB#24	3000~20000	-44.55	-13.0	PASS
Band25	5MHz	QPSK	26665	25RB#0	0.009~0.15	-69.21	-43.0	PASS

Band25	5MHz	QPSK	26665	25RB#0	0.15~30	-68.35	-33.0	PASS
Band25	5MHz	QPSK	26665	25RB#0	30~1000	-58.51	-23.0	PASS
Band25	5MHz	QPSK	26665	25RB#0	1000~3000	-24.68	-13.0	PASS
Band25	5MHz	QPSK	26665	25RB#0	3000~20000	-44.29	-13.0	PASS
Band25	5MHz	16QAM	26665	1RB#0	0.009~0.15	-63.17	-43.0	PASS
Band25	5MHz	16QAM	26665	1RB#0	0.15~30	-70.11	-33.0	PASS
Band25	5MHz	16QAM	26665	1RB#0	30~1000	-59.74	-23.0	PASS
Band25	5MHz	16QAM	26665	1RB#0	1000~3000	-36.66	-13.0	PASS
Band25	5MHz	16QAM	26665	1RB#0	3000~20000	-44.68	-13.0	PASS
Band25	5MHz	16QAM	26665	1RB#24	0.009~0.15	-64.19	-43.0	PASS
Band25	5MHz	16QAM	26665	1RB#24	0.15~30	-67.19	-33.0	PASS
Band25	5MHz	16QAM	26665	1RB#24	30~1000	-59.84	-23.0	PASS
Band25	5MHz	16QAM	26665	1RB#24	1000~3000	-21.58	-13.0	PASS
Band25	5MHz	16QAM	26665	1RB#24	3000~20000	-44.57	-13.0	PASS
Band25	5MHz	16QAM	26665	25RB#0	0.009~0.15	-69.22	-43.0	PASS
Band25	5MHz	16QAM	26665	25RB#0	0.15~30	-68.70	-33.0	PASS
Band25	5MHz	16QAM	26665	25RB#0	30~1000	-59.92	-23.0	PASS
Band25	5MHz	16QAM	26665	25RB#0	1000~3000	-25.40	-13.0	PASS
Band25	5MHz	16QAM	26665	25RB#0	3000~20000	-44.50	-13.0	PASS
Band25	10MHz	QPSK	26090	1RB#0	0.009~0.15	-61.93	-43.0	PASS
Band25	10MHz	QPSK	26090	1RB#0	0.15~30	-63.58	-33.0	PASS
Band25	10MHz	QPSK	26090	1RB#0	30~1000	-60.19	-23.0	PASS
Band25	10MHz	QPSK	26090	1RB#0	1000~3000	-32.33	-13.0	PASS
Band25	10MHz	QPSK	26090	1RB#0	3000~20000	-44.79	-13.0	PASS
Band25	10MHz	QPSK	26090	1RB#49	0.009~0.15	-62.26	-43.0	PASS
Band25	10MHz	QPSK	26090	1RB#49	0.15~30	-65.29	-33.0	PASS
Band25	10MHz	QPSK	26090	1RB#49	30~1000	-60.12	-23.0	PASS
Band25	10MHz	QPSK	26090	1RB#49	1000~3000	-35.92	-13.0	PASS
Band25	10MHz	QPSK	26090	1RB#49	3000~20000	-44.65	-13.0	PASS
Band25	10MHz	QPSK	26090	50RB#0	0.009~0.15	-68.00	-43.0	PASS
Band25	10MHz	QPSK	26090	50RB#0	0.15~30	-69.07	-33.0	PASS
Band25	10MHz	QPSK	26090	50RB#0	30~1000	-59.97	-23.0	PASS
Band25	10MHz	QPSK	26090	50RB#0	1000~3000	-29.05	-13.0	PASS
Band25	10MHz	QPSK	26090	50RB#0	3000~20000	-44.58	-13.0	PASS
Band25	10MHz	16QAM	26090	1RB#0	0.009~0.15	-64.81	-43.0	PASS
Band25	10MHz	16QAM	26090	1RB#0	0.15~30	-62.12	-33.0	PASS
Band25	10MHz	16QAM	26090	1RB#0	30~1000	-60.13	-23.0	PASS
Band25	10MHz	16QAM	26090	1RB#0	1000~3000	-32.86	-13.0	PASS
Band25	10MHz	16QAM	26090	1RB#0	3000~20000	-44.54	-13.0	PASS
Band25	10MHz	16QAM	26090	1RB#49	0.009~0.15	-62.28	-43.0	PASS
Band25	10MHz	16QAM	26090	1RB#49	0.15~30	-66.33	-33.0	PASS
Band25	10MHz	16QAM	26090	1RB#49	30~1000	-60.51	-23.0	PASS
Band25	10MHz	16QAM	26090	1RB#49	1000~3000	-36.36	-13.0	PASS