Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.008	-35.34	-13	Pass
850	850.5	0.1	CHP	2	850.449	-33.76	-13	Pass

Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.013	/	/	/	/	/	/
849	850	0.013	/	1	849.030	-31.06	-13	Pass
850	850.5	0.1	CHP	2	850.065	-41.28	-13	Pass

7.2 B26b_3MHz

7.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

7.2.2 Test Graph

Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-36.03	-13	Pass
823	824	0.003	/	2	823.997	-30.10	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.896	-27.56	-13	Pass
823	824	0.03	/	2	824.000	-27.17	-13	Pass
824	827	0.03	/	/	/	/	/	/

Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-32.78	-13	Pass
850	852	0.1	CHP	2	850.052	-39.61	-13	Pass

Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.012	-29.95	-13	Pass
850	852	0.1	CHP	2	850.056	-31.55	-13	Pass

Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-37.30	-13	Pass
823	824	0.003	/	2	823.997	-30.72	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV



Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.944	-28.96	-13	Pass
823	824	0.03	/	2	823.976	-28.95	-13	Pass
824	827	0.03	/	/	/	/	/	/

Band26b_3MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV



Band26b_3MHz_16QAM_HCH_847.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-32.08	-13	Pass
850	852	0.1	CHP	2	850.052	-39.41	-13	Pass

Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.000	-30.99	-13	Pass
850	852	0.1	CHP	2	850.242	-32.63	-13	Pass

7.3 B26b_5MHz

7.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

7.3.2 Test Graph

Band26b_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.162	-36.55	-13	Pass
823	824	0.003	/	2	824.000	-28.52	-13	Pass
824	829	0.003	/	/	/	/	/	/

Band26b_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.770	-27.70	-13	Pass
823	824	0.051	/	2	823.970	-26.50	-13	Pass
824	829	0.051	/	/	/	/	/	/

Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.000	-30.04	-13	Pass
850	854	0.1	CHP	2	850.802	-40.79	-13	Pass

Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	/	/	/	/	/	/
849	850	0.051	/	1	849.040	-31.60	-13	Pass
850	854	0.1	CHP	2	850.110	-33.43	-13	Pass

Band26b_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.164	-37.44	-13	Pass
823	824	0.003	/	2	823.999	-30.41	-13	Pass
824	829	0.003	/	/	/	/	/	/

Band26b_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV



Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.330	-28.60	-13	Pass
823	824	0.051	/	2	823.980	-27.95	-13	Pass
824	829	0.051	/	/	/	/	/	/

Band26b_5MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_5MHz_16QAM_HCH_846.5MHz_RB_1_0_NTNV



Band26b_5MHz_16QAM_HCH_846.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.015	-31.52	-13	Pass
850	854	0.1	CHP	2	850.809	-40.46	-13	Pass

Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	/	/	/	/	/	/
849	850	0.051	/	1	849.010	-31.81	-13	Pass
850	854	0.1	CHP	2	850.190	-34.35	-13	Pass

7.4 B26b_10MHz

7.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	829	1	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass

7.4.2 Test Graph

Band26b_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	820.165	-40.43	-13	Pass
823	824	0.003	/	2	823.999	-38.48	-13	Pass
824	834	0.003	/	/	/	/	/	/

Band26b_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	824	0.1	/	1	823.900	-26.50	-13	Pass
824	834	0.1	/	/	/	/	/	/

Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.002	-39.26	-13	Pass
850	859	0.1	CHP	2	850.060	-51.39	-13	Pass

Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.1	/	/	/	/	/	/
849	859	0.1	/	1	849.000	-32.76	-13	Pass

Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	820.165	-40.49	-13	Pass
823	824	0.003	/	2	823.998	-37.69	-13	Pass
824	834	0.003	/	/	/	/	/	/

Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV



Band26b_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV



Band26b_10MHz_16QAM_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-37.40	-13	Pass
850	859	0.1	CHP	2	850.051	-51.65	-13	Pass

8. Spurious Emission

8.1 B26c_15MHz

8.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	821.5	1	0	Refer To Test Graph		Pass
	831.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass

8.1.2 Test Graph

Band26c_15MHz_QPSK_LCH_821.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	CHP	1	811.027	-41.97	-13	Pass
813	814	0.003	/	2	813.994	-45.49	-20	Pass
814	829	0.003	/	/	/	/	/	/

Band26c_15MHz_QPSK_LCH_821.5MHz_RB_1_0_NTNV



Band26c_15MHz_QPSK_LCH_821.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	812.800	-28.72	-13	Pass
813	814	0.146	/	2	814.000	-29.92	-20	Pass
814	829	0.146	/	/	/	/	/	/

Band26c_15MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV



Band26c_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV



Band26c_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-48.00	-13	Pass
850	864	0.1	CHP	2	850.058	-45.05	-13	Pass

Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.147	/	/	/	/	/	/
849	850	0.147	/	1	849.990	-35.91	-13	Pass
850	864	0.1	/	2	850.080	-35.81	-13	Pass

Band26c_15MHz_16QAM_LCH_821.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	CHP	1	811.018	-43.22	-13	Pass
813	814	0.003	/	2	813.984	-47.21	-20	Pass
814	829	0.003	/	/	/	/	/	/

Band26c_15MHz_16QAM_LCH_821.5MHz_RB_1_0_NTNV



Band26c_15MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV



Band26c_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV



Band26c_15MHz_16QAM_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-48.41	-13	Pass
850	864	0.1	CHP	2	850.058	-45.10	-13	Pass

9. Spurious Emission

9.1 B4_1.4MHz

9.1.1 Test Result

Band: 4 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1754.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1754.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

9.1.2 Test Graph

Band4_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.545	-53.56	-13	Pass
1709	1710	0.003	/	2	1709.994	-35.41	-13	Pass
1710	1711.5	0.003	/	/	/	/	/	/

Band4_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.953	-47.72	-13	Pass
1709	1710	0.013	/	2	1710.000	-35.66	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/

Band4_1.4MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1753.5	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.007	-33.47	-13	Pass
1756	1756.5	1	/	2	1756.500	-52.44	-13	Pass

Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1753.5	1755	0.013	/	/	/	/	/	/
1755	1756	0.013	/	1	1755.027	-35.93	-13	Pass
1756	1756.5	1	/	2	1756.017	-47.76	-13	Pass

Band4_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.514	-53.21	-13	Pass
1709	1710	0.003	/	2	1709.994	-34.62	-13	Pass
1710	1711.5	0.003	/	/	/	/	/	/

Band4_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.998	-50.35	-13	Pass
1709	1710	0.013	/	2	1710.000	-35.34	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/

Band4_1.4MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_HCH_1754.3MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_HCH_1754.3MHz_RB_1_0_NTNV



Band4_1.4MHz_16QAM_HCH_1754.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1753.5	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.007	-35.12	-13	Pass
1756	1756.5	1	/	2	1756.500	-52.83	-13	Pass

Band4_1.4MHz_16QAM_HCH_1754.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1753.5	1755	0.013	/	/	/	/	/	/
1755	1756	0.013	/	1	1755.000	-36.64	-13	Pass
1756	1756.5	1	/	2	1756.038	-49.88	-13	Pass

9.2 B4_3MHz

9.2.1 Test Result

Band: 4 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1753.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1753.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

9.2.2 Test Graph

Band4_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.498	-35.83	-13	Pass
1709	1710	0.003	/	2	1709.995	-29.43	-13	Pass
1710	1713	0.003	/	/	/	/	/	/

Band4_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.470	-29.80	-13	Pass
1709	1710	0.03	/	2	1710.000	-34.15	-13	Pass
1710	1713	0.03	/	/	/	/	/	/

Band4_3MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_HCH_1753.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_HCH_1753.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_HCH_1753.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.000	-31.56	-13	Pass
1756	1758	1	CHP	2	1756.001	-34.84	-13	Pass

Band4_3MHz_QPSK_HCH_1753.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.03	/	/	/	/	/	/
1755	1756	0.03	/	1	1755.024	-34.40	-13	Pass
1756	1758	1	CHP	2	1756.002	-28.74	-13	Pass

Band4_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.498	-37.06	-13	Pass
1709	1710	0.003	/	2	1709.997	-32.82	-13	Pass
1710	1713	0.003	/	/	/	/	/	/

Band4_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-30.21	-13	Pass
1709	1710	0.03	/	2	1710.000	-34.49	-13	Pass
1710	1713	0.03	/	/	/	/	/	/

Band4_3MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_MCH_1732.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_HCH_1753.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_HCH_1753.5MHz_RB_1_0_NTNV



Band4_3MHz_16QAM_HCH_1753.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-32.04	-13	Pass
1756	1758	1	CHP	2	1756.001	-35.61	-13	Pass

Band4_3MHz_16QAM_HCH_1753.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.03	/	/	/	/	/	/
1755	1756	0.03	/	1	1755.000	-34.68	-13	Pass
1756	1758	1	CHP	2	1756.002	-28.71	-13	Pass

9.3 B4_5MHz

9.3.1 Test Result

Band: 4 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1752.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1752.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass