



Chain 0


802.11ax40, 5755MHz, Bandedge, Horizontal




802.11ax40, 5755MHz, Bandedge, Vertical



802.11ax40, 5795MHz, Bandedge, Horizontal




802.11ax40, 5795MHz, Bandedge, Vertical




Chain 1


802.11ax40, 5755MHz, Bandedge, Horizontal




802.11ax40, 5755MHz, Bandedge, Vertical




802.11ax40, 5795MHz, Bandedge, Horizontal




802.11ax40, 5795MHz, Bandedge, Vertical



Chain 0



Chain 1



5.3 Emission Bandwidth

Test Information:

|             |          |              |                       |
|-------------|----------|--------------|-----------------------|
| Serial No.: | 34B2-1   | Test Date:   | 2025/07/15~2025/07/16 |
| Test Site:  | RF       | Test Mode:   | Transmitting          |
| Tester:     | Conor Fu | Test Result: | Pass                  |

Environmental Conditions:

|                      |           |                              |       |                        |           |
|----------------------|-----------|------------------------------|-------|------------------------|-----------|
| Temperature:<br>(°C) | 27.1-27.2 | Relative<br>Humidity:<br>(%) | 67-71 | ATM Pressure:<br>(kPa) | 99.8-99.9 |
|----------------------|-----------|------------------------------|-------|------------------------|-----------|

Test Equipment List and Details:

| Manufacturer | Description        | Model  | Serial Number | Calibration Date | Calibration Due Date |
|--------------|--------------------|--------|---------------|------------------|----------------------|
| R&S          | Spectrum Analyzer  | FSV40  | 101589        | 2024/09/05       | 2025/09/04           |
| Narda        | Coaxial Attenuator | 773-10 | F-08-EM511    | 2025/06/07       | 2026/06/06           |

\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

**Test Data:**

Note: Test only was performed at Chain 0.

**26dB Emission Bandwidth****5150-5250MHz**

| Mode       | Antenna | Test Frequency (MHz) | Result (MHz) |
|------------|---------|----------------------|--------------|
| 802.11a    | Chain 0 | 5180                 | 24.495       |
|            |         | 5200                 | 24.269       |
|            |         | 5240                 | 24.935       |
| 802.11n20  | Chain 0 | 5180                 | 25.243       |
|            |         | 5200                 | 25.344       |
|            |         | 5240                 | 24.481       |
| 802.11n40  | Chain 0 | 5190                 | 45.846       |
|            |         | 5230                 | 45.345       |
| 802.11ac80 | Chain 0 | 5210                 | 85.886       |
| 802.11ax20 | Chain 0 | 5180                 | 23.720       |
|            |         | 5200                 | 23.715       |
|            |         | 5240                 | 24.602       |
| 802.11ax40 | Chain 0 | 5190                 | 44.044       |
|            |         | 5230                 | 43.644       |
| 802.11ax80 | Chain 0 | 5210                 | 82.683       |

**5250-5350MHz**

| Mode       | Antenna | Test Frequency (MHz) | Result (MHz) |
|------------|---------|----------------------|--------------|
| 802.11a    | Chain 0 | 5260                 | 24.002       |
|            |         | 5280                 | 24.056       |
|            |         | 5320                 | 24.209       |
| 802.11n20  | Chain 0 | 5260                 | 24.622       |
|            |         | 5280                 | 24.542       |
|            |         | 5320                 | 24.598       |
| 802.11n40  | Chain 0 | 5270                 | 44.945       |
|            |         | 5310                 | 44.845       |
| 802.11ac80 | Chain 0 | 5290                 | 85.285       |
| 802.11ax20 | Chain 0 | 5260                 | 24.481       |
|            |         | 5280                 | 23.787       |
|            |         | 5320                 | 24.046       |
| 802.11ax40 | Chain 0 | 5270                 | 44.044       |
|            |         | 5310                 | 44.945       |
| 802.11ax80 | Chain 0 | 5290                 | 82.483       |

**5470-5725MHz**


| Mode       | Antenna | Test Frequency (MHz) | Result (MHz) |
|------------|---------|----------------------|--------------|
| 802.11a    | Chain 0 | 5500                 | 24.290       |
|            |         | 5580                 | 24.333       |
|            |         | 5700                 | 24.143       |
|            |         | 5720                 | 23.715       |
| 802.11n20  | Chain 0 | 5500                 | 24.761       |
|            |         | 5580                 | 24.036       |
|            |         | 5700                 | 24.487       |
|            |         | 5720                 | 24.803       |
| 802.11n40  | Chain 0 | 5510                 | 44.244       |
|            |         | 5550                 | 45.546       |
|            |         | 5670                 | 45.045       |
|            |         | 5710                 | 44.645       |
| 802.11ac80 | Chain 0 | 5530                 | 86.086       |
|            |         | 5610                 | 85.285       |
|            |         | 5690                 | 85.085       |
| 802.11ax20 | Chain 0 | 5500                 | 24.427       |
|            |         | 5580                 | 23.887       |
|            |         | 5700                 | 24.481       |
|            |         | 5720                 | 23.521       |
| 802.11ax40 | Chain 0 | 5510                 | 44.745       |
|            |         | 5550                 | 44.745       |
|            |         | 5670                 | 43.343       |
|            |         | 5710                 | 43.644       |
| 802.11ax80 | Chain 0 | 5530                 | 83.884       |
|            |         | 5610                 | 83.083       |
|            |         | 5690                 | 83.083       |

**6dB Emission Bandwidth  
5725-5850MHz**

| Mode       | Antenna | Test Frequency (MHz) | Result (MHz) | Limit (MHz) | Verdict |
|------------|---------|----------------------|--------------|-------------|---------|
| 802.11a    | Chain 0 | 5745                 | 15.215       | 0.5         | Pass    |
|            |         | 5785                 | 15.415       | 0.5         | Pass    |
|            |         | 5825                 | 15.215       | 0.5         | Pass    |
| 802.11n20  | Chain 0 | 5745                 | 15.165       | 0.5         | Pass    |
|            |         | 5785                 | 14.865       | 0.5         | Pass    |
|            |         | 5825                 | 15.215       | 0.5         | Pass    |
| 802.11n40  | Chain 0 | 5755                 | 35.235       | 0.5         | Pass    |
|            |         | 5795                 | 35.335       | 0.5         | Pass    |
| 802.11ac80 | Chain 0 | 5775                 | 75.476       | 0.5         | Pass    |
| 802.11ax20 | Chain 0 | 5745                 | 16.416       | 0.5         | Pass    |
|            |         | 5785                 | 17.117       | 0.5         | Pass    |
|            |         | 5825                 | 17.267       | 0.5         | Pass    |
| 802.11ax40 | Chain 0 | 5755                 | 35.235       | 0.5         | Pass    |
|            |         | 5795                 | 34.434       | 0.5         | Pass    |
| 802.11ax80 | Chain 0 | 5775                 | 75.476       | 0.5         | Pass    |


5150-5250MHz

802.11a\_5180MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:06:53

802.11a\_5200MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:08:13

802.11a\_5240MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:09:32

802.11n20\_5180MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:11:10

802.11n20\_5200MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:12:41

802.11n20\_5240MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:14:31

802.11n40\_5190MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:15:52

802.11n40\_5230MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:16:56

802.11ac80\_5210MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:18:06

802.11ax20\_5180MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:19:35

802.11ax20\_5200MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:20:57

802.11ax20\_5240MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:22:23

802.11ax40\_5190MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:23:37


802.11ax40\_5230MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:24:41


5250-5350MHz

802.11ax80\_5210MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:25:53

802.11a\_5260MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:02:06

802.11a\_5280MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:03:47

802.11a\_5320MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:05:18

802.11n20\_5260MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:07:31

802.11n20\_5280MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:09:09

802.11n20\_5320MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:10:42

802.11n40\_5270MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:14:20

802.11n40\_5310MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:15:33

802.11ac80\_5290MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:16:54

802.11ax20\_5260MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:19:36

802.11ax20\_5280MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:20:59

802.11ax20\_5320MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:22:19

802.11ax40\_5270MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:23:36

802.11ax40\_5310MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:24:35


802.11ax80\_5290MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:25:46


5470-5725MHz

802.11a\_5500MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:43:47

802.11a\_5580MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:45:20

802.11a\_5700MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:46:53

802.11a\_5720MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:48:23

802.11n20\_5500MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:52:55

802.11n20\_5580MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:54:30

802.11n20\_5700MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:56:06

802.11n20\_5720MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:57:33

802.11n40\_5510MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:59:21

802.11n40\_5550MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:00:27

802.11n40\_5670MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:01:37

802.11n40\_5710MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:02:47

802.11ac80\_5530MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:04:17

802.11ac80\_5610MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:05:34

802.11ac80\_5690MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:06:43

802.11ax20\_5500MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:10:42

802.11ax20\_5580MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:12:48

802.11ax20\_5700MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:14:30


802.11ax20\_5720MHz\_Chain 0




802.11ax40\_5510MHz\_Chain 0




802.11ax40\_5550MHz\_Chain 0




802.11ax40\_5670MHz\_Chain 0




802.11ax40\_5710MHz\_Chain 0




802.11ax80\_5530MHz\_Chain 0



802.11ax80\_5610MHz\_Chain 0




802.11ax80\_5690MHz\_Chain 0




5725-5850MHz


802.11a\_5745MHz\_Chain 0




802.11a\_5785MHz\_Chain 0




802.11a\_5825MHz\_Chain 0



802.11n20\_5745MHz\_Chain 0




802.11n20\_5785MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:54:06

802.11n20\_5825MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:55:23

802.11n40\_5755MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:56:37

802.11n40\_5795MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:57:32

802.11ac80\_5775MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:59:00

802.11ax20\_5745MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:00:56

802.11ax20\_5785MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:02:25

802.11ax20\_5825MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:03:50

802.11ax40\_5755MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:05:29

802.11ax40\_5795MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:06:25

802.11ax80\_5775MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:07:40

5.4 99% Occupied Bandwidth

Test Information:

|             |          |              |                       |
|-------------|----------|--------------|-----------------------|
| Serial No.: | 34B2-1   | Test Date:   | 2025/07/15~2025/07/16 |
| Test Site:  | RF       | Test Mode:   | Transmitting          |
| Tester:     | Conor Fu | Test Result: | N/A                   |

Environmental Conditions:

|                      |           |                              |       |                        |           |
|----------------------|-----------|------------------------------|-------|------------------------|-----------|
| Temperature:<br>(°C) | 27.1-27.2 | Relative<br>Humidity:<br>(%) | 67-71 | ATM Pressure:<br>(kPa) | 99.8-99.9 |
|----------------------|-----------|------------------------------|-------|------------------------|-----------|

Test Equipment List and Details:

| Manufacturer | Description        | Model  | Serial Number | Calibration Date | Calibration Due Date |
|--------------|--------------------|--------|---------------|------------------|----------------------|
| R&S          | Spectrum Analyzer  | FSV40  | 101589        | 2024/09/05       | 2025/09/04           |
| Narda        | Coaxial Attenuator | 773-10 | F-08-EM511    | 2025/06/07       | 2026/06/06           |

*\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

**Test Data:**

Note: Test only was performed at Chain 0.

**5150-5250MHz**

| Mode       | Antenna | Test Frequency (MHz) | 99% OBW (MHz) |
|------------|---------|----------------------|---------------|
| 802.11a    | Chain 0 | 5180                 | 16.850        |
|            |         | 5200                 | 16.850        |
|            |         | 5240                 | 16.850        |
| 802.11n20  | Chain 0 | 5180                 | 17.950        |
|            |         | 5200                 | 17.950        |
|            |         | 5240                 | 17.950        |
| 802.11n40  | Chain 0 | 5190                 | 36.600        |
|            |         | 5230                 | 36.600        |
| 802.11ac80 | Chain 0 | 5210                 | 75.200        |
| 802.11ax20 | Chain 0 | 5180                 | 19.150        |
|            |         | 5200                 | 19.150        |
|            |         | 5240                 | 19.100        |
| 802.11ax40 | Chain 0 | 5190                 | 38            |
|            |         | 5230                 | 37.900        |
| 802.11ax80 | Chain 0 | 5210                 | 76.800        |

**Note:**

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

**5250-5350MHz**

| Mode       | Antenna | Test Frequency (MHz) | 99% OBW (MHz) |
|------------|---------|----------------------|---------------|
| 802.11a    | Chain 0 | 5260                 | 16.850        |
|            |         | 5280                 | 16.800        |
|            |         | 5320                 | 16.850        |
| 802.11n20  | Chain 0 | 5260                 | 17.950        |
|            |         | 5280                 | 17.950        |
|            |         | 5320                 | 17.950        |
| 802.11n40  | Chain 0 | 5270                 | 36.600        |
|            |         | 5310                 | 36.600        |
| 802.11ac80 | Chain 0 | 5290                 | 75.200        |
| 802.11ax20 | Chain 0 | 5260                 | 19.100        |
|            |         | 5280                 | 19.050        |
|            |         | 5320                 | 19.050        |
| 802.11ax40 | Chain 0 | 5270                 | 37.900        |
|            |         | 5310                 | 38            |
| 802.11ax80 | Chain 0 | 5290                 | 76.600        |

**5470-5725MHz**

| Mode       | Antenna | Test Frequency (MHz) | 99% OBW (MHz) |
|------------|---------|----------------------|---------------|
| 802.11a    | Chain 0 | 5500                 | 16.750        |
|            |         | 5580                 | 16.800        |
|            |         | 5700                 | 16.850        |
|            |         | 5720                 | 16.800        |
| 802.11n20  | Chain 0 | 5500                 | 17.950        |
|            |         | 5580                 | 17.900        |
|            |         | 5700                 | 17.950        |
|            |         | 5720                 | 17.950        |
| 802.11n40  | Chain 0 | 5510                 | 36.600        |
|            |         | 5550                 | 36.600        |
|            |         | 5670                 | 36.600        |
|            |         | 5710                 | 36.600        |
| 802.11ac80 | Chain 0 | 5530                 | 75            |
|            |         | 5610                 | 75.200        |
|            |         | 5690                 | 75.200        |
| 802.11ax20 | Chain 0 | 5500                 | 19.050        |
|            |         | 5580                 | 19.050        |
|            |         | 5700                 | 19.050        |
|            |         | 5720                 | 19.100        |
| 802.11ax40 | Chain 0 | 5510                 | 37.900        |
|            |         | 5550                 | 37.900        |
|            |         | 5670                 | 37.900        |
|            |         | 5710                 | 37.900        |
| 802.11ax80 | Chain 0 | 5530                 | 76.800        |
|            |         | 5610                 | 76.800        |
|            |         | 5690                 | 76.800        |

**5725-5850MHz**


| Mode       | Antenna | Test Frequency (MHz) | 99% OBW (MHz) |
|------------|---------|----------------------|---------------|
| 802.11a    | Chain 0 | 5745                 | 16.600        |
|            |         | 5785                 | 16.650        |
|            |         | 5825                 | 16.650        |
| 802.11n20  | Chain 0 | 5745                 | 17.700        |
|            |         | 5785                 | 17.750        |
|            |         | 5825                 | 17.750        |
| 802.11n40  | Chain 0 | 5755                 | 36.200        |
|            |         | 5795                 | 36.200        |
| 802.11ac80 | Chain 0 | 5775                 | 75.400        |
| 802.11ax20 | Chain 0 | 5745                 | 18.900        |
|            |         | 5785                 | 18.950        |
|            |         | 5825                 | 18.950        |
| 802.11ax40 | Chain 0 | 5755                 | 37.600        |
|            |         | 5795                 | 37.600        |
| 802.11ax80 | Chain 0 | 5775                 | 76.800        |

**Note:**

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a\_5180MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:07:15

802.11a\_5200MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:08:32

802.11a\_5240MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:09:54

802.11n20\_5180MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:11:34

802.11n20\_5200MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:13:02

802.11n20\_5240MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:14:53

802.11n40\_5190MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:16:05

802.11n40\_5230MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:17:10

802.11ac80\_5210MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:18:19

802.11ax20\_5180MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:19:58

802.11ax20\_5200MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:21:17

802.11ax20\_5240MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:22:46

802.11ax40\_5190MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:23:50


802.11ax40\_5230MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:24:55


5250-5350MHz

802.11ax80\_5210MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:26:09

802.11a\_5260MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:02:30

802.11a\_5280MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:04:14

802.11a\_5320MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:05:41

802.11n20\_5260MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:07:57

802.11n20\_5280MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:09:34

802.11n20\_5320MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:11:06

802.11n40\_5270MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:14:35

802.11n40\_5310MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:15:51

802.11ac80\_5290MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:17:11

802.11ax20\_5260MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:19:58

802.11ax20\_5280MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:21:22

802.11ax20\_5320MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:22:41

802.11ax40\_5270MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:23:49

802.11ax40\_5310MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:24:49


802.11ax80\_5290MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:26:03


5470-5725MHz

802.11a\_5500MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:44:13

802.11a\_5580MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:45:44

802.11a\_5700MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:47:21

802.11a\_5720MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:48:48

802.11n20\_5500MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:53:22

802.11n20\_5580MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:54:55

802.11n20\_5700MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:56:32

802.11n20\_5720MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:57:57

802.11n40\_5510MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:59:37

802.11n40\_5550MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:00:44

802.11n40\_5670MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:01:51

802.11n40\_5710MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:03:01

802.11ac80\_5530MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:04:34

802.11ac80\_5610MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:05:52

802.11ac80\_5690MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:06:59

802.11ax20\_5500MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:11:12

802.11ax20\_5580MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:13:17

802.11ax20\_5700MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:14:59

802.11ax20\_5720MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:16:33

802.11ax40\_5510MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:37:29

802.11ax40\_5550MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:31:55

802.11ax40\_5670MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:33:11

802.11ax40\_5710MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:34:22

802.11ax80\_5530MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:39:09


802.11ax80\_5610MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:40:23


5725-5850MHz

802.11a\_5745MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:48:06

802.11ax80\_5690MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 16:41:43

802.11a\_5785MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:49:40

802.11a\_5825MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:51:02

802.11n20\_5745MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:53:08

802.11n20\_5785MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:54:34

802.11n20\_5825MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:55:43

802.11n40\_5755MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:56:49

802.11n40\_5795MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:57:46

802.11ac80\_5775MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 09:59:16

802.11ax20\_5745MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:01:22

802.11ax20\_5785MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:02:54

802.11ax20\_5825MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:04:12

802.11ax40\_5755MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:05:42

802.11ax40\_5795MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:06:36

802.11ax80\_5775MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:07:55

5.5 Maximum Conducted Output Power

Test Information:

|             |          |              |                       |
|-------------|----------|--------------|-----------------------|
| Serial No.: | 34B2-1   | Test Date:   | 2025/07/15~2025/07/16 |
| Test Site:  | RF       | Test Mode:   | Transmitting          |
| Tester:     | Conor Fu | Test Result: | Pass                  |

Environmental Conditions:

|                      |           |                           |       |                        |           |
|----------------------|-----------|---------------------------|-------|------------------------|-----------|
| Temperature:<br>(°C) | 27.1-27.2 | Relative Humidity:<br>(%) | 67-71 | ATM Pressure:<br>(kPa) | 99.8-99.9 |
|----------------------|-----------|---------------------------|-------|------------------------|-----------|

Test Equipment List and Details:

| Manufacturer | Description                 | Model    | Serial Number | Calibration Date | Calibration Due Date |
|--------------|-----------------------------|----------|---------------|------------------|----------------------|
| Narda        | Coaxial Attenuator          | 773-10   | F-08-EM511    | 2025/06/07       | 2026/06/06           |
| Anritsu      | Microwave Peak Power Sensor | MA24418A | 12618         | 2025/06/11       | 2026/06/10           |

\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

**Test Data:****5150-5250MHz**

| Mode       | Antenna | Test Frequency (MHz) | Average Output Power (dBm) | Limit (dBm) | Verdict |
|------------|---------|----------------------|----------------------------|-------------|---------|
| 802.11a    | Chain 0 | 5180                 | 14.56                      | 24          | Pass    |
|            |         | 5200                 | 14.53                      | 24          | Pass    |
|            |         | 5240                 | 14.52                      | 24          | Pass    |
|            | Chain 1 | 5180                 | 14.23                      | 23.70       | Pass    |
|            |         | 5200                 | 14.77                      | 23.70       | Pass    |
|            |         | 5240                 | 15.07                      | 23.70       | Pass    |
| 802.11n20  | Chain 0 | 5180                 | 14.4                       | 24          | Pass    |
|            |         | 5200                 | 14.35                      | 24          | Pass    |
|            |         | 5240                 | 14.35                      | 24          | Pass    |
|            | Chain 1 | 5180                 | 14.35                      | 23.70       | Pass    |
|            |         | 5200                 | 14.67                      | 23.70       | Pass    |
|            |         | 5240                 | 14.92                      | 23.70       | Pass    |
| 802.11n40  | Chain 0 | 5190                 | 14.71                      | 24          | Pass    |
|            |         | 5230                 | 14.58                      | 24          | Pass    |
|            | Chain 1 | 5190                 | 14.69                      | 23.70       | Pass    |
|            |         | 5230                 | 15.19                      | 23.70       | Pass    |
| 802.11ac80 | Chain 0 | 5210                 | 14.74                      | 24          | Pass    |
|            | Chain 1 | 5210                 | 15.05                      | 23.70       | Pass    |
| 802.11ax20 | Chain 0 | 5180                 | 14.23                      | 24          | Pass    |
|            |         | 5200                 | 14.19                      | 24          | Pass    |
|            |         | 5240                 | 14.21                      | 24          | Pass    |
|            | Chain 1 | 5180                 | 14.19                      | 23.70       | Pass    |
|            |         | 5200                 | 14.49                      | 23.70       | Pass    |
|            |         | 5240                 | 14.8                       | 23.70       | Pass    |
| 802.11ax40 | Chain 0 | 5190                 | 14.3                       | 24          | Pass    |
|            |         | 5230                 | 14.32                      | 24          | Pass    |
|            | Chain 1 | 5190                 | 14.41                      | 23.70       | Pass    |
|            |         | 5230                 | 14.87                      | 23.70       | Pass    |
| 802.11ax80 | Chain 0 | 5210                 | 14.53                      | 24          | Pass    |
|            | Chain 1 | 5210                 | 14.83                      | 23.70       | Pass    |

**5250-5350MHz**

| Mode       | Antenna | Test Frequency (MHz) | Average Output Power (dBm) | Limit (dBm) | Verdict |
|------------|---------|----------------------|----------------------------|-------------|---------|
| 802.11a    | Chain 0 | 5260                 | 14.41                      | 24          | Pass    |
|            |         | 5280                 | 14.59                      | 24          | Pass    |
|            |         | 5320                 | 14.78                      | 24          | Pass    |
|            | Chain 1 | 5260                 | 14.4                       | 23.70       | Pass    |
|            |         | 5280                 | 14.62                      | 23.70       | Pass    |
|            |         | 5320                 | 14.47                      | 23.70       | Pass    |
| 802.11n20  | Chain 0 | 5260                 | 14.28                      | 24          | Pass    |
|            |         | 5280                 | 14.43                      | 24          | Pass    |
|            |         | 5320                 | 14.63                      | 24          | Pass    |
|            | Chain 1 | 5260                 | 14.26                      | 23.70       | Pass    |
|            |         | 5280                 | 14.46                      | 23.70       | Pass    |
|            |         | 5320                 | 14.33                      | 23.70       | Pass    |
| 802.11n40  | Chain 0 | 5270                 | 14.55                      | 24          | Pass    |
|            |         | 5310                 | 14.76                      | 24          | Pass    |
|            | Chain 1 | 5270                 | 14.65                      | 23.70       | Pass    |
|            |         | 5310                 | 14.68                      | 23.70       | Pass    |
| 802.11ac80 | Chain 0 | 5290                 | 14.89                      | 24          | Pass    |
|            | Chain 1 | 5290                 | 14.83                      | 23.70       | Pass    |
| 802.11ax20 | Chain 0 | 5260                 | 14.19                      | 24          | Pass    |
|            |         | 5280                 | 14.29                      | 24          | Pass    |
|            |         | 5320                 | 14.51                      | 24          | Pass    |
|            | Chain 1 | 5260                 | 14.14                      | 23.70       | Pass    |
|            |         | 5280                 | 14.36                      | 23.70       | Pass    |
|            |         | 5320                 | 14.21                      | 23.70       | Pass    |
| 802.11ax40 | Chain 0 | 5270                 | 14.31                      | 24          | Pass    |
|            |         | 5310                 | 14.43                      | 24          | Pass    |
|            | Chain 1 | 5270                 | 14.32                      | 23.70       | Pass    |
|            |         | 5310                 | 14.46                      | 23.70       | Pass    |
| 802.11ax80 | Chain 0 | 5290                 | 14.6                       | 24          | Pass    |
|            | Chain 1 | 5290                 | 14.64                      | 23.70       | Pass    |

**5470-5725MHz**

| Mode       | Antenna | Test Frequency (MHz) | Average Output Power (dBm) | Limit (dBm) | Verdict |
|------------|---------|----------------------|----------------------------|-------------|---------|
| 802.11a    | Chain 0 | 5500                 | 13.82                      | 24          | Pass    |
|            |         | 5580                 | 13.65                      | 24          | Pass    |
|            |         | 5700                 | 13.96                      | 24          | Pass    |
|            |         | 5720                 | 12.71                      | 24          | Pass    |
|            | Chain 1 | 5500                 | 13.87                      | 24          | Pass    |
|            |         | 5580                 | 13.31                      | 24          | Pass    |
|            |         | 5700                 | 13.13                      | 24          | Pass    |
|            |         | 5720                 | 12.21                      | 24          | Pass    |
| 802.11n20  | Chain 0 | 5500                 | 13.72                      | 24          | Pass    |
|            |         | 5580                 | 13.49                      | 24          | Pass    |
|            |         | 5700                 | 13.72                      | 24          | Pass    |
|            |         | 5720                 | 12.44                      | 24          | Pass    |
|            | Chain 1 | 5500                 | 13.74                      | 24          | Pass    |
|            |         | 5580                 | 13.17                      | 24          | Pass    |
|            |         | 5700                 | 13.01                      | 24          | Pass    |
|            |         | 5720                 | 11.98                      | 24          | Pass    |
| 802.11n40  | Chain 0 | 5510                 | 13.94                      | 24          | Pass    |
|            |         | 5550                 | 14.09                      | 24          | Pass    |
|            |         | 5670                 | 13.82                      | 24          | Pass    |
|            |         | 5710                 | 13.49                      | 24          | Pass    |
|            | Chain 1 | 5510                 | 13.98                      | 24          | Pass    |
|            |         | 5550                 | 13.49                      | 24          | Pass    |
|            |         | 5670                 | 13.25                      | 24          | Pass    |
|            |         | 5710                 | 13.0                       | 24          | Pass    |
| 802.11ac80 | Chain 0 | 5530                 | 14.2                       | 24          | Pass    |
|            |         | 5610                 | 13.94                      | 24          | Pass    |
|            |         | 5690                 | 13.98                      | 24          | Pass    |
|            | Chain 1 | 5530                 | 13.66                      | 24          | Pass    |
|            |         | 5610                 | 13.23                      | 24          | Pass    |
|            |         | 5690                 | 13.35                      | 24          | Pass    |
| 802.11ax20 | Chain 0 | 5500                 | 13.53                      | 24          | Pass    |
|            |         | 5580                 | 13.35                      | 24          | Pass    |
|            |         | 5700                 | 13.63                      | 24          | Pass    |
|            |         | 5720                 | 12.17                      | 24          | Pass    |
|            | Chain 1 | 5500                 | 13.67                      | 24          | Pass    |
|            |         | 5580                 | 13.03                      | 24          | Pass    |
|            |         | 5700                 | 12.86                      | 24          | Pass    |
|            |         | 5720                 | 11.73                      | 24          | Pass    |
| 802.11ax40 | Chain 0 | 5510                 | 13.61                      | 24          | Pass    |
|            |         | 5550                 | 13.72                      | 24          | Pass    |
|            |         | 5670                 | 13.52                      | 24          | Pass    |
|            |         | 5710                 | 13.09                      | 24          | Pass    |
|            | Chain 1 | 5510                 | 13.61                      | 24          | Pass    |
|            |         | 5550                 | 13.15                      | 24          | Pass    |
|            |         | 5670                 | 12.95                      | 24          | Pass    |
|            |         | 5710                 | 12.53                      | 24          | Pass    |
| 802.11ax80 | Chain 0 | 5530                 | 13.85                      | 24          | Pass    |
|            |         | 5610                 | 13.58                      | 24          | Pass    |
|            |         | 5690                 | 13.67                      | 24          | Pass    |
|            | Chain 1 | 5530                 | 13.33                      | 24          | Pass    |
|            |         | 5610                 | 12.96                      | 24          | Pass    |
|            |         | 5690                 | 12.98                      | 24          | Pass    |

**5725-5850MHz**

| Mode       | Antenna | Test Frequency (MHz) | Average Output Power (dBm) | Limit (dBm) | Verdict |
|------------|---------|----------------------|----------------------------|-------------|---------|
| 802.11a    | Chain 0 | 5745                 | 7.8                        | 30          | Pass    |
|            |         | 5785                 | 7.81                       | 30          | Pass    |
|            |         | 5825                 | 8.07                       | 30          | Pass    |
|            | Chain 1 | 5745                 | 7.16                       | 30          | Pass    |
|            |         | 5785                 | 7.29                       | 30          | Pass    |
|            |         | 5825                 | 7.01                       | 30          | Pass    |
| 802.11n20  | Chain 0 | 5745                 | 7.59                       | 30          | Pass    |
|            |         | 5785                 | 7.59                       | 30          | Pass    |
|            |         | 5825                 | 7.84                       | 30          | Pass    |
|            | Chain 1 | 5745                 | 6.88                       | 30          | Pass    |
|            |         | 5785                 | 7.09                       | 30          | Pass    |
|            |         | 5825                 | 6.78                       | 30          | Pass    |
| 802.11n40  | Chain 0 | 5755                 | 7.98                       | 30          | Pass    |
|            |         | 5795                 | 7.94                       | 30          | Pass    |
|            | Chain 1 | 5755                 | 7.23                       | 30          | Pass    |
|            |         | 5795                 | 7.15                       | 30          | Pass    |
| 802.11ac80 | Chain 0 | 5775                 | 8.09                       | 30          | Pass    |
|            | Chain 1 | 5775                 | 7.28                       | 30          | Pass    |
| 802.11ax20 | Chain 0 | 5745                 | 7.49                       | 30          | Pass    |
|            |         | 5785                 | 7.5                        | 30          | Pass    |
|            |         | 5825                 | 7.71                       | 30          | Pass    |
|            | Chain 1 | 5745                 | 6.62                       | 30          | Pass    |
|            |         | 5785                 | 6.75                       | 30          | Pass    |
|            |         | 5825                 | 6.4                        | 30          | Pass    |
| 802.11ax40 | Chain 0 | 5755                 | 7.63                       | 30          | Pass    |
|            |         | 5795                 | 7.67                       | 30          | Pass    |
|            | Chain 1 | 5755                 | 6.92                       | 30          | Pass    |
|            |         | 5795                 | 6.86                       | 30          | Pass    |
| 802.11ax80 | Chain 0 | 5775                 | 7.76                       | 30          | Pass    |
|            | Chain 1 | 5775                 | 6.91                       | 30          | Pass    |

5.6 Power Spectral Density

Test Information:

|             |          |              |                       |
|-------------|----------|--------------|-----------------------|
| Serial No.: | 34B2-1   | Test Date:   | 2025/07/15~2025/07/16 |
| Test Site:  | RF       | Test Mode:   | Transmitting          |
| Tester:     | Conor Fu | Test Result: | Pass                  |

Environmental Conditions:

|                      |           |                              |       |                        |           |
|----------------------|-----------|------------------------------|-------|------------------------|-----------|
| Temperature:<br>(°C) | 27.1-27.2 | Relative<br>Humidity:<br>(%) | 67-71 | ATM Pressure:<br>(kPa) | 99.8-99.9 |
|----------------------|-----------|------------------------------|-------|------------------------|-----------|

Test Equipment List and Details:

| Manufacturer | Description        | Model  | Serial Number | Calibration Date | Calibration Due Date |
|--------------|--------------------|--------|---------------|------------------|----------------------|
| R&S          | Spectrum Analyzer  | FSV40  | 101589        | 2024/09/05       | 2025/09/04           |
| Narda        | Coaxial Attenuator | 773-10 | F-08-EM511    | 2025/06/07       | 2026/06/06           |

\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

**Test Data:****5150-5250MHz**

| Mode       | Antenna | Test Frequency (MHz) | Reading (dBm/MHz) | Duty Cycle Factor (dB) | Result (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|------------|---------|----------------------|-------------------|------------------------|------------------|-----------------|---------|
| 802.11a    | Chain 0 | 5180                 | 3.40              | 0.12                   | 3.52             | 11              | Pass    |
|            |         | 5200                 | 3.54              | 0.12                   | 3.66             | 11              | Pass    |
|            |         | 5240                 | 3.33              | 0.12                   | 3.45             | 11              | Pass    |
|            | Chain 1 | 5180                 | 3.21              | 0.12                   | 3.33             | 10.7            | Pass    |
|            |         | 5200                 | 3.60              | 0.12                   | 3.72             | 10.7            | Pass    |
|            |         | 5240                 | 4.14              | 0.12                   | 4.26             | 10.7            | Pass    |
| 802.11n20  | Chain 0 | 5180                 | 3.06              | 0                      | 3.06             | 11              | Pass    |
|            |         | 5200                 | 3.18              | 0                      | 3.18             | 11              | Pass    |
|            |         | 5240                 | 2.91              | 0                      | 2.91             | 11              | Pass    |
|            | Chain 1 | 5180                 | 2.99              | 0                      | 2.99             | 10.7            | Pass    |
|            |         | 5200                 | 3.20              | 0                      | 3.20             | 10.7            | Pass    |
|            |         | 5240                 | 3.51              | 0                      | 3.51             | 10.7            | Pass    |
| 802.11n40  | Chain 0 | 5190                 | 0.39              | 0                      | 0.39             | 11              | Pass    |
|            |         | 5230                 | 0.11              | 0                      | 0.11             | 11              | Pass    |
|            | Chain 1 | 5190                 | 0.38              | 0                      | 0.38             | 10.7            | Pass    |
|            |         | 5230                 | 0.80              | 0                      | 0.80             | 10.7            | Pass    |
| 802.11ac80 | Chain 0 | 5210                 | -2.03             | 0                      | -2.03            | 11              | Pass    |
|            | Chain 1 | 5210                 | -2.02             | 0                      | -2.02            | 10.7            | Pass    |
| 802.11ax20 | Chain 0 | 5180                 | 2.70              | 0                      | 2.70             | 11              | Pass    |
|            |         | 5200                 | 2.93              | 0                      | 2.93             | 11              | Pass    |
|            |         | 5240                 | 2.72              | 0                      | 2.72             | 11              | Pass    |
|            | Chain 1 | 5180                 | 2.68              | 0                      | 2.68             | 10.7            | Pass    |
|            |         | 5200                 | 2.97              | 0                      | 2.97             | 10.7            | Pass    |
|            |         | 5240                 | 3.30              | 0                      | 3.30             | 10.7            | Pass    |
| 802.11ax40 | Chain 0 | 5190                 | -0.06             | 0                      | -0.06            | 11              | Pass    |
|            |         | 5230                 | 0.16              | 0                      | 0.16             | 11              | Pass    |
|            | Chain 1 | 5190                 | 0.08              | 0                      | 0.08             | 10.7            | Pass    |
|            |         | 5230                 | 0.43              | 0                      | 0.43             | 10.7            | Pass    |
| 802.11ax80 | Chain 0 | 5210                 | -2.36             | 0                      | -2.36            | 11              | Pass    |
|            | Chain 1 | 5210                 | -2.09             | 0                      | -2.09            | 10.7            | Pass    |

**5250-5350MHz**

| Mode       | Antenna | Test Frequency (MHz) | Reading (dBm/MHz) | Duty Cycle Factor(dB) | Result (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|------------|---------|----------------------|-------------------|-----------------------|------------------|-----------------|---------|
| 802.11a    | Chain 0 | 5260                 | 3.25              | 0.12                  | 3.37             | 11              | Pass    |
|            |         | 5280                 | 3.34              | 0.12                  | 3.46             | 11              | Pass    |
|            |         | 5320                 | 3.64              | 0.12                  | 3.76             | 11              | Pass    |
|            | Chain 1 | 5260                 | 3.14              | 0.12                  | 3.26             | 10.7            | Pass    |
|            |         | 5280                 | 3.59              | 0.12                  | 3.71             | 10.7            | Pass    |
|            |         | 5320                 | 3.29              | 0.12                  | 3.41             | 10.7            | Pass    |
| 802.11n20  | Chain 0 | 5260                 | 2.97              | 0                     | 2.97             | 11              | Pass    |
|            |         | 5280                 | 3.01              | 0                     | 3.01             | 11              | Pass    |
|            |         | 5320                 | 3.24              | 0                     | 3.24             | 11              | Pass    |
|            | Chain 1 | 5260                 | 3.11              | 0                     | 3.11             | 10.7            | Pass    |
|            |         | 5280                 | 3.17              | 0                     | 3.17             | 10.7            | Pass    |
|            |         | 5320                 | 3.16              | 0                     | 3.16             | 10.7            | Pass    |
| 802.11n40  | Chain 0 | 5270                 | 0.18              | 0                     | 0.18             | 11              | Pass    |
|            |         | 5310                 | 0.30              | 0                     | 0.30             | 11              | Pass    |
|            | Chain 1 | 5270                 | 0.21              | 0                     | 0.21             | 10.7            | Pass    |
|            |         | 5310                 | 0.24              | 0                     | 0.24             | 10.7            | Pass    |
| 802.11ac80 | Chain 0 | 5290                 | -1.98             | 0                     | -1.98            | 11              | Pass    |
|            | Chain 1 | 5290                 | -1.98             | 0                     | -1.98            | 10.7            | Pass    |
| 802.11ax20 | Chain 0 | 5260                 | 2.60              | 0                     | 2.60             | 11              | Pass    |
|            |         | 5280                 | 2.62              | 0                     | 2.62             | 11              | Pass    |
|            |         | 5320                 | 0.42              | 0                     | 0.42             | 11              | Pass    |
|            | Chain 1 | 5260                 | 2.62              | 0                     | 2.62             | 10.7            | Pass    |
|            |         | 5280                 | 2.78              | 0                     | 2.78             | 10.7            | Pass    |
|            |         | 5320                 | 2.71              | 0                     | 2.71             | 10.7            | Pass    |
| 802.11ax40 | Chain 0 | 5270                 | -0.35             | 0                     | -0.35            | 11              | Pass    |
|            |         | 5310                 | 0.09              | 0                     | 0.09             | 11              | Pass    |
|            | Chain 1 | 5270                 | -0.23             | 0                     | -0.23            | 10.7            | Pass    |
|            |         | 5310                 | -0.17             | 0                     | -0.17            | 10.7            | Pass    |
| 802.11ax80 | Chain 0 | 5290                 | -2.17             | 0                     | -2.17            | 11              | Pass    |
|            | Chain 1 | 5290                 | -1.95             | 0                     | -1.95            | 10.7            | Pass    |

**5470-5725MHz**

| Mode       | Antenna | Test Frequency (MHz) | Reading (dBm/MHz) | Duty Cycle Factor(dB) | Result (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|------------|---------|----------------------|-------------------|-----------------------|------------------|-----------------|---------|
| 802.11a    | Chain 0 | 5500                 | 2.60              | 0.12                  | 2.72             | 11              | Pass    |
|            |         | 5580                 | 2.40              | 0.12                  | 2.52             | 11              | Pass    |
|            |         | 5700                 | 2.94              | 0.12                  | 3.06             | 11              | Pass    |
|            |         | 5720                 | 2.05              | 0.12                  | 2.17             | 11              | Pass    |
|            | Chain 1 | 5500                 | 2.72              | 0.12                  | 2.84             | 11              | Pass    |
|            |         | 5580                 | 2.19              | 0.12                  | 2.31             | 11              | Pass    |
|            |         | 5700                 | 2.01              | 0.12                  | 2.13             | 11              | Pass    |
|            |         | 5720                 | 1.86              | 0.12                  | 1.98             | 11              | Pass    |
| 802.11n20  | Chain 0 | 5500                 | 2.30              | 0                     | 2.30             | 11              | Pass    |
|            |         | 5580                 | 2.21              | 0                     | 2.21             | 11              | Pass    |
|            |         | 5700                 | 2.39              | 0                     | 2.39             | 11              | Pass    |
|            |         | 5720                 | 2.20              | 0                     | 2.20             | 11              | Pass    |
|            | Chain 1 | 5500                 | 2.32              | 0                     | 2.32             | 11              | Pass    |
|            |         | 5580                 | 1.77              | 0                     | 1.77             | 11              | Pass    |
|            |         | 5700                 | 1.64              | 0                     | 1.64             | 11              | Pass    |
|            |         | 5720                 | 1.78              | 0                     | 1.78             | 11              | Pass    |
| 802.11n40  | Chain 0 | 5510                 | -0.44             | 0                     | -0.44            | 11              | Pass    |
|            |         | 5550                 | -0.31             | 0                     | -0.31            | 11              | Pass    |
|            |         | 5670                 | -0.72             | 0                     | -0.72            | 11              | Pass    |
|            |         | 5710                 | -0.52             | 0                     | -0.52            | 11              | Pass    |
|            | Chain 1 | 5510                 | -0.34             | 0                     | -0.34            | 11              | Pass    |
|            |         | 5550                 | -1.05             | 0                     | -1.05            | 11              | Pass    |
|            |         | 5670                 | -1.40             | 0                     | -1.40            | 11              | Pass    |
|            |         | 5710                 | -1.06             | 0                     | -1.06            | 11              | Pass    |
| 802.11ac80 | Chain 0 | 5530                 | -2.84             | 0                     | -2.84            | 11              | Pass    |
|            |         | 5610                 | -2.95             | 0                     | -2.95            | 11              | Pass    |
|            |         | 5690                 | -2.86             | 0                     | -2.86            | 11              | Pass    |
|            | Chain 1 | 5530                 | -3.28             | 0                     | -3.28            | 11              | Pass    |
|            |         | 5610                 | -3.61             | 0                     | -3.61            | 11              | Pass    |
|            |         | 5690                 | -3.40             | 0                     | -3.40            | 11              | Pass    |

| Mode       | Antenna | Test Frequency (MHz) | Reading (dBm/MHz) | Duty Cycle Factor(dB) | Result (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|------------|---------|----------------------|-------------------|-----------------------|------------------|-----------------|---------|
| 802.11ax20 | Chain 0 | 5500                 | 2.20              | 0                     | 2.20             | 11              | Pass    |
|            |         | 5580                 | 1.89              | 0                     | 1.89             | 11              | Pass    |
|            |         | 5700                 | 2.20              | 0                     | 2.20             | 11              | Pass    |
|            |         | 5720                 | 1.88              | 0                     | 1.88             | 11              | Pass    |
|            | Chain 1 | 5500                 | 2.10              | 0                     | 2.10             | 11              | Pass    |
|            |         | 5580                 | 1.54              | 0                     | 1.54             | 11              | Pass    |
|            |         | 5700                 | 1.41              | 0                     | 1.41             | 11              | Pass    |
|            |         | 5720                 | 1.27              | 0                     | 1.27             | 11              | Pass    |
| 802.11ax40 | Chain 0 | 5510                 | -1.01             | 0                     | -1.01            | 11              | Pass    |
|            |         | 5550                 | -0.65             | 0                     | -0.65            | 11              | Pass    |
|            |         | 5670                 | -0.99             | 0                     | -0.99            | 11              | Pass    |
|            |         | 5710                 | -0.97             | 0                     | -0.97            | 11              | Pass    |
|            | Chain 1 | 5510                 | -1.13             | 0                     | -1.13            | 11              | Pass    |
|            |         | 5550                 | -1.20             | 0                     | -1.20            | 11              | Pass    |
|            |         | 5670                 | -1.69             | 0                     | -1.69            | 11              | Pass    |
|            |         | 5710                 | -1.55             | 0                     | -1.55            | 11              | Pass    |
| 802.11ax80 | Chain 0 | 5530                 | -3.14             | 0                     | -3.14            | 11              | Pass    |
|            |         | 5610                 | -3.16             | 0                     | -3.16            | 11              | Pass    |
|            |         | 5690                 | -3.11             | 0                     | -3.11            | 11              | Pass    |
|            | Chain 1 | 5530                 | -3.52             | 0                     | -3.52            | 11              | Pass    |
|            |         | 5610                 | -3.93             | 0                     | -3.93            | 11              | Pass    |
|            |         | 5690                 | -3.76             | 0                     | -3.76            | 11              | Pass    |


**5725-5850MHz**

| Mode       | Antenna | Test Frequency (MHz) | Reading (dBm/500kHz) | Duty Cycle Factor(dB) | Result (dBm/500kHz) | Limit (dBm/500kHz) | Verdict |
|------------|---------|----------------------|----------------------|-----------------------|---------------------|--------------------|---------|
| 802.11a    | Chain 0 | 5745                 | -5.32                | 0.12                  | -5.20               | 30                 | Pass    |
|            |         | 5785                 | -5.45                | 0.12                  | -5.33               | 30                 | Pass    |
|            |         | 5825                 | -5.30                | 0.12                  | -5.18               | 30                 | Pass    |
|            | Chain 1 | 5745                 | -6.15                | 0.12                  | -6.03               | 30                 | Pass    |
|            |         | 5785                 | -6.08                | 0.12                  | -5.96               | 30                 | Pass    |
|            |         | 5825                 | -6.23                | 0.12                  | -6.11               | 30                 | Pass    |
| 802.11n20  | Chain 0 | 5745                 | -5.86                | 0                     | -5.86               | 30                 | Pass    |
|            |         | 5785                 | -5.72                | 0                     | -5.72               | 30                 | Pass    |
|            |         | 5825                 | -5.29                | 0                     | -5.29               | 30                 | Pass    |
|            | Chain 1 | 5745                 | -6.61                | 0                     | -6.61               | 30                 | Pass    |
|            |         | 5785                 | -6.27                | 0                     | -6.27               | 30                 | Pass    |
|            |         | 5825                 | -6.68                | 0                     | -6.68               | 30                 | Pass    |
| 802.11n40  | Chain 0 | 5755                 | -8.66                | 0                     | -8.66               | 30                 | Pass    |
|            |         | 5795                 | -8.91                | 0                     | -8.91               | 30                 | Pass    |
|            | Chain 1 | 5755                 | -9.61                | 0                     | -9.61               | 30                 | Pass    |
|            |         | 5795                 | -9.45                | 0                     | -9.45               | 30                 | Pass    |
| 802.11ac80 | Chain 0 | 5775                 | -11.50               | 0                     | -11.50              | 30                 | Pass    |
|            | Chain 1 | 5775                 | -12.48               | 0                     | -12.48              | 30                 | Pass    |
| 802.11ax20 | Chain 0 | 5745                 | -5.92                | 0                     | -5.92               | 30                 | Pass    |
|            |         | 5785                 | -5.98                | 0                     | -5.98               | 30                 | Pass    |
|            |         | 5825                 | -5.59                | 0                     | -5.59               | 30                 | Pass    |
|            | Chain 1 | 5745                 | -6.51                | 0                     | -6.51               | 30                 | Pass    |
|            |         | 5785                 | -6.40                | 0                     | -6.40               | 30                 | Pass    |
|            |         | 5825                 | -6.82                | 0                     | -6.82               | 30                 | Pass    |
| 802.11ax40 | Chain 0 | 5755                 | -9.00                | 0                     | -9.00               | 30                 | Pass    |
|            |         | 5795                 | -9.22                | 0                     | -9.22               | 30                 | Pass    |
|            | Chain 1 | 5755                 | -9.86                | 0                     | -9.86               | 30                 | Pass    |
|            |         | 5795                 | -10.07               | 0                     | -10.07              | 30                 | Pass    |
| 802.11ax80 | Chain 0 | 5775                 | -11.69               | 0                     | -11.69              | 30                 | Pass    |
|            | Chain 1 | 5775                 | -12.99               | 0                     | -12.99              | 30                 | Pass    |

**Result = Reading + Duty Cycle Factor**


5150-5250MHz

802.11a\_5180MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:07:33

802.11a\_5200MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:08:50

802.11a\_5240MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:10:14

802.11a\_5180MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:34:02

802.11a\_5200MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:38:08

802.11a\_5240MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:39:43

802.11n20\_5180MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:11:55

802.11n20\_5200MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:13:23

802.11n20\_5240MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:15:15

802.11n20\_5180MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:41:22

802.11n20\_5200MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:42:46

802.11n20\_5240MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:44:17

802.11n40\_5190MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:16:27

802.11n40\_5230MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:17:33

802.11n40\_5190MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:45:31

802.11n40\_5230MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:46:45

802.11ac80\_5210MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:18:38

802.11ac80\_5210MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:48:09

802.11ax20\_5180MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:20:17

802.11ax20\_5200MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:21:37

802.11ax20\_5240MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:23:08

802.11ax20\_5180MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:50:14

802.11ax20\_5200MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:51:46

802.11ax20\_5240MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:53:13

802.11ax40\_5190MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:24:12

802.11ax40\_5230MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:25:17

802.11ax40\_5190MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:54:44

802.11ax40\_5230MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:55:51

802.11ax80\_5210MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 14:26:32


802.11ax80\_5210MHz\_Chain 1



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 10:57:17


5250-5350MHz

802.11a\_5260MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:02:58

802.11a\_5280MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:04:37

802.11a\_5320MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:06:00

802.11a\_5260MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:04:14

802.11a\_5280MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:05:49

802.11a\_5320MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:07:18

802.11n20\_5260MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:08:22

802.11n20\_5280MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:09:58

802.11n20\_5320MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:11:27

802.11n20\_5260MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:09:06

802.11n20\_5280MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:10:47

802.11n20\_5320MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:12:13

802.11n40\_5270MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:14:58

802.11n40\_5310MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:16:16

802.11n40\_5270MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:13:58

802.11n40\_5310MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:15:01

802.11ac80\_5290MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:17:39

802.11ac80\_5290MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:16:18

802.11ax20\_5260MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:20:16

802.11ax20\_5280MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:21:40

802.11ax20\_5320MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:23:01

802.11ax20\_5260MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:18:23

802.11ax20\_5280MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:19:58

802.11ax20\_5320MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:21:34

802.11ax40\_5270MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:24:10

802.11ax40\_5310MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:25:14

802.11ax40\_5270MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:23:12

802.11ax40\_5310MHz\_Chain 1




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:24:19

802.11ax80\_5290MHz\_Chain 0



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:26:27


802.11ax80\_5290MHz\_Chain 1



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 11:25:39


5470-5725MHz

802.11a\_5500MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:44:33

802.11a\_5580MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:46:03

802.11a\_5700MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 15.JUL.2025 15:47:42

802.11a\_5720MHz\_Chain 0




ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 08:54:40

802.11a\_5500MHz\_Chain 1



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 13:09:04

802.11a\_5580MHz\_Chain 1



ProjectNo.:2502U62651E-RF Tester:Conor Fu  
Date: 16.JUL.2025 13:11:07