







11N40SISO-Ant1-2452-30~1000-PASS




11N40SISO-Ant1-2452-1000~25000-PASS




11AX20SISO-Ant1-2412-30~1000-PASS




11AX20SISO-Ant1-2412-1000~25000-PASS




11AX20SISO-Ant1-2437-30~1000-PASS




11AX20SISO-Ant1-2437-1000~25000-PASS




11AX20SISO-Ant1-2462-30~1000-PASS




11AX20SISO-Ant1-2462-1000~25000-PASS




11AX40SISO-Ant1-2422-30~1000-PASS




11AX40SISO-Ant1-2422-1000~25000-PASS




11AX40SISO-Ant1-2437-30~1000-PASS



11AX40SISO-Ant1-2437-1000~25000-PASS




11AX40SISO-Ant1-2452-30~1000-PASS




11AX40SISO-Ant1-2452-1000~25000-PASS

Appendix F: Duty Cycle


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11B	Ant1	2412	8.39	8.48	98.94	0.05
11B	Ant1	2437	8.38	8.47	98.94	0.05
11B	Ant1	2462	8.38	8.47	98.94	0.05
11G	Ant1	2412	1.39	1.41	98.58	0.06
11G	Ant1	2437	1.39	1.41	98.58	0.06
11G	Ant1	2462	1.39	1.41	98.58	0.06
11N20SISO	Ant1	2412	0.16	0.16	100.00	0.00
11N20SISO	Ant1	2437	0.16	0.17	94.12	0.26
11N20SISO	Ant1	2462	0.16	0.17	94.12	0.26
11N40SISO	Ant1	2422	0.10	0.10	100.00	0.00
11N40SISO	Ant1	2437	0.10	0.11	90.91	0.41
11N40SISO	Ant1	2452	0.10	0.10	100.00	0.00
11AX20SISO	Ant1	2412	0.16	0.17	94.12	0.26
11AX20SISO	Ant1	2437	0.16	0.17	94.12	0.26
11AX20SISO	Ant1	2462	0.16	0.17	94.12	0.26
11AX40SISO	Ant1	2422	0.00	0.00	100	NaN
11AX40SISO	Ant1	2437	0.10	0.11	90.91	0.41
11AX40SISO	Ant1	2452	0.10	0.11	90.91	0.41




NTNV-11B-Ant1-2412




NTNV-11B-Ant1-2437




NTNV-11B-Ant1-2462




NTNV-11G-Ant1-2412




NTNV-11G-Ant1-2437




NTNV-11G-Ant1-2462




NTNV-11N20SISO-Ant1-2412




NTNV-11N20SISO-Ant1-2437




NTNV-11N20SISO-Ant1-2462




NTNV-11N40SISO-Ant1-2422




NTNV-11N40SISO-Ant1-2437




NTNV-11N40SISO-Ant1-2452




NTNV-11AX20SISO-Ant1-2412




NTNV-11AX20SISO-Ant1-2437




NTNV-11AX20SISO-Ant1-2462



NTNV-11AX40SISO-Ant1-2422




NTNV-11AX40SISO-Ant1-2437



NTNV-11AX40SISO-Ant1-2452

Appendix G: Emissions in Restricted Bands


Transmit at 2412MHz by 802.11b with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	57.74	52.74	-5.00	74.00	21.26	PK	Horizo	PASS
2	4824.38	56.55	51.55	-5.00	54.00	2.45	AV	Horizo	PASS
3	7235.25	44.89	48.00	3.11	54.00	6.00	AV	Horizo	PASS
4	7236.00	46.71	49.82	3.11	74.00	24.18	PK	Horizo	PASS
5	9648.00	33.01	40.03	7.02	74.00	33.97	PK	Horizo	PASS
6	9648.00	27.22	34.24	7.02	54.00	19.76	AV	Horizo	PASS


Transmit at 2412MHz by 802.11b with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	56.12	51.12	-5.00	74.00	22.88	PK	Vertic	PASS
2	4824.38	55.13	50.13	-5.00	54.00	3.87	AV	Vertic	PASS
3	7236.00	49.35	52.46	3.11	74.00	21.54	PK	Vertic	PASS
4	7237.50	48.21	51.32	3.11	54.00	2.68	AV	Vertic	PASS
5	9648.00	34.42	41.44	7.02	74.00	32.56	PK	Vertic	PASS
6	9648.38	29.20	36.23	7.03	54.00	17.77	AV	Vertic	PASS


Transmit at 2437MHz by 802.11b with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	55.72	50.64	-5.08	74.00	23.36	PK	Horizo	PASS
2	4874.25	55.27	50.19	-5.08	54.00	3.81	AV	Horizo	PASS
3	7310.63	44.92	48.03	3.11	54.00	5.97	AV	Horizo	PASS
4	7311.00	47.02	50.13	3.11	74.00	23.87	PK	Horizo	PASS
5	9748.00	33.87	41.02	7.15	74.00	32.98	PK	Horizo	PASS
6	9748.00	27.91	35.06	7.15	54.00	18.94	AV	Horizo	PASS


Transmit at 2437MHz by 802.11b with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.88	53.92	48.84	-5.08	74.00	25.16	PK	Vertic	PASS
2	4874.25	52.85	47.77	-5.08	54.00	6.23	AV	Vertic	PASS
3	7310.25	50.68	53.79	3.11	74.00	20.21	PK	Vertic	PASS
4	7312.13	48.16	51.28	3.12	54.00	2.72	AV	Vertic	PASS
5	9748.00	29.62	36.77	7.15	54.00	17.23	AV	Vertic	PASS
6	9748.00	35.33	42.48	7.15	74.00	31.52	PK	Vertic	PASS


Transmit at 2462MHz by 802.11b with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4923.75	54.03	48.97	-5.06	74.00	25.03	PK	Horizo	PASS
2	4924.50	52.86	47.80	-5.06	54.00	6.20	AV	Horizo	PASS
3	7385.63	47.07	50.30	3.23	54.00	3.70	AV	Horizo	PASS
4	7386.75	49.68	52.91	3.23	74.00	21.09	PK	Horizo	PASS
5	9848.00	34.14	40.73	6.59	74.00	33.27	PK	Horizo	PASS
6	9848.00	30.32	36.91	6.59	54.00	17.09	AV	Horizo	PASS


Transmit at 2462MHz by 802.11b with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.13	51.66	46.60	-5.06	74.00	27.40	PK	Vertic	PASS
2	4924.50	50.26	45.20	-5.06	54.00	8.80	AV	Vertic	PASS
3	7386.00	49.45	52.68	3.23	74.00	21.32	PK	Vertic	PASS
4	7387.88	47.17	50.40	3.23	54.00	3.60	AV	Vertic	PASS
5	9848.00	37.84	44.43	6.59	74.00	29.57	PK	Vertic	PASS
6	9848.00	32.84	39.43	6.59	54.00	14.57	AV	Vertic	PASS


Transmit at 2412MHz by 802.11g with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4823.63	50.64	45.64	-5.00	74.00	28.36	PK	Horizo	PASS
2	4824.00	42.56	37.56	-5.00	54.00	16.44	AV	Horizo	PASS
3	7228.13	50.98	54.09	3.11	74.00	19.91	PK	Horizo	PASS
4	7236.00	40.99	44.10	3.11	54.00	9.90	AV	Horizo	PASS
5	9648.00	25.15	32.17	7.02	54.00	21.83	AV	Horizo	PASS
6	9657.38	35.44	42.58	7.14	74.00	31.42	PK	Horizo	PASS


Transmit at 2412MHz by 802.11g with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	39.28	34.28	-5.00	54.00	19.72	AV	Vertic	PASS
2	4827.38	49.00	43.99	-5.01	74.00	30.01	PK	Vertic	PASS
3	7236.00	40.16	43.27	3.11	54.00	10.73	AV	Vertic	PASS
4	7238.25	51.25	54.36	3.11	74.00	19.64	PK	Vertic	PASS
5	9648.00	32.16	39.18	7.02	74.00	34.82	PK	Vertic	PASS
6	9648.00	25.08	32.10	7.02	54.00	21.90	AV	Vertic	PASS


Transmit at 2437MHz by 802.11g with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	47.14	42.06	-5.08	74.00	31.94	PK	Horizo	PASS
2	4874.00	41.18	36.10	-5.08	54.00	17.90	AV	Horizo	PASS
3	7303.88	50.38	53.49	3.11	74.00	20.51	PK	Horizo	PASS
4	7311.00	40.34	43.45	3.11	54.00	10.55	AV	Horizo	PASS
5	9748.00	32.15	39.30	7.15	74.00	34.70	PK	Horizo	PASS
6	9748.00	25.53	32.68	7.15	54.00	21.32	AV	Horizo	PASS


Transmit at 2437MHz by 802.11g with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.88	47.93	42.85	-5.08	74.00	31.15	PK	Vertic	PASS
2	4874.00	39.86	34.78	-5.08	54.00	19.22	AV	Vertic	PASS
3	7311.00	51.44	54.55	3.11	74.00	19.45	PK	Vertic	PASS
4	7311.00	42.82	45.93	3.11	54.00	8.07	AV	Vertic	PASS
5	9748.00	33.89	41.04	7.15	74.00	32.96	PK	Vertic	PASS
6	9748.00	25.37	32.52	7.15	54.00	21.48	AV	Vertic	PASS


Transmit at 2462MHz by 802.11g with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4923.75	46.70	41.64	-5.06	74.00	32.36	PK	Horizo	PASS
2	4924.00	39.05	33.99	-5.06	54.00	20.01	AV	Horizo	PASS
3	7388.63	52.99	56.23	3.24	74.00	17.77	PK	Horizo	PASS
4	7389.00	43.72	46.96	3.24	54.00	7.04	AV	Horizo	PASS
5	9848.00	26.01	32.60	6.59	54.00	21.40	AV	Horizo	PASS
6	9848.00	32.91	39.50	6.59	74.00	34.50	PK	Horizo	PASS


Transmit at 2462MHz by 802.11g with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4921.13	46.61	41.54	-5.07	74.00	32.46	PK	Vertic	PASS
2	4925.25	38.52	33.46	-5.06	54.00	20.54	AV	Vertic	PASS
3	7383.38	44.52	47.75	3.23	54.00	6.25	AV	Vertic	PASS
4	7387.13	53.43	56.66	3.23	74.00	17.34	PK	Vertic	PASS
5	9848.00	24.23	30.82	6.59	54.00	23.18	AV	Vertic	PASS
6	9848.00	31.92	38.51	6.59	74.00	35.49	PK	Vertic	PASS


Transmit at 2412MHz by 802.11n(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	47.49	42.49	-5.00	74.00	31.51	PK	Horizo	PASS
2	4826.25	42.24	37.23	-5.01	54.00	16.77	AV	Horizo	PASS
3	7233.38	38.49	41.60	3.11	54.00	12.40	AV	Horizo	PASS
4	7242.00	46.94	50.05	3.11	74.00	23.95	PK	Horizo	PASS
5	9648.00	32.50	39.52	7.02	74.00	34.48	PK	Horizo	PASS
6	9648.00	25.22	32.24	7.02	54.00	21.76	AV	Horizo	PASS


Transmit at 2412MHz by 802.11n(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	46.36	41.36	-5.00	74.00	32.64	PK	Vertic	PASS
2	4824.00	38.92	33.92	-5.00	54.00	20.08	AV	Vertic	PASS
3	7236.00	40.07	43.18	3.11	54.00	10.82	AV	Vertic	PASS
4	7245.00	51.10	54.21	3.11	74.00	19.79	PK	Vertic	PASS
5	9648.00	31.94	38.96	7.02	74.00	35.04	PK	Vertic	PASS
6	9648.00	24.77	31.79	7.02	54.00	22.21	AV	Vertic	PASS


Transmit at 2437MHz by 802.11n(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	43.12	38.04	-5.08	54.00	15.96	AV	Horizo	PASS
2	4875.38	49.47	44.38	-5.09	74.00	29.62	PK	Horizo	PASS
3	7310.25	40.78	43.89	3.11	54.00	10.11	AV	Horizo	PASS
4	7320.38	50.80	53.93	3.13	74.00	20.07	PK	Horizo	PASS
5	9748.00	34.48	41.63	7.15	74.00	32.37	PK	Horizo	PASS
6	9748.00	24.87	32.02	7.15	54.00	21.98	AV	Horizo	PASS


Transmit at 2437MHz by 802.11n(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	51.13	46.05	-5.08	74.00	27.95	PK	Vertic	PASS
2	4874.00	41.19	36.11	-5.08	54.00	17.89	AV	Vertic	PASS
3	7311.00	42.73	45.84	3.11	54.00	8.16	AV	Vertic	PASS
4	7316.63	55.40	58.52	3.12	74.00	15.48	PK	Vertic	PASS
5	9748.00	33.92	41.07	7.15	74.00	32.93	PK	Vertic	PASS
6	9748.00	26.43	33.58	7.15	54.00	20.42	AV	Vertic	PASS


Transmit at 2462MHz by 802.11n(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4923.00	43.31	38.25	-5.06	54.00	15.75	AV	Horizo	PASS
2	4924.00	49.74	44.68	-5.06	74.00	29.32	PK	Horizo	PASS
3	7389.38	42.40	45.64	3.24	54.00	8.36	AV	Horizo	PASS
4	7391.25	54.39	57.63	3.24	74.00	16.37	PK	Horizo	PASS
5	9848.00	33.75	40.34	6.59	74.00	33.66	PK	Horizo	PASS
6	9848.00	25.94	32.53	6.59	54.00	21.47	AV	Horizo	PASS


Transmit at 2462MHz by 802.11n(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	50.55	45.49	-5.06	74.00	28.51	PK	Vertic	PASS
2	4924.50	43.66	38.60	-5.06	54.00	15.40	AV	Vertic	PASS
3	7384.88	53.25	56.48	3.23	74.00	17.52	PK	Vertic	PASS
4	7386.00	43.55	46.78	3.23	54.00	7.22	AV	Vertic	PASS
5	9848.00	34.07	40.66	6.59	74.00	33.34	PK	Vertic	PASS
6	9848.00	26.68	33.27	6.59	54.00	20.73	AV	Vertic	PASS


Transmit at 2422MHz by 802.11n(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	46.28	41.24	-5.04	74.00	32.76	PK	Horizo	PASS
2	4844.00	40.93	35.89	-5.04	54.00	18.11	AV	Horizo	PASS
3	7260.00	33.66	36.76	3.10	54.00	17.24	AV	Horizo	PASS
4	7270.13	41.13	44.23	3.10	74.00	29.77	PK	Horizo	PASS
5	9688.00	25.87	33.36	7.49	54.00	20.64	AV	Horizo	PASS
6	9688.00	32.94	40.43	7.49	74.00	33.57	PK	Horizo	PASS


Transmit at 2422MHz by 802.11n(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	44.12	39.08	-5.04	74.00	34.92	PK	Vertic	PASS
2	4844.00	38.19	33.15	-5.04	54.00	20.85	AV	Vertic	PASS
3	7266.00	34.14	37.24	3.10	54.00	16.76	AV	Vertic	PASS
4	7276.88	42.96	46.07	3.11	74.00	27.93	PK	Vertic	PASS
5	9678.38	27.71	35.09	7.38	54.00	18.91	AV	Vertic	PASS
6	9688.00	34.46	41.95	7.49	74.00	32.05	PK	Vertic	PASS


Transmit at 2437MHz by 802.11n(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	48.35	43.27	-5.08	74.00	30.73	PK	Horizo	PASS
2	4874.00	42.66	37.58	-5.08	54.00	16.42	AV	Horizo	PASS
3	7311.00	35.55	38.66	3.11	54.00	15.34	AV	Horizo	PASS
4	7311.00	43.80	46.91	3.11	74.00	27.09	PK	Horizo	PASS
5	9748.00	32.41	39.56	7.15	74.00	34.44	PK	Horizo	PASS
6	9748.00	24.83	31.98	7.15	54.00	22.02	AV	Horizo	PASS


Transmit at 2437MHz by 802.11n(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4870.50	46.87	41.79	-5.08	74.00	32.21	PK	Vertic	PASS
2	4873.13	41.42	36.34	-5.08	54.00	17.66	AV	Vertic	PASS
3	7314.38	48.58	51.70	3.12	74.00	22.30	PK	Vertic	PASS
4	7314.75	40.49	43.61	3.12	54.00	10.39	AV	Vertic	PASS
5	9748.00	34.83	41.98	7.15	74.00	32.02	PK	Vertic	PASS
6	9748.00	27.37	34.52	7.15	54.00	19.48	AV	Vertic	PASS


Transmit at 2452MHz by 802.11n(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	43.76	38.65	-5.11	74.00	35.35	PK	Horizo	PASS
2	4904.00	38.94	33.83	-5.11	54.00	20.17	AV	Horizo	PASS
3	7356.00	32.24	35.42	3.18	54.00	18.58	AV	Horizo	PASS
4	7363.88	42.12	45.31	3.19	74.00	28.69	PK	Horizo	PASS
5	9808.00	32.39	39.03	6.64	74.00	34.97	PK	Horizo	PASS
6	9808.00	24.99	31.63	6.64	54.00	22.37	AV	Horizo	PASS


Transmit at 2452MHz by 802.11n(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4903.88	40.47	35.36	-5.11	54.00	18.64	AV	Vertic	PASS
2	4904.00	44.32	39.21	-5.11	74.00	34.79	PK	Vertic	PASS
3	7357.88	35.12	38.31	3.19	54.00	15.69	AV	Vertic	PASS
4	7363.50	43.41	46.60	3.19	74.00	27.40	PK	Vertic	PASS
5	9808.00	33.39	40.03	6.64	74.00	33.97	PK	Vertic	PASS
6	9808.00	25.36	32.00	6.64	54.00	22.00	AV	Vertic	PASS


Transmit at 2412MHz by 802.11ax(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4820.25	42.87	37.87	-5.00	54.00	16.13	AV	Horizo	PASS
2	4824.00	49.25	44.25	-5.00	74.00	29.75	PK	Horizo	PASS
3	7233.75	48.58	51.69	3.11	74.00	22.31	PK	Horizo	PASS
4	7240.88	39.71	42.82	3.11	54.00	11.18	AV	Horizo	PASS
5	9648.00	34.62	41.64	7.02	74.00	32.36	PK	Horizo	PASS
6	9648.00	25.81	32.83	7.02	54.00	21.17	AV	Horizo	PASS


Transmit at 2412MHz by 802.11ax(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4823.25	42.67	37.67	-5.00	54.00	16.33	AV	Vertic	PASS
2	4824.00	49.21	44.21	-5.00	74.00	29.79	PK	Vertic	PASS
3	7240.88	40.68	43.79	3.11	54.00	10.21	AV	Vertic	PASS
4	7242.00	49.99	53.10	3.11	74.00	20.90	PK	Vertic	PASS
5	9648.00	33.44	40.46	7.02	74.00	33.54	PK	Vertic	PASS
6	9648.00	25.49	32.51	7.02	54.00	21.49	AV	Vertic	PASS


Transmit at 2437MHz by 802.11ax(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4871.63	48.42	43.34	-5.08	74.00	30.66	PK	Horizo	PASS
2	4873.13	44.24	39.16	-5.08	54.00	14.84	AV	Horizo	PASS
3	7305.75	49.24	52.35	3.11	74.00	21.65	PK	Horizo	PASS
4	7309.13	39.26	42.37	3.11	54.00	11.63	AV	Horizo	PASS
5	9748.00	33.19	40.34	7.15	74.00	33.66	PK	Horizo	PASS
6	9748.00	25.28	32.43	7.15	54.00	21.57	AV	Horizo	PASS


Transmit at 2437MHz by 802.11ax(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.36	41.28	-5.08	74.00	32.72	PK	Vertic	PASS
2	4874.00	40.61	35.53	-5.08	54.00	18.47	AV	Vertic	PASS
3	7315.88	43.15	46.27	3.12	54.00	7.73	AV	Vertic	PASS
4	7317.00	51.26	54.38	3.12	74.00	19.62	PK	Vertic	PASS
5	9748.00	24.89	32.04	7.15	54.00	21.96	AV	Vertic	PASS
6	9748.00	32.82	39.97	7.15	74.00	34.03	PK	Vertic	PASS


Transmit at 2462MHz by 802.11ax(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	41.42	36.36	-5.06	54.00	17.64	AV	Horizo	PASS
2	4929.38	48.40	43.35	-5.05	74.00	30.65	PK	Horizo	PASS
3	7383.38	50.50	53.73	3.23	74.00	20.27	PK	Horizo	PASS
4	7383.38	41.76	44.99	3.23	54.00	9.01	AV	Horizo	PASS
5	9848.00	24.83	31.42	6.59	54.00	22.58	AV	Horizo	PASS
6	9848.00	31.80	38.39	6.59	74.00	35.61	PK	Horizo	PASS


Transmit at 2462MHz by 802.11ax(20MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	46.32	41.26	-5.06	74.00	32.74	PK	Vertic	PASS
2	4924.50	42.17	37.11	-5.06	54.00	16.89	AV	Vertic	PASS
3	7390.50	43.68	46.92	3.24	54.00	7.08	AV	Vertic	PASS
4	7392.00	53.29	56.53	3.24	74.00	17.47	PK	Vertic	PASS
5	9848.00	33.69	40.28	6.59	74.00	33.72	PK	Vertic	PASS
6	9848.00	24.69	31.28	6.59	54.00	22.72	AV	Vertic	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant1




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	46.42	41.38	-5.04	74.00	32.62	PK	Horizo	PASS
2	4844.00	40.41	35.37	-5.04	54.00	18.63	AV	Horizo	PASS
3	7266.00	32.56	35.66	3.10	54.00	18.34	AV	Horizo	PASS
4	7267.88	42.25	45.35	3.10	74.00	28.65	PK	Horizo	PASS
5	9688.00	32.68	40.17	7.49	74.00	33.83	PK	Horizo	PASS
6	9688.00	25.31	32.80	7.49	54.00	21.20	AV	Horizo	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant1


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4845.00	46.28	41.24	-5.04	74.00	32.76	PK	Vertic	PASS
2	4845.38	39.35	34.31	-5.04	54.00	19.69	AV	Vertic	PASS
3	7267.50	43.56	46.66	3.10	74.00	27.34	PK	Vertic	PASS
4	7267.88	36.40	39.50	3.10	54.00	14.50	AV	Vertic	PASS
5	9688.00	32.27	39.76	7.49	74.00	34.24	PK	Vertic	PASS
6	9688.00	24.66	32.15	7.49	54.00	21.85	AV	Vertic	PASS


Transmit at 2437MHz by 802.11ax(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.50	46.66	41.58	-5.08	74.00	32.42	PK	Horizo	PASS
2	4874.00	40.20	35.12	-5.08	54.00	18.88	AV	Horizo	PASS
3	7311.00	36.75	39.86	3.11	54.00	14.14	AV	Horizo	PASS
4	7314.75	45.87	48.99	3.12	74.00	25.01	PK	Horizo	PASS
5	9748.00	32.58	39.73	7.15	74.00	34.27	PK	Horizo	PASS
6	9748.00	25.42	32.57	7.15	54.00	21.43	AV	Horizo	PASS


Transmit at 2437MHz by 802.11ax(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	42.89	37.81	-5.08	74.00	36.19	PK	Vertic	PASS
2	4874.00	37.56	32.48	-5.08	54.00	21.52	AV	Vertic	PASS
3	7312.88	39.76	42.88	3.12	54.00	11.12	AV	Vertic	PASS
4	7314.75	48.11	51.23	3.12	74.00	22.77	PK	Vertic	PASS
5	9748.00	26.00	33.15	7.15	54.00	20.85	AV	Vertic	PASS
6	9748.00	34.95	42.10	7.15	74.00	31.90	PK	Vertic	PASS


Transmit at 2452MHz by 802.11ax(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	45.75	40.64	-5.11	74.00	33.36	PK	Horizo	PASS
2	4904.00	38.47	33.36	-5.11	54.00	20.64	AV	Horizo	PASS
3	7356.00	32.97	36.15	3.18	54.00	17.85	AV	Horizo	PASS
4	7365.38	41.99	45.18	3.19	74.00	28.82	PK	Horizo	PASS
5	9808.00	33.80	40.44	6.64	74.00	33.56	PK	Horizo	PASS
6	9808.00	24.24	30.88	6.64	54.00	23.12	AV	Horizo	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4905.75	38.21	33.10	-5.11	54.00	20.90	AV	Vertic	PASS
2	4908.38	45.30	40.20	-5.10	74.00	33.80	PK	Vertic	PASS
3	7356.00	41.56	44.74	3.18	74.00	29.26	PK	Vertic	PASS
4	7366.13	35.00	38.20	3.20	54.00	15.80	AV	Vertic	PASS
5	9808.00	31.68	38.32	6.64	74.00	35.68	PK	Vertic	PASS
6	9808.00	24.53	31.17	6.64	54.00	22.83	AV	Vertic	PASS


Note:

1. Level = Reading + Factor

2. Margin = Limit - Level


3. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.

4. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.

The worst case of Radiated Emission below 1GHz:**Transmit at 2412MHz by 802.11b with Ant1****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	31.70	10.37	29.36	18.99	40.00	10.64	PK	Horizo	PASS
2	72.92	12.99	21.20	8.21	40.00	18.80	PK	Horizo	PASS
3	108.09	15.70	29.18	13.48	43.50	14.32	PK	Horizo	PASS
4	191.99	20.91	32.52	11.61	43.50	10.98	PK	Horizo	PASS
5	384.29	17.25	35.53	18.28	46.00	10.47	PK	Horizo	PASS
6	936.47	13.61	39.35	25.74	46.00	6.65	PK	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant1



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	30.73	10.81	30.32	19.51	40.00	9.68	PK	Vertic	PASS
2	74.86	15.90	24.23	8.33	40.00	15.77	PK	Vertic	PASS
3	119.97	16.64	30.71	14.07	43.50	12.79	PK	Vertic	PASS
4	192.96	19.43	31.05	11.62	43.50	12.45	PK	Vertic	PASS
5	240.25	18.80	33.42	14.62	46.00	12.58	PK	Vertic	PASS
6	908.34	13.90	39.63	25.73	46.00	6.37	PK	Vertic	PASS

Note:

1. All Readings below 1GHz are PK, PK as an alternative to CISPR quasi-peak measurements or average measurements.
2. Level=Reading+Factor.

_____ The End _____